







# MolProbity Ramachandran analysis

2liz.H.pdb, all models



89.6% (2115/2360) of all residues were in favored (98%) regions.  
98.5% (2325/2360) of all residues were in allowed (>99.8%) regions.







There were 35 outliers (phi, psi):

|                             |                            |                             |
|-----------------------------|----------------------------|-----------------------------|
| [1] 195 Gly (-153.9, -33.3) | [8] 222 Arg (51.9, 6.4)    | [12] 188 Arg (45.0, -76.4)  |
| [2] 294 Phe (66.2, 149.3)   | [8] 295 Asp (58.3, -15.4)  | [12] 217 Arg (36.5, -2.1)   |
| [2] 302 Gly (177.2, -36.1)  | [8] 303 Val (70.0, -23.1)  | [12] 296 Val (49.6, 80.8)   |
| [4] 303 Val (51.9, -3.2)    | [9] 197 Asp (-67.8, 29.7)  | [12] 298 Arg (51.7, -30.7)  |
| [5] 188 Arg (56.3, -177.4)  | [10] 195 Gly (173.3, 44.9) | [12] 303 Val (64.9, -34.9)  |
| [5] 298 Arg (55.0, -3.4)    | [10] 198 Thr (60.6, 154.6) | [14] 224 Thr (49.2, -179.4) |
| [6] 294 Phe (43.4, 23.9)    | [11] 194 Ala (-65.2, 73.9) | [14] 298 Arg (53.5, 174.7)  |
| [7] 198 Thr (59.5, 142.8)   | [11] 303 Val (64.7, -39.9) | [15] 294 Phe (65.5, 122.9)  |
|                             |                            | [15] 303 Val (47.0, -4.5)   |
|                             |                            | [16] 188 Arg (47.1, -77.2)  |
|                             |                            | [16] 294 Phe (59.9, -22.9)  |
|                             |                            | [17] 217 Arg (-57.3, 4.9)   |

[17] 302 Gly (168.5, 44.9)  
[18] 198 Thr (58.2, 146.1)  
[18] 297 Val (50.8, -27.0)  
[18] 303 Val (51.2, 18.2)  
[19] 217 Arg (-62.3, 9.8)  
[19] 222 Arg (49.2, 4.9)  
[19] 296 Val (51.6, 74.4)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 1









84.7% (100/118) of all residues were in favored (98%) regions.  
99.2% (117/118) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):  
[1] 195 Gly (-153.9, -33.3)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 2









92.4% (109/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[2] 294 Phe (66.2, 149.3)  
[2] 302 Gly (177.2, -36.1)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 3









89.8% (106/118) of all residues were in favored (98%) regions.  
100.0% (118/118) of all residues were in allowed (>99.8%) regions.

There were no outliers.

# MolProbity Ramachandran analysis

2liz.H.pdb, model 4









85.6% (101/118) of all residues were in favored (98%) regions.  
99.2% (117/118) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):  
[4] 303 Val (51.9, -3.2)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 5









86.4% (102/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):

[5] 188 Arg (56.3, -177.4)  
[5] 298 Arg (55.0, -3.4)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 6









91.5% (108/118) of all residues were in favored (98%) regions.  
99.2% (117/118) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):  
[6] 294 Phe (43.4, 23.9)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 7








89.0% (105/118) of all residues were in favored (98%) regions.  
99.2% (117/118) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):  
[7] 198 Thr (59.5, 142.8)



# MolProbity Ramachandran analysis

2liz.H.pdb, model 8









89.0% (105/118) of all residues were in favored (98%) regions.  
97.5% (115/118) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[8] 222 Arg (51.9, 6.4)  
[8] 295 Asp (58.3, -15.4)  
[8] 303 Val (70.0, -23.1)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 9









88.1% (104/118) of all residues were in favored (98%) regions.  
99.2% (117/118) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):  
[9] 197 Asp (-67.8, 29.7)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 10









89.0% (105/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[10] 195 Gly (173.3, 44.9)  
[10] 198 Thr (60.6, 154.6)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 11









86.4% (102/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[11] 194 Ala (-65.2, 73.9)  
[11] 303 Val (64.7, -39.9)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 12



90.7% (107/118) of all residues were in favored (98%) regions.

95.8% (113/118) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

[12] 188 Arg (45.0, -76.4)

[12] 217 Arg (36.5, -2.1)







[12] 296 Val (49.6, 80.8)

[12] 298 Arg (51.7, -30.7)

[12] 303 Val (64.9, -34.9)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 13









93.2% (110/118) of all residues were in favored (98%) regions.  
100.0% (118/118) of all residues were in allowed (>99.8%) regions.

There were no outliers.

# MolProbity Ramachandran analysis

2liz.H.pdb, model 14









91.5% (108/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[14] 224 Thr (49.2, -179.4)  
[14] 298 Arg (53.5, 174.7)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 15








89.8% (106/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[15] 294 Phe (65.5, 122.9)  
[15] 303 Val (47.0, -4.5)



# MolProbity Ramachandran analysis

2liz.H.pdb, model 16









93.2% (110/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[16] 188 Arg (47.1, -77.2)  
[16] 294 Phe (59.9, -22.9)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 17









90.7% (107/118) of all residues were in favored (98%) regions.  
98.3% (116/118) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):  
[17] 217 Arg (-57.3, 4.9)  
[17] 302 Gly (168.5, 44.9)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 18









89.8% (106/118) of all residues were in favored (98%) regions.  
97.5% (115/118) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[18] 198 Thr (58.2, 146.1)  
[18] 297 Val (50.8, -27.0)  
[18] 303 Val (51.2, 18.2)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 19









88.1% (104/118) of all residues were in favored (98%) regions.  
97.5% (115/118) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

- [19] 217 Arg (-62.3, 9.8)
- [19] 222 Arg (49.2, 4.9)
- [19] 296 Val (51.6, 74.4)

# MolProbity Ramachandran analysis

2liz.H.pdb, model 20



93.2% (110/118) of all residues were in favored (98%) regions.  
100.0% (118/118) of all residues were in allowed (>99.8%) regions.

There were no outliers.