


MolProbity Ramachandran analysis

2ozk.H.pdb, model 1



86.7% (1025/1182) of all residues were in favored (98%) regions.
97.6% (1154/1182) of all residues were in allowed (>99.8%) regions.

There were 28 outliers (phi, psi):

A 59 Ala (-57.1, 11.0)	C 35 Val (-25.0, 114.2)	C 116 Cys (-178.8, -27.4)
A 61 Arg (-24.9, 135.4)	C 36 Asp (-19.3, 89.4)	C 126 Arg (-70.2, 20.4)
A 114 Ser (-25.5, -43.9)	C 37 Gly (67.1, 110.5)	C 232 Phe (12.0, -38.6)
B 36 Asp (75.1, -120.2)	C 38 Ile (-125.1, -128.7)	C 233 Glu (-22.0, -72.7)
B 117 Ser (-66.0, 13.8)	C 46 Lys (38.1, -19.4)	C 312 Ser (-76.9, -113.6)
B 171 Ser (-69.4, -83.4)	C 52 Asn (-21.1, -73.1)	D 38 Ile (48.2, 104.9)
B 247 Gly (-58.2, -151.9)	C 114 Ser (38.3, -148.2)	D 52 Asn (-1.4, -69.5)
B 292 Cys (168.2, 154.1)	C 115 Ala (-54.1, 75.2)	D 149 Lys (-26.7, 99.3)
		D 226 Lys (17.5, 79.2)
		D 232 Phe (18.1, -25.3)
		D 310 Asp (-0.4, 130.1)
		D 313 Val (82.6, -18.1)