


MolProbity Ramachandran analysis

7egq.H.pdb, model 1



88.9% (5879/6610) of all residues were in favored (98%) regions.
99.4% (6572/6610) of all residues were in allowed (>99.8%) regions.

There were 38 outliers (phi, psi):

A 808 Gly (28.5, -106.8)	H 88 Gly (-160.9, 6.0)	N 607 Ser (-62.3, -79.3)
A 847 Ile (-82.3, 47.1)	K 299 Ile (-147.1, 70.0)	N 847 Ile (-86.5, 37.7)
B 181 Ala (-47.2, -174.4)	K 451 Pro (-67.4, -162.9)	N 850 Thr (-69.8, -111.3)
B 182 Trp (-139.2, 6.7)	K 453 Glu (-33.5, -79.7)	N 851 Asp (-1.7, 90.1)
B 183 Pro (-100.8, 104.8)	K 454 Ser (145.8, -152.0)	O 31 Ser (-44.4, 161.9)
D 126 Ala (67.3, 105.3)	K 459 Val (-117.3, -148.8)	O 172 Ile (-93.6, 47.6)
G 6 Pro (-48.2, 94.0)	K 485 Arg (31.4, -72.5)	O 183 Pro (-130.6, 76.6)
G 23 Cys (-57.6, 98.3)	N 24 Thr (-57.7, -79.9)	R 146 Lys (-57.5, 1.4)
		R 171 Lys (-153.8, -158.8)
		R 469 Ala (48.2, 12.1)
		X 228 His (-70.3, -83.2)
		X 460 Val (39.4, 18.4)

X 464 Asp (26.1, 40.2)
X 467 Pro (-133.1, 129.4)
X 475 Thr (-81.2, -143.1)
F 319 Glu (-48.0, -83.1)
F 338 Ala (-60.5, 94.3)
S 67 Gly (-130.5, -56.6)
S 191 Ser (93.0, 51.4)
S 335 Pro (-79.1, -47.1)
S 339 Arg (-37.5, -25.4)
S 350 Ser (-40.3, -24.1)