


MolProbity Ramachandran analysis

2ajf.H.pdb, model 1



87.9% (1345/1530) of all residues were in favored (98%) regions.
98.0% (1499/1530) of all residues were in allowed (>99.8%) regions.

There were 31 outliers (phi, psi):

A 86 Gln (-70.5, 34.3)	B 213 Asp (64.8, 113.6)	E 370 Ser (-170.5, 61.4)
A 146 Pro (-89.7, -112.2)	B 339 Val (67.0, -25.4)	E 395 Arg (-33.9, -33.5)
A 147 Gly (54.0, -60.4)	B 364 Val (-66.2, 87.5)	E 401 Gln (70.8, 139.7)
A 289 Pro (-88.3, -158.4)	B 407 Ile (-30.6, -38.1)	E 402 Thr (-59.8, -96.1)
B 87 Glu (177.3, -36.0)	B 424 Leu (61.0, 110.3)	E 404 Val (18.7, -70.7)
B 110 Glu (-20.4, -52.8)	B 519 Thr (-38.3, -26.4)	E 416 Phe (2.9, 118.9)
B 146 Pro (-90.6, -121.9)	E 368 Gly (-172.1, -56.5)	E 482 Gly (68.2, 87.2)
B 147 Gly (53.5, -72.1)	E 369 Val (-162.2, -173.9)	F 368 Gly (-175.0, -41.5)
		F 369 Val (-157.7, -167.5)
		F 370 Ser (-175.7, 38.1)
		F 401 Gln (88.8, 148.5)
		F 402 Thr (-58.5, -87.1)

F 404 Val (47.9, -64.9)
F 416 Phe (-14.1, 111.3)
F 470 Pro (-86.1, 69.5)