


MolProbity Ramachandran analysis

3d0i.H.pdb, model 1



87.1% (1331/1528) of all residues were in favored (98%) regions.
96.3% (1471/1528) of all residues were in allowed (>99.8%) regions.

There were 57 outliers (phi, psi):

A 54 Ile (-71.6, 41.5)	A 254 Ser (86.5, -32.8)	A 504 Phe (-27.6, -76.3)
A 82 Met (-71.0, 21.0)	A 289 Pro (-111.0, -124.0)	A 508 Asn (-166.7, 11.3)
A 146 Pro (-78.8, -94.9)	A 339 Val (57.8, 8.6)	A 614 Ala (39.3, -166.9)
A 147 Gly (44.4, -85.8)	A 340 Gln (170.5, 78.3)	B 54 Ile (-70.0, 42.7)
A 164 Ala (-37.2, -76.0)	A 364 Val (-80.3, 52.0)	B 64 Asn (-41.2, -77.3)
A 206 Asp (-33.8, -33.0)	A 427 Asp (-77.2, -117.3)	B 92 Thr (-46.5, -73.0)
A 212 Val (164.9, -27.9)	A 432 Asn (-40.7, -22.4)	B 108 Leu (-76.6, -150.7)
A 213 Asp (66.9, 120.1)		B 146 Pro (-82.9, -97.3)
		B 147 Gly (35.3, -81.8)
		B 163 Trp (-47.7, -73.4)
		B 164 Ala (-37.8, -74.4)
		B 206 Asp (-37.3, -31.2)

B 212 Val (162.0, -26.0)	E 402 Thr (-43.9, -97.8)	F 415 Asp (-62.2, -143.5)
B 213 Asp (62.8, 115.9)	E 404 Val (78.6, -75.9)	F 416 Phe (-39.6, 165.2)
B 290 Asn (18.4, 110.9)	E 415 Asp (-60.3, -139.7)	F 464 Gly (29.4, -122.3)
B 340 Gln (162.3, 63.4)	E 416 Phe (-46.7, 173.8)	F 465 Lys (54.1, 120.1)
B 390 Phe (-26.9, -42.1)	E 465 Lys (59.2, 133.6)	F 482 Gly (65.2, 87.0)
B 427 Asp (-74.4, -102.8)	E 482 Gly (62.8, 83.0)	
B 428 Phe (42.4, 99.2)	F 368 Gly (-155.9, -74.9)	
B 536 Glu (-45.6, -83.0)	F 369 Val (-148.4, -139.5)	
E 365 Lys (-40.7, 104.2)	F 370 Ser (178.4, 30.0)	
E 369 Val (-149.4, -132.2)	F 401 Gln (-1.5, 127.0)	
E 370 Ser (178.7, 38.9)	F 402 Thr (-41.5, -104.1)	
E 401 Gln (-20.7, 135.9)	F 404 Val (78.9, -72.6)	