










2jzd.H.pdb, all models



[15] 611 Val (-28.0, -53.6) [20] 611 Val (-24.7, -57.9)
[16] 604 Val (-155.9, 91.1)
[16] 611 Val (-26.2, -51.8)
[17] -2 His (44.5, 81.5)
[17] 650 Ser (66.8, 111.4)
[18] 611 Val (-29.8, -51.3)
[19] 543 Thr (-77.4, -96.4)
[19] 544 Arg (168.1, 18.3)
[19] 611 Val (-30.9, -47.6)
[19] 649 Thr (178.0, 35.4)
[20] -2 His (24.8, 95.8)
[20] 604 Val (-162.7, 82.4)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 1









90.6% (115/127) of all residues were in favored (98%) regions.
100.0% (127/127) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2jzd.H.pdb, model 2









87.4% (111/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):

[2] 611 Val (-25.9, -53.9)
[2] 650 Ser (40.4, 83.7)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 3









92.1% (117/127) of all residues were in favored (98%) regions.
99.2% (126/127) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[3] 611 Val (-26.9, -54.7)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 4









88.2% (112/127) of all residues were in favored (98%) regions.
99.2% (126/127) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[4] 650 Ser (-174.0, 76.7)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 5









87.4% (111/127) of all residues were in favored (98%) regions.
96.9% (123/127) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

- [5] -2 His (24.9, 73.7)
- [5] 579 Arg (45.4, 108.8)
- [5] 649 Thr (-162.4, -43.6)
- [5] 650 Ser (58.7, 91.0)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 6




91.3% (116/127) of all residues were in favored (98%) regions.
100.0% (127/127) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2jzd.H.pdb, model 7








87.4% (111/127) of all residues were in favored (98%) regions.
97.6% (124/127) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[7] 569 Ile (-29.2, 123.5)
[7] 611 Val (-29.6, -50.6)
[7] 649 Thr (179.6, 35.4)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 8









89.8% (114/127) of all residues were in favored (98%) regions.
96.9% (123/127) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

- [8] -2 His (47.2, -179.0)
- [8] 589 Val (-32.5, -58.3)
- [8] 611 Val (-26.6, -53.7)
- [8] 650 Ser (153.1, 117.3)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 9









90.6% (115/127) of all residues were in favored (98%) regions.
99.2% (126/127) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[9] 611 Val (-32.0, -44.9)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 10









87.4% (111/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[10] 611 Val (-30.7, -51.2)
[10] 650 Ser (49.0, 85.4)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 11









87.4% (111/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[11] 611 Val (-28.1, -47.9)
[11] 649 Thr (-167.4, -34.9)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 12









81.1% (103/127) of all residues were in favored (98%) regions.
97.6% (124/127) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[12] -1 Met (55.2, 92.6)
[12] 569 Ile (33.4, 96.8)
[12] 611 Val (-24.9, -52.8)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 13









92.1% (117/127) of all residues were in favored (98%) regions.
99.2% (126/127) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[13] 611 Val (-24.9, -53.1)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 14









89.8% (114/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[14] 611 Val (-26.6, -49.8)
[14] 650 Ser (37.6, 79.6)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 15








89.0% (113/127) of all residues were in favored (98%) regions.
97.6% (124/127) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[15] -3 Ser (30.4, 90.4)
[15] -1 Met (55.3, 178.1)
[15] 611 Val (-28.0, -53.6)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 16









91.3% (116/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[16] 604 Val (-155.9, 91.1)
[16] 611 Val (-26.2, -51.8)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 17









87.4% (111/127) of all residues were in favored (98%) regions.
98.4% (125/127) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[17] -2 His (44.5, 81.5)
[17] 650 Ser (66.8, 111.4)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 18









91.3% (116/127) of all residues were in favored (98%) regions.
99.2% (126/127) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[18] 611 Val (-29.8, -51.3)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 19









87.4% (111/127) of all residues were in favored (98%) regions.
96.9% (123/127) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

[19] 543 Thr (-77.4, -96.4)
[19] 544 Arg (168.1, 18.3)
[19] 611 Val (-30.9, -47.6)
[19] 649 Thr (178.0, 35.4)

MolProbity Ramachandran analysis

2jzd.H.pdb, model 20



82.7% (105/127) of all residues were in favored (98%) regions.
97.6% (124/127) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[20] -2 His (24.8, 95.8)
[20] 604 Val (-162.7, 82.4)
[20] 611 Val (-24.7, -57.9)