






MolProbity Ramachandran analysis

7ywr.H.pdb, all models









96.8% (1587/1640) of all residues were in favored (98%) regions.
99.9% (1639/1640) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[8] 74 Ala (-58.9, 99.4)

MolProbity Ramachandran analysis

7ywr.H.pdb, model 1









98.8% (81/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 2









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 3









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 4









98.8% (81/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 5









98.8% (81/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 6









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 7








93.9% (77/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 8









97.6% (80/82) of all residues were in favored (98%) regions.
98.8% (81/82) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[8] 74 Ala (-58.9, 99.4)

MolProbity Ramachandran analysis

7ywr.H.pdb, model 9









95.1% (78/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 10









98.8% (81/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 11









97.6% (80/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 12









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 13









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 14









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 15








95.1% (78/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 16









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 17









96.3% (79/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 18









93.9% (77/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 19









97.6% (80/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7ywr.H.pdb, model 20



98.8% (81/82) of all residues were in favored (98%) regions.
100.0% (82/82) of all residues were in allowed (>99.8%) regions.

There were no outliers.