







MolProbity Ramachandran analysis

1ssk.H.pdb, model 1



53.2% (83/156) of all residues were in favored (98%) regions.
82.7% (129/156) of all residues were in allowed (>99.8%) regions.

There were 27 outliers (phi, psi):

4 Ser (49.5, 94.3)	51 Pro (-48.6, 177.7)	129 Pro (-59.1, 78.5)
7 His (-55.7, -176.7)	57 Gly (148.5, 90.9)	130 Asn (167.5, -34.3)
17 Arg (58.0, 105.3)	81 Glu (63.4, 94.6)	133 Ala (-61.5, -163.7)
21 Met (-59.4, -81.1)	92 Gly (-168.9, -94.1)	136 Val (47.8, 114.0)
29 Ser (168.4, 86.2)	95 Pro (-61.0, -149.7)	137 Leu (-43.2, 167.7)
31 Phe (168.6, -179.9)	103 Ala (-64.7, 80.2)	140 Pro (-59.4, -162.7)
38 Gly (-60.4, -156.6)	121 Lys (169.9, 83.9)	144 Thr (-57.5, -164.7)
43 Arg (171.7, 76.8)	123 His (170.4, 42.0)	146 Pro (-59.0, -147.9)
		147 Lys (-46.2, -86.7)
		151 Ala (-45.0, 165.3)
		156 Gly (-63.6, 90.4)