


MolProbity Ramachandran analysis

2cjr.H.pdb, model 1



84.2% (742/881) of all residues were in favored (98%) regions.
95.1% (838/881) of all residues were in allowed (>99.8%) regions.

There were 43 outliers (phi, psi):

A 252 Ala (21.8, -105.4)	D 252 Ala (-56.4, 3.9)
A 326 Thr (-97.5, -165.7)	D 282 Gln (-41.0, -7.7)
A 342 Asp (-22.7, -35.0)	D 311 Ser (-46.0, 162.7)
B 255 Ala (-173.8, -13.9)	D 359 Asp (36.7, 30.9)
B 299 Tyr (-27.1, 140.9)	E 260 Arg (-7.2, -85.9)
B 358 Ile (-36.8, -77.2)	E 261 Gln (-27.6, -48.4)
C 254 Glu (-41.3, 98.2)	E 289 Asp (-41.3, 160.5)
C 361 Tyr (-39.1, -16.7)	E 293 Ile (-27.7, -56.2)
	F 341 Asp (-64.9, 72.4)
	E 348 Lys (-33.9, -81.3)
	E 355 Asn (-41.7, -92.0)
	E 356 Lys (-1.9, -57.6)
	E 358 Ile (-30.2, -84.2)
	F 253 Ala (-60.6, 63.8)
	F 270 Asn (-52.0, 173.3)
	F 307 Gln (-52.0, -4.1)
	F 326 Thr (-33.5, 178.1)
	F 327 Pro (-22.3, -45.1)
	F 347 Phe (-11.3, -115.6)
	F 348 Lys (1.9, -61.8)

F 358 Ile (-40.3, 108.9)	H 353 Leu (-47.9, -72.8)
F 361 Tyr (-41.0, 30.5)	H 356 Lys (-19.1, -41.6)
G 256 Ser (-160.5, -85.2)	H 363 Thr (167.2, -18.1)
G 260 Arg (-12.3, -76.4)	
G 261 Gln (-49.6, -10.5)	
G 280 Pro (-50.7, -75.1)	
G 281 Glu (-39.1, 153.0)	
G 356 Lys (-38.8, -21.6)	
H 270 Asn (-44.1, 167.7)	
H 290 Gln (-23.4, -51.9)	
H 307 Gln (-40.0, -28.0)	
H 326 Thr (148.0, 135.0)	