







MolProbity Ramachandran analysis

7k3g.H.pdb, all models



93.0% (1348/1450) of all residues were in favored (98%) regions.
98.6% (1430/1450) of all residues were in allowed (>99.8%) regions.







[8] B 37 Leu (59.5, 104.3)
[8] C 37 Leu (59.6, 104.2)
[8] D 37 Leu (59.5, 104.4)
[8] E 37 Leu (59.5, 104.3)

There were 20 outliers (phi, psi):

[1] A 37 Leu (63.7, -81.4)	[4] D 37 Leu (64.1, 114.3)
[1] B 37 Leu (63.7, -81.5)	[4] E 37 Leu (64.1, 114.4)
[1] C 37 Leu (63.6, -81.4)	[7] A 37 Leu (62.5, 150.9)
[1] D 37 Leu (63.9, -81.6)	[7] B 37 Leu (62.5, 150.9)
[1] E 37 Leu (63.8, -81.5)	[7] C 37 Leu (62.5, 151.1)
[4] A 37 Leu (64.2, 114.4)	[7] D 37 Leu (62.5, 151.1)
[4] B 37 Leu (64.1, 114.3)	[7] E 37 Leu (62.4, 151.3)
[4] C 37 Leu (64.1, 114.4)	[8] A 37 Leu (59.5, 104.3)

MolProbity Ramachandran analysis

7k3g.H.pdb, model 1









96.6% (140/145) of all residues were in favored (98%) regions.
96.6% (140/145) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [1] A 37 Leu (63.7, -81.4)
- [1] B 37 Leu (63.7, -81.5)
- [1] C 37 Leu (63.6, -81.4)
- [1] D 37 Leu (63.9, -81.6)
- [1] E 37 Leu (63.8, -81.5)

MolProbity Ramachandran analysis

7k3g.H.pdb, model 2









93.1% (135/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7k3g.H.pdb, model 3









93.1% (135/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7k3g.H.pdb, model 4









93.8% (136/145) of all residues were in favored (98%) regions.
96.6% (140/145) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [4] A 37 Leu (64.2, 114.4)
- [4] B 37 Leu (64.1, 114.3)
- [4] C 37 Leu (64.1, 114.4)
- [4] D 37 Leu (64.1, 114.3)
- [4] E 37 Leu (64.1, 114.4)

MolProbity Ramachandran analysis

7k3g.H.pdb, model 5









96.6% (140/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7k3g.H.pdb, model 6









89.7% (130/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7k3g.H.pdb, model 7









93.1% (135/145) of all residues were in favored (98%) regions.
96.6% (140/145) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [7] A 37 Leu (62.5, 150.9)
- [7] B 37 Leu (62.5, 150.9)
- [7] C 37 Leu (62.5, 151.1)
- [7] D 37 Leu (62.5, 151.1)
- [7] E 37 Leu (62.4, 151.3)

MolProbity Ramachandran analysis

7k3g.H.pdb, model 8









83.4% (121/145) of all residues were in favored (98%) regions.
96.6% (140/145) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [8] A 37 Leu (59.5, 104.3)
- [8] B 37 Leu (59.5, 104.3)
- [8] C 37 Leu (59.6, 104.2)
- [8] D 37 Leu (59.5, 104.4)
- [8] E 37 Leu (59.5, 104.3)

MolProbity Ramachandran analysis

7k3g.H.pdb, model 9









100.0% (145/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7k3g.H.pdb, model 10



90.3% (131/145) of all residues were in favored (98%) regions.
100.0% (145/145) of all residues were in allowed (>99.8%) regions.

There were no outliers.