






MolProbity Ramachandran analysis

2mm4.H.pdb, all models









88.0% (739/840) of all residues were in favored (98%) regions.
100.0% (840/840) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 1









89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 2









87.5% (49/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 3









89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 4









82.1% (46/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 5









85.7% (48/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 6









87.5% (49/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 7








91.1% (51/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 8









87.5% (49/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 9









89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 10









89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 11









89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 12









91.1% (51/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 13









87.5% (49/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 14









83.9% (47/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2mm4.H.pdb, model 15



89.3% (50/56) of all residues were in favored (98%) regions.
100.0% (56/56) of all residues were in allowed (>99.8%) regions.

There were no outliers.