







MolProbity Ramachandran analysis

5x29.H.pdb, all models



88.1% (3949/4480) of all residues were in favored (98%) regions.
97.6% (4372/4480) of all residues were in allowed (>99.8%) regions.
This list is truncated; use the MolProbity multi-chart.html for complete list.







There were 108 outliers (phi, psi):

[1] A 49 Val (69.3, 97.4)	[2] C 49 Val (69.6, 102.8)	[3] E 49 Val (66.6, 95.4)
[1] B 49 Val (69.8, 101.6)	[2] D 49 Val (71.3, 105.0)	[4] A 49 Val (72.3, 108.9)
[1] C 49 Val (70.7, 103.0)	[2] E 49 Val (69.6, 107.3)	[4] B 39 Leu (-169.4, 33.0)
[1] C 53 Lys (-108.8, -51.3)	[3] A 49 Val (67.8, 100.8)	[4] C 39 Leu (-167.0, 33.7)
[1] D 49 Val (69.1, 98.5)	[3] B 49 Val (67.0, 95.4)	[4] C 49 Val (68.6, 99.8)
[1] E 49 Val (69.7, 102.9)	[3] C 49 Val (64.2, 91.1)	[4] D 49 Val (68.9, 102.0)
[2] A 49 Val (68.8, 106.0)	[3] D 49 Val (66.0, 93.3)	[4] E 49 Val (70.2, 105.5)
[2] B 49 Val (70.4, 105.8)	[3] D 53 Lys (-105.9, -53.6)	[5] A 49 Val (57.0, 92.5)
		[5] B 49 Val (58.8, 95.6)
		[5] C 49 Val (55.4, 93.8)

[5] D 49 Val (54.4, 90.8)	[7] B 53 Lys (-112.9, -53.6)	[9] B 53 Lys (-106.8, -53.0)
[5] E 49 Val (54.7, 92.6)	[7] C 49 Val (64.4, 93.4)	[9] C 49 Val (70.3, 106.3)
[5] E 53 Lys (-105.7, -53.5)	[7] C 53 Lys (-109.0, -51.6)	[9] D 49 Val (72.4, 116.5)
[6] A 49 Val (69.8, 105.6)	[7] D 49 Val (57.4, 87.9)	[9] D 53 Lys (-111.4, -54.5)
[6] B 49 Val (69.3, 113.5)	[7] E 49 Val (62.9, 88.3)	[9] E 49 Val (70.7, 109.4)
[6] C 49 Val (70.6, 109.8)	[8] A 49 Val (70.8, 115.6)	[10] A 49 Val (63.3, 107.9)
[6] C 53 Lys (-109.4, -51.4)	[8] B 49 Val (70.2, 105.1)	[10] A 53 Lys (-113.2, -51.7)
[6] D 49 Val (68.2, 104.2)	[8] C 49 Val (69.4, 104.2)	[10] B 49 Val (62.4, 103.4)
[6] E 49 Val (70.3, 105.0)	[8] D 49 Val (70.0, 100.5)	[10] C 49 Val (64.0, 103.8)
[7] A 49 Val (65.6, 90.7)	[8] E 49 Val (71.5, 111.6)	[10] D 49 Val (63.5, 105.2)
[7] B 13 Ile (-75.5, 21.5)	[9] A 49 Val (68.3, 99.9)	[10] D 53 Lys (-109.7, -50.3)
[7] B 49 Val (65.9, 97.9)	[9] B 49 Val (67.3, 99.8)	[10] E 49 Val (61.9, 104.1)

MolProbity Ramachandran analysis

5x29.H.pdb, model 1









88.9% (249/280) of all residues were in favored (98%) regions.
97.9% (274/280) of all residues were in allowed (>99.8%) regions.

There were 6 outliers (phi, psi):

- [1] A 49 Val (69.3, 97.4)
- [1] B 49 Val (69.8, 101.6)
- [1] C 49 Val (70.7, 103.0)
- [1] C 53 Lys (-108.8, -51.3)
- [1] D 49 Val (69.1, 98.5)
- [1] E 49 Val (69.7, 102.9)

MolProbity Ramachandran analysis

5x29.H.pdb, model 2









87.9% (246/280) of all residues were in favored (98%) regions.
98.2% (275/280) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [2] A 49 Val (68.8, 106.0)
- [2] B 49 Val (70.4, 105.8)
- [2] C 49 Val (69.6, 102.8)
- [2] D 49 Val (71.3, 105.0)
- [2] E 49 Val (69.6, 107.3)

MolProbity Ramachandran analysis

5x29.H.pdb, model 3









91.1% (255/280) of all residues were in favored (98%) regions.
97.9% (274/280) of all residues were in allowed (>99.8%) regions.

There were 6 outliers (phi, psi):

- [3] A 49 Val (67.8, 100.8)
- [3] B 49 Val (67.0, 95.4)
- [3] C 49 Val (64.2, 91.1)
- [3] D 49 Val (66.0, 93.3)
- [3] D 53 Lys (-105.9, -53.6)
- [3] E 49 Val (66.6, 95.4)

MolProbity Ramachandran analysis

5x29.H.pdb, model 4









90.4% (253/280) of all residues were in favored (98%) regions.
97.1% (272/280) of all residues were in allowed (>99.8%) regions.

There were 8 outliers (phi, psi):

- [4] A 49 Val (72.3, 108.9)
- [4] B 39 Leu (-169.4, 33.0)
- [4] B 49 Val (69.8, 106.0)
- [4] B 53 Lys (-109.1, -53.1)
- [4] C 39 Leu (-167.0, 33.7)
- [4] C 49 Val (68.6, 99.8)
- [4] D 49 Val (68.9, 102.0)
- [4] E 49 Val (70.2, 105.5)

MolProbity Ramachandran analysis

5x29.H.pdb, model 5









87.9% (246/280) of all residues were in favored (98%) regions.
97.9% (274/280) of all residues were in allowed (>99.8%) regions.

There were 6 outliers (phi, psi):

- [5] A 49 Val (57.0, 92.5)
- [5] B 49 Val (58.8, 95.6)
- [5] C 49 Val (55.4, 93.8)
- [5] D 49 Val (54.4, 90.8)
- [5] E 49 Val (54.7, 92.6)
- [5] E 53 Lys (-105.7, -53.5)

MolProbity Ramachandran analysis

5x29.H.pdb, model 6









85.0% (238/280) of all residues were in favored (98%) regions.
97.9% (274/280) of all residues were in allowed (>99.8%) regions.

There were 6 outliers (phi, psi):

- [6] A 49 Val (69.8, 105.6)
- [6] B 49 Val (69.3, 113.5)
- [6] C 49 Val (70.6, 109.8)
- [6] C 53 Lys (-109.4, -51.4)
- [6] D 49 Val (68.2, 104.2)
- [6] E 49 Val (70.3, 105.0)

MolProbity Ramachandran analysis

5x29.H.pdb, model 7








86.1% (241/280) of all residues were in favored (98%) regions.
97.1% (272/280) of all residues were in allowed (>99.8%) regions.

There were 8 outliers (phi, psi):

- [7] A 49 Val (65.6, 90.7)
- [7] B 13 Ile (-75.5, 21.5)
- [7] B 49 Val (65.9, 97.9)
- [7] B 53 Lys (-112.9, -53.6)
- [7] C 49 Val (64.4, 93.4)
- [7] C 53 Lys (-109.0, -51.6)
- [7] D 49 Val (57.4, 87.9)
- [7] E 49 Val (62.9, 88.3)

MolProbity Ramachandran analysis

5x29.H.pdb, model 8









90.0% (252/280) of all residues were in favored (98%) regions.
98.2% (275/280) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [8] A 49 Val (70.8, 115.6)
- [8] B 49 Val (70.2, 105.1)
- [8] C 49 Val (69.4, 104.2)
- [8] D 49 Val (70.0, 100.5)
- [8] E 49 Val (71.5, 111.6)

MolProbity Ramachandran analysis

5x29.H.pdb, model 9









87.9% (246/280) of all residues were in favored (98%) regions.
97.5% (273/280) of all residues were in allowed (>99.8%) regions.

There were 7 outliers (phi, psi):

- [9] A 49 Val (68.3, 99.9)
- [9] B 49 Val (67.3, 99.8)
- [9] B 53 Lys (-106.8, -53.0)
- [9] C 49 Val (70.3, 106.3)
- [9] D 49 Val (72.4, 116.5)
- [9] D 53 Lys (-111.4, -54.5)
- [9] E 49 Val (70.7, 109.4)

MolProbity Ramachandran analysis

5x29.H.pdb, model 10









87.1% (244/280) of all residues were in favored (98%) regions.
97.1% (272/280) of all residues were in allowed (>99.8%) regions.

There were 8 outliers (phi, psi):

- [10] A 49 Val (63.3, 107.9)
- [10] A 53 Lys (-113.2, -51.7)
- [10] B 49 Val (62.4, 103.4)
- [10] C 49 Val (64.0, 103.8)
- [10] D 49 Val (63.5, 105.2)
- [10] D 53 Lys (-109.7, -50.3)
- [10] E 49 Val (61.9, 104.1)
- [10] E 53 Lys (-110.0, -50.2)

MolProbity Ramachandran analysis

5x29.H.pdb, model 11









87.9% (246/280) of all residues were in favored (98%) regions.
97.1% (272/280) of all residues were in allowed (>99.8%) regions.

There were 8 outliers (phi, psi):

- [11] A 49 Val (65.5, 102.4)
- [11] B 49 Val (64.2, 102.8)
- [11] C 49 Val (71.4, 114.2)
- [11] C 53 Lys (-113.9, -53.1)
- [11] D 49 Val (71.8, 114.7)
- [11] D 53 Lys (-115.3, -53.3)
- [11] E 13 Ile (-70.7, 14.8)
- [11] E 49 Val (70.8, 107.2)

MolProbity Ramachandran analysis

5x29.H.pdb, model 12









88.6% (248/280) of all residues were in favored (98%) regions.
97.1% (272/280) of all residues were in allowed (>99.8%) regions.

There were 8 outliers (phi, psi):

- [12] A 49 Val (71.6, 114.7)
- [12] A 53 Lys (-113.1, -52.6)
- [12] B 49 Val (71.3, 112.6)
- [12] C 49 Val (73.0, 115.1)
- [12] C 53 Lys (-115.0, -52.8)
- [12] D 49 Val (71.8, 111.5)
- [12] D 53 Lys (-115.7, -52.1)
- [12] E 49 Val (68.5, 108.7)

MolProbity Ramachandran analysis

5x29.H.pdb, model 13









86.4% (242/280) of all residues were in favored (98%) regions.
98.2% (275/280) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [13] A 49 Val (59.0, 97.2)
- [13] B 49 Val (60.9, 99.1)
- [13] C 49 Val (59.0, 95.7)
- [13] D 49 Val (62.3, 94.3)
- [13] E 49 Val (60.0, 96.1)

MolProbity Ramachandran analysis

5x29.H.pdb, model 14









88.9% (249/280) of all residues were in favored (98%) regions.
96.4% (270/280) of all residues were in allowed (>99.8%) regions.

There were 10 outliers (phi, psi):

[14] A 49 Val (71.7, 112.2)	[14] E 49 Val (71.6, 114.6)
[14] A 53 Lys (-105.8, -54.1)	[14] E 53 Lys (-106.0, -54.0)
[14] B 49 Val (71.6, 106.7)	
[14] B 53 Lys (-107.7, -53.0)	
[14] C 49 Val (70.7, 110.1)	
[14] C 53 Lys (-107.7, -53.9)	
[14] D 49 Val (73.1, 114.2)	
[14] D 53 Lys (-108.6, -53.4)	

MolProbity Ramachandran analysis

5x29.H.pdb, model 15








86.8% (243/280) of all residues were in favored (98%) regions.
97.5% (273/280) of all residues were in allowed (>99.8%) regions.

There were 7 outliers (phi, psi):

- [15] A 49 Val (69.5, 107.4)
- [15] A 53 Lys (-106.3, -53.5)
- [15] B 49 Val (67.1, 92.6)
- [15] C 49 Val (65.6, 95.7)
- [15] D 49 Val (69.2, 100.1)
- [15] E 49 Val (67.0, 102.6)
- [15] E 53 Lys (-106.1, -53.4)

MolProbity Ramachandran analysis

5x29.H.pdb, model 16



89.6% (251/280) of all residues were in favored (98%) regions.
98.2% (275/280) of all residues were in allowed (>99.8%) regions.

There were 5 outliers (phi, psi):

- [16] A 49 Val (68.2, 104.9)
- [16] B 49 Val (69.8, 101.0)
- [16] C 49 Val (69.3, 106.3)
- [16] D 49 Val (70.2, 105.3)
- [16] E 49 Val (70.1, 109.7)