






MolProbity Ramachandran analysis

5xer.H.pdb, all models









82.9% (116/140) of all residues were in favored (98%) regions.
100.0% (140/140) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 1









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 2









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 3









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 4









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 5









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 6









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 7









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 8









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 9









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 10









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 11









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 12









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 13









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 14









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 15









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 16









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 17









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 18









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 19









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xer.H.pdb, model 20



85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.