






MolProbity Ramachandran analysis

5xes.H.pdb, all models









81.4% (114/140) of all residues were in favored (98%) regions.
100.0% (140/140) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 1









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 2









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 3









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 4









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 5









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 6









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 7








71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 8









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 9









100.0% (7/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 10









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 11









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 12









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 13









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 14









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 15








71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 16









71.4% (5/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 17









85.7% (6/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 18









100.0% (7/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 19









100.0% (7/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xes.H.pdb, model 20



100.0% (7/7) of all residues were in favored (98%) regions.
100.0% (7/7) of all residues were in allowed (>99.8%) regions.

There were no outliers.