







MolProbity Ramachandran analysis

7cak.H.pdb, model 1



89.8% (3332/3711) of all residues were in favored (98%) regions.
99.2% (3681/3711) of all residues were in allowed (>99.8%) regions.

There were 30 outliers (phi, psi):

A 161 Ser (-62.3, -82.3)	B 332 Ile (76.5, -31.4)
A 332 Ile (76.5, -31.4)	B 770 Ile (-58.3, -72.0)
A 557 Lys (-52.7, 95.9)	B 902 Met (-53.2, -4.3)
A 770 Ile (-58.3, -72.0)	B 1033 Val (-57.0, -73.7)
A 857 Gly (38.0, 13.0)	C 161 Ser (-62.4, -82.3)
A 902 Met (-53.2, -4.4)	C 332 Ile (76.4, -31.4)
A 1033 Val (-56.9, -73.7)	C 770 Ile (-58.3, -72.0)
B 161 Ser (-62.3, -82.4)	C 856 Asn (152.1, 19.5)
	E 57 Gly (-60.5, 18.4)
	E 102 Asp (-127.9, -160.8)
	E 104 Tyr (-52.6, 96.3)
	F 93 Trp (67.0, 177.6)
	G 57 Gly (-62.7, 14.0)
	G 102 Asp (-149.3, -133.4)
	G 103 Pro (-60.8, -66.8)
	H 93 Trp (68.5, 177.4)
	I 102 Asp (-154.1, -150.3)
	I 104 Tyr (-63.3, 88.7)