


MolProbity Ramachandran analysis

7czq.H.pdb, model 1



88.6% (3366/3800) of all residues were in favored (98%) regions.
98.3% (3736/3800) of all residues were in allowed (>99.8%) regions.

There were 64 outliers (phi, psi):

A 331 Asn (-56.5, -176.4)	A 527 Pro (-41.8, 164.2)
A 333 Thr (-65.3, -85.1)	B 88 Asp (-163.0, 0.3)
A 336 Cys (64.9, 130.7)	C 331 Asn (-63.9, -145.5)
A 337 Pro (-101.5, 77.1)	C 336 Cys (64.9, 130.7)
A 349 Ser (-52.4, 174.1)	C 337 Pro (-101.5, 77.1)
A 518 Leu (-62.1, -105.2)	C 349 Ser (-52.4, 174.2)
A 520 Ala (-77.3, -162.3)	C 518 Leu (-62.1, -105.2)
A 522 Ala (164.4, -179.2)	C 520 Ala (-77.3, -162.3)
	C 522 Ala (164.4, -179.2)
	C 527 Pro (-41.8, 165.5)
	C 591 Ser (-21.7, 137.3)
	C 810 Ser (-173.1, 39.3)
	C 811 Lys (-148.2, -162.3)
	C 812 Pro (-51.6, 99.8)
	C 813 Ser (67.8, -85.0)
	C 814 Lys (172.6, 74.2)
	H 2 Val (-161.4, 75.9)
	H 10 Gly (58.9, 161.4)
	H 12 Ile (167.3, 154.6)
	H 120 Ser (167.4, -6.8)

H 121 Ser (77.9, -112.0)	K 139 Asn (42.0, 129.1)	N 49 Tyr (61.3, 145.2)
H 122 Ala (43.2, 18.3)	K 140 Phe (176.1, 129.4)	N 51 Ala (163.8, -39.7)
H 123 Ser (47.6, -167.3)	K 141 Tyr (-68.9, -80.4)	N 54 Leu (-45.1, 161.7)
K 11 Leu (-72.8, -155.7)	K 144 Glu (-67.4, 46.7)	N 77 Ser (168.5, -152.0)
K 49 Tyr (61.3, 145.2)	J 2 Val (-161.4, 75.8)	N 96 Met (165.7, 148.8)
K 51 Ala (163.8, -39.7)	J 10 Gly (59.0, 161.4)	N 101 Gln (-42.8, -96.4)
K 54 Leu (-45.1, 161.7)	J 12 Ile (167.3, 154.5)	N 105 Leu (129.5, -149.1)
K 77 Ser (168.6, -152.0)	J 120 Ser (167.4, -6.8)	N 106 Glu (154.2, -168.5)
K 96 Met (165.7, 148.7)	J 121 Ser (77.9, -112.1)	N 139 Asn (42.0, 129.0)
K 101 Gln (-42.8, -96.5)	J 122 Ala (43.2, 18.3)	N 140 Phe (176.2, 129.4)
K 105 Leu (129.5, -149.1)	J 123 Ser (47.6, -167.3)	N 141 Tyr (-68.9, -80.4)
K 106 Glu (154.1, -168.5)	N 11 Leu (-72.8, -155.7)	N 144 Glu (-67.4, 46.7)