


MolProbity Ramachandran analysis

7dzx.H.pdb, model 1



95.3% (3615/3793) of all residues were in favored (98%) regions.
99.0% (3755/3793) of all residues were in allowed (>99.8%) regions.

There were 38 outliers (phi, psi):

A 87 Asn (30.3, -121.9)	A 529 Lys (159.5, 66.7)
A 116 Ser (-31.5, 150.8)	A 744 Gly (-2.9, 103.1)
A 158 Arg (-51.0, -2.0)	A 796 Asp (-53.8, 66.8)
A 334 Asn (-59.1, -169.4)	B 32 Phe (-56.0, -79.0)
A 353 Trp (-23.0, 127.7)	B 75 Gly (49.7, 119.8)
A 402 Ile (-36.5, 145.2)	B 87 Asn (27.2, -131.6)
A 463 Pro (-41.0, -89.8)	B 333 Thr (-52.0, 173.0)
A 528 Lys (6.8, 117.7)	B 571 Asp (98.5, 58.7)

B 796 Asp (-57.0, 86.1)
B 854 Lys (-18.2, -103.9)
B 1130 Ile (50.4, 101.6)
C 32 Phe (-58.9, -79.0)
C 68 Ile (173.7, 99.4)
C 255 Ser (-57.4, -75.5)
C 334 Asn (-53.6, -78.6)
C 353 Trp (-19.6, 137.2)
C 402 Ile (-42.3, 158.1)
C 412 Pro (-55.9, -80.0)
C 690 Gln (67.3, 124.9)
C 744 Gly (-2.8, 97.7)

C 796 Asp (-52.4, 80.9)
C 810 Ser (155.0, -85.1)
C 813 Ser (69.7, 126.3)
H 80 Tyr (44.4, 99.3)
H 92 Ala (173.6, -171.7)
H 169 Ser (73.9, -141.5)
H 174 Ser (-47.5, -94.1)
L 15 Val (-51.6, -77.5)
L 30 Arg (78.7, -142.4)
L 40 Pro (-36.8, -76.3)