


MolProbity Ramachandran analysis

7faf.H.pdb, model 1



88.8% (3751/4226) of all residues were in favored (98%) regions.
99.1% (4187/4226) of all residues were in allowed (>99.8%) regions.

There were 39 outliers (phi, psi):

A 42 Val (68.1, 122.3)	c 113 Tyr (-79.2, -161.9)	B 111 Asp (-167.7, -141.8)
A 527 Pro (-113.0, -155.3)	c 127 Arg (-166.7, -34.4)	B 124 Thr (-76.5, -87.1)
A 798 Gly (141.4, 41.2)	d 108 Glu (-40.3, -15.9)	B 159 Val (-22.9, -71.5)
H 108 Glu (-40.3, -15.9)	f 113 Tyr (-79.2, -162.0)	B 332 Ile (-92.5, -148.8)
H 175 Pro (-100.0, -154.2)	g 108 Glu (-40.4, -15.8)	B 382 Val (-155.5, -140.9)
H 177 Pro (-115.3, -148.3)	B 41 Lys (-69.7, -124.4)	B 525 Cys (-151.8, -115.9)
L 113 Tyr (-79.1, -162.0)	B 42 Val (2.9, 134.4)	B 526 Gly (-169.6, -59.1)
L 127 Arg (-168.2, -139.6)	B 46 Ser (-58.2, 89.1)	B 527 Pro (-62.7, -90.2)
		B 604 Thr (-50.6, -74.9)
		B 1099 Gly (-162.1, -48.8)
		C 42 Val (25.1, 84.4)
		C 159 Val (-23.4, -75.0)

C 213 Val (-85.6, -98.5)
C 230 Pro (-77.3, -130.1)
C 231 Ile (65.7, 176.7)
C 237 Arg (-34.3, 155.3)
C 322 Pro (-101.6, 80.2)
C 378 Lys (10.5, 77.0)
C 420 Asp (-163.6, -3.1)
C 530 Ser (-153.6, -129.5)
C 561 Pro (-41.2, 68.4)
C 562 Phe (175.2, -32.5)
C 709 Asn (-167.9, -9.0)