







MolProbity Ramachandran analysis

7kj3.H.pdb, model 1



92.8% (3750/4039) of all residues were in favored (98%) regions.
99.3% (4011/4039) of all residues were in allowed (>99.8%) regions.

There were 28 outliers (phi, psi):

A 332 Ile (-13.3, 111.9)	B 380 Tyr (-62.7, -81.9)	C 709 Asn (-63.5, 11.3)
A 459 Ser (60.6, 111.6)	B 474 Gln (73.7, 125.8)	D 144 Leu (-57.0, -80.4)
A 474 Gln (69.2, 143.3)	B 483 Val (65.0, -43.1)	D 147 Gly (-146.7, -54.3)
A 487 Asn (58.7, -21.7)	B 544 Asn (53.7, -94.0)	D 213 Asp (58.4, 102.0)
A 1041 Asp (51.7, -3.9)	B 1041 Asp (53.2, 5.2)	D 319 Gly (132.1, 55.0)
B 98 Ser (-167.6, 1.6)	C 330 Pro (-52.5, 87.9)	D 325 Gln (58.9, -64.4)
B 280 Asn (-78.3, -137.6)	C 331 Asn (-3.4, 55.2)	D 339 Val (-74.8, 51.2)
B 281 Glu (-72.6, -101.4)	C 332 Ile (68.2, 142.9)	E 104 Gly (55.8, -90.0)
		E 106 Ser (49.9, -1.7)
		E 324 Thr (-69.7, 42.8)
		E 325 Gln (50.7, -81.9)
		E 339 Val (-75.4, 59.4)