







MolProbity Ramachandran analysis

7krr.H.pdb, model 1



92.1% (3018/3278) of all residues were in favored (98%) regions.
99.2% (3252/3278) of all residues were in allowed (>99.8%) regions.

There were 26 outliers (phi, psi):

B 112 Ser (54.9, 1.6)	B 571 Asp (58.0, -8.3)	C 641 Asn (-171.9, 7.6)
B 146 His (28.4, 24.8)	B 637 Ser (-55.1, -1.2)	C 642 Val (-60.0, 83.2)
B 147 Lys (-58.4, 90.0)	B 641 Asn (-165.6, 11.5)	C 834 Ile (66.7, 137.9)
B 148 Asn (58.6, -56.1)	C 617 Cys (-40.7, -21.1)	A 280 Asn (-80.4, -143.9)
B 149 Asn (-54.4, -1.4)	C 619 Glu (-48.4, -11.5)	A 283 Gly (134.2, 65.4)
B 218 Gln (-62.7, 91.5)	C 620 Val (-73.0, -80.6)	A 582 Leu (-51.2, 102.8)
B 345 Thr (-32.3, -78.8)	C 623 Ala (-59.6, 20.6)	A 621 Pro (-51.7, -3.8)
B 422 Asn (-162.8, -52.3)	C 637 Ser (-55.2, -1.2)	A 637 Ser (-55.1, -1.2)
		A 834 Ile (51.8, 73.3)
		A 837 Tyr (43.5, 11.1)