






MolProbity Ramachandran analysis

7lc8.H.pdb, all models









100.0% (798/798) of all residues were in favored (98%) regions.
100.0% (798/798) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 1









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 2









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 3









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 4









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 5









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 6









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 7








100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 8









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 9









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 10









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 11









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 12









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 13









100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7lc8.H.pdb, model 14



100.0% (57/57) of all residues were in favored (98%) regions.
100.0% (57/57) of all residues were in allowed (>99.8%) regions.

There were no outliers.