







MolProbity Ramachandran analysis

7ljr.H.pdb, model 1



90.0% (2980/3310) of all residues were in favored (98%) regions.
99.2% (3283/3310) of all residues were in allowed (>99.8%) regions.

There were 27 outliers (phi, psi):

A 603 Asn (-71.0, 30.7)	B 518 Leu (-73.5, -95.5)
A 663 Asp (61.5, -93.8)	B 1057 Pro (-58.0, 97.5)
B 339 Gly (-57.2, 7.0)	C 136 Cys (-73.6, -157.2)
B 360 Asn (60.2, -14.5)	C 138 Asp (-164.5, -73.7)
B 375 Ser (-66.4, 61.8)	C 187 Lys (-60.2, 7.6)
B 376 Thr (-169.6, 61.5)	C 356 Lys (35.3, 87.3)
B 514 Ser (-66.8, 51.5)	C 358 Ile (-53.7, 98.5)
	C 381 Gly (-176.1, -42.9)
	C 614 Asp (52.5, 6.1)
	S 103 Ser (-66.2, 25.8)
	S 110 Thr (-68.6, 25.4)
	S 126 Gly (178.5, 22.3)
	S 190 Ser (-58.0, 99.9)
	T 45 Ser (-69.8, 27.7)
	T 49 Ser (60.4, 136.4)
	T 89 Thr (-161.6, -51.0)
	T 93 Leu (-58.7, 98.6)
	T 112 Ser (-177.7, 77.7)
	T 140 Ser (67.9, 134.9)