







MolProbity Ramachandran analysis

7mw6.H.pdb, model 1



94.2% (4142/4395) of all residues were in favored (98%) regions.
99.3% (4365/4395) of all residues were in allowed (>99.8%) regions.

There were 30 outliers (phi, psi):

A 25 Pro (22.9, -166.8)	H 104 Ser (69.1, 131.5)	C 924 Ala (121.0, -52.4)
A 720 Ile (63.3, 93.0)	C 25 Pro (31.4, -171.2)	C 1070 Ala (131.2, 106.4)
A 787 Gln (74.5, 133.5)	C 332 Ile (57.3, 13.6)	C 1113 Gln (57.6, 131.2)
A 914 Asn (53.6, -63.0)	C 529 Lys (137.7, 77.9)	B 25 Pro (14.1, -167.5)
A 924 Ala (147.9, -58.7)	C 720 Ile (63.6, 91.2)	B 332 Ile (87.0, -55.8)
A 1070 Ala (133.1, 110.6)	C 787 Gln (73.0, 134.1)	B 720 Ile (62.8, 91.9)
A 1113 Gln (59.7, 133.1)	C 813 Ser (55.4, 174.3)	B 787 Gln (74.6, 133.2)
D 104 Ser (68.7, 130.8)	C 914 Asn (50.8, -62.9)	B 813 Ser (53.7, 175.2)
		B 914 Asn (54.0, -63.1)
		B 924 Ala (146.1, -56.6)
		B 1070 Ala (128.5, 118.5)
		B 1072 Glu (-28.3, 142.3)

B 1113 Gln (59.1, 136.3)
G 189 Asn (73.9, 132.5)