







MolProbity Ramachandran analysis

7my8.H.pdb, all models



88.0% (528/600) of all residues were in favored (98%) regions.
97.2% (583/600) of all residues were in allowed (>99.8%) regions.







[15] 844 Val (-76.4, 56.0)

There were 17 outliers (phi, psi):

- | | |
|----------------------------|----------------------------|
| [1] 830 Asp (63.3, 120.0) | [8] 830 Asp (53.8, 122.3) |
| [2] 838 Gly (-167.6, 88.2) | [9] 830 Asp (74.0, 134.6) |
| [3] 844 Val (-65.7, 73.6) | [10] 830 Asp (64.0, 119.4) |
| [5] 830 Asp (53.8, 126.4) | [11] 830 Asp (58.9, 138.1) |
| [5] 856 Asn (85.7, 47.1) | [12] 830 Asp (73.0, 135.9) |
| [6] 830 Asp (78.9, 124.1) | [13] 830 Asp (62.9, 109.9) |
| [7] 830 Asp (76.0, 126.7) | [14] 830 Asp (65.5, 131.5) |
| [7] 840 Cys (79.9, 49.4) | [15] 830 Asp (72.2, 121.6) |

MolProbity Ramachandran analysis

7my8.H.pdb, model 1









90.0% (36/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[1] 830 Asp (63.3, 120.0)

MolProbity Ramachandran analysis

7my8.H.pdb, model 2









80.0% (32/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[2] 838 Gly (-167.6, 88.2)

MolProbity Ramachandran analysis

7my8.H.pdb, model 3









80.0% (32/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[3] 844 Val (-65.7, 73.6)

MolProbity Ramachandran analysis

7my8.H.pdb, model 4









90.0% (36/40) of all residues were in favored (98%) regions.
100.0% (40/40) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7my8.H.pdb, model 5



92.5% (37/40) of all residues were in favored (98%) regions.

95.0% (38/40) of all residues were in allowed (>99.8%) regions.







There were 2 outliers (phi, psi):

[5] 830 Asp (53.8, 126.4)

[5] 856 Asn (85.7, 47.1)

MolProbity Ramachandran analysis

7my8.H.pdb, model 6









90.0% (36/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[6] 830 Asp (78.9, 124.1)

MolProbity Ramachandran analysis

7my8.H.pdb, model 7








90.0% (36/40) of all residues were in favored (98%) regions.
95.0% (38/40) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):

[7] 830 Asp (76.0, 126.7)
[7] 840 Cys (79.9, 49.4)

MolProbity Ramachandran analysis

7my8.H.pdb, model 8









87.5% (35/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[8] 830 Asp (53.8, 122.3)

MolProbity Ramachandran analysis

7my8.H.pdb, model 9









97.5% (39/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[9] 830 Asp (74.0, 134.6)

MolProbity Ramachandran analysis

7my8.H.pdb, model 10









80.0% (32/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[10] 830 Asp (64.0, 119.4)

MolProbity Ramachandran analysis

7my8.H.pdb, model 11









90.0% (36/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[11] 830 Asp (58.9, 138.1)

MolProbity Ramachandran analysis

7my8.H.pdb, model 12









95.0% (38/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[12] 830 Asp (73.0, 135.9)

MolProbity Ramachandran analysis

7my8.H.pdb, model 13









82.5% (33/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[13] 830 Asp (62.9, 109.9)

MolProbity Ramachandran analysis

7my8.H.pdb, model 14









85.0% (34/40) of all residues were in favored (98%) regions.
97.5% (39/40) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[14] 830 Asp (65.5, 131.5)

MolProbity Ramachandran analysis

7my8.H.pdb, model 15



90.0% (36/40) of all residues were in favored (98%) regions.
95.0% (38/40) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[15] 830 Asp (72.2, 121.6)
[15] 844 Val (-76.4, 56.0)