


MolProbity Ramachandran analysis

7np1.H.pdb, model 1



94.5% (2261/2392) of all residues were in favored (98%) regions.
99.0% (2369/2392) of all residues were in allowed (>99.8%) regions.

There were 23 outliers (phi, psi):

B 370 Asn (2.5, 74.1)	L 3 Gln (63.8, 117.2)
B 468 Ile (81.5, 12.2)	L 40 Pro (-32.3, -69.4)
C 527 Pro (-45.5, 79.6)	L 68 Glu (58.7, -93.5)
D 439 Asn (-168.0, -38.0)	M 68 Glu (54.0, -85.7)
J 199 Thr (167.8, -13.9)	M 95 Leu (-64.3, -170.3)
K 108 Ser (78.7, 69.3)	M 96 Pro (23.8, 95.2)
K 157 Pro (-95.2, -50.5)	M 139 Asn (43.4, 80.8)
K 158 Val (68.0, 138.7)	M 192 Leu (48.1, 94.2)
	N 39 Lys (-108.6, 28.6)
	N 40 Pro (24.3, 127.6)
	N 68 Glu (54.1, -81.9)
	N 95 Leu (108.7, -46.3)
	O 68 Glu (60.2, -90.8)
	O 84 Ala (169.5, -175.1)
	O 95 Leu (88.3, -8.4)