


MolProbity Ramachandran analysis

7r95.H.pdb, all models









98.8% (1028/1040) of all residues were in favored (98%) regions.
99.6% (1036/1040) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

[3] 53 Leu (62.8, 141.7)
[9] 4 Asn (-169.1, -42.2)
[18] 4 Asn (175.6, -40.8)
[19] 52 Gly (140.8, 56.6)

MolProbity Ramachandran analysis

7r95.H.pdb, model 1









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 2









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 3









98.1% (51/52) of all residues were in favored (98%) regions.
98.1% (51/52) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[3] 53 Leu (62.8, 141.7)

MolProbity Ramachandran analysis

7r95.H.pdb, model 4









98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 5









98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 6









96.2% (50/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 7








100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 8









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 9



98.1% (51/52) of all residues were in favored (98%) regions.







98.1% (51/52) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):

[9] 4 Asn (-169.1, -42.2)

MolProbity Ramachandran analysis

7r95.H.pdb, model 10









98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 11









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 12









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 13









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 14









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 15








98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 16









100.0% (52/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 17




98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7r95.H.pdb, model 18



98.1% (51/52) of all residues were in favored (98%) regions.







98.1% (51/52) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):

[18] 4 Asn (175.6, -40.8)

MolProbity Ramachandran analysis

7r95.H.pdb, model 19









98.1% (51/52) of all residues were in favored (98%) regions.
98.1% (51/52) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[19] 52 Gly (140.8, 56.6)

MolProbity Ramachandran analysis

7r95.H.pdb, model 20



98.1% (51/52) of all residues were in favored (98%) regions.
100.0% (52/52) of all residues were in allowed (>99.8%) regions.

There were no outliers.