







MolProbity Ramachandran analysis

7tnw.H.pdb, model 1



91.5% (3051/3333) of all residues were in favored (98%) regions.
99.2% (3306/3333) of all residues were in allowed (>99.8%) regions.

There were 27 outliers (phi, psi):

C 81 Asn (-104.6, 29.9)	C 830 Asp (47.9, 92.9)	A 373 Pro (-63.3, 17.8)
C 99 Asn (58.8, 92.8)	A 81 Asn (-104.7, 29.9)	A 830 Asp (47.9, 92.9)
C 123 Ala (-21.3, -60.7)	A 99 Asn (58.7, 92.8)	B 81 Asn (-104.6, 29.9)
C 164 Asn (-73.9, -103.3)	A 123 Ala (-21.3, -60.7)	B 99 Asn (58.7, 92.8)
C 214A Glu (-105.5, -67.6)	A 164 Asn (-73.9, -103.3)	B 123 Ala (-21.3, -60.7)
C 337 Pro (-59.0, 48.9)	A 214A Glu (-105.4, -67.6)	B 164 Asn (-73.9, -103.3)
C 345 Thr (-21.7, -64.1)	A 337 Pro (-59.0, 48.9)	B 214A Glu (-105.5, -67.7)
C 373 Pro (-63.3, 17.8)	A 345 Thr (-21.7, -64.0)	B 337 Pro (-59.0, 48.8)
		B 345 Thr (-21.7, -64.1)
		B 373 Pro (-63.3, 17.8)
		B 830 Asp (47.9, 92.8)