







MolProbity Ramachandran analysis

7to4.H.pdb, model 1



92.0% (3059/3324) of all residues were in favored (98%) regions.
99.2% (3298/3324) of all residues were in allowed (>99.8%) regions.

There were 26 outliers (phi, psi):

A 216 Leu (52.4, 106.0)	B 214A Glu (-122.0, -51.4)
A 333 Thr (-71.5, -144.3)	B 216 Leu (50.8, 102.2)
A 449 Tyr (-38.4, -11.1)	B 337 Pro (-56.7, 21.1)
A 1041 Asp (61.1, -20.2)	B 623 Ala (-69.8, 27.7)
A 1107 Arg (-51.8, -4.3)	B 830 Asp (43.6, 82.8)
B 32 Phe (25.9, -88.2)	C 20 Thr (-62.3, 11.8)
B 112 Ser (53.7, -9.0)	C 123 Ala (-40.4, -76.0)
B 134 Gln (-56.5, 92.7)	C 182 Lys (57.8, 166.4)

C 337 Pro (-59.4, 13.6)
C 375 Phe (-69.1, 36.5)
C 518 Leu (59.4, -10.8)
C 582 Leu (-63.6, 88.8)
C 625 His (-71.5, 31.3)
C 757 Gly (41.5, -107.4)
C 830 Asp (44.6, 106.0)
C 836 Gln (-62.5, 43.1)
C 837 Tyr (52.4, -27.3)
C 986 Lys (-70.1, 19.7)