






MolProbity Ramachandran analysis

2rum.H.pdb, all models









89.4% (304/340) of all residues were in favored (98%) regions.
100.0% (340/340) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 1









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 2









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 3









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 4









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 5









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 6









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 7









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 8









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 9









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 10









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 11









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 12









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 13









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 14









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 15









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 16









88.2% (15/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 17









94.1% (16/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 18









94.1% (16/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 19









94.1% (16/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2rum.H.pdb, model 20



94.1% (16/17) of all residues were in favored (98%) regions.
100.0% (17/17) of all residues were in allowed (>99.8%) regions.

There were no outliers.