






MolProbity Ramachandran analysis

2run.H.pdb, all models









93.1% (298/320) of all residues were in favored (98%) regions.
100.0% (320/320) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 1









81.2% (13/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 2









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 3









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 4









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 5









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 6









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 7








93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 8









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 9









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 10









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 11









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 12









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 13









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 14









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 15








93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 16









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 17









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 18









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 19









93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2run.H.pdb, model 20



93.8% (15/16) of all residues were in favored (98%) regions.
100.0% (16/16) of all residues were in allowed (>99.8%) regions.

There were no outliers.