







MolProbity Ramachandran analysis

5xjk.H.pdb, all models



84.8% (1068/1260) of all residues were in favored (98%) regions.
97.6% (1230/1260) of all residues were in allowed (>99.8%) regions.







There were 30 outliers (phi, psi):

[1] 16 Lys (-58.8, 87.0)	[7] 25 Gly (171.4, 59.7)	[11] 64 Gly (-72.5, -98.7)
[2] 16 Lys (-58.9, 87.0)	[7] 64 Gly (57.5, 85.6)	[12] 16 Lys (-58.8, 87.0)
[4] 16 Lys (-58.8, 87.0)	[8] 16 Lys (-58.9, 87.0)	[12] 33 Pro (-69.8, -85.7)
[4] 25 Gly (171.8, 41.9)	[9] 16 Lys (-58.8, 87.0)	[13] 33 Pro (-69.7, -85.8)
[5] 16 Lys (-58.8, 87.0)	[9] 34 Ser (178.7, -61.7)	[13] 52 Val (61.7, 73.9)
[6] 16 Lys (-58.6, 87.1)	[10] 16 Lys (-58.8, 87.0)	[14] 52 Val (-151.9, 76.3)
[7] 16 Lys (-58.8, 87.0)	[11] 16 Lys (-58.9, 87.0)	[15] 16 Lys (-58.9, 87.0)
[7] 24 Gly (174.1, 94.4)	[11] 34 Ser (179.6, -61.0)	[15] 33 Pro (-69.8, -85.7)
		[17] 16 Lys (-58.8, 87.0)
		[18] 16 Lys (-58.8, 87.0)
		[18] 52 Val (35.2, 80.1)
		[19] 15 Tyr (-59.7, 84.9)

[19] 34 Ser (178.7, -61.7)
[20] 2 Arg (62.8, 102.8)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 1









77.8% (49/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[1] 16 Lys (-58.8, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 2









87.3% (55/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[2] 16 Lys (-58.9, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 3









88.9% (56/63) of all residues were in favored (98%) regions.
100.0% (63/63) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xjk.H.pdb, model 4









76.2% (48/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[4] 16 Lys (-58.8, 87.0)
[4] 25 Gly (171.8, 41.9)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 5









88.9% (56/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[5] 16 Lys (-58.8, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 6









87.3% (55/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[6] 16 Lys (-58.6, 87.1)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 7








81.0% (51/63) of all residues were in favored (98%) regions.
93.7% (59/63) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

- [7] 16 Lys (-58.8, 87.0)
- [7] 24 Gly (174.1, 94.4)
- [7] 25 Gly (171.4, 59.7)
- [7] 64 Gly (57.5, 85.6)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 8









90.5% (57/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[8] 16 Lys (-58.9, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 9









84.1% (53/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[9] 16 Lys (-58.8, 87.0)
[9] 34 Ser (178.7, -61.7)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 10









81.0% (51/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[10] 16 Lys (-58.8, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 11









79.4% (50/63) of all residues were in favored (98%) regions.
95.2% (60/63) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[11] 16 Lys (-58.9, 87.0)
[11] 34 Ser (179.6, -61.0)
[11] 64 Gly (-72.5, -98.7)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 12









90.5% (57/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[12] 16 Lys (-58.8, 87.0)
[12] 33 Pro (-69.8, -85.7)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 13









84.1% (53/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[13] 33 Pro (-69.7, -85.8)
[13] 52 Val (61.7, 73.9)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 14









85.7% (54/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[14] 52 Val (-151.9, 76.3)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 15








90.5% (57/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[15] 16 Lys (-58.9, 87.0)
[15] 33 Pro (-69.8, -85.7)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 16









81.0% (51/63) of all residues were in favored (98%) regions.
100.0% (63/63) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

5xjk.H.pdb, model 17









84.1% (53/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[17] 16 Lys (-58.8, 87.0)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 18









79.4% (50/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[18] 16 Lys (-58.8, 87.0)
[18] 52 Val (35.2, 80.1)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 19









88.9% (56/63) of all residues were in favored (98%) regions.
96.8% (61/63) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[19] 15 Tyr (-59.7, 84.9)
[19] 34 Ser (178.7, -61.7)

MolProbity Ramachandran analysis

5xjk.H.pdb, model 20



88.9% (56/63) of all residues were in favored (98%) regions.
98.4% (62/63) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[20] 2 Arg (62.8, 102.8)