


MolProbity Ramachandran analysis

8gwn.H.pdb, model 1



75.0% (1978/2639) of all residues were in favored (98%) regions.
98.5% (2599/2639) of all residues were in allowed (>99.8%) regions.

There were 40 outliers (phi, psi):

A 14 Val (-148.9, 44.6)	A 249 Arg (-27.1, 90.2)
A 28 Thr (-78.6, -150.5)	A 457 Arg (-55.6, 11.6)
A 71 Val (-66.8, 66.1)	A 539 Ile (-95.9, -158.6)
A 208 Asp (-53.7, 19.7)	A 540 Thr (169.6, 116.6)
A 214 Gly (168.9, -23.0)	A 566 Met (-51.8, 6.5)
A 232 Pro (-126.6, 114.1)	A 615 Met (178.5, 68.7)
A 237 Tyr (-22.1, -86.8)	A 753 Phe (174.2, 49.5)
A 245 Leu (-56.7, 21.8)	A 760 Asp (151.9, -2.3)
	A 771 Ala (-51.7, 3.6)
	A 830 Pro (-118.1, 114.7)
	A 832 Pro (-92.7, -111.0)
	A 847 Ile (78.4, -32.5)
	A 903 Tyr (-64.0, -143.5)
	B 113 Gly (54.4, -19.2)
	B 133 Pro (-79.0, -47.8)
	B 141 Thr (-153.4, -90.7)
	B 160 Val (-118.9, -151.0)
	B 183 Pro (-142.6, 73.5)
	D 99 Asp (74.5, 120.0)
	D 133 Pro (-104.2, -81.1)

D 178 Pro (-53.6, 32.6)
D 183 Pro (-49.9, 77.2)
F 27 Cys (-1.6, -93.1)
F 81 Phe (156.7, 48.8)
F 84 Cys (-51.5, 73.3)
E 175 Pro (-62.4, -105.3)
E 358 Cys (146.5, 177.1)
E 445 Pro (-78.4, -132.3)
E 527 Gly (143.2, 32.3)
G 7 Val (64.2, 145.9)
G 52 Lys (-172.0, -19.7)
G 91 Ile (-44.8, 99.9)