


MolProbity Ramachandran analysis

7wch.H.pdb, model 1



91.1% (3282/3602) of all residues were in favored (98%) regions.
98.9% (3564/3602) of all residues were in allowed (>99.8%) regions.

There were 38 outliers (phi, psi):

A 329 Phe (-136.8, 19.1)	A 659 Ser (3.7, 103.4)	E 95 Ser (-164.6, -80.5)
A 330 Pro (5.0, 146.9)	B 331 Asn (-44.3, -173.5)	E 96 Pro (-104.7, -176.2)
A 331 Asn (65.4, 101.9)	B 529 Lys (-68.8, -164.1)	E 97 Pro (36.3, 44.9)
A 334 Asn (-60.8, 85.0)	B 531 Thr (-168.4, -74.1)	E 98 Trp (-49.7, 71.0)
A 527 Pro (-161.5, -168.1)	B 896 Ile (45.8, 96.7)	G 331 Asn (98.0, 106.3)
A 529 Lys (175.9, -134.4)	D 103 Asn (24.2, -73.2)	G 527 Pro (-94.6, -125.9)
A 530 Ser (164.2, -51.4)	E 93 Gly (-142.8, -40.1)	G 530 Ser (-53.2, 102.0)
A 617 Cys (-64.0, 45.2)	E 94 Ser (-52.1, -88.9)	G 1084 Asp (170.3, -150.1)
		H 103 Asn (24.1, -73.1)
		L 93 Gly (-142.8, -40.0)
		L 94 Ser (-52.3, -88.9)
		L 95 Ser (-164.5, -80.6)

L 96 Pro (-104.7, -176.3)
L 97 Pro (36.4, 44.9)
L 98 Trp (-49.8, 70.9)
M 103 Asn (24.2, -73.1)
N 93 Gly (-142.8, -40.0)
N 94 Ser (-52.3, -88.8)
N 95 Ser (-164.6, -80.6)
N 96 Pro (-104.6, -176.3)
N 97 Pro (36.4, 44.9)
N 98 Trp (-49.8, 70.9)