







MolProbity Ramachandran analysis

7p5g.H.pdb, all models



59.9% (413/690) of all residues were in favored (98%) regions.
97.4% (672/690) of all residues were in allowed (>99.8%) regions.







[30] 489 Tyr (-57.0, -177.6)
[30] 504 Gly (-60.3, 97.0)

There were 18 outliers (phi, psi):

[1] 504 Gly (-140.1, -53.3)	[23] 500 Thr (63.9, 135.0)
[3] 504 Gly (-55.9, -81.2)	[24] 500 Thr (63.8, 135.0)
[3] 505 Tyr (-59.4, 98.1)	[25] 500 Thr (63.8, 135.0)
[9] 491 Pro (-82.8, -52.4)	[26] 489 Tyr (-59.4, -172.5)
[9] 501 Asn (-175.0, 71.1)	[27] 489 Tyr (-58.6, -174.3)
[10] 491 Pro (-80.4, -52.4)	[28] 489 Tyr (-57.7, -176.5)
[16] 491 Pro (-80.2, -52.3)	[29] 489 Tyr (-58.8, -174.0)
[19] 491 Pro (-81.5, -52.4)	[29] 501 Asn (-173.7, 53.0)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 1









56.5% (13/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[1] 504 Gly (-140.1, -53.3)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 2









69.6% (16/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 3









47.8% (11/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[3] 504 Gly (-55.9, -81.2)
[3] 505 Tyr (-59.4, 98.1)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 4









65.2% (15/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 5









65.2% (15/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 6









60.9% (14/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 7








56.5% (13/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 8









60.9% (14/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 9









56.5% (13/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[9] 491 Pro (-82.8, -52.4)
[9] 501 Asn (-175.0, 71.1)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 10









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[10] 491 Pro (-80.4, -52.4)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 11









65.2% (15/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 12









65.2% (15/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 13









52.2% (12/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 14









69.6% (16/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 15








60.9% (14/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 16









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[16] 491 Pro (-80.2, -52.3)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 17









60.9% (14/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 18









56.5% (13/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 19









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[19] 491 Pro (-81.5, -52.4)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 20









60.9% (14/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 21









56.5% (13/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 22









56.5% (13/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5g.H.pdb, model 23








56.5% (13/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[23] 500 Thr (63.9, 135.0)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 24









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[24] 500 Thr (63.8, 135.0)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 25









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[25] 500 Thr (63.8, 135.0)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 26









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[26] 489 Tyr (-59.4, -172.5)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 27









56.5% (13/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[27] 489 Tyr (-58.6, -174.3)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 28









56.5% (13/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[28] 489 Tyr (-57.7, -176.5)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 29



52.2% (12/23) of all residues were in favored (98%) regions.

91.3% (21/23) of all residues were in allowed (>99.8%) regions.







There were 2 outliers (phi, psi):

[29] 489 Tyr (-58.8, -174.0)

[29] 501 Asn (-173.7, 53.0)

MolProbity Ramachandran analysis

7p5g.H.pdb, model 30



52.2% (12/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[30] 489 Tyr (-57.0, -177.6)
[30] 504 Gly (-60.3, 97.0)