







MolProbity Ramachandran analysis

7p5q.H.pdb, all models



70.9% (424/598) of all residues were in favored (98%) regions.
94.8% (567/598) of all residues were in allowed (>99.8%) regions.







There were 31 outliers (phi, psi):

[1] 504 Gly (154.4, 53.9)	[8] 504 Gly (-61.5, 95.4)	[14] 503 Val (-152.6, 15.4)
[2] 495 Tyr (-50.1, -8.2)	[9] 495 Tyr (-48.5, -10.4)	[15] 495 Tyr (-49.0, -10.3)
[4] 495 Tyr (-48.9, -11.9)	[10] 487 Asn (-61.0, 92.3)	[15] 504 Gly (-137.3, -57.8)
[5] 495 Tyr (-48.0, -11.4)	[10] 495 Tyr (-49.2, -10.2)	[16] 484 Glu (-57.8, 93.8)
[6] 495 Tyr (-50.0, -10.0)	[11] 495 Tyr (-47.5, -12.6)	[17] 495 Tyr (-46.4, -15.7)
[7] 504 Gly (-133.5, -53.2)	[12] 495 Tyr (-49.7, -7.6)	[18] 495 Tyr (-47.4, -15.7)
[7] 505 Tyr (61.3, 99.1)	[13] 487 Asn (-60.2, 97.1)	[19] 495 Tyr (-49.3, -5.8)
[8] 495 Tyr (-49.8, -10.8)	[13] 495 Tyr (-47.9, -10.5)	[19] 505 Tyr (62.1, 118.0)
		[20] 495 Tyr (-48.1, -10.7)
		[20] 504 Gly (-169.0, -51.5)
		[21] 495 Tyr (-45.8, -16.1)
		[23] 495 Tyr (-49.3, -9.6)

[25] 499 Pro (-61.3, -70.3)
[26] 487 Asn (-61.9, 81.8)
[26] 499 Pro (-61.0, -69.3)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 1









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[1] 504 Gly (154.4, 53.9)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 2









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[2] 495 Tyr (-50.1, -8.2)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 3









73.9% (17/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5q.H.pdb, model 4









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[4] 495 Tyr (-48.9, -11.9)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 5









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[5] 495 Tyr (-48.0, -11.4)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 6









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[6] 495 Tyr (-50.0, -10.0)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 7








60.9% (14/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[7] 504 Gly (-133.5, -53.2)
[7] 505 Tyr (61.3, 99.1)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 8









73.9% (17/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[8] 495 Tyr (-49.8, -10.8)
[8] 504 Gly (-61.5, 95.4)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 9









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[9] 495 Tyr (-48.5, -10.4)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 10









73.9% (17/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[10] 487 Asn (-61.0, 92.3)
[10] 495 Tyr (-49.2, -10.2)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 11









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[11] 495 Tyr (-47.5, -12.6)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 12









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[12] 495 Tyr (-49.7, -7.6)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 13









73.9% (17/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[13] 487 Asn (-60.2, 97.1)
[13] 495 Tyr (-47.9, -10.5)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 14









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[14] 503 Val (-152.6, 15.4)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 15








65.2% (15/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[15] 495 Tyr (-49.0, -10.3)
[15] 504 Gly (-137.3, -57.8)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 16









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[16] 484 Glu (-57.8, 93.8)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 17









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[17] 495 Tyr (-46.4, -15.7)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 18









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[18] 495 Tyr (-47.4, -15.7)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 19









65.2% (15/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[19] 495 Tyr (-49.3, -5.8)
[19] 505 Tyr (62.1, 118.0)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 20









69.6% (16/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[20] 495 Tyr (-48.1, -10.7)
[20] 504 Gly (-169.0, -51.5)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 21









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[21] 495 Tyr (-45.8, -16.1)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 22









73.9% (17/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5q.H.pdb, model 23








73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[23] 495 Tyr (-49.3, -9.6)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 24









78.3% (18/23) of all residues were in favored (98%) regions.
100.0% (23/23) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

7p5q.H.pdb, model 25









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[25] 499 Pro (-61.3, -70.3)

MolProbity Ramachandran analysis

7p5q.H.pdb, model 26



69.6% (16/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[26] 487 Asn (-61.9, 81.8)
[26] 499 Pro (-61.0, -69.3)