


MolProbity Ramachandran analysis

7p5s.H.pdb, all models









68.7% (790/1150) of all residues were in favored (98%) regions.
92.8% (1067/1150) of all residues were in allowed (>99.8%) regions.
This list is truncated; use the MolProbity multi-chart.html for complete list.

There were 83 outliers (phi, psi):

[1] 497 Phe (-170.2, -57.5)	[6] 497 Phe (-166.0, -60.2)	[13] 497 Phe (-169.6, -55.2)	[24] 497 Phe (-169.3, -56.1)	[34] 503 Val (69.1, 23.2)	[40] 501 Tyr (162.0, -55.0)
[2] 491 Pro (-65.9, -65.0)	[7] 497 Phe (-169.2, -55.8)	[14] 497 Phe (-170.1, -56.7)	[25] 497 Phe (-165.9, -54.0)	[35] 497 Phe (-165.2, -50.6)	[41] 497 Phe (-168.4, -43.5)
[3] 497 Phe (-172.3, -61.0)	[8] 497 Phe (-169.8, -56.1)	[15] 497 Phe (-164.7, -50.7)	[26] 497 Phe (-166.3, -47.7)	[35] 501 Tyr (-167.6, 33.4)	[41] 500 Thr (-174.1, -82.5)
[4] 491 Pro (-66.8, -64.5)	[9] 491 Pro (-65.3, -62.6)	[16] 497 Phe (-164.5, -53.6)	[27] 497 Phe (-168.0, -40.1)	[35] 503 Val (-173.7, -40.0)	[41] 501 Tyr (170.5, 102.3)
[5] 497 Phe (-168.6, -57.6)	[10] 497 Phe (-166.2, -59.0)	[17] 497 Phe (-163.9, -58.4)	[28] 497 Phe (-166.7, -48.7)	[36] 497 Phe (-168.8, -48.9)	[42] 497 Phe (-170.3, -48.8)
[6] 491 Pro (-68.8, -61.9)	[11] 497 Phe (-164.0, -59.9)	[18] 497 Phe (-167.8, -60.3)	[29] 497 Phe (-163.0, -59.4)	[36] 500 Thr (-162.4, -79.3)	[42] 501 Tyr (-167.9, 32.5)
[7] 497 Phe (-167.5, -50.5)	[12] 497 Phe (-164.6, -61.8)	[19] 497 Phe (-171.3, -56.7)	[30] 497 Phe (-170.1, -52.0)	[36] 501 Tyr (166.6, -90.7)	[42] 503 Val (-177.4, -43.0)
[8] 497 Phe (-169.3, -53.8)		[20] 497 Phe (-172.3, -57.1)	[31] 497 Phe (-165.1, -44.6)	[37] 497 Phe (-169.6, -49.4)	[43] 497 Phe (-176.3, -38.3)
		[21] 497 Phe (-164.8, -52.4)	[32] 497 Phe (-174.0, -58.4)	[38] 497 Phe (-170.4, -48.3)	[43] 503 Val (69.5, 16.8)
		[22] 497 Phe (-171.5, -50.6)	[33] 497 Phe (-164.5, -52.5)	[39] 497 Phe (-166.5, -52.0)	[44] 489 Tyr (-62.1, 87.3)
		[23] 497 Phe (-166.3, -51.9)	[34] 497 Phe (-167.0, -44.0)	[40] 497 Phe (-166.4, -52.6)	[44] 497 Phe (-161.6, -55.1)
		[23] 503 Val (-148.0, 69.3)	[34] 501 Tyr (-166.4, 34.2)	[40] 500 Thr (-173.5, -93.1)	[44] 500 Thr (-168.6, -62.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 1









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[1] 497 Phe (-170.2, -57.5)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 2









78.3% (18/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[2] 491 Pro (-65.9, -65.0)
[2] 497 Phe (-172.3, -61.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 3









65.2% (15/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[3] 491 Pro (-66.8, -64.5)
[3] 497 Phe (-168.6, -57.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 4









69.6% (16/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[4] 491 Pro (-68.8, -61.9)
[4] 497 Phe (-167.5, -50.5)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 5









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[5] 497 Phe (-169.3, -53.8)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 6









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[6] 497 Phe (-166.0, -60.2)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 7








69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[7] 497 Phe (-169.2, -55.8)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 8









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[8] 497 Phe (-169.8, -56.1)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 9









65.2% (15/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[9] 491 Pro (-65.3, -62.6)
[9] 497 Phe (-166.2, -59.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 10









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[10] 497 Phe (-165.4, -58.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 11









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[11] 497 Phe (-164.0, -59.9)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 12









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[12] 497 Phe (-164.6, -61.8)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 13









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[13] 497 Phe (-169.6, -55.2)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 14









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[14] 497 Phe (-170.1, -56.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 15








73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[15] 497 Phe (-164.7, -50.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 16









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[16] 497 Phe (-164.5, -53.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 17









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[17] 497 Phe (-163.9, -58.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 18









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[18] 497 Phe (-167.8, -60.3)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 19









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[19] 497 Phe (-171.3, -56.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 20









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[20] 497 Phe (-172.3, -57.1)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 21









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[21] 497 Phe (-164.8, -52.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 22









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[22] 497 Phe (-171.5, -50.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 23








78.3% (18/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[23] 497 Phe (-166.3, -51.9)
[23] 503 Val (-148.0, 69.3)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 24









82.6% (19/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[24] 497 Phe (-169.3, -56.1)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 25









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[25] 497 Phe (-165.9, -54.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 26









52.2% (12/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[26] 497 Phe (-166.3, -47.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 27









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[27] 497 Phe (-168.0, -40.1)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 28









65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[28] 497 Phe (-166.7, -48.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 29









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[29] 497 Phe (-163.0, -59.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 30









78.3% (18/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[30] 497 Phe (-170.1, -52.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 31








65.2% (15/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[31] 497 Phe (-165.1, -44.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 32









60.9% (14/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[32] 497 Phe (-174.0, -58.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 33









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[33] 497 Phe (-164.5, -52.5)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 34









65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):

[34] 497 Phe (-167.0, -44.0)
[34] 501 Tyr (-166.4, 34.2)
[34] 503 Val (69.1, 23.2)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 35



60.9% (14/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):







[35] 497 Phe (-165.2, -50.6)

[35] 501 Tyr (-167.6, 33.4)

[35] 503 Val (-173.7, -40.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 36



60.9% (14/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):







[36] 497 Phe (-168.8, -48.9)

[36] 500 Thr (-162.4, -79.3)

[36] 501 Tyr (166.6, -90.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 37









73.9% (17/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[37] 497 Phe (-169.6, -49.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 38









69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[38] 497 Phe (-170.4, -48.3)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 39








69.6% (16/23) of all residues were in favored (98%) regions.
95.7% (22/23) of all residues were in allowed (>99.8%) regions.

There were 1 outliers (phi, psi):
[39] 497 Phe (-166.5, -52.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 40




65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):
[40] 497 Phe (-166.4, -52.6)
[40] 500 Thr (-173.5, -93.1)
[40] 501 Tyr (162.0, -55.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 41









65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):
[41] 497 Phe (-168.4, -43.5)
[41] 500 Thr (-174.1, -82.5)
[41] 501 Tyr (170.5, 102.3)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 42



73.9% (17/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):







[42] 497 Phe (-170.3, -48.8)

[42] 501 Tyr (-167.9, 32.5)

[42] 503 Val (-177.4, -43.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 43









82.6% (19/23) of all residues were in favored (98%) regions.
91.3% (21/23) of all residues were in allowed (>99.8%) regions.

There were 2 outliers (phi, psi):
[43] 497 Phe (-176.3, -38.3)
[43] 503 Val (69.5, 16.8)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 44









65.2% (15/23) of all residues were in favored (98%) regions.
82.6% (19/23) of all residues were in allowed (>99.8%) regions.

There were 4 outliers (phi, psi):

[44] 489 Tyr (-62.1, 87.3)
[44] 497 Phe (-161.6, -55.1)
[44] 500 Thr (-168.6, -62.4)
[44] 503 Val (-173.6, -31.0)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 45



69.6% (16/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):


[45] 497 Phe (-166.1, -68.7)

[45] 499 Pro (-56.1, 97.6)

[45] 501 Tyr (170.6, -73.3)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 46



69.6% (16/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):







[46] 497 Phe (-163.3, -60.7)

[46] 499 Pro (-53.9, 96.7)

[46] 501 Tyr (164.8, -66.4)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 47




65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):
[47] 497 Phe (-163.4, -62.7)
[47] 499 Pro (-54.8, 96.9)
[47] 501 Tyr (166.6, -69.6)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 48




65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):
[48] 497 Phe (-165.3, -64.2)
[48] 499 Pro (-55.3, 97.4)
[48] 501 Tyr (162.8, -72.7)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 49



69.6% (16/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):


[49] 497 Phe (-162.4, -64.7)

[49] 499 Pro (-56.5, 98.8)

[49] 501 Tyr (171.1, -73.5)

MolProbity Ramachandran analysis

7p5s.H.pdb, model 50



65.2% (15/23) of all residues were in favored (98%) regions.
87.0% (20/23) of all residues were in allowed (>99.8%) regions.

There were 3 outliers (phi, psi):
[50] 497 Phe (-162.6, -70.0)
[50] 499 Pro (-56.5, 98.7)
[50] 501 Tyr (160.2, -74.7)