VELSANET

Network AI Feasibility Analysis
& Linkage with Martin Maier's 6G World Brain

Hypercube-Based Network AI · Schlegel Diagram Visualization · ITU-T Work Item Standardization

This document presents the structural and mathematical foundations for three core technical claims of the Velsanet architecture, and establishes their convergence with Prof. Martin Maier's 6G World Brain theory.

Velsanet Architecture Group | Republic of Korea | 2026

1. Introduction — Three Questions

This document examines the technical feasibility of the following three claims:

①	Can Velsanet Network AI be implemented on a Hypercube basis?
②	Can the Schlegel Diagram function as the self-perception mechanism of Network AI?
③	Can ITU-T Work Items (WI) be formally drafted on this foundation?

The answer to all three is: yes. This conclusion is not an assertion but a structural derivation from the mathematical and architectural arguments contained in the Velsanet White Paper series (WP#01–WP#22) and from their convergence with Prof. Martin Maier's 6G World Brain framework.

2. Feasibility — Technical Grounds for Each Claim

2.1 Hypercube-Based Network AI

Core Claim

Implementing Network AI on a hypercube basis is structurally feasible. Velsanet already defines this through a three-tier hypercube architecture in which artificial intelligence is not overlaid onto the network but is natively embedded within the topology.

Ground 1 — Mathematical Definition

Velsanet Mathematical White Paper (WP#07) provides the following formal definition of the Q7 hypercube:

Q7 Hypercube — Formal Definition

$Q^7 = (\{0,1\}^7, E)$ where $(u,v) \in E \leftrightarrow |u \oplus v| = 1$ • Total nodes: $2^7 = 128$ regional nodes • Neighbors per node: 7 (one per independent Q-axis) • Bisection bandwidth: $2^6 = 64$ (high regional parallelism) • Diameter: 7 (any node reachable within 7 hops) • Structural properties: Fault-tolerant + Self-healing

Ground 2 — Three-Tier Hypercube and AI Role Mapping

Velsanet Network AI White Paper (WP#10) directly connects hypercube dimensionality (Q) to AI layer responsibilities. In this architecture, intelligence does not sit on top of the network — it is the network.

Layer	Node Form	Q Range	AI Role
Velsa_8	Octahedron (O_8)	Q6 – Q8	PAI — Personal AI, device-bound, access domain
Velsa_12	Dodecahedron (D_{12})	Q4 – Q6	AAI — Agent AI, regional coordination, multi-PAI mediation
Velsa_20	Icosahedron (I_{20})	Q3 – Q4	AsAI — Sovereign AI, global governance anchor

Ground 3 — Physical Parallelism via Non-Collision Constraint

Each Q-axis of the hypercube corresponds to an independent optical core path. Velsanet guarantees physical parallelism — not logical — through the following non-collision constraint defined in WP#07:

Non-Collision Constraint

$\forall i \neq j: \quad Core(r_i) \cap Core(r_j) = \emptyset$ Each E2E path occupies a physically isolated optical core. Unlike packet-based sharing models where logical parallelism coexists with physical contention, Velsanet guarantees structural non-collision at the hardware level.

2.2 Schlegel Diagram as the Self-Perception Mechanism of Network AI

Core Claim

The Schlegel Diagram is not a visualization tool. It is the observation mechanism through which Network AI perceives its own optical core usage and synaptic state in real time — the structural equivalent of proprioception in biological neural systems.

Ground 1 — Mathematical Definition of Schlegel Projection

Schlegel Projection — Formal Definition

$S : Q^7 \rightarrow \mathbb{R}^2$ (or $\mathbb{R}^3$) Projects an n-dimensional polytope into (n−1) dimensions while preserving topological (adjacency) relationships. In Velsanet, this projects 7-dimensional synaptic patterns into a 2D/3D structure where Network AI can observe: • Reinforcement of parallel E2E — thickening edges and faces • Synaptic decay — contracting or fading regions • Temporal fluctuations in optical-core utilization • Location of emerging structural instability across layers

Ground 2 — Layer-Differentiated Self-Perception

WP#10 defines two distinct modes of self-perception operating across different node tiers:

- **Microscopic** Microscopic self-perception (Node_4 / Node_6): per-core Channel-1 monitoring — fine-grained synapse-level awareness enabling individual E2E creation, parallel E2E expansion, and synapse strengthening/weakening.
- **Macroscopic** Macroscopic self-perception (Node_8 / Node_12 / Node_20): Channel-1 signals are aggregated into group-, face-, and directional-region metrics. Hypercube adjacency and Schlegel projections provide structural awareness rather than raw channel data.

Ground 3 — Defining Statement from WP#10

WP#10 — The Role of Schlegel

"The role of the Schlegel structure is not analysis or computation, but the direct visualization of where structural instability emerges across layers. Schlegel does not solve problems; it makes the location of problems impossible to ignore."

Ground 4 — Structural Triangle with IVGF

IVGF Conceptual Existence White Paper (WP#11) defines the three-way structural relationship as follows:

Structural Triangle

• Hypercube → provides global structure • Schlegel → provides internal order and observability • IVGF → governs the transition between them The Schlegel diagram enables operation and control to be structurally separated: a three-dimensional execution structure can be controlled and reasoned about from a two-dimensional plane, without collapsing execution paths into a single control locus.

2.3 ITU-T Work Item (WI) Drafting

Ground

Velsanet has already completed an ITU-T SG13 contribution draft structured as Work Items A through E. Each item is independently justified yet mutually reinforcing.

WI	Title	Core Content
A	**Topology-First Architecture**	Formal definition of pre-coordinate topological space; five polyhedral primitives as network grammar
B	**Optical-Native E2E Connectivity**	Physically isolated multi-core optical paths (MOCT); replacement of packet-switched transport
C	**Structurally Embedded AI**	PAI/AAI/AsAI three-layer AI native to topology; comparison with external AI overlay models
D	**Projection-Based Sovereign Governance**	Q2–Q7 hierarchical projection model; national sovereignty encoded structurally without central control
E	**Mathematical Framework**	Super-adjacency matrix, bisection bandwidth 2^6=64, non-collision constraint — formal structural definitions

3. Linkage with Martin Maier's 6G World Brain

3.1 Maier's Core Theory

Prof. Martin Maier (INRS, Canada), in his work 'The Key to True AI and the 6G World Brain' (2023), reframes 6G not as an incremental communication technology but as a distributed cognitive system in which intelligence is natively embedded within the network infrastructure itself — not applied on top of it. This work is cited as a foundational reference in Velsanet Network White Paper WP#01.

Core Propositions of Maier's 6G World Brain

1. Network intelligence is not deployed onto the network — it emerges from the network structure itself. 2. 6G must function not as a single thinking agent but as a distributed infrastructure capable of coordination and execution. 3. Active Inference is the central mechanism of network-level cognition. 4. A structural separation between individual intent and network cognition is architecturally necessary.

3.2 How Velsanet Absorbs and Formalizes Maier's Theory

Velsanet Three-Layer AI System White Paper (WP#09) formally absorbs Maier's framework into the PAI–AAI–AsAI three-layer structure, closing the open questions that Maier's theory leaves undefined.

WP#09 — Direct Statement on Maier Absorption

"Maier reframes intelligence as a network-level phenomenon, often illustrated through brain-like diagrams. Crucially, these diagrams do not represent a single thinking agent but a distributed infrastructure capable of coordination and execution. In the three-layer system: • Maier's network cognition maps to AAI as a judgment and coordination layer. • His infrastructure-level intelligence maps to AsAI as the execution layer. Intent is deliberately absent from this structure and remains confined to PAI, preventing the network from becoming a centralized decision-maker."

3.3 Direct Concept-to-Structure Mapping

The table below presents a direct correspondence between Maier's 6G World Brain concepts and Velsanet's structural elements.

Martin Maier — 6G World Brain	Velsanet — Network AI Architecture
Distributed Cognition Infrastructure	PAI–AAI–AsAI three layers — AI natively embedded in each hypercube node tier
Network Cognition	AAI (Dodecahedron D_{12}) — judgment and coordination layer

Infrastructure-Level Intelligence	AsAI (Icosahedron I_{20}) — execution and sovereign governance layer
Individual Intent	PAI (Octahedron O_8) — intent origin, device-bound, structurally isolated
Active Inference	DIKWEI Cognitive Cycle: Data → Information → Knowledge → Wisdom → Execution → Intent
World Brain (distributed global intelligence)	Velsa(Network_AI) — hypercube–Schlegel integrated meta-intelligence
Brain-like distributed diagrams	Schlegel Diagram — 2D/3D cognitive projection of hypercube structure
Coordination without centralization	Q7 Hypercube — 128 regional nodes, structural coherence without central command

3.4 Open Questions in Maier's Theory — Closed by Velsanet

Maier's 6G World Brain establishes a conceptual direction for network intelligence but leaves four structural questions explicitly open. Velsanet provides architectural answers to each.

Maier — Open Questions	Velsanet — Structural Answers
Where does intent originate and how is it structurally bounded?	Intent is confined to PAI. Direct individual access to AsAI is structurally impossible — no mechanism, no override, no escalation path exists.
What is the physical path for distributed cognition?	MOCT (Multi-Optical-Core Transceiver) — physically isolated parallel optical cores, one per E2E path, non-collision guaranteed.
How do national sovereignty and global networking coexist?	Q4 (national) → Q3 (continental) → Q2 (global) projection hierarchy. Sovereignty is encoded into the Q4 layer structure, not enforced through policy.
Where are the boundaries when AI expands?	AsAI grows only from aggregated, socially validated AAI requests — never from individual demand. Collective intelligence governs AI evolution.

3.5 The Convergence Point — 'The Network IS Intelligence'

Where Maier's World Brain provides a conceptual direction — that the network should operate like a brain — Velsanet provides the structural realization. This is expressed most directly in WP#01:

Velsanet WP#01 — Meaning of AI-Native Design

> "In Velsanet, the physical and cognitive layers are one. Form equals function; structure equals intelligence. Every signal carries purpose, and every connection reflects understanding. Intelligence is not hosted on the network — the network itself is intelligence."

This principle is the structural completion of Maier's World Brain vision — realized through mathematical structure (hypercube), geometric observation (Schlegel diagram), physical implementation (MOCT optical cores), and legal governance (IVGF sovereign projection).

Maier identifies the destination. Velsanet builds the road.

4. Conclusion

	Claim	Verdict and Ground
✓	**Hypercube-Based Network AI**	Q7 hypercube formally defined + three-layer node mapping (O_8/D_{12}/I_{20}) + physical non-collision parallelism
✓	**Schlegel Diagram Self-Perception**	Topology-preserving n→n−1 projection + layer-differentiated self-perception + IVGF operation/control separation
✓	**ITU-T Work Item Drafting**	WP#09–WP#18 provide formal technical basis; Work Items A–E drafted and submitted to SG13 under IMT-2030
✓	**Maier 6G Brain Linkage**	PAI=intent / AAI=network cognition / AsAI=infrastructure intelligence — Maier's open questions structurally closed

Final Assessment

Hypercube-based Network AI, Schlegel-based self-perception, and ITU-T Work Item drafting are all structurally feasible. These three are not independent claims. They form a single continuous chain: the hypercube defines the structure, the Schlegel diagram makes it observable, and the Work Items institutionalize it as international standard. Prof. Martin Maier's 6G World Brain is the conceptual origin of this architecture. Velsanet is its mathematical, physical, and governance completion. Maier identifies the destination. Velsanet builds the road.

References

1. Velsanet Network White Paper #01 v2.0 — Network Architecture Overview
2. Velsanet Mathematical White Paper #07 v1.1 — Mathematical Structural Framework
3. Velsanet AI White Paper #08 v1.3 — AI Architecture Overview
4. Velsanet Three-Layer AI System White Paper #09 v1.0 — PAI/AAI/AsAI Architecture
5. Velsanet Network AI White Paper #10 v1.3 — Hypercube & Schlegel Architecture
6. IVGF Conceptual Existence White Paper #11 v1.0 — Conceptual Governance Framework
7. Velsanet Network AI and Global Governance White Paper #18 v1.0 — Q2–Q7 Projection Governance
8. Velsanet AI Safety by Architecture White Paper #21 v1.0 — Structural Safety Invariants
9. Maier, M. (2023). The Key to True AI and the 6G World Brain.
10. ITU-T Y.3001 (2011) — Future Networks: Objectives and Design Goals
11. ITU-R M.2160 (2023) — Framework and Overall Objectives of IMT-2030