



Mk3 Cabinet — Assembly Measurement Drawing



Internal: 276 x 336 x 1136 mm | Wall: 22 mm | Roundover: R19

Driver heights: MID z=1065 WG/TW z=901 Woofer z=520 | C-C

mid/tw: 164 mm
Shelf braces at z=[160, 330, 730] | Divider tilt: 19°

Mk3 Cabinet — Panel Cut List

Material: 22 mm birch plywood | External: 320 × 380 × 1180 mm

Panel	Width (mm)	Height/Depth (mm)	Qty	Thickness	Notes
Front baffle	320	1180	1	22	R19 front vertical edges, mid + WG cutouts
Back panel	320	1180	1	22	Square edges
Side panel L	380	1180	1	22	Woofer cutout Ø284, 8×Ø5.5 on Ø319 BCD
Side panel R	380	1180	1	22	Woofer cutout Ø284, 8×Ø5.5 on Ø319 BCD (opposed)
Top panel	320	380	1	22	Square edges
Bottom panel	320	380	1	22	Square edges
Divider plate	320	380	1	22	Tilted 19°, cut to fit cavity
Shelf brace 1	276	336	1	22	Ring shelf, rim 45 mm, z=160
Shelf brace 2	276	336	1	22	Ring shelf, rim 45 mm, z=330
Shelf brace 3	276	336	1	22	Ring shelf, rim 45 mm, z=730


Total panels: 10 | Total panel area: 2.30 m² | Plywood volume: 0.05 L

NOTE: Divider plate and shelf braces are cut to fit the internal cavity (276 × 336 mm). Measure actual internal dims before cutting. (Note: 276 = 320 - 2 × 22; 336 = 380 - 2 × 22). Verify dimensions against cabinet design.

Mk3 Front Baffle — Cutout & Hole Layout

Panel: 920 x 1180 mm, 22 mm thick ply,
R19 front edges


18W/4424G00 Ø145 cut Ø179 rebate 6xØ5.3



Red dashed: cutout Orange:
rebate Dots: pilot Ø3


Cutout & Hole Layout

Cutout & Hole Layout




Front Baffle — Cut Drawing

22 mm, 22 mm ply, R19 front edges




Back Panel — Cut Drawing

320 × 1180 mm, 22 mm ply, square edges




Side Panel LEFT — Cut Drawing

80 mm, 22 mm ply, woofer on left face




Side Panel RIGHT — Cut Drawing

800 mm, 22 mm ply, woofer on right (opposed) face



Top Panel — Cut Drawing


320 × 380 mm, 22 mm ply, R19 front
edge



Bottom Panel — Cut

Drawing


22 mm ply, R19 front
edge



Divider Plate — Cut Drawing

276 mm, 22 mm ply, tilted 19°
in cabinet


tilt 19°
internal cavity shape
(follows rounded side
walls)



Front edge sits at $z=985$ mm, rises
 19° toward rear


Shelf Brace x3 — Cut Drawing

Outer: 336 x 276 mm (internal cavity)
Rim: 45 mm Thickness: 22 mm
Qty: 3 (z=[160, 330, 730])



Skæreplan — 3× 25×620×2420 mm massiv fyr (Jem & Fix)

Vægttykkelse: 25 mm | Udvendigt: 320×380×1180 mm | Indvendigt: 270×330×1130 mm



Plade 1

Plade 2

Plade 3

620×2420×25 mm | rip @ 380 mm 620×2420×25 mm | rip @ 320 mm 620×2420×25 mm | rip @ 320 mm

Bruges Reserve/spild Rip-snit (orange)