


Mk3 Cabinet — Assembly Measurement Drawing



Internal: $276 \times 336 \times 1136$ mm | Wall: 22 mm | Roundover: R19

Driver heights: MID $z=1065$ WG/TW $z=901$ Woofer $z=520$ | C-C mid/tw: 164 mm

Shelf braces at $z=[160, 330, 730]$ | Divider tilt: 19°

Mk3 Cabinet — Panel Cut List

Material: 22 mm birch plywood | External: 320 × 380 × 1180 mm

Panel	Width (mm)	Height/Depth (mm)	Qty	Thickness	Notes
Front baffle	320	1180	1	22	R19 front vertical edges, mid + WG cutouts
Back panel	320	1180	1	22	Square edges
Side panel L	380	1180	1	22	Woofer cutout Ø284, 8×Ø5.5 on Ø319 BCD
Side panel R	380	1180	1	22	Woofer cutout Ø284, 8×Ø5.5 on Ø319 BCD (opposed)
Top panel	320	380	1	22	Square edges
Bottom panel	320	380	1	22	Square edges
Divider plate	320	380	1	22	Tilted 19°, cut to fit cavity
Shelf brace 1	276	336	1	22	Ring shelf, rim 45 mm, z=160
Shelf brace 2	276	336	1	22	Ring shelf, rim 45 mm, z=330
Shelf brace 3	276	336	1	22	Ring shelf, rim 45 mm, z=730

Total panels: 10 | Total panel area: 2.30 m² | Plywood volume: 0.05 L

NOTE: Divider plate and shelf braces are cut to fit the internal cavity (276 × 336 mm). Measure actual internal dims before cutting.


All dimensions are for the internal cut (inside dimensions for fit). Modifications to the design are the responsibility of the user.

Mk3 Front Baffle — Cutout & Hole Layout

Part: 924 x 1180 mm, 22 mm birch ply, R19 front edges

W/4424G00 Ø145.3 cutout, Ø179.2 rebate, 6xØ5.3 c

SB26STAC 242x143 mm recess, R4, 4xØ3 pilot on 2




--- Red dashed: cutout Orange dashed: rebate/re

Mk3 Side Panel — Woofer Cutout & Hole Layout

Panel: 380 x 1190 mm, 22 mm birch ply (flat, no roundover)


5 12SW-4HE Ø284 cutout, Ø332 frame, 8×Ø5.5 on Ø319 F

(Opposed push-push: 2nd woofer on opposite side, same height)




Front Baffle — Cut Drawing

320 × 1180 mm, 22 mm ply, R19 front edges




Back Panel — Cut Drawing

320 × 1180 mm, 22 mm ply, square edges




Side Panel LEFT — Cut Drawing

380 × 1180 mm, 22 mm ply, woofer on left face




Side Panel RIGHT — Cut Drawing

380 × 1180 mm, 22 mm ply, woofer on right (opposed) face




Top Panel — Cut Drawing

320 × 380 mm, 22 mm ply, R19 front edge




Bottom Panel — Cut Drawing

320 × 380 mm, 22 mm ply, R19 front edge



Divider Plate — Cut Drawing

276 × 336 mm, 22 mm ply, tilted 19° in cabinet




to internal cavity shape (front edge follows rounded side wa

Front edge sits at $z=985$ mm,

Shelf Brace x3 — Cut Drawing


Outer: 276 × 336 mm (internal cavity) Rim: 45 mm

Thickness: 22 mm Qty: 3 (z=[160, 330, 730])




Skæreplan — 3× 25×620×2420 mm massiv fyr (Jem & Fix)

Vægtykkelse: 25 mm | Udvendigt: 320×380×1180 mm | Indvendigt: 270×330×1130 mm




Plade 1

620×2420×25 mm | rip @ 380 mm



Plade 2

620×2420×25 mm | rip @ 320 mm



Plade 3

620×2420×25 mm | rip @ 320 mm

Bruges

Reserve/spild

Rip-snit (orange)