

產後母職壓力、社會支持與母育信心的關聯性及其對產後心理健康的影響研究

後設資料

想法編號: seed-domain-5=>3=>3=>3

新穎度: 28.6%

最大相似度: 71.4% (近似於: “Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy”)

群集: 2

競賽得分: 4 勝

方法論契合度: 4/5

問題陳述

產後憂鬱症和焦慮症是影響產後婦女心理健康的主要問題，這不僅影響了母親的生活質量，也可能對新生兒的健康產生深遠影響。研究表明，許多產後婦女面臨來自嬰兒健康、照護能力和睡眠質量等方面的壓力，而這些壓力與母親的社會支持系統有著密切的關聯。當前資料顯示，社會支持能顯著減輕母親的產後壓力和焦慮，但目前尚缺乏能系統性量化不同社會支持形式對母職壓力和心理健康影響的研究。因此，探討這些關聯性及其變化過程，特別是在產後的不同時期，將有助於建立更有效的支援系統，為產後婦女提供專業的實證支持。

現有方法

目前的研究主要集中在臨床資料收集與橫斷面調查，利用問卷調查的方式量化社會支持、母職信心及產後憂鬱等變項。然而，這些方法的局限性在於未能追蹤母親在產後不同時期的心理狀態及其變化趨勢，且缺乏對社會支持形式的深入分析。此外，許多研究並未考慮不同母親群體之間的差異，如年齡、文化背景等，這使得研究結果的普遍性受到限制。

研究動機

目前的研究方法未能充分考慮母職壓力的動態變化及社會支持的多樣性。基於此，本研究計劃採用縱向設計，持續追蹤產後婦女的心理狀態及其社會支持變化，這樣可以更清晰地映射社會支持在不同時期對母親心理健康的影響。此外，通過定量與定性相結合的方式，深入探討不同類型社會支持如何具體影響母親的育兒能力和心理信心，為未來提供更具針對性的支持策略和臨床建議。

提出方法

本研究將採用一個多層次的縱向設計來分析產後婦女的心理健康狀態及相關變量間的關係。首先，研究樣本將從中部某醫學中心和衛生所招募 305 名健康的產後婦女，並在產後出院時、滿一個月、滿兩個月及滿四個月時進行多次面訪。研究工具包括社會支持量表、母育信心量表、母育能力量表及產後壓力量表。在研究初期，將所有參與者的基本資料及產後心理狀態進行基線評估，隨後在每個階段隨機抽取母親進行詳細的質性訪談，以獲取她們的個體經歷和面對的挑戰。數據將利用多層次分析技術進行處理，以探討時間與社會支持的交互作用如何影響母職壓力及心理健康結果。此創新方法不僅聚焦於數據的量化分析，還重視母親的主觀經歷，旨在提升母親的育兒信心和減少產後焦慮。

實驗計畫

實驗計畫分為五個步驟。第一步：招募 305 名參與者，使用隨機取樣法確保樣本多樣性，並採用問卷調查收集歷史數據。第二步：在產後出院時進行基線訪談，記錄參與者的社會支持狀況及心理健康狀態。第三步：在檢查點滿一個月、兩個月和四個月時，重複相同的測試並進行跟蹤訪談。第四步：數據分析

利用多層次線性回歸方法，分析母親的社會支持、母育信心和壓力之間的關係。第五步：根據數據結果提出針對性的介入策略，並評估介入後母親的心理健康改善情況。評估指標將包括產後憂鬱量表、社會支持量表等，成功的標準在於通過量表評估母親的心理健康狀態顯著改善。

可信新穎度 — 最接近的真實論文

- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (71.4% · airtiti.AL, 2015) — 增量: 本研究專注於產後母親的心理健康狀態，特別是社會支持對母職壓力和心理健康的影響，並採用多層次的縱向設計進行系統性量化，而該論文主要探討的是母職壓力與自我效能之間的關係，並未強調社會支持的角色。(相似度 71% 偏高，標籤經相似度守衛下修)
- Associations between prenatal maternal mental health indices and mother-infant relationship quality 6 to 18 months' postpartum: A systematic review. (68.9% · airtiti.PubMed, 2020) — 增量: 本研究針對產後母親的心理健康狀態進行多次面訪，並量化社會支持的不同形式對母職壓力的影響，而該論文則專注於產前母親的心理健康指標與母嬰關係質量的關聯，研究的時間框架和焦點不同。(相似度 69% 偏高，標籤經相似度守衛下修)
- Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum (68.0% · airtiti.AL, 2015) — 增量: 本研究將重點放在產後母親的心理健康及社會支持的影響，並採用縱向設計進行多次評估，而該論文則探討的是懷孕晚期的母親對母職角色的適應，並未涉及產後的心理健康狀態。(相似度 68% 偏高，標籤經相似度守衛下修)

參考文獻

1. Assisting Mother with Preterm Infant breastfeeding
2. Maternal Confidence at Infant Discharge: Comparing Preterm and Fullterm Groups
3. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants
4. The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study
5. Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum
6. The Association between Maternal Characteristics and Depression
7. Maternal Concerns and Social Support during Postpartum Period
8. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
9. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
10. Relationships Between Postpartum Stress, Social Support, and Depression, and Health Status of the Premature Infant' s Mother.
11. 青春期及成人期母親產後憂鬱現象之探討

12. Mothers' Child-rearing Stress and Coping Behaviors from One Month to Four Months after Childbirth
13. "Zuòyuèzi" dietary and behavioural associations with maternal health among puerperal women in South China
14. " Zuòyuèzi " dietary and behavioural associations with maternal health among puerperal women in South China
15. The Relationship Between Postpartum Depression and Maternal Confidence, Sleep Quality and Infants' Sleep Quality
16. Mental Health Needs Assessment for Postpartum Women in Taipei area
17. Maternal perinatal mental health: Associations with bonding, mindfulness, and self-criticism at 18 months' postpartum.
18. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
19. Postpartum Adjustment of Women who were Home During the "Traditional Chinese one Month Postpartum Period of Confinement" and Those who were in Maternity Care Centers
20. Depression and Stress of Women and Their Spouses During the Postpartum Period
21. A Study on Parenting Stress, Social Supports and Parenting Behaviors of Kindergarten Parents in Taichung Area

s of Preterm Infants .

22. Recent strategies in perinatal mental health care in Japan
23. Social Support Interventions for Preventing Depression in Young Pregnant Women
24. Associations between prenatal maternal mental health indices and mother-infant relationship quality 6 to 18 months' postpartum: A systematic review.
25. Nutrition and physical activity interventions to ameliorate postpartum depression: A scoping review
26. 初產婦與經產婦之心理社會影響
27. The effects of nutrition and physical activity interventions on improving postpartum depression among postpartum women: A scoping review
28. The Effects of Parent - Child Yoga on Maternal Depression and Stress
29. The education, labor market and economic consequences of teenage mothers, the Taiwan Birth Cohort Study
30. Is a mother's recalled parental rearing behavior, her attributions of her child's behavior, and her psychopathology associated with her mother-child relationship quality?
31. Maternal self-efficacy development from pregnancy to 3 months after birth.

32. Heterogeneity of postpartum depression: a latent class analysis.
33. Prevalence and risk factors for postpartum depression 2 months after a vaginal delivery: a prospective multicenter study.
34. Systematic review of the literature on postpartum care: effectiveness of interventions for smoking relapse prevention, cessation, and reduction in postpartum women.
35. Clues obtained at a 2-week postpartum checkup for a midwife to determine the need for mental and emotional health support for a first-time parenting mother
36. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
37. Ontogeny of the Response of the Hypothalamo-Pituitary-Adrenal Axis to Maternal Immobilization Stress in Rats
38. Restraint stress in lactating mice alters the levels of sulfur-containing amino acids in milk
39. 働く母親の個人ネットワークからの子育て支援
40. The stress, social support, and psychological well-being of single-parent mothers
41. Trends and Issues in Japanese Research on Mothers' Childcare Networks
42. Maternal support during the first year of infancy
43. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
44. The determinants of parenting behavior
45. Psychosocial predictors of maternal and infant health among adolescent mothers
46. Further psychometric testing and use of the Maternal Confidence Questionnaire
47. Statistical power analysis for the behavior sciences
48. Psychosocial features at different periods after childbirth
49. Correlates of first-time mothers' postpartum stress
50. The determinants of parenting: A process model
51. Perceived parental efficacy: concept analysis
52. The relationship between maternal role attainment and postpartum depression
53. Social support as a moderator of life stress
54. Self-efficacy: Toward a unifying theory of behavioral change
55. Self-Efficacy-The Exercise of Control
56. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

社會支持對增強產後母親自我效能感與減少親職壓力的影響研究

後設資料

想法編號: seed-domain-1=>2=>2=>1

新穎度: 25.7%

最大相似度: 74.3% (近似於: “Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy”)

群集: 1

競賽得分: 3 勝

方法論契合度: 5/5

問題陳述

產後母親常面臨諸多挑戰，從心理健康到親職壓力，這些挑戰可能會影響母親的自我效能感，進而影響母嬰關係及嬰兒的發展。研究顯示，社會支持對於減輕這些壓力和增強自我效能感具有顯著影響。然而，當前對於社會支持如何具體促進這些正向結果的長期研究依然有限，特別是在台灣背景下。本研究旨在填補這一空白，通過縱向研究來探討社會支持、母親自我效能感和親職壓力之間的關係，幫助制定出更加有效的支持干預措施，改善產後母親的心理健康與親職體驗。

現有方法

目前的研究通常依賴於橫斷面設計來評估社會支持與母親心理健康之間的關聯，例如使用問卷調查母親的社會支持水平及其間接影響。然而這些方法的限制在於，它們無法捕捉隨時間變化的情況，並且難以確定因果關係。更重要的是，大多數研究集中於短期影響，缺乏對產後一年以上的長期追蹤。

研究動機

由於現有方法未能充分解釋社會支持如何影響母親的長期自我效能感及親職壓力，因此我們的研究希望提供一個長期追蹤的視角，這將幫助我們更好地理解這些因素之間的相互關係。我們的研究靈感來源於對產後母親需求的重視，並期望透過大數據分析與多時點評估方法，尋找出最佳的社會支持機制，為母親提供持續的支持。

提出方法

本研究將採用前瞻性縱貫性設計，追蹤 305 位台灣產後母親的社會支持、自我效能感和親職壓力。研究將設立四個時間點（產後 1 個月、3 個月、6 個月、12 個月），每次評估均使用標準化問卷，包括社會支持量表、自我效能感量表及親職壓力量表。數據將通過多層次分析法進行，評估社會支持在不同時間點如何影響母親的自我效能感和親職壓力。此外，我們將進行質性訪談，以探討母親如何描述其社會支持經歷及其影響。最終，本研究希望能找出關鍵的社會支持要素，提供針對性的干預策略來支持產後母親。

實驗計畫

實驗計畫包括以下幾個步驟：第一步，招募 305 位符合條件的參與者，確保涵蓋不同年齡、社經狀況和文化背景的母親。第二步，設置四次評估，每次評估均通過面訪或線上問卷形式進行，並收集社會支持水平、自我效能感和親職壓力的數據。第三步，利用多層次模型分析數據，特別關注不同時間點社會支持對母親自我效能感的影響。第四步，進行質性訪談收集母親對於社會支持的看法，分析其對親職經驗

的實際影響。成功的標準將是找到顯著的社會支持與自我效能感及親職壓力之間的負相關，以及母親在接受支持後的正向變化。

可信新穎度 — 最接近的真實論文

- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (74.3% · airtiti.AL, 2015) — 增量: 本研究專注於社會支持如何影響產後母親的自我效能感和親職壓力，並採用縱向設計進行多次評估，而該文獻主要探討的是產後抑鬱與親職壓力和自我效能感之間的關係，並未強調社會支持的角色。(相似度 74% 偏高，標籤經相似度守衛下修)
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (69.4% · airtiti.AL, 2018) — 增量: 本研究將進行縱向追蹤，並使用多層次分析法來評估社會支持對母親自我效能感和親職壓力的影響，而該研究僅探討社會支持與產後壓力之間的關聯，缺乏長期追蹤和多次評估的設計。
- [The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants]. (66.0% · airtiti.PubMed, 2025) — 增量: 本研究專注於社會支持對產後母親的影響，並包括質性訪談來深入了解母親的經驗，而該文獻則集中於早期親職敏感度干預對於早產嬰兒母親的影響，並未探討社會支持的角色。(相似度 66% 偏高，標籤經相似度守衛下修)

參考文獻

1. Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy
2. Recent strategies in perinatal mental health care in Japan
3. Effect of intergenerational exchange patterns and intergenerational relationship quality on depressive symptoms in the elderly: An empirical study on CHARLS data.
4. The Nature and Assessment of Mother-Infant Bonding Disorders
5. SIGNIFICANCE OF THE MOTHER-CHILD RELATIONSHIP PERSPECTIVE IN THE INTEGRATIVE PRACTICE OF INFANT MENTAL HEALTH
6. Effect of Early Intervention to Promote Mother - Infant Interaction and Maternal Sensitivity in Japan: A Parenting Support Program based on Infant Mental Health
7. Maternal morbidity and mortality: an iceberg phenomenon.
8. Impacts of Maternal Parenting Stress on Psychological Maltreatment of Children with Mental Disabilities
9. A cross-sectional study of maternal social isolation and child maltreatment risk: The impact of social support and loneliness among mothers
10. Effects of primary prevention of child abuse that begins during pregnancy and immediately after childbirth
11. Parenting Stress, Social Support and Parenting Resilience for Mothers of Low Grade Children in the Primary School

12. The Research on Parenting Stress and Social Support in Mothers of Preschool children with Disabilities
13. Relationships Between Postpartum Stress, Social Support, and Depression, and Health Status of the Premature Infant's Mother.
14. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
15. The Motherhood Experience of Females with Sexually Abused History
16. SUPPORT-SEEKING BEHAVIOR AMONG JAPANESE MOTHERS AT HIGH-RISK OF MENTAL HEALTH PROBLEMS: A COMMUNITY-BASED STUDY AT A CITY HEALTH CENTER
17. A longitudinal study of paternal mental health problems from the antenatal to the postpartum period: risk factors, relationship with maternal factors and impact of gender role and traditionalism-modernity
18. Is a mother's recalled parental rearing behavior, her attributions of her child's behavior, and her psychopathology associated with her mother-child relationship quality?
19. Maternal self-efficacy development from pregnancy to 3 months after birth.
20. Relative effects of breastfeeding intention and practice on maternal responsiveness.
21. Self-Compassion and Psychological Health in the Workplace

Postpartum Women .

Health of New Mothers .

22. Predictors of and Changes in Postpartum Depression and Mother-Infant Bonding
23. A Study on the Correlation between the mother-infant bonding and postpartum depression
24. Relationships among parental attachment, postpartum depression and the mother-infant bonding
25. Intergenerational Consequences of Maternal Childhood Maltreatment on Infant Health Concerns.
26. The impact of maternal characteristics, infant temperament and contextual factors on maternal responsiveness to infant.
27. Mother-Infant Group Intervention on Maternal Depression and Bonding: A Quasi-Experimental Study.
28. 初産婦與經産婦之心理社會影響
29. Difficulties Experienced by Visiting Nurses Who Provide Mental Health Care for Pregnant and Postpartum Women with High Psychosocial Risk Factors
30. Paternal depression and anxiety: risk factors and adverse impact on infant temperament and development

31. Mental Health Needs Assessment for Postpartum Women in Taipei area
32. Current Strategies for Perinatal Mental Health Care in Japan
33. Lived experience of being a mother in the women with low birth weight premature infants during the early puerperium.
34. Maternal perinatal mental health: Associations with bonding, mindfulness, and self-criticism at 18 months' postpartum.
35. "Weathering the storm:" Mothers' and fathers' experiences of parenting a preterm infant.
36. 懷孕 36 週剖腹產母親角色適應及親子關係的建立
37. The factors related to maternal bonding in the pregnancy period
38. 一位剖腹初產婦的關注行為與母親角色的轉變
39. Under the policy of mother-baby friendly, postpartum women' s Fatigue, baby-care activities and maternal-infant attachment with different types of delivery.
40. The associations among mother-infant relationship, postpartum depression and perinatal psychosocial status

Developmental Delay .

s of Preterm Infants .

41. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
42. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
43. The impact of menopause status, negative life events and social support on depressive symptoms in women

en After a Stillbirth .

44. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
45. The Quality of Sleep and Its Associated Factors in the Puerperium Women
46. Motherhood Experience and Learning: A Learning Process Analysis of Go Players' Accompanying Mothers during the Apprenticeship of their Children
47. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
48. Risk and protective factors for pre- and postnatal bonding.

ress and Depression .

a Preliminary Study .

49. Experience of body change in breastfeeding women
50. 照顧一位剖腹產初產婦產後初期關注行為改變之護理經驗
51. Breastfeeding Problems and Breastfeeding Self-Efficacy among Women with Diabetes
52. Unmarried Mother's Parenting Process After Giving Birth
53. "Kadafo" from Vietnam in Chang-Guang: Social Support Networks of New Immigrants in the Indigenous Tribe
54. Social Support, Health, and Family Function in Mother of Children with Cancer
55. Factors Related to Health Status in Mothers of Children with Cancer
56. Health disparity between foreign-born mothers and Taiwanese mothers
57. Maternal support during the first year of infancy
58. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
59. The determinants of parenting behavior
60. Psychosocial predictors of maternal and infant health among adolescent mothers
61. Further psychometric testing and use of the Maternal Confidence Questionnaire
62. Statistical power analysis for the behavior sciences
63. Psychosocial features at different periods after childbirth
64. Correlates of first-time mothers' postpartum stress
65. The determinants of parenting: A process model
66. Perceived parental efficacy: concept analysis
67. The relationship between maternal role attainment and postpartum depression
68. Social support as a moderator of life stress
69. Self-efficacy: Toward a unifying theory of behavioral change
70. Self-Efficacy-The Exercise of Control
71. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

增強產後母親信心：針對產後早期敏感度訓練的干預研究

後設資料

想法編號: seed-domain-2=>3=>1=>3

新穎度: 22.9%

最大相似度: 77.1% (近似於: “[The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants].”)

群集: 6

競賽得分: 3 勝

方法論契合度: 3/5

問題陳述

產後母親常面臨著巨大的心理壓力與挑戰，這些挑戰不僅來自於新生兒的照護需求，也來自於自我效能感的降低。研究顯示，母親的社會支持系統、母育信心與親職壓力之間存在顯著的關聯，然而目前針對產後早期介入以增強母親信心的研究仍然匱乏。本研究將聚焦於產後早期的敏感度訓練，探討其在減少母親親職壓力、提升母育信心方面的潛在影響。我們認為，透過針對性訓練來促進母親與嬰兒之間敏感的互動，可以有效提高母親在育兒過程中的自信心，提供她們所需的支持系統，從而改善她們的整體心理健康狀態，這不僅能促進母嬰關係的建立，更名為嬰兒的健康成長打下良好基礎。

現有方法

現有的方法主要集中在社會支持與母育信心的分析上，例如多層次分析已被用來探討母親的社會支持、信心與壓力之間的關聯。但這些研究往往未能探討具體的干預措施，尤其是在產後早期的敏感度訓練方面。傳統方法往往忽略了母親在面對壓力時可能需要的具體技能與策略，這使得母親無法有效應對在育兒過程中出現的挑戰。更重要的是，現有的研究大多集中於產後的長期影響，較少關注早期介入對於產後心理健康的即時效果，這樣的缺口為本研究提供了良好的切入點。

研究動機

目前的研究方法未能充分解決產後母親所面臨的即時挑戰，尤其是在產後早期。即使有部分研究討論了社會支持的重要性，但缺乏具體的干預策略來提升母親的敏感度與信心。這使得母親在初為人母的過程中常常感到孤獨與無助。因此，本研究倡導的敏感度訓練不僅是一種技術性的提升，更是一種情感上的支持。透過具體的訓練方法，如模擬互動、即時反饋與專業指導，我們相信能夠有效提高母親的自信心與減少親職壓力，並促進母嬰間的情感聯繫，這在現有文獻中尚未被充分探討。

提出方法

本研究提議一套系統性的敏感度訓練方案，專為產後母親設計，旨在提升她們對嬰兒需求的敏感度及回應能力。整體方法分為以下幾個步驟：1. 訓練前評估：通過問卷調查與面對面訪談，評估母親產後的信心、壓力與支持系統。2. 敏感度訓練模組：設計一系列包含角色扮演與即時反饋的互動工作坊，這些工作坊將涵蓋如何解讀嬰兒的需求信號、情感支持與建立良好母嬰互動的技巧。3. 實施干預：於產後一週及產後一個月分別進行兩次訓練，並在每次訓練後進行小組討論，收集母親的即時反饋。4. 跟進評估：在產後三個月及六個月再次進行問卷調查，以評估母親的信心、壓力與母育能力的變化。5. 數據分析：運用描述性統計與多變量分析方法對結果進行分析，並比較干預前後的變化，分析訓練效果的顯著性。

實驗計畫

本實驗計畫將分為五個主要步驟，具體如下：1. ****樣本選取****：招募 305 位產後母親，符合研究條件的有效樣本將在介入後追蹤 209 位。2. ****數據收集****：使用標準化問卷，如母育信心量表、親職壓力量表和社會支持問卷，在訓練前、產後三個月及六個月進行數據收集。3. ****訓練實施****：設計為期四周的敏感度訓練課程，每週一堂，內容包括理論講解及實務操作。4. ****評估指標****：以自我報告量表評估母親的信心與壓力變化，並透過母親對嬰兒的互動觀察評估敏感度提升，使用混合模型進行數據分析，瞭解不同階段間的變化及影響因素。5. ****結果驗證****：成功的指標包括母育信心顯著提升、親職壓力降低及社會支持系統的增強。整個實驗計畫的最終目標是希望能夠通過這一系列的測試與干預，實證早期敏感度訓練對於提升母親心理健康的實際效果，進而推廣至更大範圍的產後護理實踐中。

可信新穎度 — 最接近的真實論文

- [The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants]. (77.1% · airtiti.PubMed, 2025) — 高度重疊：本研究專注於產後母親的敏感度訓練，特別是針對母親的自信心與親職壓力的提升，而該文獻主要針對早產兒母親的依附關係、親職信心和親職壓力進行研究，且樣本特定於早產兒，未涵蓋一般產後母親的情況。（相似度 77% 偏高，標籤經相似度守衛下修）
- Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum (65.8% · airtiti.AL, 2015) — 增量：本研究針對產後早期的敏感度訓練進行干預，特別關注母親在育兒過程中的自信心提升，而該文獻則探討懷孕晚期的舒適感對產後母親角色的影響，並未直接介入或評估產後母親的敏感度訓練。
- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (64.2% · airtiti.AL, 2015) — 增量：本研究專注於透過敏感度訓練來提升母親的自信心和減少親職壓力，而該文獻則主要探討育兒壓力與自我效能之間的關係，並未涉及具體的干預措施或敏感度訓練的實施。

參考文獻

1. Relationships of parenting strain and mental health with family needs in mothers of severely handicapped school-aged children suffering from cerebral palsy
2. The Correlation among Parenting Stress, Explanatory Style, and Mental Health in Mothers of Children with Developmental Delay
3. Warm Support vs. Iron Discipline? The Relation between Parenting and Adolescent Mental Health
4. Proposals for improving maternal safety (2023 edition): Insights from the analysis of maternal deaths in Japan.
5. 離婚女性依附風格一致性與穩定性變化歷程之分析研究
6. Maternal perinatal mental health: Associations with bonding, mindfulness, and self-criticism at 18 months' postpartum.
7. "Weathering the storm:" Mothers' and fathers' experiences of parenting a preterm infant.
8. Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy

9. Prospects for maternal and child health in Japan
10. The Effect of the Attachment to Pregnant Women's Fetus on the Attachment to Their Infant
11. 住院早産児母親之自尊與依附關係之探討
12. 乳児の表情識別課題中における母親の前頭前野の活動: 近赤外分光法 (NIRS) による研究
13. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
14. Concept Analysis of Maternal Confidence
15. Maternal Confidence at Infant Discharge: Comparing Preterm and Fullterm Groups

developmental Delay .

s of Preterm Infants .

peractivity disorder .

16. Recent strategies in perinatal mental health care in Japan
17. A longitudinal study of paternal mental health problems from the antenatal to the postpartum period: riskfactors, relationship with maternal factors and impact of gender roleand traditionalism-modernity
18. The Relationship between Parenting Style and Self-Confidence of Preschool Children: The Mediation Role of Parent-Child Attachment
19. A study on the relationships between teens in reform school agency of corrections with their parents , including parenting style, attachment style and early maladaptive schemas.
20. 母子間の身体接触を伴う軽運動が母親のメンタルヘルスに与える影響
21. Mental health of working mothers
22. The Relationships among Parenting Stress, Coping Strategies, and Mental Health in Mothers of Preschool Children with Autism Spectrum Disorders
23. Relationships Among Early Development of Preterm Infants , Postnatal Depression and the Postpartum Bonding
24. 由醫院介入的親子共讀促進活動對於幼兒早期語言發展的影響
25. 嬰兒氣質、母乳哺餵經驗與產後憂鬱之相關探討

stpartum depression .

26. Fourteen-month Infant-Mother Attachment in Mothers with Depression 、Anxiety and Mixed Anxiety-Depression
27. Maternal Factors and the Attachment of Children in Taiwan: A Meta-analysis

tpartum Depression .

28. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
29. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants
30. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
31. Mental Health Needs Assessment for Postpartum Women in Taipei area
32. Paternal depression and anxiety: risk factors and adverse impact on infant temperament and development
33. Heterogeneity of postpartum depression: a latent class analysis.
34. Prevalence and risk factors for postpartum depression 2 months after a vaginal delivery: a prospective multicenter study.
35. 初產婦與經產婦之心理社會影響
36. Maternal morbidity and mortality: an iceberg phenomenon.
37. A Compare of The Postpartum Depression Related Factors in Early Postpartum Women With or Without Depression.
38. Maternal Concerns and Social Support during Postpartum Period
39. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
40. Comparison of Maternal and Fetal Data Between In-House Bred and Pre-Mated Sprague-Dawley [Crl:CD $\times$ SD]IGS BR] Rats
41. Ontogeny of the Response of the Hypothalamo-Pituitary-Adrenal Axis to Maternal Immobilization Stress in Rats
42. Parental socialization of mental health in Chinese American families: What parents say and do, and how youth make meaning.
43. Cognitive Flexibility and Work Motivation Affect the Physiological Stress and Psychological Stress that Reflect to the Self-confidence of Career Development
44. Maternal support during the first year of infancy
45. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
46. The determinants of parenting behavior
47. Psychosocial predictors of maternal and infant health among adolescent mothers
48. Further psychometric testing and use of the Maternal Confidence Questionnaire

49. Statistical power analysis for the behavior sciences
50. Psychosocial features at different periods after childbirth
51. Correlates of first-time mothers' postpartum stress
52. The determinants of parenting: A process model
53. Perceived parental efficacy: concept analysis
54. The relationship between maternal role attainment and postpartum depression
55. Social support as a moderator of life stress
56. Self-efficacy: Toward a unifying theory of behavioral change
57. Self-Efficacy-The Exercise of Control
58. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

社會支持對產後婦女健康相關生活品質的長期影響分析

後設資料

想法編號: seed-domain-1=>1=>2=>2

新穎度: 30.7%

最大相似度: 69.3% (近似於: “Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands”)

群集: 9

競賽得分: 3 勝

方法論契合度: 5/5

問題陳述

產後婦女的心理健康與生活品質受到多種因素的影響，其中社會支持被認為是至關重要的。然而，對於社會支持如何在產後的不同階段影響母親的情緒、信心及生活品質的相關研究較少。特別是在台灣，產後婦女普遍面臨著心理壓力和角色適應的挑戰，因此，深入探討社會支持對產後婦女健康相關生活品質的長期影響具有重要的臨床意義與實際價值。此外，當前的研究大多趨向於單一時間點的橫斷面調查，未能夠捕捉到產後婦女這一變化過程中的動態特徵。因此，本研究旨在填補這一研究空白，通過縱向分析，對產後婦女在出院後六個月內的社會支持及其對健康相關生活品質的影響進行全面評估。

現有方法

目前的研究主要集中於社會支持與產後憂鬱或母育信心之間的關聯，通常使用橫斷面設計和基本的統計方法進行分析。然而，這些研究並未能充分反映產後婦女狀態的變化。例如，橫斷面研究無法揭示社會支持隨時間的變化，以及這種變化如何影響心理健康和生活品質。此外，許多研究僅使用簡單的問卷評量，未能考慮多層次因素的交互作用，如個人特徵、社會支持的來源及其質量等，因此，不能全面理解社會支持對產後心理健康的影響。

研究動機

基於以上的不足，本研究提出了一種綜合的縱向研究方法，通過跟蹤觀察產後婦女在六個月內的社會支持變化，以及其對心理健康和生活品質的實際影響。我們的靈感來自於現有文獻的不足之處，試圖通過更精細的測量工具和多層次的分析方法來探索更深層次的關聯。此外，我們將引入質性訪談，以深入了解母親的個人經歷和感受，這對於因素之間的互動分析將非常有幫助。我們相信這樣的多維度研究將能提供一個更全面的框架，助於理解社會支持在產後過程中所扮演的角色。

提出方法

本研究將採用前瞻性縱向設計，針對 305 名台灣籍健康產後婦女進行為期六個月的跟蹤研究。我們將在四個時間點進行資料收集：出院時、產後一個月、產後兩個月及產後四個月。研究方法將包括以下步驟：首先，使用結構式問卷評估社會支持（包括來自家庭、朋友和社區的支持）、母育信心、母育能力和母職壓力。其次，我們將利用多層次模型分析社會支持變化對健康相關生活品質的影響，重點關注不同時間點間的比較。為了獲取更深入的見解，將交替使用質性訪談，探索母親的個人經歷及其對社會支持的主觀感受。結果將包括社會支持的量化變化及其與心理健康之間的相互作用，最終我們希望確定最有影響力的社會支持構成因素，以便更好地支持產後婦女。

實驗計畫

實驗計畫將遵循以下步驟：第一步，招募 305 名產後婦女，並在她們出院時進行初步的基線評估，收集社會支持、母育信心和母職壓力的初始數據。第二步，在產後一個月進行第一次隨訪，評估各項指標的變化，並進行質性訪談以深入了解經驗。第三步，依次在產後兩個月和產後四個月進行相同評估，重複收集數據。第四步，使用多層次建模分析兩者之間的關聯，並利用主成份分析法進一步探討社會支持的不同構成部分與母親心理健康之間的關係。成功的指標將包括健康相關生活品質的顯著提高，母育能力的提升以及母職壓力的明顯下降，進而驗證社會支持在產後婦女健康中的關鍵作用。

可信新穎度 — 最接近的真實論文

- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (69.3% · airtiti.AL, 2018) — 增量: 本研究專注於社會支持對產後婦女健康相關生活品質的長期影響，採用縱向設計進行六個月的跟蹤，而該研究主要探討社會支持與產後壓力之間的關係，並未進行長期的縱向分析。(相似度 69% 偏高，標籤經相似度守衛下修)
- [The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study]. (63.4% · airtiti.PubMed, 2023) — 增量: 本研究著重於社會支持對產後婦女健康相關生活品質的影響，並進行多次時間點的評估，而該研究則專注於產後護理地點對母親心理及角色適應的影響，並未考慮社會支持的因素。
- [The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression]. (63.2% · airtiti.PubMed, 2016) — 增量: 本研究將探討社會支持對產後婦女健康相關生活品質的長期影響，並使用質性訪談來深入了解母親的經驗，而該研究則專注於移動应用程序的介入效果，並未進行長期的縱向分析或質性訪談。

參考文獻

1. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
2. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
3. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants

Postpartum Women .

lth of New Mothers .

en After a Stillbirth .

4. The Association between Maternal Characteristics and Depression

5. The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study

6. Preliminary Study of the Positive Psychological Factors of Pregnant and Postpartum Women with Low Depression in Taiwan

ress and Depression .

7. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
8. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
9. The Quality of Sleep and Its Associated Factors in the Puerperium Women
10. Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum
11. 產後初期的角色衝突與調適- 探討一位青春期初產婦的行為反應
12. Maternal Concerns and Social Support during Postpartum Period
13. 懷孕 36 週剖腹產母親角色適應及親子關係的建立
14. The roles of social support in antenatal and postnatal depressive symptoms and family conflicts among Hong Kong Chinese women
15. 青春期及成人期母親產後憂鬱現象之探討
16. Concept Analysis of Maternal Confidence
17. Symptom Distress, Social Support, Spiritual Well-being and Quality of Life Among Women with Gynecologic Cancer
18. Symptom Distress, Social Support, Spiritual Well-Being, and Quality of Life Among Women With Gynecologic Cancer
19. 初產婦與經產婦之心理社會影響
20. 台灣婦女作月子期間之產後社會支持經驗
21. Immigrant Women & Postpartum Depression
22. The Relationship Between Maternal Parenting Stress and Breastfeeding Experience of Postpartum Women
23. Depression status of couples from birth until 1 month postpartum
24. Intervention Effect of Micro-class Education Combined with Midwives Psychological Nursing on Postpartum Depression Patients
25. Maternal self-efficacy development from pregnancy to 3 months after birth.
26. The Relationships among Personality Constructs, Social Cultural Factors, and Postpartum Depression
27. A follow-up study on mental health of women who conceived undergoing In Vitro Fertilization
28. The impact of menopause status, negative life events and social support on depressive symptoms in women

29. Motherhood Experience and Learning: A Learning Process Analysis of Go Players' Accompanying Mothers during the Apprenticeship of their Children
30. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
31. Risk and protective factors for pre- and postnatal bonding.

Preliminary Study .

32. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
33. Experience of body change in breastfeeding women
34. 照顧一位剖腹產初產婦產後初期關注行為改變之護理經驗
35. Breastfeeding Problems and Breastfeeding Self-Efficacy among Women with Diabetes
36. Unmarried Mother's Parenting Process After Giving Birth
37. "Kadafo" from Vietnam in Chang-Guang: Social Support Networks of New Immigrants in the Indigenous Tribe
38. Social Support, Health, and Family Function in Mother of Children with Cancer
39. Factors Related to Health Status in Mothers of Children with Cancer
40. Health disparity between foreign-born mothers and Taiwanese mothers
41. Maternal support during the first year of infancy
42. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
43. The determinants of parenting behavior
44. Psychosocial predictors of maternal and infant health among adolescent mothers
45. Further psychometric testing and use of the Maternal Confidence Questionnaire
46. Statistical power analysis for the behavior sciences
47. Psychosocial features at different periods after childbirth
48. Correlates of first-time mothers' postpartum stress
49. The determinants of parenting: A process model
50. Perceived parental efficacy: concept analysis
51. The relationship between maternal role attainment and postpartum depression
52. Social support as a moderator of life stress
53. Self-efficacy: Toward a unifying theory of behavioral change
54. Self-Efficacy-The Exercise of Control
55. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

設計與評估產後婦女社會支持與情緒監測的移動應用程式：一項多層次的實証研究

後設資料

想法編號: seed-domain-1=>3=>2=>1

新穎度: 25.4%

最大相似度: 74.6% (近似於: “[The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression].”)

群集: 4

競賽得分: 2 勝

方法論契合度: 1/5

問題陳述

產後婦女經常面臨情緒波動與心理健康挑戰，特別是產後憂鬱症的風險。這種心理健康問題不僅影響母親的幸福感，也可能對嬰兒的健康產生負面影響。雖然社會支持被證實是減輕產後壓力的有效因素，但目前大多數支援系統未能提供即時的社會支持評估，且缺乏面對面支持的方式。在數位技術快速發展的今天，缺少針對產後婦女情況的專門應用，無法有效整合心理健康資源與社會支持系統。透過設計一款針對產後婦女的移動應用程式，我們不僅能夠實時監測她們的情緒與社會支持情況，還可以提供個性化的資源建議，從而提高她們的母育信心與能力，並降低產後壓力。

現有方法

目前的應用程式多集中於提供基本的情緒監測或心理健康資源，但缺乏針對性和個性化的支持系統。許多應用要求使用者手動輸入數據，這可能會導致數據不一致或遺漏。此外，這些應用程式大多無法有效連接用戶與其他產後婦女或專業資源，因此降低了社會支持的實時介入效果。整體來看，現有方法未能充分利用社交媒體的力量及數據分析技術來增強社會支持的連結和情緒監測，造成用戶在需求與獲得支援之間存在隔閡。

研究動機

目前的移動應用程式普遍未能整合社交互動與情緒管理，這使得產後婦女在需要時無法快速獲得所需支持。我們的靈感來自於對已有應用的評估以及對產後婦女實際需求的深入瞭解。我們的研究將不僅僅是提供一個監測工具，而是創建一個社交平台，讓婦女能夠及時連接到專業支持和同行支持。這樣的應用程式可以實時收集社會支持數據，並提供即時反饋，從而有效減少產後壓力和憂鬱的風險。

提出方法

本研究提議開發一款名為「產後關懷」的移動應用程式，整合社會支持和情緒監測功能。該應用程式主要分為以下幾個核心功能：1. 社交支持連接：使用者可以通過應用程式找到其他產後婦女，加入支持小組，進行實時的交流與情感支持。2. 情緒跟蹤：用戶每日可以簡單輸入自己的情緒狀況，應用計算情緒變化趨勢，提供圖表和數據分析。3. 資源推送：基於用戶的情緒數據和社會支持狀況，應用會推送相應的心理健康資源，包括文章、視頻和可用的社會支持連結。4. 評估工具：設計一套簡單的問卷工具，定期評估產後婦女的壓力和憂鬱情況，並提供專業建議。5. 私密與安全：確保用戶數據的保密性，所有的交流和數據將經過加密處理，保護用戶隱私。

實驗計畫

實驗計畫將分為以下幾個步驟：1. 招募 305 名產後婦女參加實驗，並將其隨機分為兩組：一組使用「產後關懷」應用程式，另一組不使用應用。2. 在基線階段，對所有參加者進行社會支持、情緒狀況、壓力和憂鬱的初步測試，使用可靠的量表進行數據採集。3. 進行為期四個月的介入研究，期間定期收集數據，包括應用程式使用頻率、情緒變化及社會支持互動。4. 結束介入後，再次進行相同的評估測試，並比較兩組的結果。5. 使用描述性統計和推論性統計分析數據，評估應用對產後憂鬱與壓力的影響，並設定成功的標準：參加者的憂鬱和壓力顯著降低，社會支持和母育信心提高。

可信新穎度 — 最接近的真實論文

- [The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression]. (74.6% · airtiti.PubMed, 2016) — 增量: 本研究提議的移動應用程式不僅專注於社會支持的提供，還整合了情緒監測和個性化資源推送的功能，這在該文中並未涉及。此外，本研究的實驗設計包括隨機分組和基線測試，這在該文中也未明確提出。(相似度 75% 偏高，標籤經相似度守衛下修)
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (57.2% · airtiti.AL, 2018) — 增量: 該研究主要探討社會支持與產後壓力之間的關係，而本研究則專注於開發一款移動應用程式，旨在即時監測產後婦女的情緒和社會支持，並提供個性化的資源建議，這是一個不同的研究方法和應用方向。
- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (52.4% · airtiti.AL, 2015) — 區隔明確: 該研究主要關注於育兒壓力與自我效能之間的關係，並未涉及社會支持或情緒監測的具體應用，而本研究則專注於設計一款移動應用程式，結合社會支持和情緒監測，這使得兩者的研究重點和方法有顯著不同。

參考文獻

1. 社會支持與產後憂鬱

tpartum Depression .

stpartum depression .

ress and Depression .

2. Investigation of the Aromatherapy Performance with Natural Bergamot Essential Oil

3. Influence of Counseling Intervention on the Stress-Reducing Effect of Bergamot Oil and on the Concentration-Improving Effect of Rosemary Oil in Aromatherapy

4. Evaluation of Aromatherapy Relieving Work Stress for Teachers of Elementary School

5. 初產婦與經產婦之心理社會影響

6. 產後憂鬱病因論：文獻回顧

7. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands

8. An Ethnographic Study of a Postpartum Nursing Center

9. The Study of Marketing Management in Postpartum Nursing via Grey Relational Grade
10. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
11. 養育が懸念される母親に対する助産師の母子関係形成にむけた支援
12. The Relationship between Newborn Status and Postpartum Stress and Fatigue

s of Preterm Infants .

th Follow-Up Study .

13. The Effect of Bergamot Essential Oil Aromatherapy on Improving Depressive Mood and Sleep Quality in Postpartum Women: A Randomized Controlled Trial
14. Nursing Experience in Care of New Immigrant Postpartum Breast Abscess
15. Nursing Experience of Caring a Stillborn Indonesian Woman Using Transcultural Theory
16. Maternal stress, parenting factors, experiences in day care, and developmental outcomes in 5-year-old children in day care in Japan(Paper & Abstract September 18th)
17. Social Support Interventions for Preventing Depression in Young Pregnant Women
18. The Quality of Sleep and Its Associated Factors in the Puerperium Women
19. Sleep Quality of Postpartum Women: A Triangulation Study
20. 生産経験と操持家務は産後婦女睡眠品質の相關因子
21. Relationship of Postpartum Depression and Sleep Quality in Postpartum Care Facilities Women

developmental Delay .

22. 産後初期憂鬱及非憂鬱母親の睡眠と日間嗜睡状態之探討
23. 台灣婦女作月子期間之產後社會支持經驗
24. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
25. The Relationship Between Postpartum Depression and Maternal Confidence, Sleep Quality and Infants' Sleep Quality
26. Relationship among Sports Participation Level, Sleep Quality and Well-being in the Road Running Participants
27. Discussion of Baby-Friendly Hospital Medical Service Quality and Loyalty of Postpartum Women
28. Infection Prevention Measures for Service Users in Postpartum Care Homes
29. Teacher' s sleep quality: linked to social job characteristics?

30. Battered Women in Taiwan and Evaluation of Social Support
31. The impact of menopause status, negative life events and social support on depressive symptoms in women

Postpartum Women .

Women After a Stillbirth .

32. Motherhood Experience and Learning: A Learning Process Analysis of Go Players' Accompanying Mothers during the Apprenticeship of their Children
33. Maternal self-efficacy development from pregnancy to 3 months after birth.
34. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
35. Risk and protective factors for pre- and postnatal bonding.

Preliminary Study .

36. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
37. Experience of body change in breastfeeding women
38. 照顧一位剖腹產初產婦產後初期關注行為改變之護理經驗
39. Breastfeeding Problems and Breastfeeding Self-Efficacy among Women with Diabetes
40. Unmarried Mother's Parenting Process After Giving Birth
41. "Kadafo" from Vietnam in Chang-Guang: Social Support Networks of New Immigrants in the Indigenous Tribe
42. Social Support, Health, and Family Function in Mother of Children with Cancer
43. Factors Related to Health Status in Mothers of Children with Cancer
44. Health disparity between foreign-born mothers and Taiwanese mothers
45. Maternal support during the first year of infancy
46. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
47. The determinants of parenting behavior
48. Psychosocial predictors of maternal and infant health among adolescent mothers
49. Further psychometric testing and use of the Maternal Confidence Questionnaire
50. Statistical power analysis for the behavior sciences
51. Psychosocial features at different periods after childbirth
52. Correlates of first-time mothers' postpartum stress

53. The determinants of parenting: A process model
54. Perceived parental efficacy: concept analysis
55. The relationship between maternal role attainment and postpartum depression
56. Social support as a moderator of life stress
57. Self-efficacy: Toward a unifying theory of behavioral change
58. Self-Efficacy-The Exercise of Control
59. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

不同產後護理環境對產後婦女心理健康與社會支持的影響探索

後設資料

想法編號: seed-domain-2=>2=>2=>2

新穎度: 18.4%

最大相似度: 81.6% (近似於: “[The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study].”)

群集: 5

競賽得分: 2 勝

方法論契合度: 4/5

問題陳述

產後婦女面臨著身心的劇烈變化，這一階段的心理健康狀況直接影響她們的母職信心和整體福祉。近年來，產後憂鬱症狀的一個主要影響因素是社會支持，而社會支持的來源和質量則可能受到產後護理環境的影響。家庭與護理機構兩種不同的護理環境可能在提供社會支持和影響婦女心理健康方面有著顯著差異。然而，目前的研究多數集中於單一環境的分析，缺乏對這兩種環境的直接比較，進而無法全面理解不同環境對產後婦女的影響。因此，探討不同產後護理場所對母親心理健康和社會支持的具體影響，對於改善產後護理實踐具有重要意義。

現有方法

現有的研究方法多集中於產後婦女的社會支持和心理健康之間的關係，但通常是橫斷式研究，無法捕捉到隨時間變化的動態過程。此外，大多數研究未能區分家庭與護理機構這兩種不同的產後環境，這使得我們無法了解這兩種環境對社會支持和心理健康的具體影響。有些研究添加了社會支持計劃或干預措施，但缺乏對環境本身的系統性比較和深入分析，因此存在著資料的片面性和局限性。

研究動機

目前的研究缺乏對不同護理環境的直接比較，一方面可能導致產後婦女在各種社會支持方面的需求被忽視；另一方面，這也使得醫療專業人員無法基於具體的環境需求來設計適當的干預措施。透過本研究，我們將系統性地探索家庭與護理機構的不同對產後婦女心理健康的影響，並具體分析社會支持的角色及其變化。我們的研究將有助於填補此領域的知識空白，並可為未來的護理實踐提供具體指導。

提出方法

本研究將採用前瞻性的縱貫性設計，選取 Taiwan 某醫學中心及社區衛生所的 305 名產後婦女，隨機分為在家和護理機構兩組。研究方法的概覽包括以下幾個步驟：首先，在研究開始前對所有參與者進行基線評估，通過評估問卷測量心理健康、社會支持、母職信心和壓力等相關指標。然後，進行為期四個月的追蹤，分別在出院後一個月、兩個月及四個月進行後續評估。每次評估都將使用標準化的量表來測量各項指標，並通過結構性訪談獲取定性的社會支持數據。數據分析將運用多層次模型來比較兩組產後婦女的心理健康變化，並探索社會支持的介入作用。此外，我們還將設計一個創新的社會支持干預計劃，進行隨機實驗以評估其對母職信心和心理健康的影響。

實驗計畫

實驗計劃的具體步驟包括：1. 招募 305 名健康產後婦女，提供明確的研究說明和知情同意書。2. 使用結構式問卷收集基線數據，問卷內容包括社會支持量表、母職信心量表及壓力量表等。3. 將參與者隨機分為家庭護理組和護理機構組，並記錄其背景資料。4. 在出院後的一個月、兩個月和四個月時進行隨訪評估，每次進行結構化訪談及重複測量問卷。5. 進行數據清洗及初步分析，使用多層次分析模型比較不同護理環境對母親心理健康的影響，並分析社會支持在其中的介入作用。6. 評估指標包括母職信心的變化、心理健康得分及社會支持得分，研究成功的標誌為參與者心理健康和社會支持指標顯著改善。

可信新穎度 — 最接近的真實論文

- [The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study]. (81.6% · airtiti.PubMed, 2023) — 高度重疊: 本研究專注於比較家庭護理與護理機構護理環境對產後婦女心理健康和社會支持的影響，而該研究僅探討了產後護理地點對母親心理適應的影響，缺乏對社會支持的直接考量。(相似度 82% 偏高，標籤經相似度守衛下修)
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (63.3% · airtiti.AL, 2018) — 增量: 本研究將社會支持與產後婦女的心理健康和母職信心進行綜合分析，並設計社會支持干預計劃，而該研究則專注於社會支持與產後壓力之間的關係，未涉及心理健康和母職信心的變化。
- [The Efficacy of Rooming-In in the Context the Physical and Mental Health of New Mothers]. (60.5% · airtiti.PubMed, 2016) — 增量: 本研究將重點放在不同護理環境對產後婦女心理健康的影響，並使用多層次模型進行數據分析，而該研究主要探討的是母親在產後期間的身心健康，並未比較不同護理環境的效果。

參考文獻

1. To research the influence from worksite health promotion programs on employees' health behavior -one technology company
2. Study the Relationships of Perceived Health Status, Health Behavior Self-Efficacy, Health Promoting Lifestyles and Well-Being among Community Residents
3. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
4. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
5. Repeated Measures for Hyperglycemia Women' s Social Support, Stress, and Depression during the Perinatal Period

6. A longitudinal study of paternal mental health problems from the antenatal to the postpartum period: risk factors, relationship with maternal factors and impact of gender role and traditionalism-modernity
7. Mental Health Needs Assessment for Postpartum Women in Taipei area
8. 初產婦與經產婦之心理社會影響
9. Proposals for improving maternal safety (2023 edition): Insights from the analysis of maternal deaths in Japan.
10. Nutrition and physical activity interventions to ameliorate postpartum depression: A scoping review
11. Paternal depression and anxiety: risk factors and adverse impact on infant temperament and development
12. Factors Related to Health-Promoting Lifestyle Behaviors among Postpartum Women during their Doing the Month Period
13. 台灣漢族與原住民婦女的產後健康生活型態的比較研究
14. A healthy lifestyle and survival among women with ovarian cancer.
15. THE ACCULTURATION EXPERIENCE OF INTERNATIONAL STUDENTS IN TAIWAN: STRESSORS, COPINGS STRATEGIES AND SOCIAL SUPPORT SOURCES
16. An Exploratory Study of the Postpartum Stress and its Related Factors

th Follow-Up Study .

17. Peer Weight Teasing and Disordered Eating: A Moderated Mediation Model of Friend and Family Support and Psychological Distress
18. Applying Health Belief Model、Social Support and Self-Efficacy to Investigate Influence in Behavior Intention of Exercise among Hospital Employees

Gynecologic Cancer .

19. 產後住院期間母親乳汁分泌感知之相關因素探討
20. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
21. Maternal Concerns and Social Support during Postpartum Period
22. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
23. Heterogeneity of postpartum depression: a latent class analysis.
24. Prevalence and risk factors for postpartum depression 2 months after a vaginal delivery: a prospective multicenter study.
25. Relationships Between Postpartum Stress, Social Support, and Depression, and Health Status of the Premature Infant's Mother.

26. Postrartum Adjustment of Women who were Home During the "Traditional Chinese one Month Postrartum Period of Confinement" and Those who were in Maternity Care Centers
27. A Compare of The Postpartum Depression Related Factors in Early Postpartum Women With or Without Depression.
28. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants
29. Comparison of Maternal and Fetal Data Between In-House Bred and Pre-Mated Sprague-Dawley [CrI:CD® (SD)IGS BR] Rats
30. Ontogeny of the Response of the Hypothalamo-Pituitary-Adrenal Axis to Maternal Immobilization Stress in Rats
31. Parental socialization of mental health in Chinese American families: What parents say and do, and how youth make meaning.
32. The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants
33. Cognitive Flexibility and Work Motivation Affect the Physiological Stress and Psychological Stress that Reflect to the Self-confidence of Career Development
34. Maternal support during the first year of infancy
35. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
36. The determinants of parenting behavior
37. Psychosocial predictors of maternal and infant health among adolescent mothers
38. Further psychometric testing and use of the Maternal Confidence Questionnaire
39. Statistical power analysis for the behavior sciences
40. Psychosocial features at different periods after childbirth
41. Correlates of first-time mothers' postpartum stress
42. The determinants of parenting: A process model
43. Perceived parental efficacy: concept analysis
44. The relationship between maternal role attainment and postpartum depression
45. Social support as a moderator of life stress
46. Self-efficacy: Toward a unifying theory of behavioral change
47. Self-Efficacy-The Exercise of Control
48. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

數位素養與社會支持：產後婦女如何透過線上健康資源應對母職挑戰

後設資料

想法編號: seed-domain-4=>3=>2=>2

新穎度: 38.9%

最大相似度: 61.1% (近似於: “[The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression].”)

群集: 0

競賽得分: 1 勝

方法論契合度: 3/5

問題陳述

產後婦女在經歷生產後的身心變化時，經常面臨來自於社會支持的缺乏以及母育壓力的增大。隨著社交媒體和線上健康資源的興起，產後婦女獲取健康資訊及尋求支持的方式發生了變革。然而，目前對於這些數位工具對產後婦女社會支持、母育信心以及壓力管理的影響研究仍顯不足。許多產後婦女對於如何正確使用這些資源往往缺乏必要的數位素養，造成她們在尋求支持和資訊時的困難。這項研究的目的是透過數位素養的視角，探討產後婦女如何運用線上資源來改善其母職體驗，特別是在社會支持的獲取和母育信心的提升方面。因此，這項研究不僅具有學術意義，更具備實踐價值，將有助於未來護理實務中更有效的教育和支持方案的開發。

現有方法

目前已有的研究多聚焦於產後婦女的心理健康、社會支持與母育信心之間的關係，然而對於數位素養及線上資源使用的探討仍相對匱乏。現有研究多採取定量問卷調查，無法充分反映婦女實際在使用數位資源時的經驗與挑戰。此外，缺乏針對數位素養的具體評估工具，使得對此議題的理解僅限於表面，無法深入揭示影響產後婦女利用這些資源的因素。因此，現有研究的局限在於未能全面的了解社會支持與數位資源使用的交互作用，特別是在不同文化和背景下的影響。

研究動機

面對當前社交媒體和數位科技快速發展的背景，產後婦女在尋求支持時的需求和挑戰也在不斷演變。許多研究集中於社會支持與心理健康之間的關聯，卻鮮有研究考慮到數位素養的角色。這導致產後婦女在使用數位資源時面臨困難，未能充分獲取所需的支持和資訊。這項研究的靈感源自於對社會支持系統的重新審視，認為數位素養不僅是獲取資訊的工具，更是提升婦女信心和減輕壓力的有效途徑。透過系統的研究設計，我們將能夠揭示數位素養如何影響婦女對線上資源的使用及其後續的社會支持感知。

提出方法

本研究將採用混合方法，結合質性和量性數據來深入探究產後婦女如何利用數位資源。首先，我們將針對目標群體進行初步的質性訪談，以了解她們使用數字資源的具體經驗和挑戰，這將有助於設計後續的量性調查問卷。接著，將根據初步訪談結果設計一份包含數位素養、社會支持、母育信心和母職壓力四項指標的問卷，針對 305 位產後婦女進行調查。數據收集將在產後一個月、兩個月和四個月進行，並依據這三個時間點對婦女的數位素養水平及其線上資源的使用進行追蹤。透過多層次分析方法，我們將探討數位素養如何影響婦女的社會支持感知、母育信心及母職壓力。同時，我們也計劃在台灣各地舉辦線

上研討會，邀請專家分享數位素養的相關知識，並實施社區活動以提升產後婦女的數位使用能力，從而建立更為強大的支持系統。

實驗計畫

本研究的實驗計畫可分為以下幾個步驟：首先，招募 305 位產後婦女作為研究對象，並進行初步的質性訪談，旨在收集她們對於數位資源使用的經驗。其次，根據質性訪談的結果，設計量性問卷，包含數位素養、社會支持、母育信心及母職壓力等指標，並在研究對象產後一個月、兩個月和四個月時進行調查。數據收集將採用線上問卷形式，通過社交媒體及醫療機構進行分發。數據分析將採用 SPSS 進行描述性統計與多層次回歸分析，評估數位素養對社會支持、母育信心及母職壓力的影響。最終，結果將通過專業期刊發表，並在醫療機構與社區進行成果分享，以促進對產後婦女的持續支持。成功的指標將包括婦女對於數位資源使用的滿意度、社會支持感知的增強及母育信心的提高。

可信新穎度 — 最接近的真實論文

- [The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression]. (61.1% · airtiti.PubMed, 2016) — 區隔明確: 本研究專注於數位素養如何影響產後婦女的社會支持感知、母育信心及母職壓力，並採用混合方法收集質性和量性數據，而該研究則主要探討移動應用程序的社會支持對產後壓力和抑鬱的影響，方法上偏重於單一的干預措施。
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (60.2% · airtiti.AL, 2018) — 增量: 本研究從數位素養的視角探討產後婦女如何利用線上健康資源，而該研究則專注於社會支持與產後壓力之間的關係，未考慮數位資源的使用及其對母職體驗的影響。
- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (57.5% · airtiti.AL, 2015) — 增量: 本研究強調數位素養及其對社會支持和母育信心的影響，而該研究則主要關注育兒壓力和自我效能之間的關係，未涉及數位資源的使用或數位素養的影響。

參考文獻

1. The Relations among Infant's Temperament, Maternal Sensitivity and Mother-Infant Attachment
2. Mother's Attachment Experiences and Her Child-Rearing Practice as Related to Attachment of Preschool Children
3. Fourteen-month Infant-Mother Attachment in Mothers with Depression、Anxiety and Mixed Anxiety-Depression
4. Relative effects of breastfeeding intention and practice on maternal responsiveness.
5. Longitudinal effects of social supports and stressors on help-seeking behavior among parents of children with autism spectrum disorders
6. A Study on the Pregnancy Stress Perceived by 11 Mothers of Difficult Infants
7. The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants

8. Relationships among Mental Health, Social Support, Home Environment and Toddlers' Difficult Temperament in Vietnamese Mothers' - A Comparison with Taiwanese
9. 母子間の身体接触を伴う軽運動が母親のメンタルヘルスに与える影響
10. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
11. Infant Care Needs, Online Health Information-Seeking Behaviors, and Interactions with Health Care Providers among Postpartum Women: An Exploratory Study
12. FACTORS AFFECTING UTILIZATION AND EXPENSES OF POSTPARTUM MATERNAL MEDICAL CARE - AN APPLICATION OF QUANTILE REGRESSION MODEL
13. Factors Related to Health-Promoting Lifestyle Behaviors among Postpartum Women during their Doing the Month Period
14. Interaction between mothers and 5-month-old infants in block-building-play: the relationship with parenting stress, parenting attitudes and infants' temperament
15. 中国新疆纯母乳喂养时间的影响因素
16. Is a Japanese Father a Breastfeeding Supporter?
17. 中国农村地区产妇出院时母乳喂养的影响因素
18. 學童依附關係、內在運作模式和同儕衝突處理策略之相關研究
19. Birth, breastfeeding, psychological flexibility and self-compassion as predictors of mother-infant emotional availability in a cross-sectional study.
20. How Does Social Crisis Affect Children's Mental Health?
21. The Fukushima Nuclear Accident and the COVID-19 Pandemic: 10 Years of Experience in Mental Support for Parents and Children in Fukushima
22. Mental health and suicide prevention during disasters
23. Is a mother's recalled parental rearing behavior, her attributions of her child's behavior, and her psychopathology associated with her mother-child relationship quality?
24. Maternal self-efficacy development from pregnancy to 3 months after birth.
25. The Concept Analysis of Maternal-Infant Bonding
26. Promotion of the Parent-Child Relationship Based on Attachment Theory and Dilemma in Practice
27. Relationships among parental attachment, postpartum depression and the mother-infant bonding
28. Intergenerational Consequences of Maternal Childhood Maltreatment on Infant Health Concerns.
29. The impact of maternal characteristics, infant temperament and contextual factors on maternal responsiveness to infant.

30. Mother-Infant Group Intervention on Maternal Depression and Bonding: A Quasi-Experimental Study.
31. Examining the Moderating Effect of Social Support on the Relationship Between Quarter-Life Crisis, Burnout, and Turnover Intention Among Pharmacists
32. Effect of Developmental Crisis and Situational Crisis on Subjective Well-being in Middle Aged and Elderly
33. Proposals for improving maternal safety (2023 edition): Insights from the analysis of maternal deaths in Japan.
34. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
35. Maternal Concerns and Social Support during Postpartum Period
36. Social Support Interventions for Preventing Depression in Young Pregnant Women
37. The Correlation among Parenting Stress, Explanatory Style, and Mental Health in Mothers of Children with Developmental Delay
38. Mental health of working mothers

ress and Depression .

39. Designing for Maternal Health: Enhancing the Health Education Experience through a Cross-Cultural Study of Taiwan and Japan's Maternal Health Handbooks
40. The Study of the Relationship among the New Mother's Spousal Support, Parenting Efficacy and Parenting Stress

Preliminary Study .

41. A Compare of The Postpartum Depression Related Factors in Early Postpartum Women With or Without Depression.
42. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants
43. An Innovative Business Model that Combines Postpartum Maternal Health Care and Medical Tourism — The International Maternal and Child Health Care Village Planning
44. Concept Analysis of Maternal Breastfeeding Autonomy
45. 打破坐月子迷思，產後如何坐好月子？
46. The Factors Related to Breastfeeding Adherence in Postnatal Women
47. As You Wish: Embodied Practice of Breastfeeding in Postpartum Care Center
48. Factors affecting breastfeeding intention and its continuation among urban mothers in West Jakarta: a follow-up qualitative study using critical point contact for breastfeeding
49. Heterogeneity of postpartum depression: a latent class analysis.

50. Prevalence and risk factors for postpartum depression 2 months after a vaginal delivery: a prospective multicenter study.
51. 母女的關係於坐月子食物的脈絡過程中之互動表現—初步調查發現
52. Why has the Mother-Baby Friendly Institute Program become unfriendly? A study on post-natal care focusing on mothers
53. The Neonatal Perception and Feeding Interaction in Chinese Mothers
54. 媽媽很累 但媽媽不說- 建立身心支援系統 搶救台灣媽媽幸福指數
55. The Difficulties and Solutions beyond the Multiple Roles Dilemma for Doctoral Mom
56. Double workload and double happiness : Life story for mothers with twins
57. Maternal support during the first year of infancy
58. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
59. The determinants of parenting behavior
60. Psychosocial predictors of maternal and infant health among adolescent mothers
61. Further psychometric testing and use of the Maternal Confidence Questionnaire
62. Statistical power analysis for the behavior sciences
63. Psychosocial features at different periods after childbirth
64. Correlates of first-time mothers' postpartum stress
65. The determinants of parenting: A process model
66. Perceived parental efficacy: concept analysis
67. The relationship between maternal role attainment and postpartum depression
68. Social support as a moderator of life stress
69. Self-efficacy: Toward a unifying theory of behavioral change
70. Self-Efficacy-The Exercise of Control
71. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

系統性出院計畫對於早產婦女社會支持及產後壓力的影響研究

後設資料

想法編號: seed-domain-4=>1=>2=>2

新穎度: 34.7%

最大相似度: 65.3% (近似於: “[The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants].”)

群集: 3

競賽得分: 1 勝

方法論契合度: 4/5

問題陳述

產後婦女面臨諸多挑戰，特別是早產婦女更容易感受到產後壓力、焦慮，及其對母育信心與能力的影響。許多研究表明社會支持在母親的心理健康中扮演關鍵角色，但現有的出院計畫往往對社會支持的關注不足。社會支持的缺失會導致婦女感到孤獨，增加其產後壓力的風險，而這種壓力可能影響她們的母育信心及育兒能力。因此，有必要優化出院計畫，以確保婦女在出院後能夠得到適當的社會支持，這不僅有助於減少壓力，還能提高她們的母育自信及能力。

現有方法

目前，許多相關研究主要是橫斷式的設計，未能追蹤產後婦女的社會支持及壓力變化。此外，大多數研究使用的問卷調查方法無法深入了解社會支持的來源及其對母親信心的實質影響。這些研究的限制在於未能建立長期的關聯及效果評估，使得相關的護理介入缺乏系統性和針對性。

研究動機

現有方法未能充分識別及介入產後婦女在出院後面臨的實際社會支持需求。本研究的靈感來自於社會支持理論，強調支持網絡的質量和來源對心理健康的影響。我們提議的系統性出院計畫將包括社會支持資源的評估和配置，並借助數據分析工具來追蹤其影響，以便更好地理解 and 改善婦女的產後經歷，這樣的介入手段將可能顯著提高產後婦女的心理健康及母育信心。

提出方法

本研究將採用準實驗設計，並分為兩組：介入組和對照組。首先，對介入組進行系統性的出院計畫，評估其社會支持需求，包括親友、社區資源及醫療支持。研究中的每位參與者將在出院前接受個別輔導，幫助她們識別可利用的社會支持資源。然後，利用數字平台（例如應用程式或網站）提供後續追蹤，並提供持續的支持資訊和聯繫資源。研究將使用結構化問卷在出院時及產後滿一個月、二個月和四個月時進行評估，重點測量社會支持程度、母育信心及壓力水平。最後，採用多變量分析來評估介入效果，特別分析出院計畫的各種影響因素和長期效果。

實驗計畫

1. 招募 305 位產後婦女，並以隨機分配的方式將她們分為介入組和對照組。2. 在出院前，對介入組進行社會支持需求評估，並開展個別輔導。3. 介入組將使用數字平台追蹤社會支持資源的使用情況和心理健康變化。4. 在出院時、產後一個月、兩個月和四個月時，使用標準化問卷收集數據，包括社會支

持、母育信心及壓力評估。5. 施行多變量分析（如回歸分析）評估介入對母親健康和育兒能力的影響。6. 評量成功的標準將包括介入組社會支持分數的顯著提升及產後壓力的顯著降低。預期研究結果將為護理實踐提供指導，助力於建立更為有效的出院計畫。

可信新穎度 — 最接近的真實論文

- [The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants]. (65.3% · airtiti.PubMed, 2025) — 增量: 本研究專注於系統性出院計畫對於早產婦女的社會支持及產後壓力的影響，並使用準實驗設計進行介入，而該論文則主要探討早期親子敏感性介入對母親的依附、育兒信心及壓力的影響，並未針對出院計畫進行系統性評估，因此在方法上有根本的不同。（相似度 65% 偏高，標籤經相似度守衛下修）
- [The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression]. (62.7% · airtiti.PubMed, 2016) — 增量: 本研究將重點放在系統性出院計畫及其對社會支持需求的評估，而該論文則專注於移動應用程序的社會支持計畫對產後壓力和抑鬱的影響，方法上主要依賴數字平台，並未涉及出院計畫的系統性設計。
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (61.5% · airtiti.AL, 2018) — 區隔明確: 本研究針對早產婦女的社會支持及產後壓力進行具體的介入設計，而該論文則僅探討社會支持與產後壓力之間的關係，缺乏介入措施和系統性出院計畫的評估，因此在研究問題上存在根本的不同。

參考文獻

1. Relationships Between Postpartum Stress, Social Support, and Depression, and Health Status of the Premature Infant's Mother.
2. Postpartum Women's Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
3. Maternal Concerns and Social Support during Postpartum Period
4. Latina mothers' mental health: An examination of its relation to parenting and material resources.
5. Evaluation of a collaborative group intervention for mothers with moderate to severe perinatal mental illness and their infants in Australia.
6. Factors associated with self-rated mental health in mothers of children and adolescents with autism spectrum disorder.
7. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
8. Heterogeneity of postpartum depression: a latent class analysis.
9. Prevalence and risk factors for postpartum depression 2 months after a vaginal delivery: a prospective multicenter study.
10. The Influence of Assisted Reproductive Technology on Women with Pregnancy-induced Hypertension: A Retrospective Study at a Japanese Regional Perinatal Center

11. Women' s satisfaction with maternity care at a regional hospital in Swaziland
12. The Effects of Nursing Instruction on Expectant Fathers' Accompanying Efficacy and Maternal Labor Support Perception during Labor and Birth
13. The Study of the Relationship among the New Mother's Spousal Support, Parenting Efficacy and Parenting Stress
14. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
15. Maternal Depressive Mood Trajectory and the Development of Executive Function in Three-Year-Old Children
16. A STUDY ON THE MEDICAL AND WELFARE ENVIRONMENT IN POSTPARTUM CARE (PART 1): THE SYSTEM AND ACTUAL CONDITION OF POSTPARTUM CARE CENTERS IN TAIWAN
17. A Report on the Fourth International Conference for Maternity Nurse Researchers
18. Caring for a Foreign Bride from Vietnam-a Nursing Experience about Postpartum Adaptation
19. Designing for Maternal Health: Enhancing the Health Education Experience through a Cross-Cultural Study of Taiwan and Japan's Maternal Health Handbooks
20. Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum
21. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants
22. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period

ress and Depression .

23. Stress-Buffering Role of Social Support during COVID-19.
24. A Compare of The Postpartum Depression Related Factors in Early Postpartum Women With or Without Depression.
25. An Exploratory Study of the Postpartum Stress and its Related Factors
26. 產後壓力及其相關因素之探討

s of Preterm Infants .

27. Maternal Confidence at Infant Discharge: Comparing Preterm and Fullterm Groups
28. Parental Stress and Needs of Psychological Care in Caregivers of Children with Rare Disease:A Study and Development of Simple Screening Scale
29. Parenting stress in parents with hospitalized preschool children : View of parents and nurses.
30. Maternal self-efficacy development from pregnancy to 3 months after birth.

31. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
32. Stress of Changing Role for Fresh Nursing Graduates in a Hospital in Macau
33. Is a mother's recalled parental rearing behavior, her attributions of her child's behavior, and her psychopathology associated with her mother-child relationship quality?
34. The Relationship Between Social Support and Family Relationships Among Low-Income Couples Attending Relationship Education.
35. 初產婦與經產婦之心理社會影響

Preliminary Study .

36. Proposals for improving maternal safety (2023 edition): Insights from the analysis of maternal deaths in Japan.
37. An Innovative Business Model that Combines Postpartum Maternal Health Care and Medical Tourism — The International Maternal and Child Health Care Village Planning
38. Concept Analysis of Maternal Breastfeeding Autonomy
39. 打破坐月子迷思，產後如何坐好月子？
40. The Factors Related to Breastfeeding Adherence in Postnatal Women
41. As You Wish: Embodied Practice of Breastfeeding in Postpartum Care Center
42. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
43. Factors affecting breastfeeding intention and its continuation among urban mothers in West Jakarta: a follow-up qualitative study using critical point contact for breastfeeding
44. 母女的關係於坐月子食物的脈絡過程中之互動表現—初步調查發現
45. Why has the Mother-Baby Friendly Institute Program become unfriendly? A study on postnatal care focusing on mothers
46. The Neonatal Perception and Feeding Interaction in Chinese Mothers
47. 媽媽很累 但媽媽不說- 建立身心支援系統 搶救台灣媽媽幸福指數
48. The Difficulties and Solutions beyond the Multiple Roles Dilemma for Doctoral Mom
49. Double workload and double happiness : Life story for mothers with twins
50. Maternal support during the first year of infancy
51. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
52. The determinants of parenting behavior
53. Psychosocial predictors of maternal and infant health among adolescent mothers

54. Further psychometric testing and use of the Maternal Confidence Questionnaire
55. Statistical power analysis for the behavior sciences
56. Psychosocial features at different periods after childbirth
57. Correlates of first-time mothers' postpartum stress
58. The determinants of parenting: A process model
59. Perceived parental efficacy: concept analysis
60. The relationship between maternal role attainment and postpartum depression
61. Social support as a moderator of life stress
62. Self-efficacy: Toward a unifying theory of behavioral change
63. Self-Efficacy-The Exercise of Control
64. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

產後婦女的年齡特定母育信心動態：社會支持與自我效能感的角色

後設資料

想法編號: seed-domain-1=>3=>1=>2

新穎度: 33.4%

最大相似度: 66.6% (近似於: “Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum”)

群集: 8

競賽得分: 1 勝

方法論契合度: 2/5

問題陳述

隨著社會對母職角色的重視，對於產後婦女的心理健康與母育信心的研究愈顯重要。特別是在台灣，許多年輕產婦在面對母職挑戰時，常會感受到較高的壓力，這種壓力在年長產婦中則可能表現出不同的模式。目前的研究表明，社會支持和自我效能感在提高母育信心方面扮演了關鍵角色，但是，對於年輕與年長初產婦在這一方面的差異卻缺乏深入探討。因此，本研究旨在揭示不同年齡層產後婦女在母育信心上的動態變化，並探討社會支持和自我效能感如何交互影響她們的信心與壓力。這一研究不僅有助於填補文獻空白，還可能對臨床護理實踐提供具體建議。

現有方法

目前，有關產後婦女心理健康、社會支持及母育信心的研究多為橫斷式研究，這些研究雖然能夠揭示某些重要關聯，但缺乏對於時間變化的追蹤分析，無法有效捕捉母育信心隨著時間推移的動態變化。此外，許多研究未能細分年齡層對於產後適應的影響，因此無法提供針對不同年齡層婦女的具體建議。這使得護理人員在設計支持干預時，無法全面考慮年輕與年長產婦的特定需求，導致護理介入的效果不理想。

研究動機

由於現有研究對於產後婦女的母育信心缺乏縱向的探究，特別是未充分考量年齡層的影響，本研究希望能夠填補這一空白。透過混合方法，能夠更全面地捕捉產後婦女在不同時間點的情感狀態及支持需求，並考察社會支持與自我效能感的交互作用如何影響她們的母育信心。這種深入的分析將有助於制定針對性的護理策略，進而提高產後婦女的心理健康和母育信心，並減少母職壓力的影響。

提出方法

本研究將採用混合方法設計，結合縱向調查與焦點小組訪談兩種策略，全面探討年輕與年長初產婦在產後期間的母育信心及其相關因素。首先，將從中部某醫學中心及衛生所招募 305 名健康產後婦女，這些婦女將在出院時、滿一個月、滿兩個月及滿四個月時完成自我報告問卷，評估其社會支持、母育信心、自我效能感及母職壓力。其次，將針對其中的若干參與者進行焦點小組訪談，深入理解她們的主觀經歷與社會支持系統。問卷數據將進行描繪性分析，焦點小組的定性數據將使用主題分析法進行分析。這種綜合性的方法能夠提供對於不同年齡層產後女性情及需求的全景式理解，並為開發針對性支持介入提供數據支持。此外，研究還將考量文化因素對社會支持的影響，以確保研究結果的普遍性與適用性。

實驗計畫

實驗計畫分為以下幾個步驟：1) 參與者招募：透過醫院及社區衛生所招募 305 名產後婦女，確保樣本的多樣性及代表性。2) 問卷設計：設計包含社會支持、母育信心、自我效能感及母職壓力的量表，並通過專家評估其信度與效度。3) 數據收集：在四個不同的時間點（出院時、產後滿一個月、滿兩個月及滿四個月）進行問卷調查。4) 焦點小組訪談：選取 20 名參與者，進行每組 6-8 人的焦點小組訪談，深入探討其個人經歷與需求。5) 數據分析：問卷數據將進行描述性及推論性統計分析，並透過主題分析法分析焦點小組的定性資料。6) 成效評估：通過比較不同年齡層婦女的社會支持、自我效能感及母育信心的變化，評估支持介入的效果及其適應性。成功的結果將顯示年齡層之間的明顯差異及其關聯性，並為未來的護理政策與實務提供實證依據。

可信新穎度 — 最接近的真實論文

- Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum (66.6% · airtiti.AL, 2015) — 增量: 本研究專注於產後婦女不同年齡層的母育信心動態及其社會支持與自我效能感的交互影響，而該文獻主要探討的是懷孕晚期的舒適感如何促進產後母職角色的達成，研究的時間點和焦點有所不同。(相似度 67% 偏高，標籤經相似度守衛下修)
- Factors related to the mental health of postpartum mothers : focusing on the relationship between child-rearing stress and self-efficacy (65.5% · airtiti.AL, 2015) — 增量: 該文獻主要關注產後憂鬱症的相關因素，特別是育兒壓力與自我效能感之間的關係，而本研究則專注於不同年齡層產後婦女的母育信心及其與社會支持的關聯，研究問題和範疇存在根本差異。(相似度 66% 偏高，標籤經相似度守衛下修)
- Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period (65.2% · airtiti.AL, 2010) — 增量: 雖然該文獻也探討年輕與高齡初產婦的母育信心及社會支持，但本研究採用混合方法設計，結合縱向調查與焦點小組訪談，提供更全面的數據分析及深入的主觀經驗理解，這在該文獻中並未實施。

參考文獻

1. The Relationship Between Postpartum Depression and Maternal Confidence, Sleep Quality and Infants' Sleep Quality
2. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
3. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
4. A Compare of The Postpartum Depression Related Factors in Early Postpartum Women With or Without Depression.
5. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
6. "Zuòyuèzi" dietary and behavioural associations with maternal health among puerperal women in South China
7. " Zuòyuèzi " dietary and behavioural associations with maternal health among puerperal women in South China

8. The Association between Maternal Characteristics and Depression
9. Sleep Quality of Postpartum Women: A Triangulation Study
10. Analysis of the Current Status and Influencing Factors of Postpartum Depression in Hospitalized Parturient Women Under the Three-Child Policy
11. The Contractual Liability of Postpartum Nursing Care
12. The Study of Marketing Management in Postpartum Nursing via Grey Relational Grade
13. Concept Analysis of Maternal Confidence

Postpartum Women .

Health of New Mothers .

14. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants

Developmental Delay .

Health of Preterm Infants .

15. The Quality of Sleep and Its Associated Factors in the Puerperium Women
16. The Effect of Bergamot Essential Oil Aromatherapy on Improving Depressive Mood and Sleep Quality in Postpartum Women: A Randomized Controlled Trial
17. 生產經驗和操持家務是產後婦女睡眠品質的相關因子
18. Relationship of Postpartum Depression and Sleep Quality in Postpartum Care Facilities Women
19. 產後初期憂鬱及非憂鬱母親的睡眠和日間嗜睡狀態之探討
20. 台灣婦女作月子期間之產後社會支持經驗
21. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
22. 初產婦與經產婦之心理社會影響
23. Relationship among Sports Participation Level, Sleep Quality and Well-being in the Road Running Participants
24. Discussion of Baby-Friendly Hospital Medical Service Quality and Loyalty of Postpartum Women
25. Infection Prevention Measures for Service Users in Postpartum Care Homes
26. Teacher' s sleep quality: linked to social job characteristics?
27. Battered Women in Taiwan and Evaluation of Social Support
28. The impact of menopause status, negative life events and social support on depressive symptoms in women

en After a Stillbirth .

29. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
30. Motherhood Experience and Learning: A Learning Process Analysis of Go Players' Accompanying Mothers during the Apprenticeship of their Children
31. Maternal self-efficacy development from pregnancy to 3 months after birth.
32. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
33. Risk and protective factors for pre- and postnatal bonding.

ress and Depression .

. Preliminary Study .

34. Experience of body change in breastfeeding women
35. 照顧一位剖腹產初產婦產後初期關注行為改變之護理經驗
36. Breastfeeding Problems and Breastfeeding Self-Efficacy among Women with Diabetes
37. Unmarried Mother's Parenting Process After Giving Birth
38. "Kadafo" from Vietnam in Chang-Guang: Social Support Networks of New Immigrants in the Indigenous Tribe
39. Social Support, Health, and Family Function in Mother of Children with Cancer
40. Factors Related to Health Status in Mothers of Children with Cancer
41. Health disparity between foreign-born mothers and Taiwanese mothers
42. Maternal support during the first year of infancy
43. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
44. The determinants of parenting behavior
45. Psychosocial predictors of maternal and infant health among adolescent mothers
46. Further psychometric testing and use of the Maternal Confidence Questionnaire
47. Statistical power analysis for the behavior sciences
48. Psychosocial features at different periods after childbirth
49. Correlates of first-time mothers' postpartum stress
50. The determinants of parenting: A process model
51. Perceived parental efficacy: concept analysis

- 52. The relationship between maternal role attainment and postpartum depression
- 53. Social support as a moderator of life stress
- 54. Self-efficacy: Toward a unifying theory of behavioral change
- 55. Self-Efficacy-The Exercise of Control
- 56. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants

優化早產兒母親的社會支持介入以增強產後信心的研究

後設資料

想法編號: seed-domain-1=>1=>2=>1

新穎度: 22.9%

最大相似度: 77.1% (近似於: “[The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants].”)

群集: 7

競賽得分: 0 勝

方法論契合度: 4/5

問題陳述

在產後早期，特別是面對早產兒母親，其心理健康和育兒自信心往往受到很大的挑戰。已有研究顯示，社會支持是影響產後婦女心理健康的重要因素。然而，大多數現有的研究僅集中於產後憂鬱或社會支持的短期影響，缺乏針對早產兒母親的系統性介入措施。本研究旨在探索針對早產兒母親的社會支持介入如何影響其產後信心、育兒壓力及適應能力，並綜合考量穿越時間的變化，提供可行的模型以促進早產兒母親的健康與福祉。此研究的結果將對於提升護理實踐和完善產後支持系統具有重要意義。

現有方法

目前的研究主要集中在分析社會支持如何影響產後婦女的心理健康，特別是在早產兒家庭中。然而，這些研究存在一些限制，包括樣本規模小、缺乏系統性的長期追蹤評估，以及對各類型社會支持介入效果的分析不夠深入。許多研究往往依賴於量表的自我報告資料，可能無法真實反映母親的實際心理狀態和應對能力。因此，現有的介入方法不夠全面，對於早產兒母親的特殊需求未能給出具體的支持方案。

研究動機

由於現有的研究缺乏針對早產兒母親的長期支持介入，因此本研究提出了一種新的綜合性社會支持模式，這種模式不僅考慮到情感支持，還包括實質性支持和教育性支持。此方法將聚焦於建立一個多層次的社區支持網絡，讓母親在產後的每一階段都有可用的支持資源，從而促進其產後信心和心理適應。這種方法的有效性在於它不僅依賴於即時的支持，而是透過教育與持續的社區參與來強化母親的自我效能感，將能更有效地應對養育早產兒所面臨的挑戰。

提出方法

本研究將採用綜合社會支持介入的模式，包含情感支持、資訊支持及實際操作指導。首先，建立一個由產後護理專業人員、心理專家以及經驗豐富的母親組成的支援團隊。接下來，設計一系列的社區工作坊與支持小組會議，針對早產兒母親進行必要的教育與情感交流。這些工作坊將定期每月舉行，主題包括但不限於育兒技巧、情緒管理、以及分享經驗。所有參與者將被分為實驗組和對照組，實驗組將參加這些支持性工作坊，而對照組將在標準護理下進行觀察。每個母親的社會支持、母育信心、母育能力及母職壓力將在出院、產後一個月、兩個月及四個月進行多次評估，利用量表和訪談收集數據。這種方法不僅能跟蹤母親情況的變化，還能及時調整介入策略，以便有效增強其產後信心與應對能力。

實驗計畫

實驗計畫將分為五個步驟。首先，選擇參與者，目標是 305 位早產兒母親，通過醫學中心和衛生所進行招募。第二步，母親在出院時接受首次評估，包括社會支持量表、母育信心量表、母職壓力量表及母育能力自評。第三步，實驗組將參加為期四個月的社區支持工作坊，而對照組僅接受傳統護理。第四步，於產後一個月、兩個月及四個月進行後續評估，重複使用前述量表收集數據。第五步，分析數據，採用多層次分析方法比較兩組間的變化，效果將以各種量表的變化量作為評估指標。成功的標準將是實驗組的母育信心顯著提高，育兒壓力顯著降低，並在社會支持的獲得上有明顯提升。

可信新穎度 — 最接近的真實論文

- [The Effectiveness of an Early Parental Sensitivity Intervention on Attachment, Parenting Confidence, and Parental Stress in Mothers of Preterm Infants]. (77.1% · airtiti.PubMed, 2025) — 高度重疊: 本研究專注於針對早產兒母親的社會支持介入，並系統性地探討其對產後信心、育兒壓力及適應能力的長期影響，而該研究主要集中於早期親職敏感度介入的效果，並未針對社會支持的系統性介入進行深入探討。(相似度 77% 偏高，標籤經相似度守衛下修)
- [The Effects of a Mobile Application Social Support Program on Postpartum Perceived Stress and Depression]. (64.5% · airtiti.PubMed, 2016) — 增量: 本研究將社區工作坊作為介入方式，提供情感支持、資訊支持及實際操作指導，並針對早產兒母親進行多次評估，而該研究則使用手機應用程式作為社會支持的介入方式，且僅關注產後壓力和憂鬱的短期影響。
- Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands (63.6% · airtiti.AL, 2018) — 增量: 本研究針對早產兒母親的社會支持介入進行系統性探討，並考慮時間變化對產後信心的影響，而該研究則僅探討社會支持與產後壓力之間的關聯，缺乏針對介入措施的實證研究。

參考文獻

1. Relationships between Social Supports, Maternal Confidence, Maternal Competence, and Maternal Parenting Stress in the Postpartum Period of Postpartum Women : Multilevel Analysis
2. Comparing maternal confidence and social supports between younger and elder primiparas in the early postpartum period
3. Discharge planning, social support, postpartum depression, and maternal confidence: A correlation study among mothers of preterm infants

Postpartum Women .

lth of New Mothers .

en After a Stillbirth .

4. The Association between Maternal Characteristics and Depression

5. The Influence of Confinement Location on Maternal Psychological and Role Adaptation: A Six-Month Follow-Up Study

6. Preliminary Study of the Positive Psychological Factors of Pregnant and Postpartum Women with Low Depression in Taiwan

ress and Depression .

7. Exploring the Relationship of Social Support and Postpartum Stress amongst Postpartum women in the Solomon Islands
8. Postpartum Women' s Social Support, Depression, and Health-related Quality of Life: A Repeated-Measure Study Design
9. The Quality of Sleep and Its Associated Factors in the Puerperium Women
10. Comfort with Motherhood in Late Pregnancy Facilitates Maternal Role Attainment in Early Postpartum
11. 產後初期的角色衝突與調適- 探討一位青春期初產婦的行為反應
12. Maternal Concerns and Social Support during Postpartum Period
13. 懷孕 36 週剖腹產母親角色適應及親子關係的建立
14. The roles of social support in antenatal and postnatal depressive symptoms and family conflicts among Hong Kong Chinese women
15. 青春期及成人期母親產後憂鬱現象之探討
16. Concept Analysis of Maternal Confidence
17. Symptom Distress, Social Support, Spiritual Well-being and Quality of Life Among Women with Gynecologic Cancer
18. Symptom Distress, Social Support, Spiritual Well-Being, and Quality of Life Among Women With Gynecologic Cancer
19. 初產婦與經產婦之心理社會影響
20. 台灣婦女作月子期間之產後社會支持經驗
21. Immigrant Women & Postpartum Depression
22. The Relationship Between Maternal Parenting Stress and Breastfeeding Experience of Postpartum Women
23. Depression status of couples from birth until 1 month postpartum
24. Intervention Effect of Micro-class Education Combined with Midwives Psychological Nursing on Postpartum Depression Patients
25. Maternal self-efficacy development from pregnancy to 3 months after birth.
26. The Relationships among Personality Constructs, Social Cultural Factors, and Postpartum Depression
27. A follow-up study on mental health of women who conceived undergoing In Vitro Fertilization
28. The impact of menopause status, negative life events and social support on depressive symptoms in women

29. Motherhood Experience and Learning: A Learning Process Analysis of Go Players' Accompanying Mothers during the Apprenticeship of their Children
30. Parental mentalization across cultures: Mind-mindedness and parental reflective functioning in British and South Korean mothers.
31. Risk and protective factors for pre- and postnatal bonding.

Preliminary Study .

32. Social support buffers the impact of pregnancy stress on perceptions of parent-infant closeness during the COVID-19 pandemic.
33. Experience of body change in breastfeeding women
34. 照顧一位剖腹產初產婦產後初期關注行為改變之護理經驗
35. Breastfeeding Problems and Breastfeeding Self-Efficacy among Women with Diabetes
36. Unmarried Mother's Parenting Process After Giving Birth
37. "Kadafo" from Vietnam in Chang-Guang: Social Support Networks of New Immigrants in the Indigenous Tribe
38. Social Support, Health, and Family Function in Mother of Children with Cancer
39. Factors Related to Health Status in Mothers of Children with Cancer
40. Health disparity between foreign-born mothers and Taiwanese mothers
41. Maternal support during the first year of infancy
42. Sources of maternal confidence and uncertainty and perceptions of problem-solving competence
43. The determinants of parenting behavior
44. Psychosocial predictors of maternal and infant health among adolescent mothers
45. Further psychometric testing and use of the Maternal Confidence Questionnaire
46. Statistical power analysis for the behavior sciences
47. Psychosocial features at different periods after childbirth
48. Correlates of first-time mothers' postpartum stress
49. The determinants of parenting: A process model
50. Perceived parental efficacy: concept analysis
51. The relationship between maternal role attainment and postpartum depression
52. Social support as a moderator of life stress
53. Self-efficacy: Toward a unifying theory of behavioral change
54. Self-Efficacy-The Exercise of Control
55. Posttraumatic stress symptoms following childbirth and mothers' perceptions of their infants