

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for profile.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by file upload ▼ Escolher ficheiro Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#) 3 messages hidden by filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')@sec
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Text not allowed in element `ul` in this context.

From line 21, column 1; to line 21, column 33

```
<ul>@if ((Auth::check()) && $us
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

3. **Error** Text not allowed in element `ul` in this context.

From line 21, column 34; to line 21, column 35

```
:check()) && $user
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

4. **Error** Text not allowed in element `ul` in this context.

At line 21, column 36

```
heck()) && $user-
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

5. **Error** Text not allowed in element [ul](#) in this context.

From line 21, column 37; to line 21, column 66

```
eck()) && $user->id == Auth::user()->id)↵
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

6. **Error** Bad value `/profile/{{ $user->id }}/edit` for attribute `href` on element [a](#): Illegal character in path segment: `{` is not allowed.

From line 22, column 21; to line 22, column 58

```
<li><a href="/profile/{{ $user->id }}/edit">Edit P
```

7. **Error** Text not allowed in element [ul](#) in this context.

From line 23, column 1; to line 23, column 18

```
</a></li>↵ @endif↵
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

8. **Error** Bad value `/profile/{{ $user->id }}/posts` for attribute `href` on element [a](#): Illegal character in path segment: `{` is not allowed.

From line 24, column 17; to line 24, column 55

```
<li><a href="/profile/{{ $user->id }}/posts">Submit
```

9. **Error** Bad value `/profile/{{ $user->id }}/saved` for attribute `href` on element [a](#): Illegal character in path segment: `{` is not allowed.

From line 25, column 17; to line 25, column 55

```
<li><a href="/profile/{{ $user->id }}/saved">Saved
```

10. **Error** Text not allowed in element [ul](#) in this context.

From line 26, column 1; to line 26, column 33

```
</a></li>↵ @if ((Auth::check()) && $us
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

11. **Error** Text not allowed in element [ul](#) in this context.

From line 26, column 34; to line 26, column 35

```
:check()) && $user
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

12. **Error** Text not allowed in element `<u>` in this context.

At line 26, column 36

```
heck()) && $user-
```

Content model for element `<u>`:Zero or more `` and `<script>` elements.13. **Error** Text not allowed in element `<u>` in this context.

From line 26, column 37; to line 26, column 66

```
eck()) && $user->id == Auth::user()->id)<
```

Content model for element `<u>`:Zero or more `` and `<script>` elements.14. **Error** Bad value `{{ url('/logout') }}` for attribute `href` on element `<a>`:
Illegal character in path segment: `{` is not allowed.

From line 27, column 21; to line 27, column 51

```
<li><a href="{{ url('/logout') }}">Logout
```

15. **Error** Text not allowed in element `<u>` in this context.

From line 28, column 1; to line 28, column 18

```
</a></li>< @endif<
```

Content model for element `<u>`:Zero or more `` and `<script>` elements.16. **Error** Bad value `{{ route('userUnbanProfile', $user->id) }}` for attribute `action` on element `<form>`: Illegal character in path segment: `{` is not allowed.

From line 35, column 21; to line 35, column 92

```
<form action="{{ route('userUnbanProfile', $user->id) }}"
method="POST">
```

17. **Error** A slash was not immediately followed by `>`.

At line 40, column 50

```
on" href="{{ "/profile/ban/$us
```

18. **Error** A slash was not immediately followed by `>`.

At line 40, column 58

```
="{{ "/profile/ban/$user->id"}
```

19. **Error** A slash was not immediately followed by `>`.

At line 40, column 62

```
"/profile/ban/$user->id"}}">B
```

20. **Warning** Attribute `$user-` is not serializable as XML 1.0.

From line 40, column 21; to line 40, column 68

```
<a class="button" href="{{ "/profile/ban/$user->id"}}"
```

21. **Error** Bad value `{{` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 40, column 21; to line 40, column 68

```
<a class="button" href="{{ "/profile/ban/$user->id"}}"
```

22. **Error** Attribute `profile` not allowed on element `a` at this point.

From line 40, column 21; to line 40, column 68

```
<a class="button" href="{{ "/profile/ban/$user->id"}}"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

23. **Error** Attribute `ban` not allowed on element `a` at this point.

From line 40, column 21; to line 40, column 68

```
<a class="button" href="{{ "/profile/ban/$user->id"}}"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

24. **Error** Attribute `$user-` not allowed on element `a` at this point.

From line 40, column 21; to line 40, column 68

```
<a class="button" href="{{ "/profile/ban/$user->id" }}"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

25. **Error** Saw a `form` start tag, but there was already an active `form` element. Nested forms are not allowed. Ignoring the tag.

From line 45, column 21; to line 45, column 84

```
<form action="{{ route('unfollow', $user->id) }}" method="post">
```

26. **Error** Bad value `{{ route('follow', $user->id) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 51, column 21; to line 51, column 82

```
<form action="{{ route('follow', $user->id) }}" method="post">
```

27. **Error** Bad value `{{ asset($image->imagepath) }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 59, column 13; to line 59, column 76

```

```

28. **Error** Text not allowed in element `ul` in this context.

From line 71, column 1; to line 71, column 54

```
<ul> @forelse ($followedUsers as $followedUser)
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

29. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 73, column 32

```
<a href={{ "/profile/$foll
```

30. **Error** A slash was not immediately followed by `>`.

At line 73, column 34

```
<a href={{ "/profile/$follow
```

31. **Error** A slash was not immediately followed by `>`.

At line 73, column 42

```
f={{ "/profile/$followedUser->
```

32. **Warning** Attribute `"` is not serializable as XML 1.0.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

33. **Warning** Attribute `$followeduser-` is not serializable as XML 1.0.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

34. **Error** Bad value `{{` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

35. **Error** Attribute `"` not allowed on element `a` at this point.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

36. **Error** Attribute `profile` not allowed on element `a` at this point.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

37. **Error** Attribute `$followeduser-` not allowed on element [a](#) at this point.

From line 73, column 21; to line 73, column 56

```
<a href={{ "/profile/$followedUser->id" }}
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

38. **Error** Text not allowed in element [ul](#) in this context.

From line 75, column 1; to line 75, column 19

```
</li>@empty
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

39. **Error** Text not allowed in element [ul](#) in this context.

From line 77, column 1; to line 77, column 23

```
sts!</li>@endforelse
```

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

40. **Error** Text not allowed in element `ul` in this context.

From line 88, column 1; to line 88, column 36

```
<ul>@forelse ($tags as $tag)
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

41. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 89, column 32

```
<li><a href={{ "/welcome/tag/$
```

42. **Error** A slash was not immediately followed by `>`.

At line 89, column 34

```
i><a href={{ "/welcome/tag/$ta
```

43. **Error** A slash was not immediately followed by `>`.

At line 89, column 42

```
f={{ "/welcome/tag/$tag->id" }
```

44. **Error** A slash was not immediately followed by `>`.

At line 89, column 46

```
"/welcome/tag/$tag->id" }}> {
```

45. **Warning** Attribute `"` is not serializable as XML 1.0.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}
```

46. **Warning** Attribute `$tag-` is not serializable as XML 1.0.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}
```

47. **Error** Bad value `{{` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}
```

48. **Error** Attribute `"` not allowed on element `a` at this point.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}
```


Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

49. **Error** Attribute `welcome` not allowed on element `a` at this point.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}>
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

50. **Error** Attribute `tag` not allowed on element `a` at this point.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}>
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

51. **Error** Attribute `$tag-` not allowed on element `a` at this point.

From line 89, column 21; to line 89, column 51

```
<li><a href={{ "/welcome/tag/$tag->id" }}>
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

52. **Error** Text not allowed in element `ul` in this context.

From line 90, column 1; to line 90, column 19

```
</a></li>@empty <
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

53. **Error** Text not allowed in element `ul` in this context.

From line 92, column 1; to line 92, column 23

```
ags!</li>@endforelse
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

Document checking completed.

Used the HTML parser.

Total execution time 21 milliseconds.

