UNIFEOB

CENTRO UNIVERSITÁRIO DA FUNDAÇÃO DE ENSINO OCTÁVIO BASTOS

ESCOLA DE NEGÓCIOS

ANÁLISE E DESENVOLVIMENTO DE SISTEMAS

Integração de Dados: Atividade 10/05

ESTUDANTE:

25000019 - João Augusto De Freitas

São João da Boa Vista–SP

```sql
CREATE TABLE clientes
(
    codigo INTEGER PRIMARY KEY,
    nome TEXT,
    endereco TEXT,
    cidade TEXT
);
```

Estatísticas 1

Name	Value
Updated Rows	0
Execute time	0,011s
Start time	Mon Oct 05 20:51:17 GMT-03:00 2026
Finish time	Mon Oct 05 20:51:17 GMT-03:00 2026
Query	CREATE TABLE clientes (codigo INTEGER PRIMARY KEY, nome TEXT, endereco TEXT, cidade TEXT)

```sql
INSERT INTO clientes VALUES
(1,'João Silva','Rua A','Campinas'),
(2,'Maria Souza','Rua B','São Paulo');
```

Estatísticas 1


Name	Value
Updated Rows	2
Execute time	0,005s
Start time	Mon Oct 05 20:52:36 GMT-03:00 2026
Finish time	Mon Oct 05 20:52:36 GMT-03:00 2026
Query	INSERT INTO clientes VALUES (1,'João Silva','Rua A','Campinas'), (2,'Maria Souza','Rua B','São Paulo')


```sql
CREATE TABLE compras
(
    id SERIAL,
    codigo_cliente INTEGER,
    data_compra DATE,
    valor NUMERIC(10,2)
);


INSERT INTO compras
(codigo_cliente,data_compra,valor)
VALUES
(1,'2026-01-10',1500),
(1,'2026-03-15',2000),
(2,'2026-04-01',500);
```


Estatísticas 1


Name	Value
Updated Rows	3
Execute time	0,004s
Start time	Mon Oct 05 20:53:47 GMT-03:00 2026
Finish time	Mon Oct 05 20:53:47 GMT-03:00 2026
Query	INSERT INTO compras (codigo_cliente,data_compra,valor) VALUES (1,'2026-01-10',1500), (1,'2026-03-15',2000), (2,'2026-04-01',500)









IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
GET 1 - Cliente (SQLite)
POST 7 - Importar client…
No Project Environment
Base Environment
Cookies
Certificates
GET
_.host :5001/cliente/1
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5001/cliente/1
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
200 OK
40 ms
94 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
→ Mock
Console
Preview
{
"cidade": "Campinas",
"codigo": 1,
"endereco": "Rua A",
"nome": "João Silva"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with ♥ by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
POST 7 - Importar client…
GET 1b - Cliente inexis…
No Project Environment
Base Environment
Cookies
Certificates
GET
_.host :5001/cliente/99
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5001/cliente/99
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
404 NOT FOUND
11 ms
44 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
→ Mock
Console
Preview
{
"erro": "Cliente não encontrado"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with ♥ by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
GET 1b - Cliente inexis…
GET 2 - Compras (Post…
No Project Environment
Base Environment
Cookies
Certificates
GET
_.host :5002/compras/1
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5002/compras/1
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
200 OK
52 ms
113 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
→ Mock
Console
Preview
[
{
"data": "2026-01-10",
"valor": 1500.0
},
{
"data": "2026-03-15",
"valor": 2000.0
}
]
Local Vault project
$.store.books[*].author
Preferences
online
Made with ♥ by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
GET 2 - Compras (Post…
GET 3 - Financeiro (Fir…
No Project Environment
Base Environment
Cookies
Certificates
GET
_.host :5003/financeiro/1
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5003/financeiro/1
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
200 OK
633 ms
40 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
→ Mock
Console
Preview
{
"limite": 50000,
"saldo": 12000
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with ♥ by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
GET 3 - Financeiro (Fir…
GET 3b - Financeiro ine…
No Project Environment
Base Environment
Cookies
Certificates
GET
.host:5003/financeiro/99
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5003/financeiro/99
QUERY PARAMETERS
Import from URL
Bulk Edit
Add
Delete all
Description
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
404 NOT FOUND
294 ms
44 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
Mock
Console
{
"erro": "Cliente não encontrado"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong…
POST 4 - Consolidar cliente 2 (Mong…
POST 4b - Consolidar inexistente (4…
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
GET 3b - Financeiro ine…
POST 4 - Consolidar clie…
No Project Environment
Base Environment
Cookies
Certificates
POST
.host:5004/consolidar/1
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5004/consolidar/1
QUERY PARAMETERS
Import from URL
Bulk Edit
Add
Delete all
Description
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
200 OK
476 ms
44 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
Mock
Console
{
"cliente": "1",
"status": "sucesso"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with by Kong



Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong...
POST 4 - Consolidar cliente 2 (Mong...
POST 4b - Consolidar inexistente (4...
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
POST 4 - Consolidar clie...
POST 4 - Consolidar clie...
No Project Environment
Base Environment
Cookies
Certificates
POST
.host:5004/consolidar/2
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5004/consolidar/2
QUERY PARAMETERS
Import from URL
Bulk Edit
Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
200 OK
311 ms
44 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
Mock
Console
Preview
{
"cliente": "2",
"status": "sucesso"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with by Kong


Personal Workspace
Search..
Ctrl + P
Invite
Essentials Plan
IntegraData
Filter
GET 1 - Cliente (SQLite)
GET 1b - Cliente inexistente (404)
GET 2 - Compras (PostgreSQL)
GET 3 - Financeiro (Firebase)
GET 3b - Financeiro inexistente (404)
POST 4 - Consolidar cliente 1 (Mong...
POST 4 - Consolidar cliente 2 (Mong...
POST 4b - Consolidar inexistente (4...
GET 5 - Consolidados
GET 6 - Exportar Excel
POST 7 - Importar clientes (CSV)
GET 8 - Ranking de clientes
POST 4 - Consolidar clie...
POST 4b - Consolidar in...
No Project Environment
Base Environment
Cookies
Certificates
POST
.host:5004/consolidar/99
Send
Params
Body
Auth
Headers 3
Scripts
Docs
URL PREVIEW
http://localhost:5004/consolidar/99
QUERY PARAMETERS
Import from URL
Bulk Edit
Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
404 NOT FOUND
236 ms
67 B
Just Now
Preview
Headers 5
Cookies
Tests 0 / 0
Mock
Console
Preview
{
"cliente": "Cliente não encontrado",
"status": "erro"
}
Local Vault project
$.store.books[*].author
Preferences
online
Made with by Kong


GET
_.host :5005/consolidados
Send
200 OK
23 ms
758 B
Params
Body
Auth
Headers 3
Scripts
Preview
Headers 5
Cookies
Tests 0 / 0
URL PREVIEW
http://localhost:5005/consolidados
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
PATH PARAMETERS
Path parameters are url path segments that start with a colon ':' e.g. ':id'
Preview
[
{
"_id": "6ac43bd067f2728c04fa3480",
"cliente": {
"cidade": "Campinas",
"codigo": 1,
"endereco": "Rua A",
"nome": "João Silva"
},
"compras": [
{
"data": "2026-01-10",
"valor": 1500.0
},
{
"data": "2026-03-15",
"valor": 2000.0
}
],
"financeiro": {
"limite": 50000,
"saldo": 12000
}
},
{
"_id": "6ac43bd067f2728c04fa3481",
"cliente": {
"cidade": "São Paulo",
"codigo": 2,
"endereco": "Rua B",
"nome": "Maria Souza"
},
"compras": [
{
"data": "2026-04-01",
"valor": 500.0
}
],
"financeiro": {
"limite": 30000,
"saldo": 2500
}
}
$.store.books[*].author


GET
_.host :5006/exportar
Send
200 OK
361 ms
46 B
Params
Body
Auth
Headers 3
Scripts
Preview
Headers 5
Cookies
Tests 0 / 0
URL PREVIEW
http://localhost:5006/exportar
Preview
{
"arquivo": "clientes_consolidados.xlsx"


POST
_.host :5007/importar-clien
Send
200 OK
1.04 s
23 B
Params
Body
Auth
Headers 3
Scripts
Preview
Headers 5
Cookies
Tests 0 / 0
URL PREVIEW
http://localhost:5007/importar-clientes
Preview
{
"processados": 2


GET
_.host :5008/ranking-clientes
Send
200 OK
29 ms
140 B
Params
Body
Auth
Headers 3
Scripts
Preview
Headers 5
Cookies
Tests 0 / 0
URL PREVIEW
http://localhost:5008/ranking-clientes
QUERY PARAMETERS
Import from URL
Bulk Edit
+ Add
Delete all
Description
name
value
Preview
[
{
"cliente": "João Silva",
"total_compras": 3500.0
},
{
"cliente": "Maria Souza",
"total_compras": 500.0
}
]