Doom Emacs

Catálogo de atalhos

Configuração pessoal de João Bertholino

Guia em português, atalhos personalizados e inventário dos mapas de teclas da instalação local.
Abrir este catálogo: `SPC h B`

Comando: `M-x my/open-doom-keybindings-catalog`

Edição de 22 de outubro de 2026
Fonte: configuração local e mapas carregados no Emacs.
A lista registra a instalação neste momento; novos pacotes e novas configurações podem alterar os atalhos.

Sumário

1 Como consultar 2

2 Seus atalhos personalizados 2

3 Mapa de navegação do catálogo 3

4 Escopo e origem da coleta 4

5 Inventário de atalhos por mapa 7

1 Como consultar

Este catálogo reúne os atalhos globais, do Doom, do Evil e dos modos e pacotes carregados na instalação. Inclui as personalizações de `config.el` e o efeito de `custom.el`. Não representa todas as configurações possíveis de todos os pacotes existentes: módulos desabilitados, mapas ainda não definidos por código adiado e combinações criadas dinamicamente podem não aparecer.

`SPC` significa espaço, `RET` é Enter, `TAB` é Tab, `DEL` é Backspace. `C-` indica Ctrl, `M-` indica Alt/Meta e `S-` indica Shift. Letras maiúsculas são diferentes de minúsculas. Espaços entre nomes de teclas indicam uma sequência, sem manter as teclas anteriores pressionadas. Em `C-x C-f`, pressione Ctrl+x e depois Ctrl+f.

O líder configurado é `SPC`; o líder local é `SPC m`. O líder funciona nos estados do Evil em que está habilitado. Em inserção, `SPC` pode inserir espaço: use o líder alternativo ou volte ao estado normal com Esc. Os estados normal, insert, visual, motion e operator têm mapas diferentes.

Nas tabelas do inventário, as teclas são **relativas ao mapa do título**. Em `doom-leader-file-map`, a tecla `f` exige primeiro o caminho que leva a esse mapa. Uma linha “Mapa:” é um prefixo: siga o link e acrescente as próximas teclas. Um mapa pai fornece as combinações herdadas; definições locais e mapas de maior prioridade podem substituí-las. O inventário lista definições de mapas, não promete que todas estejam simultaneamente ativas.

Os nomes de comandos são mantidos como definidos pelo Emacs, para permitir pesquisa no PDF e execução com `M-x`. “Função anônima” identifica uma ação sem nome público. “undefined” é um bloqueio explícito; “ignore” não executa uma ação útil. Teclas de mouse e menus de interface foram omitidos. Tabelas de tradução de teclado ficam no inventário JSON, pois traduzem eventos em vez de executar comandos.

1.1 Descobrir a ligação efetiva

Use `SPC h k` (ou `C-h k`) e pressione a sequência: o Emacs informa o comando efetivo no buffer atual. `C-h b` lista as ligações ativas; `C-h m` explica os modos. `M-x describe-function` explica um comando pelo nome. O menu de prefixos do which-key também ajuda a explorar as opções.

2 Seus atalhos personalizados

As definições abaixo foram lidas da sua configuração, incluindo o comando de abertura adicionado nesta edição.

Teclas / sequência	Comando / ação
`SPC h B`	Abre este catálogo PDF; comando `my/open-doom-keybindings-catalog`.
`M-<left> / M-<right>`	Muda para a janela à esquerda / direita (windmove).
`M-<up> / M-<down>`	Muda para a janela acima / abaixo. As quatro combinações também são definidas no mapa do vterm.
`SPC b v`	Configuração declarada: divide à direita e escolhe um buffer (`my/switch-buffer-vertically`). Veja os conflitos abaixo.
`SPC b h`	Configuração declarada: divide abaixo e escolhe um buffer (`my/switch-buffer-horizontally`). Veja os conflitos abaixo.
`SPC f v`	Divide à direita e abre um arquivo (`my/find-file-vertically`).
`SPC f h`	Divide abaixo e abre um arquivo (`my/find-file-horizontally`).
`SPC o a`	Abre a agenda Org: `org-agenda`.
`SPC o c`	Abre a captura Org: `org-capture`.
`TAB / <tab>`	Aceita a sugestão do Copilot, quando seu mapa e uma sugestão estiverem ativos: `copilot-accept-completion`.
`C-TAB / C-<tab>`	Aceita uma palavra da sugestão: `copilot-accept-completion-by-word`.

2.1 Personalizações de LaTeX e conflitos encontrados

O bloco de LaTeX usa `:leader` junto de `:map LaTeX-mode-map`. Nesta instalação, as definições acabam no líder global: a inspeção após carregar AUCTeX confirmou `SPC b` como `TeX-command-master`, inclusive fora do mapa local. Portanto, `SPC b v` e `SPC b h` deixam de ser sequências acessíveis quando `b` vira um comando. Outros prefixos do Doom também podem ser substituídos. A ordem de carregamento pode mudar o resultado.

O catálogo registra esse efeito e preserva a configuração existente. Para executar um comando encoberto, use `M-x` com o nome indicado. O inventário inclui mapas que ainda existem, mesmo quando o caminho habitual até eles foi substituído. O prefixo local desejado em uma configuração futura poderia usar `:localleader`, mas essa mudança não foi aplicada nesta edição.

Teclas / sequência	Comando / ação
`SPC b`	Escolhe o comando de compilação. `TeX-command-master`
`SPC v`	Abre o resultado. `TeX-view`
`SPC k`	Interrompe o trabalho TeX. `TeX-kill-job`
`SPC l`	Centraliza a saída do processo. `TeX-recenter-output-buffer`
`SPC e`	Insere ambiente. `LaTeX-environment`
`SPC s`	Insere seção. `LaTeX-section`
`SPC m`	Insere macro. `TeX-insert-macro`
`SPC p p`	Prévia no ponto. `preview-at-point`
`SPC p b`	Prévia do buffer. `preview-buffer`
`SPC p c`	Limpa prévias. `preview-clearout-buffer`
`SPC f f`	Alterna dobra no contexto. `TeX-fold-dwim`
`SPC f b`	Dobra o buffer. `TeX-fold-buffer`
`SPC f c`	Remove dobras. `TeX-fold-clearout-buffer`
`SPC r`	Insere referência bibliográfica. `citar-insert-citation`
`SPC S`	Verifica a ortografia do buffer. `ispell-buffer`

2.2 CUA, captura e comandos sem tecla fixa

`custom.el` ativa `cua-mode`. Seus comandos de copiar, recortar e colar dependem da região e do estado do Evil. Consulte os mapas CUA no inventário e confirme a ligação com `C-h k`. Em particular, não presuma que `C-c` seja sempre um prefixo quando uma região estiver selecionada.

Em Org Capture, depois de `SPC o c`, o modelo `t` cria uma tarefa em `task.org / Inbox`; `p` cria uma ideia em `project.org / Ideias`. Na escolha do estado TODO, a configuração declara `t` TODO, `p` IN-PROGRESS, `w` WAITING, `d` DONE e `c` CANCELLED. Essas letras pertencem aos respectivos seletores, não são atalhos globais.

Os comandos `my/create-project`, `my/open-home-terminal` e `my/open-graphical-browser` podem ser executados por `M-x`; os dois primeiros também aparecem no dashboard. O navegador foi removido do dashboard. `my/latex-force-cleanup` é chamado pelo gancho após a compilação; não tem uma ligação de tecla e não declara `interactive`.

3 Mapa de navegação do catálogo

A referência abaixo mostra os principais conjuntos. Os mapas do Evil indicam o estado em que atuam. Os mapas de modos só valem quando o modo correspondente está ativo; mapas de minibuffer, seleção e transientes valem durante essas interações.

doom-leader-map

help-map

doom-leader-buffer-map

doom-leader-file-map

doom-leader-project-map
doom-leader-search-map
doom-leader-code-map
doom-leader-git-map
doom-leader-open-map
doom-leader-toggle-map
doom-leader-workspace-map
global-map
evil-normal-state-map
evil-insert-state-map
evil-visual-state-map
evil-motion-state-map
LaTeX-mode-map
org-mode-map
magit-mode-map
pdf-view-mode-map
vterm-mode-map
copilot-mode-map

4 Escopo e origem da coleta

Emacs 31.1. Foram extraídos 809 mapas com 29,716 definições diretas e caminhos de prefixos anônimos; a referência impressa inclui 805 mapas, após separar as tabelas de tradução de eventos. Mapas herdados são referenciados, sem repetir todas as suas entradas. Os mapas foram obtidos depois de carregar as principais bibliotecas dos módulos habilitados, sem iniciar servidores de linguagem nem abrir projetos.

Arquivos de origem: `~/.config/doom/init.el`, `config.el`, `custom.el`, `packages.el`; Doom em `~/.config/emacs/`. O inventário completo acompanha o documento como `atalhos-doom-emacs.json`.

Módulos habilitados:

```
:doom compat (+keybinds +better-jumper +projectile +smartparens)
:doom nil nil
:completion corfu (+orderless)
:completion vertico nil
:ui doom nil
:ui dashboard nil
:ui emoji (+unicode)
:ui hl-todo nil
:ui indent-guides nil
:ui modeline nil
:ui ophints nil
:ui popup (+defaults)
:ui smooth-scroll nil
:ui unicode nil
:ui vc-gutter (+pretty)
```

```
:ui vi-tilde-fringe nil
:ui window-select nil
:ui workspaces nil
:editor evil (+everywhere)
:editor file-templates nil
:editor fold nil
:editor format (+lsp +onsave)
:editor snippets nil
:editor whitespace (+guess +trim)
:emacs dired nil
:emacs electric nil
:emacs eww nil
:emacs tramp nil
:emacs undo nil
:emacs vc nil
:term vterm nil
:checkers syntax nil
:tools debugger nil
:tools eval (+overlay)
:tools lookup nil
:tools lsp (+booster +eglot)
:tools magit (+forge)
:tools make nil
:tools pass (+auth)
:tools pdf (+pdf-tools saveplace-pdf-view)
:tools tmux nil
:tools tree-sitter nil
:tools upload nil
:lang cc (+lsp)
:lang common-lisp nil
:lang emacs-lisp nil
:lang json (+lsp +tree-sitter)
:lang latex (+cdlatex +lsp +latexmk)
:lang lean (+lsp +v3)
:lang markdown (+lsp +grip +tree-sitter)
:lang org (+dragndrop +gnuplot +journal +pandoc +present)
:lang python (+cython +lsp +poetry +pyright)
:lang sh (+lsp)
:lang web (+lsp +tree-sitter)
:lang yaml (+lsp +tree-sitter)
:config default (+bindings +smartparens)
:user nil nil
```

4.1 Limites verificados

Alguns nomes candidatos de bibliotecas não estão disponíveis como recursos independentes. Isso não significa que os comandos equivalentes estejam necessariamente ausentes. A coleta continuou com os recursos existentes. Os nomes testados sem sucesso foram: evil-commentary: indisponível; org-present: indisponível; debugger: indisponível; occur: indisponível; evil-fold: indisponível; evil-commentary: indisponível; org-present: indisponível; debugger: indisponível; occur: indisponível; evil-fold: indisponível.

Bindings dependentes de conexão, projeto, depurador, sessão remota, servidor LSP, filtros de menu e transientes podem surgir depois. O PDF documenta o instantâneo coletado, e a consulta ao Emacs é a autoridade para o contexto atual.

5 Inventário de atalhos por mapa

5.1 doom-leader-map

Teclas / sequência	Comando / ação
'	vertico-repeat
*	+default/search-project-for-symbol-at-point
,	persp-switch-to-buffer
.	find-file
/	+default/search-project
:	execute-extended-command
;	pp-eval-expression
<	switch-to-buffer
RET	bookmark-jump
S	ispell-buffer
SPC	projectile-find-file
TAB	**Mapa:** doom-leader-workspace-map
X	org-capture
`	evil-switch-to-windows-last-buffer
a	embark-act
b	TeX-command-master
c	**Mapa:** doom-leader-code-map
d	**Mapa:** doom-leader-debugger-map
e	LaTeX-environment
f b	TeX-fold-buffer
f c	TeX-fold-clearout-buffer
f f	TeX-fold-dwim
f h	my/find-file-horizontally
f v	my/find-file-vertically
g	**Mapa:** doom-leader-git-map
h	**Mapa:** help-map
i	**Mapa:** doom-leader-insert-map
k	TeX-kill-job
l	TeX-recenter-output-buffer
m	TeX-insert-macro
n	**Mapa:** doom-leader-notes-map
o	**Mapa:** doom-leader-open-map
p	**Mapa:** doom-leader-project-map
q	**Mapa:** doom-leader-quit/session-map
r	citar-insert-citation
s	LaTeX-section
t	**Mapa:** doom-leader-toggle-map
u	universal-argument
v	TeX-view
w +	evil-window-increase-height
w -	evil-window-decrease-height
w 0 ; w 1 ; w 2 ; w 3 ; w 4 ; w 5 ; w 6 ; w 7	evil-window-digit-argument
w 8 ; w 9	evil-window-digit-argument
w :	evil-ex
w <	evil-window-decrease-width
w <down> ; w C-<down> ; w C-j ; w j	evil-window-down

Teclas / sequência	Comando / ação
w <left> ; w C-<left> ; w C-h ; w h	evil-window-left
w <right> ; w C-<right> ; w C-l ; w l	evil-window-right
w <up> ; w C-<up> ; w C-k ; w k	evil-window-up
w = ; w C-=	balance-windows
w >	evil-window-increase-width
w C-S-h	evil-window-move-far-left
w C-S-j	evil-window-move-very-bottom
w C-S-k	evil-window-move-very-top
w C-S-l	evil-window-move-far-right
w C-S-r ; w R	evil-window-rotate-upwards
w C-S-s ; w C-s ; w s	evil-window-split
w C-S-w	ace-swap-window
w C-_ ; w _	evil-window-set-height
w C-b ; w b	evil-window-bottom-right
w C-c	ace-delete-window
w C-f ; w f	ffap-other-window
w C-n ; w n	evil-window-new
w C-o	delete-other-windows
w C-p ; w p	evil-window-mru
w C-q ; w q	evil-quit
w C-r	winner-redo
w C-t ; w t	evil-window-top-left
w C-u ; w u	winner-undo
w C-v ; w v	evil-window-vsplit
w C-w	other-window
w C-x ; w x	evil-window-exchange
w H	+evil/window-move-left
w J	+evil/window-move-down
w K	+evil/window-move-up
w L	+evil/window-move-right
w S	+evil/window-split-and-follow
w T	tear-off-window
w V	+evil/window-vsplit-and-follow
w W	evil-window-prev
w c ; w d	evil-window-delete
w g T	tab-bar-switch-to-prev-tab
w g t	evil-tab-next
w m m	doom/window-maximize-buffer
w m s	doom/window-maximize-horizontally
w m v	doom/window-maximize-vertically
w o	doom/window-enlargen
w r	evil-window-rotate-downwards
w w	evil-window-next
w |	evil-window-set-width
x	doom/toggle-scratch-buffer
~	+popup/toggle

5.2 help-map

Teclas / sequência	Comando / ação
'	doom/describe-char
.	display-local-help
4 i	info-other-window
4 s	help-find-source
<f1> ; <help> ; ?	help-for-help
A	apropos-documentation
B	my/open-doom-keybindings-catalog
C ; C-c	describe-coding-system
C-\ ; I	describe-input-method
C-a	about-emacs
C-d	view-emacs-debugging
C-e	view-external-packages
C-f	view-emacs-FAQ
C-k ; c	describe-key-briefly
C-l ; L	describe-language-environment
C-n	view-emacs-news
C-o	describe-distribution
C-p	view-emacs-problems
C-q	help-quick-toggle
C-s	search-forward-help-for-help
C-t	view-emacs-todo
C-w	describe-no-warranty
E ; d x	doom/sandbox
F	describe-face
H ; d h	doom/docs
K	Info-goto-emacs-key-command-node
M	doom/describe-active-minor-mode
O	+lookup/online
P	find-library
R	info-display-manual
RET	info-emacs-manual
S	info-lookup-symbol
T ; d t	doom/toggle-profiler
V	doom/describe-option
W	+default/man-or-woman
a	apropos
b b	describe-bindings
b f	which-key-show-full-keymap
b i	which-key-show-minor-mode-keymap
b k	which-key-show-keymap
b m	which-key-show-major-mode
b t	which-key-show-top-level
d L	doom/help-search-loaded-files
d M	doom/docs-module
d S	doom/docs-search
d a ; u	doom/describe-autodef
d b	doom/report-bug
d c	doom/open-private-config
d d	doom-debug-mode
d f	doom/docs-find-file
d i	doom/info
d l	doom/help-search-load-path

Teclas / sequência	Comando / ação
d m	doom/describe-module
d n	doom/docs-news
d p c	doom/help-package-config
d p h	doom/help-package-homepage
d p p ; p	doom/describe-package
d s	doom/docs-headings
d v	doom/version
e	view-echo-area-messages
f	describe-function
g	describe-gnu-project
h	doom/help
i	info
k	describe-key
l	view-lossage
m	describe-mode
n	doom/help-news
o	describe-symbol
q	help-quit
r d	doom/reload-docs
r e	doom/reload-env
r f	doom/reload-font
r p	doom/reload-packages
r r	doom/reload
r t	doom/reload-theme
s	describe-syntax
t	load-theme
v	describe-variable
w	where-is
x	describe-command

5.3 doom-leader-buffer-map

Teclas / sequência	Comando / ação
-	doom/toggle-narrow-buffer
B	switch-to-buffer
C	clone-indirect-buffer-other-window
I	+ibuffer/open-for-current-workspace
K	doom/kill-all-buffers
M	bookmark-delete
N	evil-buffer-new
O	doom/kill-other-buffers
R	rename-buffer
S	evil-write-all
X	doom/switch-to-scratch-buffer
Z	doom/kill-buried-buffers
[; p	previous-buffer
] ; n	next-buffer
b	persp-switch-to-buffer
c	clone-indirect-buffer
d ; k	kill-current-buffer

Teclas / sequência	Comando / ação
i	ibuffer
l	evil-switch-to-windows-last-buffer
m	bookmark-set
r	revert-buffer
s	basic-save-buffer
u	doom/sudo-save-buffer
x	doom/open-scratch-buffer
y	+default/yank-buffer-contents
z	bury-buffer

5.4 doom-leader-file-map

Teclas / sequência	Comando / ação
C	doom/copy-this-file
D	doom/delete-this-file
E	doom/browse-in-emacsd
F	+default/find-file-under-here
P	doom/open-private-config
R	doom/move-this-file
S	write-file
U	doom/sudo-this-file
Y	+default/yank-buffer-path-relative-to-project
c	editorconfig-find-current-editorconfig
d	+default/dired
e	doom/find-file-in-emacsd
f	find-file
l	locate
p	doom/find-file-in-private-config
r	recentf-open-files
s	basic-save-buffer
u	doom/sudo-find-file
y	+default/yank-buffer-path

5.5 doom-leader-project-map

Teclas / sequência	Comando / ação
!	projectile-run-shell-command-in-root
&	projectile-run-async-shell-command-in-root
.	+default/browse-project
>	doom/browse-in-other-project
C	projectile-repeat-last-command
D	+default/discover-projects
F	doom/find-file-in-other-project
R	projectile-run-project
T	projectile-test-project
X	doom/switch-to-project-scratch-buffer
a	projectile-add-known-project
b	preview-buffer
c	preview-clearout-buffer

Teclas / sequência	Comando / ação
d	projectile-remove-known-project
e	projectile-edit-dir-locals
f	projectile-find-file
g	projectile-configure-project
i	projectile-invalidate-cache
k	projectile-kill-buffers
o	find-sibling-file
p	preview-at-point
r	projectile-recentf
s	projectile-save-project-buffers
x	doom/toggle-project-scratch-buffer

5.6 doom-leader-search-map

Teclas / sequência	Comando / ação
B	Função anônima (lambda)
D	+default/search-other-cwd
I	consult-imenu-multi
K	+lookup/in-all-docsets
L	ffap-menu
O	+lookup/online-select
P	+default/search-other-project
S	+vertico/search-symbol-at-point
T	+lookup/synonyms
b ; s	+default/search-buffer
d	+default/search-cwd
e	+default/search-emacsd
f	locate
i	imenu
j	evil-show-jumps
k	+lookup/in-docsets
l	link-hint-open-link
m	bookmark-jump
o	+lookup/online
p	+default/search-project
r	evil-show-marks
t	+lookup/dictionary-definition
u	vundo

5.7 doom-leader-code-map

Teclas / sequência	Comando / ação
C	recompile
D	+lookup/references
E	+eval:replace-region
W	doom/delete-trailing-newlines
a	eglot-code-actions
c	compile
d	+lookup/definition

Teclas / sequência	Comando / ação
e	+eval/buffer-or-region
f	+format/region-or-buffer
i	+lookup/implementations
j	consult-eglot-symbols
k	+lookup/documentation
r	eglot-rename
s	+eval/buffer-or-region-in-repl
t	+lookup/type-definition
w	delete-trailing-whitespace
x	+default/diagnostics

5.8 doom-leader-git-map

Teclas / sequência	Comando / ação
'	forge-dispatch
.	magit-file-dispatch
/	magit-dispatch
B	magit-blame-addition
C ; c R	magit-clone
D	magit-file-delete
F	magit-fetch
G	magit-status-here
L	magit-log-buffer-file
R	vc-revert
S	magit-file-stage
U	magit-file-unstage
Y	+vc/git-link-kill-homepage
[	+vc-gutter/previous-hunk
]	+vc-gutter/next-hunk
b	magit-branch-checkout
c b	magit-branch-and-checkout
c c	magit-commit-create
c f	magit-commit-fixup
c i	forge-create-issue
c p	forge-create-pullreq
c r	magit-init
f c	magit-show-commit
f f	magit-find-file
f g	magit-find-git-config-file
f i	forge-visit-issue
f p	forge-visit-pullreq
g	magit-status
l i	forge-list-issues
l n	forge-list-notifications
l p	forge-list-pullreqs
l r	magit-list-repositories
l s	magit-list-submodules
o I	forge-browse-issues
o P	forge-browse-pullreqs
o c	forge-browse-commit

Teclas / sequência	Comando / ação
o h	+vc/git-link-homepage
o i	forge-browse-issue
o o	+vc/git-link
o p	forge-browse-pullreq
o r	forge-browse-remote
r	+vc-gutter/save-and-revert-hunk
s	+vc-gutter/stage-hunk
t	git-timemachine-toggle
y	+vc/git-link-kill

5.9 doom-leader-open-map

Teclas / sequência	Comando / ação
-	dired-jump
A ; a	org-agenda
F	select-frame-by-name
R	+eval/open-repl-same-window
T	+vterm/here
b	browse-url-of-file
c	org-capture
d	+debugger/start
f	make-frame
r	+eval/open-repl-other-window
t	+vterm/toggle

5.10 doom-leader-toggle-map

Teclas / sequência	Comando / ação
F	toggle-frame-fullscreen
I	doom/toggle-indent-style
b	doom-big-font-mode
c	global-display-fill-column-indicator-mode
d	diff-hl-mode
f	flycheck-mode
g	evil-goggles-mode
i	indent-bars-mode
l	doom/toggle-line-numbers
p	org-tree-slide-mode
r	read-only-mode
v	visible-mode
w	visual-line-mode

5.11 doom-leader-workspace-map

Teclas / sequência	Comando / ação
.	+workspace/switch-to
0	+workspace/switch-to-final

Teclas / sequência	Comando / ação
1	+workspace/switch-to-0
2	+workspace/switch-to-1
3	+workspace/switch-to-2
4	+workspace/switch-to-3
5	+workspace/switch-to-4
6	+workspace/switch-to-5
7	+workspace/switch-to-6
8	+workspace/switch-to-7
9	+workspace/switch-to-8
D	+workspace/delete
N	+workspace/new-named
R	+workspace/restore-last-session
TAB	+workspace/display
[	+workspace/switch-left
]	+workspace/switch-right
`	+workspace/other
d	+workspace/kill
l	+workspace/load
n	+workspace/new
r	+workspace/rename
s	+workspace/save
x	+workspace/kill-session

5.12 global-map

Teclas / sequência	Comando / ação
<Scroll_Lock>	scroll-lock-mode
<XF86Back> ; C-x <left> ; C-x C-<left>	previous-buffer
<XF86Forward> ; C-x <right> ; C-x C-<right>	next-buffer
<again> ; <redo> ; C-x ESC ESC ; C-x M-:	repeat-complex-command
<begin> ; C-<home> ; M-<	beginning-of-buffer
<bottom-divider> C-<mouse-2> ; <horizontal-scroll-bar> C-<mouse-2> ; <mode-line> C-<mouse-2>	mouse-split-window-horizontally
<compose-last-chars>	compose-last-chars
<copy> ; C-<insert> ; C-<insertchar> ; M-w	kill-ring-save
<cut> ; C-w ; S-<delete>	kill-region
<delete-frame>	handle-delete-frame
<deletechar>	delete-forward-char
<deleteline> ; C-k	kill-line
<down> ; C-n	next-line
<end>	move-end-of-line
<execute> ; <menu> ; M-x	execute-extended-command
<f10>	menu-bar-open
<f11>	toggle-frame-fullscreen
<f1> ' ; <help> ' ; C-h '	doom/describe-char

Teclas / sequência	Comando / ação
<f1> . ; <help> . ; C-h .	display-local-help
<f1> 4 i ; <help> 4 i ; C-h 4 i	info-other-window
<f1> 4 s ; <help> 4 s ; C-h 4 s	help-find-source
<f1> <f1> ; <f1> <help> ; <f1> ? ; <help> <f1> ; <help> <help> ; <help> ? ; C-h <f1> ; C-h <help>	help-for-help
C-h ?	help-for-help
<f1> A ; <help> A ; C-h A	apropos-documentation
<f1> B ; <help> B ; C-h B	my/open-doom-keybindings-catalog
<f1> C ; <f1> C-c ; <help> C ; <help> C-c ; C-h C ; C-h C-c	describe-coding-system
<f1> C-\ ; <f1> I ; <help> C-\ ; <help> I ; C-h C-\ ; C-h I	describe-input-method
<f1> C-a ; <help> C-a ; C-h C-a	about-emacs
<f1> C-d ; <help> C-d ; C-h C-d	view-emacs-debugging
<f1> C-e ; <help> C-e ; C-h C-e	view-external-packages
<f1> C-f ; <help> C-f ; C-h C-f	view-emacs-FAQ
<f1> C-k ; <f1> c ; <help> C-k ; <help> c ; C-h C-k ; C-h c	describe-key-briefly
<f1> C-l ; <f1> L ; <help> C-l ; <help> L ; C-h C-l ; C-h L	describe-language-environment
<f1> C-n ; <help> C-n ; C-h C-n	view-emacs-news
<f1> C-o ; <help> C-o ; C-h C-o	describe-distribution
<f1> C-p ; <help> C-p ; C-h C-p	view-emacs-problems
<f1> C-q ; <help> C-q ; C-h C-q	help-quick-toggle
<f1> C-s ; <help> C-s ; C-h C-s	search-forward-help-for-help
<f1> C-t ; <help> C-t ; C-h C-t	view-emacs-todo
<f1> C-w ; <help> C-w ; C-h C-w	describe-no-warranty
<f1> E ; <f1> d x ; <help> E ; <help> d x ; C-h E ; C-h d x	doom/sandbox
<f1> F ; <help> F ; C-h F	describe-face
<f1> H ; <f1> d h ; <help> H ; <help> d h ; C-h H ; C-h d h	doom/docs
<f1> K ; <help> K ; C-h K	Info-goto-emacs-key-command-node
<f1> M ; <help> M ; C-h M	doom/describe-active-minor-mode
<f1> O ; <help> O ; C-h O	+lookup/online
<f1> P ; <help> P ; C-h P	find-library
<f1> R ; <help> R ; C-h R	info-display-manual
<f1> RET ; <help> RET ; C-h RET	info-emacs-manual
<f1> S ; <help> S ; C-h S	info-lookup-symbol

Teclas / sequência	Comando / ação
<f1> T ; <f1> d t ; <help> T ; <help> d t ; C-h T ; C-h d t	doom/toggle-profiler
<f1> V ; <help> V ; C-h V	doom/describe-option
<f1> W ; <help> W ; C-h W	+default/man-or-woman
<f1> a ; <help> a ; C-h a	apropos
<f1> b b ; <help> b b ; C-h b b	describe-bindings
<f1> b f ; <help> b f ; C-h b f	which-key-show-full-keymap
<f1> b i ; <help> b i ; C-h b i	which-key-show-minor-mode-keymap
<f1> b k ; <help> b k ; C-h b k	which-key-show-keymap
<f1> b m ; <help> b m ; C-h b m	which-key-show-major-mode
<f1> b t ; <help> b t ; C-h b t	which-key-show-top-level
<f1> d L ; <help> d L ; C-h d L	doom/help-search-loaded-files
<f1> d M ; <help> d M ; C-h d M	doom/docs-module
<f1> d S ; <help> d S ; C-h d S	doom/docs-search
<f1> d a ; <f1> u ; <help> d a ; <help> u ; C-h d a ; C-h u	doom/describe-autodef
<f1> d b ; <help> d b ; C-h d b	doom/report-bug
<f1> d c ; <help> d c ; C-h d c	doom/open-private-config
<f1> d d ; <help> d d ; C-h d d	doom-debug-mode
<f1> d f ; <help> d f ; C-h d f	doom/docs-find-file
<f1> d i ; <help> d i ; C-h d i	doom/info
<f1> d l ; <help> d l ; C-h d l	doom/help-search-load-path
<f1> d m ; <help> d m ; C-h d m	doom/describe-module
<f1> d n ; <help> d n ; C-h d n	doom/docs-news
<f1> d p c ; <help> d p c ; C-h d p c	doom/help-package-config
<f1> d p h ; <help> d p h ; C-h d p h	doom/help-package-homepage
<f1> d p p ; <f1> p ; <help> d p p ; <help> p ; C-h d p p ; C-h p	doom/describe-package
<f1> d s ; <help> d s ; C-h d s	doom/docs-headings
<f1> d v ; <help> d v ; C-h d v	doom/version
<f1> e ; <help> e ; C-h e	view-echo-area-messages
<f1> f ; <help> f ; C-h f	describe-function
<f1> g ; <help> g ; C-h g	describe-gnu-project

Teclas / sequência	Comando / ação
<f1> h ; <help> h ; C-h h	doom/help
<f1> i ; <help> i ; C-h i	info
<f1> k ; <help> k ; C-h k	describe-key
<f1> l ; <help> l ; C-h l	view-lossage
<f1> m ; <help> m ; C-h m	describe-mode
<f1> n ; <help> n ; C-h n	doom/help-news
<f1> o ; <help> o ; C-h o	describe-symbol
<f1> q ; <help> q ; C-h q	help-quit
<f1> r d ; <help> r d ; C-h r d	doom/reload-docs
<f1> r e ; <help> r e ; C-h r e	doom/reload-env
<f1> r f ; <help> r f ; C-h r f	doom/reload-font
<f1> r p ; <help> r p ; C-h r p	doom/reload-packages
<f1> r r ; <help> r r ; C-h r r	doom/reload
<f1> r t ; <help> r t ; C-h r t	doom/reload-theme
<f1> s ; <help> s ; C-h s	describe-syntax
<f1> t ; <help> t ; C-h t	load-theme
<f1> v ; <help> v ; C-h v	describe-variable
<f1> w ; <help> w ; C-h w	where-is
<f1> x ; <help> x ; C-h x	describe-command
<f2> 2 ; <f2> <f2> ; C-x 6 2 ; C-x 6 <f2>	2C-two-columns
<f2> b ; C-x 6 b	2C-associate-buffer
<f2> s ; C-x 6 s	2C-split
<f3>	kmacro-start-macro-or-insert-counter
<f4>	kmacro-end-or-call-macro
<find>	search-forward
<home>	move-beginning-of-line
<iconify-frame> ; <make-frame-visible> ; <touch-end> ; C-<down-mouse-3> ; C-M-<drag-mouse-1>	ignore
<insert> ; <insertchar>	overwrite-mode
<insertline> ; C-o	open-line
<left>	left-char
<next> ; C-v	scroll-up-command
<open> ; C-x C-f	find-file
<paste> ; C-y ; S-<insert> ; S-<insertchar>	yank
<pinch>	text-scale-pinch
<prior> ; M-v	scroll-down-command
<quail-advice>	quail-advice
<remap> <Info-search>	consult-info
<remap> <bookmark-jump>	consult-bookmark
<remap> <comment-line>	evilnc-comment-or-uncomment-lines
<remap> <delete-frame>	doom/delete-frame-with-prompt
<remap> <describe-bindings>	embark-bindings
<remap> <describe-command>	helpful-command

Teclas / sequência	Comando / ação
<remap> <describe-function>	helpful-callable
<remap> <describe-key>	helpful-key
<remap> <describe-variable>	helpful-variable
<remap> <eval-buffer> ; M-r	+eval/buffer
<remap> <eval-defun>	eros-eval-defun
<remap> <eval-last-sexp>	eros-eval-last-sexp
<remap> <eval-region>	+eval/region
<remap> <evil-close-fold>	+fold/close
<remap> <evil-close-folds>	+fold/close-all
<remap> <evil-jump-backward> ; <remap> <xref-go-back> ; <remap> <xref-pop-marker-stack>	better-jumper-jump-backward
<remap> <evil-jump-forward> ; <remap> <xref-go-forward>	better-jumper-jump-forward
<remap> <evil-jump-to-tag> ; <remap> <find-tag>	projectile-find-tag
<remap> <evil-open-fold-rec>	+fold/open-rec
<remap> <evil-open-fold>	+fold/open
<remap> <evil-open-folds>	+fold/open-all
<remap> <evil-show-jumps>	+vertico/jump-list
<remap> <evil-show-marks>	consult-mark
<remap> <evil-show-registers>	consult-register
<remap> <evil-toggle-fold>	+fold/toggle
<remap> <goto-line>	consult-goto-line
<remap> <imenu>	consult-imenu
<remap> <keyboard-quit>	doom/escape
<remap> <list-directory>	consult-dir
<remap> <load-theme>	consult-theme
<remap> <locate>	consult-locate
<remap> <other-window>	ace-window
<remap> <persp-switch-to-buffer>	+vertico/switch-workspace-buffer
<remap> <recentf-open-files>	consult-recent-file
<remap> <switch-to-buffer-other-frame>	consult-buffer-other-frame
<remap> <switch-to-buffer-other-window>	consult-buffer-other-window
<remap> <switch-to-buffer>	consult-buffer
<remap> <xref-find-definitions>	+lookup/definition
<remap> <xref-find-references>	+lookup/references
<remap> <yank-pop>	consult-yank-pop
<remap> <yas-insert-snippet>	consult-yasnippet
<right-divider> C-<mouse-2> ; <vertical-line> C-<mouse-2> ; <vertical-scroll-bar> C-<mouse-2>	mouse-split-window-vertically
<right>	right-char
<select-window>	handle-select-window
<switch-frame>	handle-switch-frame
<text-conversion>	analyze-text-conversion
<undo> ; C-/ ; C-_ ; C-x u	undo
<up> ; C-p	previous-line

Teclas / sequência	Comando / ação
<xterm-paste>	xterm-paste
C-- ; C-M-- ; M--	negative-argument
C-0 ; C-1 ; C-2 ; C-3 ; C-4 ; C-5 ; C-6 ; C-7	digit-argument
C-8 ; C-9 ; C-M-0 ; C-M-1 ; C-M-2 ; C-M-3 ; C-M-4 ; C-M-5	digit-argument
C-M-6 ; C-M-7 ; C-M-8 ; C-M-9	digit-argument
C-;	embark-act
C-<backspace> ; M-DEL	backward-kill-word
C-<delete> ; M-d	kill-word
C-<down-mouse-1>	mouse-buffer-menu
C-<down-mouse-2> <bg> o	facemenu-set-background
C-<down-mouse-2> <dc>	list-colors-display
C-<down-mouse-2> <df>	list-faces-display
C-<down-mouse-2> <dp>	describe-text-properties
C-<down-mouse-2> <fc> b	facemenu-set-bold
C-<down-mouse-2> <fc> d	facemenu-set-default
C-<down-mouse-2> <fc> i	facemenu-set-italic
C-<down-mouse-2> <fc> l	facemenu-set-bold-italic
C-<down-mouse-2> <fc> o	facemenu-set-face
C-<down-mouse-2> <fc> u	facemenu-set-underline
C-<down-mouse-2> <fg> o	facemenu-set-foreground
C-<down-mouse-2> <in> <decrease-left-margin>	decrease-left-margin
C-<down-mouse-2> <in> <decrease-right-margin>	decrease-right-margin
C-<down-mouse-2> <in> <increase-left-margin>	increase-left-margin
C-<down-mouse-2> <in> <increase-right-margin>	increase-right-margin
C-<down-mouse-2> <ju> b	set-justification-full
C-<down-mouse-2> <ju> c	set-justification-center
C-<down-mouse-2> <ju> l	set-justification-left
C-<down-mouse-2> <ju> r	set-justification-right
C-<down-mouse-2> <ju> u	set-justification-none
C-<down-mouse-2> <ra>	facemenu-remove-all
C-<down-mouse-2> <rm>	facemenu-remove-face-props
C-<down-mouse-2> <sp> c	facemenu-set-charset
C-<down-mouse-2> <sp> r	facemenu-set-read-only
C-<down-mouse-2> <sp> s	facemenu-remove-special
C-<down-mouse-2> <sp> t	facemenu-set-intangible
C-<down-mouse-2> <sp> v	facemenu-set-invisible
C-<down> ; M-}	forward-paragraph
C-<end> ; M->	end-of-buffer
C-<f10>	buffer-menu-open
C-<left>	left-word
C-<mouse-4> ; C-<mouse-5> ; C-<wheel-down> ; C-<wheel-up>	mouse-wheel-text-scale
C-<next> ; C-x <	scroll-left
C-<prior> ; C-x >	scroll-right
C-<return> ; C-RET	+default/newline-below
C-<right>	right-word
C-<tab> ; C-TAB	copilot-accept-completion-by-word

Teclas / sequência	Comando / ação
C-<up> ; M-{	backward-paragraph
C-? ; C-M-_	undo-redo
C-@ ; C-SPC	set-mark-command
C-M-%	query-replace-regexp
C-M-,	xref-go-forward
C-M-.	xref-find-apropos
C-M-/	dabbrev-completion
C-M-<backspace> ; C-M-<delete> ; ESC C-<backspace> ; ESC C-<delete>	backward-kill-sexp
C-M-<down-mouse-1>	mouse-drag-region-rectangle
C-M-<down> ; C-M-d ; ESC C-<down>	down-list
C-M-<end> ; C-M-e ; ESC C-<end>	end-of-defun
C-M-<home> ; C-M-a ; ESC C-<home>	beginning-of-defun
C-M-<left> ; C-M-b ; ESC C-<left>	backward-sexp
C-M-<mouse-1>	mouse-set-point
C-M-<mouse-4> ; C-M-<mouse-5> ; C-M-<wheel-down> ; C-M-<wheel-up>	mouse-wheel-global-text-scale
C-M-<right> ; C-M-f ; ESC C-<right>	forward-sexp
C-M-<up> ; C-M-u ; ESC C-<up>	backward-up-list
C-M-@ ; C-M-SPC	mark-sexp
C-M-S-l	recenter-other-window
C-M-S-v ; ESC <prior> ; M-<prior>	scroll-other-window-down
C-M-\	indent-region
C-M-c	exit-recursive-edit
C-M-h	mark-defun
C-M-i	complete-symbol
C-M-j ; M-j	default-indent-new-line
C-M-k	kill-sexp
C-M-l	reposition-window
C-M-n	forward-list
C-M-o	split-line
C-M-p	backward-list
C-M-r	isearch-backward-regexp
C-M-s	isearch-forward-regexp
C-M-t	transpose-sexps
C-M-v ; ESC <next> ; M-<next>	scroll-other-window
C-M-w	append-next-kill
C-S-<backspace>	kill-whole-line
C-S-<return> ; C-S-RET	+default/newline-above
C-\	toggle-input-method
C-]	abort-recursive-edit
C-`	+popup/toggle
C-a	doom/backward-to-bol-or-indent
C-b	backward-char
C-c M-g	magit-file-dispatch

Teclas / sequência	Comando / ação
C-d	delete-char
C-e	doom/forward-to-last-non-comment-or-eol
C-f	forward-char
C-g	keyboard-quit
C-j	electric-newline-and-maybe-indent
C-l	recenter-top-bottom
C-q	quoted-insert
C-r	isearch-backward
C-s	isearch-forward
C-t	transpose-chars
C-u	universal-argument
C-x #	server-edit
C-x $	set-selective-display
C-x '	expand-abbrev
C-x (; C-x C-k C-s ; C-x C-k s	kmacro-start-macro
C-x)	kmacro-end-macro
C-x *	calc-dispatch
C-x +	balance-windows
C-x -	shrink-window-if-larger-than-buffer
C-x .	set-fill-prefix
C-x 0	delete-window
C-x 1	delete-other-windows
C-x 2	split-window-below
C-x 3	split-window-right
C-x 4 .	xref-find-definitions-other-window
C-x 4 0	kill-buffer-and-window
C-x 4 1	same-window-prefix
C-x 4 4	other-window-prefix
C-x 4 C-f ; C-x 4 f	find-file-other-window
C-x 4 C-j	dired-jump-other-window
C-x 4 C-o	display-buffer
C-x 4 a	add-change-log-entry-other-window
C-x 4 b	switch-to-buffer-other-window
C-x 4 c	clone-indirect-buffer-other-window
C-x 4 d	dired-other-window
C-x 4 m	compose-mail-other-window
C-x 4 p	project-other-window-command
C-x 4 r	find-file-read-only-other-window
C-x 5 .	xref-find-definitions-other-frame
C-x 5 0	delete-frame
C-x 5 1	delete-other-frames
C-x 5 2	make-frame-command
C-x 5 5	other-frame-prefix
C-x 5 C-f ; C-x 5 f	find-file-other-frame
C-x 5 C-o	display-buffer-other-frame
C-x 5 b	switch-to-buffer-other-frame
C-x 5 c	clone-frame
C-x 5 d	dired-other-frame
C-x 5 m	compose-mail-other-frame
C-x 5 o	other-frame
C-x 5 p	project-other-frame-command

Teclas / sequência	Comando / ação
C-x 5 r	find-file-read-only-other-frame
C-x 5 u	undelete-frame
C-x 8 RET	insert-char
C-x 8 e +	emoji-zoom-increase
C-x 8 e -	emoji-zoom-decrease
C-x 8 e 0	emoji-zoom-reset
C-x 8 e d	emoji-describe
C-x 8 e e ; C-x 8 e i	emoji-insert
C-x 8 e l	emoji-list
C-x 8 e r	emoji-recent
C-x 8 e s	emoji-search
C-x ;	comment-set-column
C-x =	what-cursor-position
C-x C-+ ; C-x C-- ; C-x C-0 ; C-x C-=	text-scale-adjust
C-x C-;	comment-line
C-x C-@ ; C-x C-SPC	pop-global-mark
C-x C-M-+ ; C-x C-M-- ; C-x C-M-0 ; C-x C-M-=	global-text-scale-adjust
C-x C-a	**Mapa:** gud-global-map
C-x C-b	list-buffers
C-x C-c	save-buffers-kill-terminal
C-x C-d	list-directory
C-x C-e	eval-last-sexp
C-x C-j	dired-jump
C-x C-k C-a	kmacro-add-counter
C-x C-k C-c	kmacro-set-counter
C-x C-k C-d	kmacro-delete-ring-head
C-x C-k C-e	kmacro-edit-macro-repeat
C-x C-k C-f	kmacro-set-format
C-x C-k C-k	kmacro-end-or-call-macro-repeat
C-x C-k C-l	kmacro-call-ring-2nd-repeat
C-x C-k C-n	kmacro-cycle-ring-next
C-x C-k C-p	kmacro-cycle-ring-previous
C-x C-k C-q <	kmacro-quit-counter-less
C-x C-k C-q =	kmacro-quit-counter-equal
C-x C-k C-q >	kmacro-quit-counter-greater
C-x C-k C-r a <	kmacro-reg-add-counter-less
C-x C-k C-r a =	kmacro-reg-add-counter-equal
C-x C-k C-r a >	kmacro-reg-add-counter-greater
C-x C-k C-r l	kmacro-reg-load-counter
C-x C-k C-r s	kmacro-reg-save-counter
C-x C-k C-t	kmacro-swap-ring
C-x C-k C-v	kmacro-view-macro-repeat
C-x C-k RET	kmacro-edit-macro
C-x C-k SPC	kmacro-step-edit-macro
C-x C-k TAB	kmacro-insert-counter
C-x C-k b	kmacro-bind-to-key
C-x C-k d	kmacro-redisplay
C-x C-k e	edit-kbd-macro
C-x C-k l	kmacro-edit-lossage
C-x C-k n	kmacro-name-last-macro

Teclas / sequência	Comando / ação
C-x C-k q ; C-x q	kbd-macro-query
C-x C-k r	apply-macro-to-region-lines
C-x C-k x	kmacro-to-register
C-x C-l	downcase-region
C-x C-n	set-goal-column
C-x C-o	delete-blank-lines
C-x C-p	mark-page
C-x C-q	read-only-mode
C-x C-r	find-file-read-only
C-x C-s	save-buffer
C-x C-t	transpose-lines
C-x C-u	upcase-region
C-x C-v	find-alternate-file
C-x C-w	write-file
C-x C-x	exchange-point-and-mark
C-x C-z ; C-z	suspend-frame
C-x DEL	backward-kill-sentence
C-x M-g	magit-dispatch
C-x O	other-window-backward
C-x RET	**Mapa:** mule-keymap
C-x SPC	rectangle-mark-mode
C-x TAB	indent-rigidly
C-x X	**Mapa:** edebug-global-map
C-x [	backward-page
C-x \	activate-transient-input-method
C-x]	forward-page
C-x ^	enlarge-window
C-x `	next-error
C-x a	**Mapa:** abbrev-map
C-x b	switch-to-buffer
C-x d	dired
C-x e ; S-<mouse-3>	kmacro-end-and-call-macro
C-x f	set-fill-column
C-x g	magit-status
C-x h	mark-whole-buffer
C-x i	insert-file
C-x k	kill-buffer
C-x l	count-lines-page
C-x m	compose-mail
C-x n	**Mapa:** narrow-map
C-x o	other-window
C-x p	+popup/other
C-x r	**Mapa:** ctl-x-r-map
C-x s	save-some-buffers
C-x t	**Mapa:** tab-prefix-map
C-x v	**Mapa:** vc-prefix-map
C-x w	**Mapa:** window-prefix-map
C-x x	**Mapa:** ctl-x-x-map
C-x z	repeat
C-x {	shrink-window-horizontally
C-x }	enlarge-window-horizontally
C-~	+popup/raise

Teclas / sequência	Comando / ação
DEL	delete-backward-char
ESC <begin> ; ESC <home> ; M-<begin> ; M-<home>	beginning-of-buffer-other-window
ESC <end> ; M-<end>	end-of-buffer-other-window
ESC <f10> ; M-<f10>	toggle-frame-maximized
ESC <left> ; M-b	backward-word
ESC <right> ; M-f	forward-word
ESC ESC ESC	keyboard-escape-quit
ESC M-: ; M-:	eval-expression
M-!	shell-command
M-$	ispell-word
M-%	query-replace
M-&	async-shell-command
M-'	abbrev-prefix-mark
M-(	insert-parentheses
M-)	move-past-close-and-reindent
M-,	xref-go-back
M-.	xref-find-definitions
M-/	dabbrev-expand
M-0	+workspace/switch-to-final
M-1	+workspace/switch-to-0
M-2	+workspace/switch-to-1
M-3	+workspace/switch-to-2
M-4	+workspace/switch-to-3
M-5	+workspace/switch-to-4
M-6	+workspace/switch-to-5
M-7	+workspace/switch-to-6
M-8	+workspace/switch-to-7
M-9	+workspace/switch-to-8
M-;	comment-dwim
M-<down-mouse-1>	mouse-drag-secondary
M-<down>	windmove-down
M-<drag-mouse-1>	mouse-set-secondary
M-<left>	windmove-left
M-<mouse-1>	mouse-start-secondary
M-<mouse-2>	mouse-yank-secondary
M-<mouse-3>	mouse-secondary-save-then-kill
M-<mouse-4> ; M-<mouse-5> ; M-<mouse-6> ; M-<mouse-7> ; M-<wheel-down> ; M-<wheel-left> ; M-<wheel-right> ; M-<wheel-up>	mwheel-scroll
S-<mouse-4> ; S-<mouse-5> ; S-<mouse-6> ; S-<mouse-7> ; S-<wheel-down> ; S-<wheel-left> ; S-<wheel-right> ; S-<wheel-up>	mwheel-scroll
M-<right>	windmove-right
M-<up>	windmove-up
M-=	count-words-region
M-?	xref-find-references
M-@	mark-word
M-SPC	cycle-spacing
M-X	execute-extended-command-for-buffer
M-\	delete-horizontal-space

Teclas / sequência	Comando / ação
M-^	delete-indentation
M-`	tmm-menubar
M-a	backward-sentence
M-c	capitalize-word
M-e	forward-sentence
M-g	**Mapa:** goto-map
M-h	mark-paragraph
M-i	tab-to-tab-stop
M-k	kill-sentence
M-l	downcase-word
M-m	back-to-indentation
M-q	fill-paragraph
M-s	**Mapa:** search-map
M-t	transpose-words
M-u	upcase-word
M-y	yank-pop
M-z	zap-to-char
M-|	shell-command-on-region
M-~	not-modified
RET	newline
S-<down-mouse-1>	mouse-appearance-menu
S-<f10>	context-menu-open
SPC ... ~ ; <U+0080> ... \377	self-insert-command
TAB	indent-for-tab-command

5.13 evil-normal-state-map

Teclas / sequência	Comando / ação
"	evil-use-register
&	evil-ex-repeat-substitute
.	evil-repeat
<	evil-shift-left
<deletechar> ; x	evil-delete-char
<escape>	evil-force-normal-state
<insert> ; <insertchar> ; i	evil-insert
<remap> <cua-paste-pop> ; <rem ap> <yank-pop> ; C-p	evil-paste-pop
=	evil-indent
>	evil-shift-right
@	evil-execute-macro
A	evil-append-line
C	evil-change-line
C-+	doom/reset-font-size
C--	text-scale-decrease
C-.	evil-repeat-pop
C-<return>	+default/newline-below
C-<tab>	aya-create
C-=	text-scale-increase
C-M--	doom/decrease-font-size
C-M-=	doom/increase-font-size

Teclas / sequência	Comando / ação
C-S-<return>	+default/newline-above
C-S-f	toggle-frame-fullscreen
C-S-t	+workspace/display
C-n	evil-paste-pop-next
C-r	evil-redo
C-t	+workspace/new
D	evil-delete-line
DEL	evil-backward-char
I	evil-insert-line
J	evil-join
K	+lookup/documentation
M-.	evil-repeat-pop-next
O	evil-open-above
P	evil-paste-before
Q	evil-execute-last-recorded-macro
R	evil-enter-replace-state
S	evil-change-whole-line
X	evil-delete-backward-char
Y	evil-yank-line
Z Q	evil-quit
Z X	doom/save-and-kill-buffer
Z Z	evil-save-modified-and-close
[F	+evil/previous-frame
[SPC ; [o	+evil/insert-newline-above
[b	previous-buffer
[f	+evil/previous-file
[w	+workspace/switch-left
] F	+evil/next-frame
] SPC ;] o	+evil/insert-newline-below
] b	next-buffer
] f	+evil/next-file
] w	+workspace/switch-right
a	evil-append
c	evil-change
d	evil-delete
g &	evil-ex-repeat-global-substitute
g ,	evil-goto-last-change-reverse
g -	evil-numbers/dec-at-pt
g 8 ; g a	what-cursor-position
g ;	evil-goto-last-change
g =	evil-numbers/inc-at-pt
g ?	evil-rot13
g @	+evil:apply-macro
g D	+lookup/references
g F	evil-find-file-at-point-with-line
g I	+lookup/implementations
g J	evil-join-whitespace
g L	evil-lion-right
g O	imenu
g P	evil-paste-before-cursor-after
g Q	+format:region
g R	+eval/buffer

Teclas / sequência	Comando / ação
g T	+workspace:switch-previous
g U	evil-upcase
g c	evilnc-comment-operator
g d	+lookup/definition
g f	+lookup/file
g i	evil-insert-resume
g l	evil-lion-left
g p	+evil/reselect-paste
g q	evil-fill-and-move
g r	+eval:region
g t	+workspace:switch-next
g u	evil-downcase
g w	evil-fill
g x	evil-exchange
g y	+evil:yank-unindented
g ~	evil-invert-case
m	evil-set-marker
o	evil-open-below
p	evil-paste-after
q	evil-record-macro
r	evil-replace
s	evil-substitute
u	evil-undo
y	evil-yank
z =	ispell-word
z N	doom/widen-indirectly-narrowed-buffer
z O	evil-open-fold-rec
z a	evil-toggle-fold
z c	evil-close-fold
z m	evil-close-folds
z n	+evil:narrow-buffer
z o	evil-open-fold
z r	evil-open-folds
z x	kill-current-buffer
~	evil-invert-char

5.14 evil-insert-state-map

Teclas / sequência	Comando / ação
<delete>	delete-char
<escape>	evil-normal-state
<insert>	evil-enter-replace-state
<remap> <delete-backward-char>	evil-delete-backward-char-and-join
C-<tab>	aya-expand
C-@	evil-paste-last-insertion-and-stop-insert
C-RET	+default/newline-below
C-S-RET	+default/newline-above
C-a	doom/backward-to-bol-or-indent
C-d	evil-shift-left-line
C-e	doom/forward-to-last-non-comment-or-eol

Teclas / sequência	Comando / ação
C-g	evil-escape
C-k	evil-insert-digraph
C-n	evil-complete-next
C-o	evil-execute-in-normal-state
C-p	evil-complete-previous
C-q ; C-v	evil-quoted-insert
C-r	evil-paste-from-register
C-t	evil-shift-right-line
C-u	evil-delete-back-to-indentation
C-w	evil-delete-backward-word
C-x C-]	complete-tag
C-x C-f	cape-file
C-x C-k	cape-keyword
C-x C-l	cape-line
C-x C-n	cape-dabbrev
C-x C-o	completion-at-point
C-x C-p	+corfu/dabbrev-this-buffer
C-x C-s	yasnippet-capf
C-x s	cape-dict
C-y	evil-copy-from-above
C-z	evil-emacs-state
S-<left>	evil-backward-word-begin
S-<return> ; S-RET	electric-newline-and-maybe-indent
S-<right>	evil-forward-word-begin

5.15 evil-visual-state-map

Teclas / sequência	Comando / ação
#	evil-visualstar/begin-search-backward
*	evil-visualstar/begin-search-forward
<	+evil/shift-left
<escape>	evil-exit-visual-state
<insert> ; <insertchar> ; <rem ap> <evil-repeat>	undefined
>	+evil/shift-right
@ ; g @	+evil:apply-macro
A	evil-append
C-<tab>	aya-create
C-g	evil-escape
I	evil-insert
K	+lookup/documentation
O	evil-visual-exchange-corners
R	evil-change-whole-line
S	evil-surround-region
U	evil-upcase
X	evil-delete-line
a	**Mapa:** evil-outer-text-objects-map
g +	evil-numbers/inc-at-pt
g -	evil-numbers/dec-at-pt-incremental
g =	evil-numbers/inc-at-pt-incremental

Teclas / sequência	Comando / ação
g D	+lookup/references
g I	+lookup/implementations
g L	evil-lion-right
g O	imenu
g R	+eval:replace-region
g c	evilnc-comment-operator
g d	+lookup/definition
g f	+lookup/file
g l	evil-lion-left
g p	+evil/alt-paste
g r	+eval:region
g x	evil-exchange
g y	+evil:yank-unindented
i	**Mapa:** evil-inner-text-objects-map
o	exchange-point-and-mark
u	evil-downcase
z n	+evil:narrow-buffer

5.16 evil-motion-state-map

Herda de: evil-suppress-map.

Teclas / sequência	Comando / ação
!	evil-shell-command
#	evil-ex-search-word-backward
$; <end>	evil-end-of-line
%	evil-jump-item
'	evil-goto-mark-line
(	evil-backward-sentence-begin
)	evil-forward-sentence-begin
*	evil-ex-search-word-forward
+	evil-next-line-first-non-blank
,	evil-repeat-find-char-reverse
-	evil-previous-line-first-non-blank
/	evil-ex-search-forward
0 ; <home>	evil-beginning-of-line
1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7 ; 8	digit-argument
9	digit-argument
: ; C-w :	evil-ex
;	evil-repeat-find-char
<C-i>	evil-jump-forward
<down> ; j	evil-next-line
<left> ; h	evil-backward-char
<remap> <ace-jump-char-mode>	evil-ace-jump-char-mode
<remap> <ace-jump-line-mode>	evil-ace-jump-line-mode
<remap> <ace-jump-word-mode>	evil-ace-jump-word-mode
<remap> <avy-goto-char-2-above>	evil-avy-goto-char-2-above
<remap> <avy-goto-char-2-below>	evil-avy-goto-char-2-below
<remap> <avy-goto-char-2>	evil-avy-goto-char-2

Teclas / sequência	Comando / ação
<remap> <avy-goto-char-in-line>	evil-avy-goto-char-in-line
<remap> <avy-goto-char-timer>	evil-avy-goto-char-timer
<remap> <avy-goto-char>	evil-avy-goto-char
<remap> <avy-goto-line-above>	evil-avy-goto-line-above
<remap> <avy-goto-line-below>	evil-avy-goto-line-below
<remap> <avy-goto-line>	evil-avy-goto-line
<remap> <avy-goto-subword-0>	evil-avy-goto-subword-0
<remap> <avy-goto-subword-1>	evil-avy-goto-subword-1
<remap> <avy-goto-symbol-1-above>	evil-avy-goto-symbol-1-above
<remap> <avy-goto-symbol-1-below>	evil-avy-goto-symbol-1-below
<remap> <avy-goto-symbol-1>	evil-avy-goto-symbol-1
<remap> <avy-goto-word-0>	evil-avy-goto-word-0
<remap> <avy-goto-word-1-above>	evil-avy-goto-word-1-above
<remap> <avy-goto-word-1-below>	evil-avy-goto-word-1-below
<remap> <avy-goto-word-1>	evil-avy-goto-word-1
<remap> <avy-goto-word-or-subword-1>	evil-avy-goto-word-or-subword-1
<right> ; SPC ; l	evil-forward-char
<up> ; k	evil-previous-line
?	evil-ex-search-backward
B	evil-backward-WORD-begin
C-6	evil-switch-to-windows-last-buffer
C-] ; g C-]	evil-jump-to-tag
C-^	evil-buffer
C-b	evil-scroll-page-up
C-d	evil-scroll-down
C-e	evil-scroll-line-down
C-f	evil-scroll-page-down
C-o	evil-jump-backward
C-u	evil-scroll-up
C-v	evil-visual-block
C-w +	evil-window-increase-height
C-w -	evil-window-decrease-height
C-w 0 ; C-w 1 ; C-w 2 ; C-w 3 ; C-w 4 ; C-w 5 ; C-w 6 ; C-w 7	evil-window-digit-argument
C-w 8 ; C-w 9	evil-window-digit-argument
C-w <	evil-window-decrease-width
C-w <down> ; C-w C-<down> ; C-w C-j ; C-w j	evil-window-down
C-w <left> ; C-w C-<left> ; C-w C-h ; C-w h	evil-window-left
C-w <right> ; C-w C-<right> ; C-w C-l ; C-w l	evil-window-right
C-w <up> ; C-w C-<up> ; C-w C-k ; C-w k	evil-window-up
C-w = ; C-w C-=	balance-windows
C-w >	evil-window-increase-width

Teclas / sequência	Comando / ação
C-w C-S-h	evil-window-move-far-left
C-w C-S-j	evil-window-move-very-bottom
C-w C-S-k	evil-window-move-very-top
C-w C-S-l	evil-window-move-far-right
C-w C-S-r ; C-w R	evil-window-rotate-upwards
C-w C-S-s ; C-w C-s ; C-w s	evil-window-split
C-w C-S-w	ace-swap-window
C-w C-_ ; C-w _	evil-window-set-height
C-w C-b ; C-w b	evil-window-bottom-right
C-w C-c	ace-delete-window
C-w C-f ; C-w f	ffap-other-window
C-w C-n ; C-w n	evil-window-new
C-w C-o	delete-other-windows
C-w C-p ; C-w p	evil-window-mru
C-w C-q ; C-w q	evil-quit
C-w C-r	winner-redo
C-w C-t ; C-w t	evil-window-top-left
C-w C-u ; C-w u	winner-undo
C-w C-v ; C-w v	evil-window-vsplit
C-w C-w	other-window
C-w C-x ; C-w x	evil-window-exchange
C-w H	+evil/window-move-left
C-w J	+evil/window-move-down
C-w K	+evil/window-move-up
C-w L	+evil/window-move-right
C-w S	+evil/window-split-and-follow
C-w T	tear-off-window
C-w V	+evil/window-vsplit-and-follow
C-w W	evil-window-prev
C-w c ; C-w d	evil-window-delete
C-w g T ; g T	tab-bar-switch-to-prev-tab
C-w g t ; g t	evil-tab-next
C-w m m	doom/window-maximize-buffer
C-w m s	doom/window-maximize-horizontally
C-w m v	doom/window-maximize-vertically
C-w o	doom/window-enlargen
C-w r	evil-window-rotate-downwards
C-w w	evil-window-next
C-w |	evil-window-set-width
C-y	evil-scroll-line-up
C-z	evil-emacs-state
E	evil-forward-WORD-end
F	evil-find-char-backward
G	evil-goto-line
H	evil-window-top
K	evil-lookup
L	evil-window-bottom
M	evil-window-middle
N	evil-ex-search-previous
RET	evil-ret
T	evil-find-char-to-backward
V	evil-visual-line

Teclas / sequência	Comando / ação
W	evil-forward-WORD-begin
Y	evil-yank-line
[#	+evil/previous-preproc-directive
['	evil-previous-mark-line
[(	evil-previous-open-paren
[M	+evil/previous-end-of-method
[[	evil-backward-section-begin
[ ]	evil-backward-section-end
[`	evil-previous-mark
[a	evil-backward-arg
[c	+evil/previous-comment
[d	+vc-gutter/previous-hunk
[e	previous-error
[h	outline-previous-visible-heading
[m	+evil/previous-beginning-of-method
[s	evil-prev-flyspell-error
[t	hl-todo-previous
[u	+evil:url-encode
[x	+web:encode-html-entities
[y	+evil:c-string-encode
[{	evil-previous-open-brace
\	evil-execute-in-emacs-state
] #	+evil/next-preproc-directive
] '	evil-next-mark-line
])	evil-next-close-paren
] M	+evil/next-end-of-method
] [	evil-forward-section-end
]]	evil-forward-section-begin
] `	evil-next-mark
] a	evil-forward-arg
] c	+evil/next-comment
] d	+vc-gutter/next-hunk
] e	next-error
] h	outline-next-visible-heading
] m	+evil/next-beginning-of-method
] s	evil-next-flyspell-error
] t	hl-todo-next
] u	+evil:url-decode
] x	+web:decode-html-entities
] y	+evil:c-string-decode
] }	evil-next-close-brace
^	evil-first-non-blank
_	evil-next-line-1-first-non-blank
`	evil-goto-mark
b	evil-backward-word-begin
e	evil-forward-word-end
f	evil-find-char
g #	evil-ex-search-unbounded-word-backward
g $; g <end>	evil-end-of-visual-line
g *	evil-ex-search-unbounded-word-forward
g 0	evil-beginning-of-visual-line
g <down> ; g j	evil-next-visual-line

Teclas / sequência	Comando / ação
g <home> ; g ^	evil-first-non-blank-of-visual-line
g <up> ; g k	evil-previous-visual-line
g C-g	count-words
g E	evil-backward-WORD-end
g M	evil-percentage-of-line
g N	evil-previous-match
g _	evil-last-non-blank
g d	evil-goto-definition
g e	evil-backward-word-end
g g	evil-goto-first-line
g m	evil-middle-of-visual-line
g n	evil-next-match
g o	evil-goto-char
g s	**Mapa:** evilem-map
g v	evil-visual-restore
n	evil-ex-search-next
t	evil-find-char-to
v	evil-visual-char
w	evil-forward-word-begin
y	evil-yank
z +	evil-scroll-bottom-line-to-top
z -	evil-scroll-line-to-bottom-first-non-blank
z .	evil-scroll-line-to-center-first-non-blank
z <left> ; z h	evil-scroll-column-left
z <return> ; z RET	evil-scroll-line-to-top-first-non-blank
z <right> ; z l	evil-scroll-column-right
z E	vimish-fold-delete-all
z F	evil-vimish-fold/create-line
z H ; z S-<left>	evil-scroll-left
z L ; z S-<right>	evil-scroll-right
z ^	evil-scroll-top-line-to-bottom
z b	evil-scroll-line-to-bottom
z d	vimish-fold-delete
z e	evil-scroll-end-column
z f	evil-vimish-fold/create
z j	+fold/next
z k	+fold/previous
z s	evil-scroll-start-column
z t	evil-scroll-line-to-top
z z	evil-scroll-line-to-center
{	evil-backward-paragraph
|	evil-goto-column
}	evil-forward-paragraph

5.17 LaTeX-mode-map

Herda de: TeX-mode-map.

Teclas / sequência	Comando / ação
(; [; {	LaTeX-insert-left-brace
-	LaTeX-babel-insert-hyphen

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m P ; <insert-state> M-SPC m P ; <motion-state> SPC m P ; <normal-state> SPC m P ; <visual-state> SPC m P	preview-clearout-at-point
<emacs-state> M-SPC m a ; <insert-state> M-SPC m a ; <motion-state> SPC m a ; <normal-state> SPC m a ; <visual-state> SPC m a	TeX-command-run-all
<emacs-state> M-SPC m c ; <insert-state> M-SPC m c ; <motion-state> SPC m c ; <normal-state> SPC m c ; <visual-state> SPC m c	+latex/compile
<emacs-state> M-SPC m m ; <insert-state> M-SPC m m ; <motion-state> SPC m m ; <normal-state> SPC m m ; <visual-state> SPC m m	TeX-command-master
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <visual-state> SPC m p	preview-at-point
<emacs-state> M-SPC m v ; <insert-state> M-SPC m v ; <motion-state> SPC m v ; <normal-state> SPC m v ; <visual-state> SPC m v	TeX-view
C-c *	LaTeX-mark-section
C-c .	LaTeX-mark-environment
C-c C-e	LaTeX-environment
C-c C-j ; M-RET	LaTeX-insert-item
C-c C-q C-e	LaTeX-fill-environment
C-c C-q C-p	LaTeX-fill-paragraph
C-c C-q C-r	LaTeX-fill-region
C-c C-q C-s	LaTeX-fill-section
C-c C-s	LaTeX-section
C-c C-z	LaTeX-command-section
C-c M-z	LaTeX-command-section-change-level
C-c]	LaTeX-close-environment
C-c ~	LaTeX-math-mode
C-j	reindent-then-newline-and-indent
C-x n e	LaTeX-narrow-to-environment

5.18 org-mode-map

Herda de: outline-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> S-<tab> ; S-TAB	org-shifttab

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m # ; <insert-state> M-SPC m # ; <motion-state> SPC m # ; <normal-state> SPC m # ; <visual-state> SPC m # ; C-c #	org-update-statistics-cookies
<emacs-state> M-SPC m ' ; <insert-state> M-SPC m ' ; <motion-state> SPC m ' ; <normal-state> SPC m ' ; <visual-state> SPC m ' ; C-c '	org-edit-special
<emacs-state> M-SPC m * ; <insert-state> M-SPC m * ; <motion-state> SPC m * ; <normal-state> SPC m * ; <visual-state> SPC m * ; C-c *	org-ctrl-c-star
<emacs-state> M-SPC m , ; <insert-state> M-SPC m , ; <motion-state> SPC m , ; <normal-state> SPC m , ; <visual-state> SPC m ,	org-switchb
<emacs-state> M-SPC m - ; <insert-state> M-SPC m - ; <motion-state> SPC m - ; <normal-state> SPC m - ; <visual-state> SPC m - ; C-c -	org-ctrl-c-minus
<emacs-state> M-SPC m . ; <emacs-state> M-SPC m g g ; <insert-state> M-SPC m . ; <insert-state> M-SPC m g g ; <motion-state> SPC m . ; <motion-state> SPC m g g ; <normal-state> SPC m . ; <normal-state> SPC m g g	consult-org-heading
<visual-state> SPC m . ; <visual-state> SPC m g g	consult-org-heading
<emacs-state> M-SPC m / ; <emacs-state> M-SPC m g G ; <insert-state> M-SPC m / ; <insert-state> M-SPC m g G ; <motion-state> SPC m / ; <motion-state> SPC m g G ; <normal-state> SPC m / ; <normal-state> SPC m g G	consult-org-agenda
<visual-state> SPC m / ; <visual-state> SPC m g G	consult-org-agenda
<emacs-state> M-SPC m @ ; <insert-state> M-SPC m @ ; <motion-state> SPC m @ ; <normal-state> SPC m @ ; <visual-state> SPC m @ ; C-c C-x @	org-cite-insert
<emacs-state> M-SPC m A ; <emacs-state> M-SPC m s A ; <insert-state> M-SPC m A ; <insert-state> M-SPC m s A ; <motion-state> SPC m A ; <motion-state> SPC m s A ; <normal-state> SPC m A ; <normal-state> SPC m s A	org-archive-subtree-default

Teclas / sequência	Comando / ação
<visual-state> SPC m A ; <visual-state> SPC m s A ; C-c C-x C-a	org-archive-subtree-default
<emacs-state> M-SPC m I ; <insert-state> M-SPC m I ; <motion-state> SPC m I ; <normal-state> SPC m I ; <visual-state> SPC m I	org-id-get-create
<emacs-state> M-SPC m K ; <insert-state> M-SPC m K ; <motion-state> SPC m K ; <normal-state> SPC m K ; <visual-state> SPC m K	+org/remove-result-blocks
<emacs-state> M-SPC m P P ; <insert-state> M-SPC m P P ; <motion-state> SPC m P P ; <normal-state> SPC m P P ; <visual-state> SPC m P P	org-publish-current-project
<emacs-state> M-SPC m P a ; <insert-state> M-SPC m P a ; <motion-state> SPC m P a ; <normal-state> SPC m P a ; <visual-state> SPC m P a	org-publish-all
<emacs-state> M-SPC m P f ; <insert-state> M-SPC m P f ; <motion-state> SPC m P f ; <normal-state> SPC m P f ; <visual-state> SPC m P f	org-publish-current-file
<emacs-state> M-SPC m P p ; <insert-state> M-SPC m P p ; <motion-state> SPC m P p ; <normal-state> SPC m P p ; <visual-state> SPC m P p	org-publish
<emacs-state> M-SPC m P s ; <insert-state> M-SPC m P s ; <motion-state> SPC m P s ; <normal-state> SPC m P s ; <visual-state> SPC m P s	org-publish-sitemap
<emacs-state> M-SPC m T ; <insert-state> M-SPC m T ; <motion-state> SPC m T ; <normal-state> SPC m T ; <visual-state> SPC m T	org-todo-list
<emacs-state> M-SPC m a D ; <insert-state> M-SPC m a D ; <motion-state> SPC m a D ; <normal-state> SPC m a D ; <visual-state> SPC m a D	org-attach-delete-all
<emacs-state> M-SPC m a O ; <insert-state> M-SPC m a O ; <motion-state> SPC m a O ; <normal-state> SPC m a O ; <visual-state> SPC m a O	org-attach-open-in-emacs

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m a P ; <insert-state> M-SPC m a P ; <motion-state> SPC m a P ; <normal-state> SPC m a P ; <visual-state> SPC m a P	org-download-yank
<emacs-state> M-SPC m a R ; <insert-state> M-SPC m a R ; <motion-state> SPC m a R ; <normal-state> SPC m a R ; <visual-state> SPC m a R	org-attach-reveal-in-emacs
<emacs-state> M-SPC m a S ; <insert-state> M-SPC m a S ; <motion-state> SPC m a S ; <normal-state> SPC m a S ; <visual-state> SPC m a S	org-attach-sync
<emacs-state> M-SPC m a a ; <insert-state> M-SPC m a a ; <motion-state> SPC m a a ; <normal-state> SPC m a a ; <visual-state> SPC m a a ; C-c C-a	org-attach
<emacs-state> M-SPC m a c ; <insert-state> M-SPC m a c ; <motion-state> SPC m a c ; <normal-state> SPC m a c ; <visual-state> SPC m a c	org-download-screenshot
<emacs-state> M-SPC m a d ; <insert-state> M-SPC m a d ; <motion-state> SPC m a d ; <normal-state> SPC m a d ; <visual-state> SPC m a d	org-attach-delete-one
<emacs-state> M-SPC m a f ; <insert-state> M-SPC m a f ; <motion-state> SPC m a f ; <normal-state> SPC m a f ; <visual-state> SPC m a f	+org/find-file-in-attachments
<emacs-state> M-SPC m a l ; <insert-state> M-SPC m a l ; <motion-state> SPC m a l ; <normal-state> SPC m a l ; <visual-state> SPC m a l	+org/attach-file-and-insert-link
<emacs-state> M-SPC m a n ; <insert-state> M-SPC m a n ; <motion-state> SPC m a n ; <normal-state> SPC m a n ; <visual-state> SPC m a n	org-attach-new
<emacs-state> M-SPC m a o ; <insert-state> M-SPC m a o ; <motion-state> SPC m a o ; <normal-state> SPC m a o ; <visual-state> SPC m a o	org-attach-open
<emacs-state> M-SPC m a p ; <insert-state> M-SPC m a p ; <motion-state> SPC m a p ; <normal-state> SPC m a p ; <visual-state> SPC m a p	org-download-clipboard

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m a r ; <insert-state> M-SPC m a r ; <motion-state> SPC m a r ; <normal-state> SPC m a r ; <visual-state> SPC m a r	org-attach-reveal
<emacs-state> M-SPC m a s ; <insert-state> M-SPC m a s ; <motion-state> SPC m a s ; <normal-state> SPC m a s ; <visual-state> SPC m a s	org-attach-set-directory
<emacs-state> M-SPC m a u ; <insert-state> M-SPC m a u ; <motion-state> SPC m a u ; <normal-state> SPC m a u ; <visual-state> SPC m a u	org-attach-url
<emacs-state> M-SPC m b - ; <emacs-state> M-SPC m b i h ; <insert-state> M-SPC m b - ; <insert-state> M-SPC m b i h ; <motion-state> SPC m b - ; <motion-state> SPC m b i h ; <normal-state> SPC m b - ; <normal-state> SPC m b i h	org-table-insert-hline
<visual-state> SPC m b - ; <visual-state> SPC m b i h	org-table-insert-hline
<emacs-state> M-SPC m b R ; <insert-state> M-SPC m b R ; <motion-state> SPC m b R ; <normal-state> SPC m b R ; <visual-state> SPC m b R	org-table-recalculate-buffer-tables
<emacs-state> M-SPC m b a ; <insert-state> M-SPC m b a ; <motion-state> SPC m b a ; <normal-state> SPC m b a ; <visual-state> SPC m b a	org-table-align
<emacs-state> M-SPC m b b ; <insert-state> M-SPC m b b ; <motion-state> SPC m b b ; <normal-state> SPC m b b ; <visual-state> SPC m b b	org-table-blank-field
<emacs-state> M-SPC m b c ; <insert-state> M-SPC m b c ; <motion-state> SPC m b c ; <normal-state> SPC m b c ; <visual-state> SPC m b c ; C-c |	org-table-create-or-convert-from-region
<emacs-state> M-SPC m b d c ; <insert-state> M-SPC m b d c ; <motion-state> SPC m b d c ; <normal-state> SPC m b d c ; <visual-state> SPC m b d c	org-table-delete-column
<emacs-state> M-SPC m b d r ; <insert-state> M-SPC m b d r ; <motion-state> SPC m b d r ; <normal-state> SPC m b d r ; <visual-state> SPC m b d r	org-table-kill-row

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m b e ; <insert-state> M-SPC m b e ; <motion-state> SPC m b e ; <normal-state> SPC m b e ; <visual-state> SPC m b e ; C-c `	org-table-edit-field
<emacs-state> M-SPC m b f ; <insert-state> M-SPC m b f ; <motion-state> SPC m b f ; <normal-state> SPC m b f ; <visual-state> SPC m b f	org-table-edit-formulas
<emacs-state> M-SPC m b h ; <insert-state> M-SPC m b h ; <motion-state> SPC m b h ; <normal-state> SPC m b h ; <visual-state> SPC m b h ; C-c ?	org-table-field-info
<emacs-state> M-SPC m b i H ; <insert-state> M-SPC m b i H ; <motion-state> SPC m b i H ; <normal-state> SPC m b i H ; <visual-state> SPC m b i H	org-table-hline-and-move
<emacs-state> M-SPC m b i c ; <insert-state> M-SPC m b i c ; <motion-state> SPC m b i c ; <normal-state> SPC m b i c ; <visual-state> SPC m b i c	org-table-insert-column
<emacs-state> M-SPC m b i r ; <insert-state> M-SPC m b i r ; <motion-state> SPC m b i r ; <normal-state> SPC m b i r ; <visual-state> SPC m b i r	org-table-insert-row
<emacs-state> M-SPC m b p ; <insert-state> M-SPC m b p ; <motion-state> SPC m b p ; <normal-state> SPC m b p ; <visual-state> SPC m b p ; C-c " g	org-plot/gnuplot
<emacs-state> M-SPC m b r ; <insert-state> M-SPC m b r ; <motion-state> SPC m b r ; <normal-state> SPC m b r ; <visual-state> SPC m b r	org-table-recalculate
<emacs-state> M-SPC m b s ; <insert-state> M-SPC m b s ; <motion-state> SPC m b s ; <normal-state> SPC m b s ; <visual-state> SPC m b s	org-table-sort-lines
<emacs-state> M-SPC m b t f ; <insert-state> M-SPC m b t f ; <motion-state> SPC m b t f ; <normal-state> SPC m b t f ; <visual-state> SPC m b t f ; C-c {	org-table-toggle-formula-debugger
<emacs-state> M-SPC m b t o ; <insert-state> M-SPC m b t o ; <motion-state> SPC m b t o ; <normal-state> SPC m b t o ; <visual-state> SPC m b t o ; C-c }	org-table-toggle-coordinate-overlays

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m c - ; <insert-state> M-SPC m c - ; <motion-state> SPC m c - ; <normal-state> SPC m c - ; <visual-state> SPC m c -	org-clock-timestamps-down
<emacs-state> M-SPC m c = ; <insert-state> M-SPC m c = ; <motion-state> SPC m c = ; <normal-state> SPC m c = ; <visual-state> SPC m c =	org-clock-timestamps-up
<emacs-state> M-SPC m c E ; <insert-state> M-SPC m c E ; <motion-state> SPC m c E ; <normal-state> SPC m c E ; <visual-state> SPC m c E ; C-c C-x e	org-set-effort
<emacs-state> M-SPC m c G ; <emacs-state> M-SPC m g C ; <insert-state> M-SPC m c G ; <insert-state> M-SPC m g C ; <motion-state> SPC m c G ; <motion-state> SPC m g C ; <normal-state> SPC m c G ; <normal-state> SPC m g C	Função anônima (lambda)
<visual-state> SPC m c G ; <visual-state> SPC m g C	Função anônima (lambda)
<emacs-state> M-SPC m c I ; <insert-state> M-SPC m c I ; <motion-state> SPC m c I ; <normal-state> SPC m c I ; <visual-state> SPC m c I ; C-c C-x C-x	org-clock-in-last
<emacs-state> M-SPC m c R ; <insert-state> M-SPC m c R ; <motion-state> SPC m c R ; <normal-state> SPC m c R ; <visual-state> SPC m c R	org-clock-report
<emacs-state> M-SPC m c c ; <insert-state> M-SPC m c c ; <motion-state> SPC m c c ; <normal-state> SPC m c c ; <visual-state> SPC m c c ; C-c C-x C-q	org-clock-cancel
<emacs-state> M-SPC m c d ; <insert-state> M-SPC m c d ; <motion-state> SPC m c d ; <normal-state> SPC m c d ; <visual-state> SPC m c d	org-clock-mark-default-task
<emacs-state> M-SPC m c e ; <insert-state> M-SPC m c e ; <motion-state> SPC m c e ; <normal-state> SPC m c e ; <visual-state> SPC m c e	org-clock-modify-effort-estimate

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m c g ; <emacs-state> M-SPC m g c ; <insert-state> M-SPC m c g ; <insert-state> M-SPC m g c ; <motion-state> SPC m c g ; <motion-state> SPC m g c ; <normal-state> SPC m c g ; <normal-state> SPC m g c	org-clock-goto
<visual-state> SPC m c g ; <visual-state> SPC m g c ; C-c C-x C-j	org-clock-goto
<emacs-state> M-SPC m c i ; <insert-state> M-SPC m c i ; <motion-state> SPC m c i ; <normal-state> SPC m c i ; <visual-state> SPC m c i ; C-c C-x TAB	org-clock-in
<emacs-state> M-SPC m c l ; <insert-state> M-SPC m c l ; <motion-state> SPC m c l ; <normal-state> SPC m c l ; <visual-state> SPC m c l	+org/toggle-last-clock
<emacs-state> M-SPC m c o ; <insert-state> M-SPC m c o ; <motion-state> SPC m c o ; <normal-state> SPC m c o ; <visual-state> SPC m c o ; C-c C-x C-o	org-clock-out
<emacs-state> M-SPC m c r ; <insert-state> M-SPC m c r ; <motion-state> SPC m c r ; <normal-state> SPC m c r ; <visual-state> SPC m c r ; C-c C-x C-z	org-resolve-clocks
<emacs-state> M-SPC m c t ; <insert-state> M-SPC m c t ; <motion-state> SPC m c t ; <normal-state> SPC m c t ; <visual-state> SPC m c t ; C-c C-y	org-evaluate-time-range
<emacs-state> M-SPC m d T ; <insert-state> M-SPC m d T ; <motion-state> SPC m d T ; <normal-state> SPC m d T ; <visual-state> SPC m d T	org-time-stamp-inactive
<emacs-state> M-SPC m d d ; <insert-state> M-SPC m d d ; <motion-state> SPC m d d ; <normal-state> SPC m d d ; <visual-state> SPC m d d ; C-c C-d	org-deadline
<emacs-state> M-SPC m d s ; <insert-state> M-SPC m d s ; <motion-state> SPC m d s ; <normal-state> SPC m d s ; <visual-state> SPC m d s ; C-c C-s	org-schedule
<emacs-state> M-SPC m d t ; <insert-state> M-SPC m d t ; <motion-state> SPC m d t ; <normal-state> SPC m d t ; <visual-state> SPC m d t	org-time-stamp

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e ; <insert-state> M-SPC m e ; <motion-state> SPC m e ; <normal-state> SPC m e ; <visual-state> SPC m e ; C-c C-e	org-export-dispatch
<emacs-state> M-SPC m f ; <insert-state> M-SPC m f ; <motion-state> SPC m f ; <normal-state> SPC m f ; <visual-state> SPC m f ; C-c C-x f	org-footnote-action
<emacs-state> M-SPC m g i ; <insert-state> M-SPC m g i ; <motion-state> SPC m g i ; <normal-state> SPC m g i ; <visual-state> SPC m g i	org-id-goto
<emacs-state> M-SPC m g r ; <insert-state> M-SPC m g r ; <motion-state> SPC m g r ; <normal-state> SPC m g r ; <visual-state> SPC m g r	org-refile-goto-last-stored
<emacs-state> M-SPC m g v ; <insert-state> M-SPC m g v ; <motion-state> SPC m g v ; <normal-state> SPC m g v ; <visual-state> SPC m g v	+org/goto-visible
<emacs-state> M-SPC m g x ; <insert-state> M-SPC m g x ; <motion-state> SPC m g x ; <normal-state> SPC m g x ; <visual-state> SPC m g x	org-capture-goto-last-stored
<emacs-state> M-SPC m h ; <insert-state> M-SPC m h ; <motion-state> SPC m h ; <normal-state> SPC m h ; <visual-state> SPC m h	org-toggle-heading
<emacs-state> M-SPC m i ; <insert-state> M-SPC m i ; <motion-state> SPC m i ; <normal-state> SPC m i ; <visual-state> SPC m i	org-toggle-item
<emacs-state> M-SPC m k ; <insert-state> M-SPC m k ; <motion-state> SPC m k ; <normal-state> SPC m k ; <visual-state> SPC m k	org-babel-remove-result
<emacs-state> M-SPC m l L ; <insert-state> M-SPC m l L ; <motion-state> SPC m l L ; <normal-state> SPC m l L ; <visual-state> SPC m l L ; C-c C-M-l	org-insert-all-links
<emacs-state> M-SPC m l S ; <insert-state> M-SPC m l S ; <motion-state> SPC m l S ; <normal-state> SPC m l S ; <visual-state> SPC m l S ; C-c M-l	org-insert-last-stored-link

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m l c ; <insert-state> M-SPC m l c ; <motion-state> SPC m l c ; <normal-state> SPC m l c ; <visual-state> SPC m l c	org-cliplink
<emacs-state> M-SPC m l d ; <insert-state> M-SPC m l d ; <motion-state> SPC m l d ; <normal-state> SPC m l d ; <visual-state> SPC m l d ; C-c C-S-l	+org/remove-link
<emacs-state> M-SPC m l i ; <insert-state> M-SPC m l i ; <motion-state> SPC m l i ; <normal-state> SPC m l i ; <visual-state> SPC m l i	org-id-store-link
<emacs-state> M-SPC m l l ; <insert-state> M-SPC m l l ; <motion-state> SPC m l l ; <normal-state> SPC m l l ; <visual-state> SPC m l l ; C-c C-l	org-insert-link
<emacs-state> M-SPC m l s ; <emacs-state> M-SPC m n ; <insert-state> M-SPC m l s ; <insert-state> M-SPC m n ; <motion-state> SPC m l s ; <motion-state> SPC m n ; <normal-state> SPC m l s ; <normal-state> SPC m n	org-store-link
<visual-state> SPC m l s ; <visual-state> SPC m n	org-store-link
<emacs-state> M-SPC m l t ; <insert-state> M-SPC m l t ; <motion-state> SPC m l t ; <normal-state> SPC m l t ; <visual-state> SPC m l t	org-toggle-link-display
<emacs-state> M-SPC m l y ; <insert-state> M-SPC m l y ; <motion-state> SPC m l y ; <normal-state> SPC m l y ; <visual-state> SPC m l y	+org/yank-link
<emacs-state> M-SPC m o ; <insert-state> M-SPC m o ; <motion-state> SPC m o ; <normal-state> SPC m o ; <visual-state> SPC m o ; C-c C-x p	org-set-property
<emacs-state> M-SPC m p d ; <insert-state> M-SPC m p d ; <motion-state> SPC m p d ; <normal-state> SPC m p d ; <visual-state> SPC m p d	org-priority-down
<emacs-state> M-SPC m p p ; <insert-state> M-SPC m p p ; <motion-state> SPC m p p ; <normal-state> SPC m p p ; <visual-state> SPC m p p ; C-c ,	org-priority

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m p u ; <insert-state> M-SPC m p u ; <motion-state> SPC m p u ; <normal-state> SPC m p u ; <visual-state> SPC m p u	org-priority-up
<emacs-state> M-SPC m q ; <insert-state> M-SPC m q ; <motion-state> SPC m q ; <normal-state> SPC m q ; <visual-state> SPC m q ; C-c C-q	org-set-tags-command
<emacs-state> M-SPC m r . ; <insert-state> M-SPC m r . ; <motion-state> SPC m r . ; <normal-state> SPC m r . ; <visual-state> SPC m r .	+org/refile-to-current-file
<emacs-state> M-SPC m r O ; <insert-state> M-SPC m r O ; <motion-state> SPC m r O ; <normal-state> SPC m r O ; <visual-state> SPC m r O	+org/refile-to-other-buffer
<emacs-state> M-SPC m r R ; <insert-state> M-SPC m r R ; <motion-state> SPC m r R ; <normal-state> SPC m r R ; <visual-state> SPC m r R ; C-c C-M-w	org-refile-reverse
<emacs-state> M-SPC m r c ; <insert-state> M-SPC m r c ; <motion-state> SPC m r c ; <normal-state> SPC m r c ; <visual-state> SPC m r c	+org/refile-to-running-clock
<emacs-state> M-SPC m r f ; <insert-state> M-SPC m r f ; <motion-state> SPC m r f ; <normal-state> SPC m r f ; <visual-state> SPC m r f	+org/refile-to-file
<emacs-state> M-SPC m r l ; <insert-state> M-SPC m r l ; <motion-state> SPC m r l ; <normal-state> SPC m r l ; <visual-state> SPC m r l	+org/refile-to-last-location
<emacs-state> M-SPC m r o ; <insert-state> M-SPC m r o ; <motion-state> SPC m r o ; <normal-state> SPC m r o ; <visual-state> SPC m r o	+org/refile-to-other-window
<emacs-state> M-SPC m r r ; <emacs-state> M-SPC m s r ; <insert-state> M-SPC m r r ; <insert-state> M-SPC m s r ; <motion-state> SPC m r r ; <motion-state> SPC m s r ; <normal-state> SPC m r r ; <normal-state> SPC m s r	org-refile
<visual-state> SPC m r r ; <visual-state> SPC m s r ; C-c C-w	org-refile

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m r v ; <insert-state> M-SPC m r v ; <motion-state> SPC m r v ; <normal-state> SPC m r v ; <visual-state> SPC m r v	+org/refile-to-visible
<emacs-state> M-SPC m s N ; <insert-state> M-SPC m s N ; <motion-state> SPC m s N ; <normal-state> SPC m s N ; <visual-state> SPC m s N	widen
<emacs-state> M-SPC m s S ; <insert-state> M-SPC m s S ; <motion-state> SPC m s S ; <normal-state> SPC m s S ; <visual-state> SPC m s S ; C-c ^	org-sort
<emacs-state> M-SPC m s a ; <insert-state> M-SPC m s a ; <motion-state> SPC m s a ; <normal-state> SPC m s a ; <visual-state> SPC m s a ; C-c C-x a	org-toggle-archive-tag
<emacs-state> M-SPC m s b ; <insert-state> M-SPC m s b ; <motion-state> SPC m s b ; <normal-state> SPC m s b ; <visual-state> SPC m s b ; C-c C-x b	org-tree-to-indirect-buffer
<emacs-state> M-SPC m s c ; <insert-state> M-SPC m s c ; <motion-state> SPC m s c ; <normal-state> SPC m s c ; <visual-state> SPC m s c ; C-c C-x c	org-clone-subtree-with-time-shift
<emacs-state> M-SPC m s d ; <insert-state> M-SPC m s d ; <motion-state> SPC m s d ; <normal-state> SPC m s d ; <visual-state> SPC m s d	org-cut-subtree
<emacs-state> M-SPC m s h ; <insert-state> M-SPC m s h ; <motion-state> SPC m s h ; <normal-state> SPC m s h ; <remap> <outline-promote> ; <visual-state> SPC m s h	org-promote-subtree
<emacs-state> M-SPC m s j ; <insert-state> M-SPC m s j ; <motion-state> SPC m s j ; <normal-state> SPC m s j ; <visual-state> SPC m s j	org-move-subtree-down
<emacs-state> M-SPC m s k ; <insert-state> M-SPC m s k ; <motion-state> SPC m s k ; <normal-state> SPC m s k ; <visual-state> SPC m s k	org-move-subtree-up
<emacs-state> M-SPC m s l ; <insert-state> M-SPC m s l ; <motion-state> SPC m s l ; <normal-state> SPC m s l ; <remap> <outline-demote> ; <visual-state> SPC m s l	org-demote-subtree

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m s n ; <insert-state> M-SPC m s n ; <motion-state> SPC m s n ; <normal-state> SPC m s n ; <visual-state> SPC m s n ; C-x n s	org-narrow-to-subtree
<emacs-state> M-SPC m s s ; <insert-state> M-SPC m s s ; <motion-state> SPC m s s ; <normal-state> SPC m s s ; <visual-state> SPC m s s ; C-c /	org-sparse-tree
<emacs-state> M-SPC m t ; <insert-state> M-SPC m t ; <motion-state> SPC m t ; <normal-state> SPC m t ; <visual-state> SPC m t ; C-c C-t	org-todo
<emacs-state> M-SPC m x ; <insert-state> M-SPC m x ; <motion-state> SPC m x ; <normal-state> SPC m x ; <visual-state> SPC m x ; C-c C-x C-b	org-toggle-checkbox
<motion-state> (; <remap> <backward-sentence>	org-backward-sentence
<motion-state>) ; <remap> <forward-sentence>	org-forward-sentence
<motion-state> { ; <remap> <backward-paragraph>	org-backward-paragraph
<motion-state> } ; <remap> <forward-paragraph>	org-forward-paragraph
<normal-state> <tab> ; <normal-state> TAB ; TAB	org-cycle
<remap> <comment-dwim>	org-comment-dwim
<remap> <delete-backward-char>	org-delete-backward-char
<remap> <delete-char>	org-delete-char
<remap> <delete-indentation>	org-delete-indentation
<remap> <doom/backward-to-bol-or-indent> ; <remap> <move-beginning-of-line>	org-beginning-of-line
<remap> <doom/forward-to-last-non-comment-or-eol> ; <remap> <move-end-of-line>	org-end-of-line
<remap> <fill-paragraph>	org-fill-paragraph
<remap> <indent-for-tab-command>	org-table-next-field
<remap> <kill-line>	org-kill-line
<remap> <open-line>	org-open-line
<remap> <outline-backward-same-level> ; C-c C-b	org-backward-heading-same-level
<remap> <outline-forward-same-level> ; C-c C-f	org-forward-heading-same-level
<remap> <outline-insert-heading> ; C-c RET	org-ctrl-c-ret
<remap> <outline-mark-subtree> ; C-c @	org-mark-subtree
<remap> <outline-next-visible-heading>	org-next-visible-heading

Teclas / sequência	Comando / ação
<remap> <outline-previous-visible-heading>	org-previous-visible-heading
<remap> <outline-show-branches> ; C-c C-k	org-kill-note-or-show-branches
<remap> <outline-show-children>	org-fold-show-children
<remap> <outline-show-subtree>	org-fold-show-subtree
<remap> <outline-up-heading>	org-up-heading
<remap> <self-insert-command>	org-self-insert-command
<remap> <transpose-words>	org-transpose-words
<remap> <yank>	org-yank
C-#	org-table-rotate-recalc-marks
C-' ; C-,	org-cycle-agenda-files
C-<return> ; C-RET	+org/insert-item-below
C-M-<return> ; C-M-RET	org-insert-subheading
C-M-S-<left>	org-decrease-number-at-point
C-M-S-<right>	org-increase-number-at-point
C-M-t	org-transpose-element
C-S-<down>	org-shiftcontroldown
C-S-<left> ; C-c C-x <left>	org-shiftcontrolleft
C-S-<return> ; C-S-RET	+org/insert-item-above
C-S-<right> ; C-c C-x <right>	org-shiftcontrolright
C-S-<up>	org-shiftcontrolup
C-c !	org-timestamp-inactive
C-c " a	orgtbl-ascii-plot
C-c $; C-c C-x C-s	org-archive-subtree
C-c %	org-mark-ring-push
C-c &	org-mark-ring-goto
C-c +	org-table-sum
C-c .	org-timestamp
C-c :	org-toggle-fixed-width
C-c ;	org-toggle-comment
C-c <	org-date-from-calendar
C-c <C-i> ; C-c C-x C-M-v	org-link-preview-refresh
C-c <down> ; S-<down>	org-shiftdown
C-c <left> ; S-<left>	org-shiftleft
C-c <right> ; S-<right>	org-shiftright
C-c <up> ; S-<up>	org-shiftup
C-c =	org-table-eval-formula
C-c >	org-goto-calendar
C-c C-*	org-list-make-subtree
C-c C-, ; C-c C-x s	org-insert-structure-template
C-c C-<tab>	org-cycle-force-archived
C-c C-^	org-up-element
C-c C-_	org-down-element
C-c C-c	org-ctrl-c-ctrl-c
C-c C-j	org-goto
C-c C-o	org-open-at-point
C-c C-r	org-fold-reveal
C-c C-v	**Mapa:** org-babel-map
C-c C-x !	org-reload
C-c C-x ,	org-timer-pause-or-continue
C-c C-x -	org-timer-item

Teclas / sequência	Comando / ação
C-c C-x .	org-timer
C-c C-x 0	org-timer-start
C-c C-x ;	org-timer-set-timer
C-c C-x <	org-agenda-set-restriction-lock
C-c C-x >	org-agenda-remove-restriction-lock
C-c C-x A	org-archive-to-archive-sibling
C-c C-x C-c	org-columns
C-c C-x C-d	org-clock-display
C-c C-x C-f	org-emphasize
C-c C-x C-l	org-latex-preview
C-c C-x C-n	org-next-link
C-c C-x C-p	org-previous-link
C-c C-x C-r	org-toggle-radio-button
C-c C-x C-t	org-toggle-timestamp-overlays
C-c C-x C-u	org-dblock-update
C-c C-x C-v	org-link-preview
C-c C-x C-w	org-cut-special
C-c C-x C-y	org-paste-special
C-c C-x D ; ESC S-<down> ; M-S-<down>	org-shiftmetadown
C-c C-x E	org-inc-effort
C-c C-x G	org-feed-goto-inbox
C-c C-x I	org-info-find-node
C-c C-x L ; ESC S-<left> ; M-S-<left>	org-shiftmetaleft
C-c C-x M ; M-S-<return> ; M-S-RET	org-insert-todo-heading
C-c C-x M-w	org-copy-special
C-c C-x P	org-set-property-and-value
C-c C-x R ; ESC S-<right> ; M-S-<right>	org-shiftmetaright
C-c C-x RET ; C-c C-x m ; M-RET	org-meta-return
C-c C-x U ; ESC S-<up> ; M-S-<up>	org-shiftmetaup
C-c C-x [	org-reftex-citation
C-c C-x \	org-toggle-pretty-entities
C-c C-x _	org-timer-stop
C-c C-x d	org-insert-drawer
C-c C-x g	org-feed-update-all
C-c C-x l ; ESC <left> ; M-<left>	org-metaleft
C-c C-x o	org-toggle-ordered-property
C-c C-x q	org-toggle-tags-groups
C-c C-x r ; ESC <right> ; M-<right>	org-metaright
C-c C-x u ; ESC <up> ; M-<up>	org-metaup
C-c C-x v	org-copy-visible
C-c C-x x	org-dynamic-block-insert-dblock
C-c C-z	org-add-note
C-c M-b	org-previous-block
C-c M-f	org-next-block
C-c M-w	org-refile-copy

Teclas / sequência	Comando / ação
C-c TAB	org-ctrl-c-tab
C-c [	org-agenda-file-to-front
C-c \	org-match-sparse-tree
C-c]	org-remove-file
C-c ~	org-table-create-with-table.el
C-j	org-return-and-maybe-indent
C-x n b	org-narrow-to-block
C-x n e	org-narrow-to-element
ESC <down> ; M-<down>	org-metadown
M-h	org-mark-element
M-{	org-backward-element
M-}	org-forward-element
RET	org-return
S-<return>	org-table-copy-down
S-RET	+org/shift-return
|	org-force-self-insert

5.19 magit-mode-map

Herda de: magit-section-mode-map.

Teclas / sequência	Comando / ação
!	magit-run
$; <normal-state> ` ; <visual -state> `	magit-process-buffer
% ; <normal-state> * ; <visual -state> * ; Z	magit-worktree
+	magit-diff-more-context
- ; <normal-state> = ; <visual -state> =	magit-diff-less-context
0 ; <normal-state> g = ; <norm al-state> ~ ; <visual-state> g = ; <visual-state> ~	magit-diff-default-context
: ; <normal-state> | ; <visual -state> |	magit-git-command
<normal-state> " ; <visual-sta te> " ; O	magit-subtree
<normal-state> $; <visual-sta te> $	evil-end-of-line
<normal-state> ' ; <visual-sta te> ' ; o	magit-submodule
<normal-state> - ; <visual-sta te> - ; v	magit-revert-no-commit
<normal-state> / ; <visual-sta te> /	evil-ex-search-forward
<normal-state> 0 ; <visual-sta te> 0	evil-beginning-of-line
<normal-state> : ; <normal-sta te> C-w : ; <visual-state> : ; <visual-state> C-w :	evil-ex
<normal-state> @ ; <visual-sta te> @	forge-dispatch

Teclas / sequência	Comando / ação
<normal-state> C-b ; <visual-state> C-b	evil-scroll-page-up
<normal-state> C-d ; <visual-state> C-d	evil-scroll-down
<normal-state> C-f ; <visual-state> C-f	evil-scroll-page-down
<normal-state> C-j ; <visual-state> C-j	magit-section-forward
<normal-state> C-k ; <visual-state> C-k	magit-section-backward
<normal-state> C-t ; <normal-state> \	evil-collection-magit-toggle-text-mode
<normal-state> C-u ; <visual-state> C-u	evil-scroll-up
<normal-state> C-w + ; <visual-state> C-w +	evil-window-increase-height
<normal-state> C-w - ; <visual-state> C-w -	evil-window-decrease-height
<normal-state> C-w 0 ; <normal-state> C-w 1 ; <normal-state> C-w 2 ; <normal-state> C-w 3 ; <normal-state> C-w 4 ; <normal-state> C-w 5 ; <normal-state> C-w 6 ; <normal-state> C-w 7	evil-window-digit-argument
<normal-state> C-w 8 ; <normal-state> C-w 9 ; <visual-state> C-w 0 ; <visual-state> C-w 1 ; <visual-state> C-w 2 ; <visual-state> C-w 3 ; <visual-state> C-w 4 ; <visual-state> C-w 5	evil-window-digit-argument
<visual-state> C-w 6 ; <visual-state> C-w 7 ; <visual-state> C-w 8 ; <visual-state> C-w 9	evil-window-digit-argument
<normal-state> C-w < ; <visual-state> C-w <	evil-window-decrease-width
<normal-state> C-w <down> ; <normal-state> C-w C-<down> ; <normal-state> C-w C-j ; <normal-state> C-w j ; <visual-state> C-w <down> ; <visual-state> C-w C-<down> ; <visual-state> C-w C-j ; <visual-state> C-w j	evil-window-down
<normal-state> C-w <left> ; <normal-state> C-w C-<left> ; <normal-state> C-w C-h ; <normal-state> C-w h ; <visual-state> C-w <left> ; <visual-state> C-w C-<left> ; <visual-state> C-w C-h ; <visual-state> C-w h	evil-window-left
<normal-state> C-w <right> ; <normal-state> C-w C-<right> ; <normal-state> C-w C-l ; <normal-state> C-w l ; <visual-state> C-w <right> ; <visual-state> C-w C-<right> ; <visual-state> C-w C-l ; <visual-state> C-w l	evil-window-right

Teclas / sequência	Comando / ação
<normal-state> C-w <up> ; <normal-state> C-w C-<up> ; <normal-state> C-w C-k ; <normal-state> C-w k ; <visual-state> C-w <up> ; <visual-state> C-w C-<up> ; <visual-state> C-w C-k ; <visual-state> C-w k	evil-window-up
<normal-state> C-w = ; <normal-state> C-w C-= ; <visual-state> C-w = ; <visual-state> C-w C-=	balance-windows
<normal-state> C-w > ; <visual-state> C-w >	evil-window-increase-width
<normal-state> C-w C-S-h ; <visual-state> C-w C-S-h	evil-window-move-far-left
<normal-state> C-w C-S-j ; <visual-state> C-w C-S-j	evil-window-move-very-bottom
<normal-state> C-w C-S-k ; <visual-state> C-w C-S-k	evil-window-move-very-top
<normal-state> C-w C-S-l ; <visual-state> C-w C-S-l	evil-window-move-far-right
<normal-state> C-w C-S-r ; <normal-state> C-w R ; <visual-state> C-w C-S-r ; <visual-state> C-w R	evil-window-rotate-upwards
<normal-state> C-w C-S-s ; <normal-state> C-w C-s ; <normal-state> C-w s ; <visual-state> C-w C-S-s ; <visual-state> C-w C-s ; <visual-state> C-w s	evil-window-split
<normal-state> C-w C-S-w ; <visual-state> C-w C-S-w	ace-swap-window
<normal-state> C-w C-_ ; <normal-state> C-w _ ; <visual-state> C-w C-_ ; <visual-state> C-w _	evil-window-set-height
<normal-state> C-w C-b ; <normal-state> C-w b ; <visual-state> C-w C-b ; <visual-state> C-w b	evil-window-bottom-right
<normal-state> C-w C-c ; <visual-state> C-w C-c	ace-delete-window
<normal-state> C-w C-f ; <normal-state> C-w f ; <visual-state> C-w C-f ; <visual-state> C-w f	ffap-other-window
<normal-state> C-w C-n ; <normal-state> C-w n ; <visual-state> C-w C-n ; <visual-state> C-w n	evil-window-new
<normal-state> C-w C-o ; <visual-state> C-w C-o	delete-other-windows
<normal-state> C-w C-p ; <normal-state> C-w p ; <visual-state> C-w C-p ; <visual-state> C-w p	evil-window-mru

Teclas / sequência	Comando / ação
<normal-state> C-w C-q ; <normal-state> C-w q ; <visual-state> C-w C-q ; <visual-state> C-w q	evil-quit
<normal-state> C-w C-r ; <visual-state> C-w C-r	winner-redo
<normal-state> C-w C-t ; <normal-state> C-w t ; <visual-state> C-w C-t ; <visual-state> C-w t	evil-window-top-left
<normal-state> C-w C-u ; <normal-state> C-w u ; <visual-state> C-w C-u ; <visual-state> C-w u	winner-undo
<normal-state> C-w C-v ; <normal-state> C-w v ; <visual-state> C-w C-v ; <visual-state> C-w v	evil-window-vsplit
<normal-state> C-w C-w ; <visual-state> C-w C-w	other-window
<normal-state> C-w C-x ; <normal-state> C-w x ; <visual-state> C-w C-x ; <visual-state> C-w x	evil-window-exchange
<normal-state> C-w H ; <visual-state> C-w H	+evil/window-move-left
<normal-state> C-w J ; <visual-state> C-w J	+evil/window-move-down
<normal-state> C-w K ; <visual-state> C-w K	+evil/window-move-up
<normal-state> C-w L ; <visual-state> C-w L	+evil/window-move-right
<normal-state> C-w S ; <visual-state> C-w S	+evil/window-split-and-follow
<normal-state> C-w T ; <visual-state> C-w T	tear-off-window
<normal-state> C-w V ; <visual-state> C-w V	+evil/window-vsplit-and-follow
<normal-state> C-w W ; <visual-state> C-w W	evil-window-prev
<normal-state> C-w c ; <normal-state> C-w d ; <visual-state> C-w c ; <visual-state> C-w d	evil-window-delete
<normal-state> C-w g T ; <visual-state> C-w g T	tab-bar-switch-to-prev-tab
<normal-state> C-w g t ; <visual-state> C-w g t	evil-tab-next
<normal-state> C-w m m ; <visual-state> C-w m m	doom/window-maximize-buffer
<normal-state> C-w m s ; <visual-state> C-w m s	doom/window-maximize-horizontally
<normal-state> C-w m v ; <visual-state> C-w m v	doom/window-maximize-vertically
<normal-state> C-w o ; <visual-state> C-w o	doom/window-enlargen

Teclas / sequência	Comando / ação
<normal-state> C-w r ; <visual-state> C-w r	evil-window-rotate-downwards
<normal-state> C-w w ; <visual-state> C-w w	evil-window-next
<normal-state> C-w | ; <visual-state> C-w |	evil-window-set-width
<normal-state> C-z	evil-emacs-state
<normal-state> G ; <visual-state> G	evil-goto-line
<normal-state> M-j ; <normal-state>] ; <normal-state> g j ; <visual-state> M-j ; <visual-state>] ; <visual-state> g j	magit-section-forward-sibling
<normal-state> M-k ; <normal-state> [; <normal-state> g k ; <visual-state> M-k ; <visual-state> [; <visual-state> g k	magit-section-backward-sibling
<normal-state> N ; <visual-state> N	evil-ex-search-previous
<normal-state> O ; <visual-state> O ; X	magit-reset
<normal-state> Q ; <visual-state> Q ; Q	+magit/quit-all
<normal-state> S-DEL ; <visual-state> S-DEL ; DEL ; S-SPC	magit-diff-show-or-scroll-down
<normal-state> S-SPC ; <visual-state> S-SPC ; SPC	magit-diff-show-or-scroll-up
<normal-state> V ; <visual-state> V	evil-visual-line
<normal-state> X ; <visual-state> X ; K	magit-file-untrack
<normal-state> Z ; <visual-state> Z ; z	magit-stash
<normal-state> _ ; <visual-state> _ ; V	magit-revert
<normal-state> g R ; <visual-state> g R ; G	magit-refresh-all
<normal-state> g g ; <visual-state> g g	evil-goto-first-line
<normal-state> g i ; <visual-state> g i	forge-jump-to-issues
<normal-state> g m ; <visual-state> g m	forge-jump-to-pullreqs
<normal-state> g r ; <visual-state> g r ; g	magit-refresh
<normal-state> j ; <visual-state> j	evil-next-line
<normal-state> k ; <visual-state> k	evil-previous-line
<normal-state> n ; <visual-state> n	evil-ex-search-next
<normal-state> o ; <visual-state> o ; x	magit-reset-quickly
<normal-state> p ; <visual-state> p ; P	magit-push

Teclas / sequência	Comando / ação
<normal-state> q ; <visual-state> q ; q	+magit/quit
<normal-state> v ; <visual-state> v	evil-visual-char
<normal-state> x ; <visual-state> x ; k	magit-delete-thing
<normal-state> y b ; M-w	magit-copy-buffer-revision
<normal-state> y r ; y	magit-show-refs
<normal-state> y s ; <visual-state> y ; C-w	magit-copy-section-value
<normal-state> y y	evil-collection-magit-yank-whole-line
<normal-state> z 1 ; <visual-state> z 1	magit-section-show-level-1-all
<normal-state> z 2 ; <visual-state> z 2	magit-section-show-level-2-all
<normal-state> z 3 ; <visual-state> z 3	magit-section-show-level-3-all
<normal-state> z 4 ; <normal-state> z r ; <visual-state> z 4 ; <visual-state> z r	magit-section-show-level-4-all
<normal-state> z C ; <visual-state> z C	magit-section-hide-children
<normal-state> z O ; <visual-state> z O	magit-section-show-children
<normal-state> z a ; <visual-state> z a	magit-section-toggle
<normal-state> z b ; <visual-state> z b	evil-scroll-line-to-bottom
<normal-state> z c ; <visual-state> z c	magit-section-hide
<normal-state> z o ; <visual-state> z o	magit-section-show
<normal-state> z t ; <visual-state> z t	evil-scroll-line-to-top
<normal-state> z z ; <visual-state> z z	evil-scroll-line-to-center
<override-state>	all
<remap> <back-to-indentation>	magit-back-to-indentation
<remap> <evil-next-line>	evil-next-visual-line
<remap> <evil-previous-line>	evil-previous-visual-line
<remap> <magit-browse-thing>	forge-browse
<remap> <next-line>	magit-next-line
<remap> <org-store-link>	orgit-store-link
<remap> <previous-line>	magit-previous-line
>	magit-sparse-checkout
? ; C-c C-c ; h	magit-dispatch
A	magit-cherry-pick
B	magit-bisect
C	magit-clone
C-<return> ; RET	magit-visit-thing
C-M-i	magit-dired-jump
C-c C-e	magit-edit-thing
C-c C-o	magit-browse-thing
C-c C-r	magit-next-reference

Teclas / sequência	Comando / ação
C-c C-w	magit-copy-thing
D	magit-diff-refresh
E	magit-ediff
F	magit-pull
H	magit-describe-section
I	magit-init
J	magit-display-repository-buffer
L	magit-log-refresh
M	magit-remote
M-<tab>	magit-section-cycle-diffs
R	magit-file-rename
S	magit-stage-modified
T	magit-notes
U	magit-unstage-all
W	magit-patch
Y	magit-cherry
a	magit-cherry-apply
b	magit-branch
c	magit-commit
d	magit-diff
e	magit-ediff-dwim
f	magit-fetch
i	magit-gitignore
j	magit-status-quick
l	magit-log
m	magit-merge
r	magit-rebase
s	magit-stage-files
t	magit-tag
u	magit-unstage-files
w	magit-am

5.20 pdf-view-mode-map

Herda de: image-mode-map.

Teclas / sequência	Comando / ação
' ; <normal-state> '	pdf-view-jump-to-register
+ ; <normal-state> + ; <normal-state> = ; <normal-state> z i ; =	pdf-view-enlarge
- ; <normal-state> - ; <normal-state> z o	pdf-view-shrink
0 ; <normal-state> 0 ; <normal-state> z 0	pdf-view-scale-reset
<down> ; <normal-state> <down> ; <normal-state> j ; <remap> <next-line> ; C-n	pdf-view-next-line-or-next-page
<next> ; <normal-state> <next>	forward-page
<normal-state> $	image-eol
<normal-state> /	isearch-forward

Teclas / sequência	Comando / ação
<normal-state> <delete> ; <normal-state> C-b ; <normal-state> C-u ; <normal-state> S-<space> ; <normal-state> S-SPC ; <remap> <scroll-down-command> ; DEL ; S-SPC	pdf-view-scroll-down-or-previous-page
<normal-state> <prior> ; <prior>	backward-page
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <up> ; <normal-state> k ; <remap> <previous-line> ; <up> ; C-p	pdf-view-previous-line-or-previous-page
<normal-state> ?	isearch-backward
<normal-state> C-<down-mouse-1> ; C-<down-mouse-1>	pdf-view-mouse-extend-region
<normal-state> C-c <tab> ; C-c TAB	pdf-view-extract-region-image
<normal-state> C-c C-c ; C-c C-c	doc-view-mode
<normal-state> C-d ; <normal-state> C-f ; <remap> <scroll-up-command> ; SPC	pdf-view-scroll-up-or-next-page
<normal-state> F	pdf-links-action-perform
<normal-state> G	evil-collection-pdf-view-goto-page

Teclas / sequência	Comando / ação
<normal-state> H ; H	pdf-view-fit-height-to-window
<normal-state> M-<down-mouse-1> ; M-<down-mouse-1>	pdf-view-mouse-set-region-rectangle
<normal-state> M-s o	pdf-occur
<normal-state> N	isearch-repeat-backward
<normal-state> P ; P	pdf-view-fit-page-to-window
<normal-state> Q ; <normal-state> Z Q ; Q ; q	kill-current-buffer
<normal-state> RET ; RET	image-next-line
<normal-state> W ; W	pdf-view-fit-width-to-window
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k ; <remap> <backward-page> ; p	pdf-view-previous-page-command
<normal-state>]] ; <normal-state> g j ; <remap> <forward-page> ; n	pdf-view-next-page-command
<normal-state> ^	image-bol
<normal-state> f	pdf-links-isearch-link
<normal-state> g g	evil-collection-pdf-view-goto-first-page
<normal-state> g l ; M-g l	pdf-view-goto-label
<normal-state> g r ; g	revert-buffer
<normal-state> h	image-backward-hscroll
<normal-state> l	image-forward-hscroll
<normal-state> m ; m	pdf-view-position-to-register
<normal-state> n	isearch-repeat-forward
<normal-state> o	pdf-outline
<normal-state> s b ; s b	pdf-view-set-slice-from-bounding-box
<normal-state> s m ; s m	pdf-view-set-slice-using-mouse
<normal-state> s r ; s r	pdf-view-reset-slice
<normal-state> y	evil-collection-pdf-yank
<normal-state> z d ; C-c C-d	pdf-view-dark-minor-mode
<normal-state> z m ; C-c C-r m	pdf-view-midnight-minor-mode
<normal-state> z p ; C-c C-r p	pdf-view-printer-minor-mode
<remap> <beginning-of-buffer> ; M-<	pdf-view-first-page
<remap> <end-of-buffer> ; M->	pdf-view-last-page
<remap> <goto-line>	pdf-view-goto-page
<remap> <kill-region> ; <remap> <kill-ring-save>	pdf-view-kill-ring-save
<remap> <mark-whole-buffer>	pdf-view-mark-whole-page
C-c C-r t	pdf-view-themed-minor-mode
R	pdf-view-rotate
s c	pdf-view-set-slice-common-bounding-box

5.21 vterm-mode-map

Teclas / sequência	Comando / ação
! ; " ; # ; $; % ; & ; ' ; (	vterm--self-insert
) ; * ; + ; , ; - ; . ; / ; 0	vterm--self-insert

Teclas / sequência	Comando / ação
1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7 ; 8	vterm--self-insert
9 ; : ; ; ; < ; <backtab> ; <down> ; <end> ; <escape>	vterm--self-insert
<f10> ; <f11> ; <f12> ; <f1> ; <f2> ; <f3> ; <f4> ; <f5>	vterm--self-insert
<f6> ; <f7> ; <f8> ; <f9> ; <home> ; <insert-state> C-a ; <insert-state> C-b ; <insert-state> C-d	vterm--self-insert
<insert-state> C-e ; <insert-state> C-f ; <insert-state> C-k ; <insert-state> C-l ; <insert-state> C-n ; <insert-state> C-o ; <insert-state> C-p ; <insert-state> C-q	vterm--self-insert
<insert-state> C-r ; <insert-state> C-s ; <insert-state> C-t ; <insert-state> C-u ; <insert-state> C-v ; <insert-state> C-w ; <insert-state> C-y ; <insert-state> C-z	vterm--self-insert
<left> ; <next> ; <prior> ; <remap> <self-insert-command> ; <right> ; <up> ; = ; >	vterm--self-insert
? ; @ ; A ; B ; C ; C-<down> ; C-<end> ; C-<home>	vterm--self-insert
C-<left> ; C-<right> ; C-<up> ; C-@ ; C-SPC ; C-\ ; C-] ; C-^	vterm--self-insert
C-_ ; C-a ; C-b ; C-c C-c ; C-c C-g ; C-c C-u ; C-c C-y ; C-d	vterm--self-insert
C-e ; C-f ; C-j ; C-k ; C-n ; C-o ; C-p ; C-r	vterm--self-insert
C-s ; C-t ; C-v ; C-w ; C-z ; D ; E ; F	vterm--self-insert
G ; H ; I ; J ; K ; L ; M ; M-,	vterm--self-insert
M-. ; M-< ; M-> ; N ; O ; P ; Q ; R	vterm--self-insert
S ; SPC ; T ; U ; V ; W ; X ; Y	vterm--self-insert
Z ; [; \ ;] ; ^ ; _ ; ` ; a	vterm--self-insert
b ; c ; d ; e ; f ; g ; h ; i	vterm--self-insert
j ; k ; l ; m ; n ; o ; p ; q	vterm--self-insert
r ; s ; t ; u ; v ; w ; x ; y	vterm--self-insert
z ; { ; | ; } ; ~	vterm--self-insert
<backspace> ; DEL	vterm-send-backspace
<delete> ; <deletechar> ; <insert-state> <delete>	vterm-send-delete
<insert-state> C-c C-z ; <normal-state> C-c C-z	evil-collection-vterm-toggle-send-escape
<normal-state> 0	+vterm/beginning-of-line
<normal-state> A	evil-collection-vterm-append-line
<normal-state> C	evil-collection-vterm-change-line

Teclas / sequência	Comando / ação
<normal-state> D	evil-collection-vterm-delete-line
<normal-state> G ; C-c C-r	vterm-reset-cursor-point
<normal-state> I	evil-collection-vterm-insert-line
<normal-state> P ; <remap> <yank>	vterm-yank
<normal-state> S	evil-collection-vterm-substitute-line
<normal-state> X ; <visual-state> x	evil-collection-vterm-delete-backward-char
<normal-state> [[; <normal-state> g k ; C-c C-p	vterm-previous-prompt
<normal-state>]] ; <normal-state> g j ; C-c C-n	vterm-next-prompt
<normal-state> ^	evil-collection-vterm-first-non-blank
<normal-state> a	evil-collection-vterm-append
<normal-state> c	evil-collection-vterm-change
<normal-state> d ; <visual-state> d	evil-collection-vterm-delete
<normal-state> i	evil-collection-vterm-insert
<normal-state> j	evil-collection-vterm-next-line
<normal-state> p	evil-collection-vterm-paste-after
<normal-state> r	evil-collection-vterm-replace
<normal-state> s	evil-collection-vterm-substitute
<normal-state> u ; <remap> <undo>	vterm-undo
<normal-state> x	evil-collection-vterm-delete-char
<remap> <xterm-paste>	vterm-xterm-paste
<remap> <yank-pop>	vterm-yank-pop
<return> ; RET	vterm-send-return
<tab> ; TAB	vterm-send-tab
C-<backspace> ; M-<backspace> ; M-DEL	vterm-send-meta-backspace
C-<delete>	vterm-send-ctrl-delete
C-M-@ ; C-M-\ ; C-M-] ; C-M-^ ; C-M-_ ; C-M-a ; C-M-b ; C-M-c	vterm--self-insert-meta
C-M-d ; C-M-e ; C-M-f ; C-M-g ; C-M-h ; C-M-i ; C-M-j ; C-M-k	vterm--self-insert-meta
C-M-l ; C-M-n ; C-M-o ; C-M-p ; C-M-q ; C-M-r ; C-M-s ; C-M-t	vterm--self-insert-meta
C-M-u ; C-M-v ; C-M-w ; C-M-x ; C-M-y ; C-M-z ; ESC ESC ; M-!	vterm--self-insert-meta
M-" ; M-# ; M-$; M-% ; M-& ; M-' ; M-(; M-)	vterm--self-insert-meta
M-* ; M-+ ; M-- ; M-/ ; M-0 ; M-1 ; M-2 ; M-3	vterm--self-insert-meta
M-4 ; M-5 ; M-6 ; M-7 ; M-8 ; M-9 ; M-: ; M-;	vterm--self-insert-meta
M-= ; M-? ; M-@ ; M-A ; M-B ; M-C ; M-D ; M-E	vterm--self-insert-meta
M-F ; M-G ; M-H ; M-I ; M-J ; M-K ; M-L ; M-M	vterm--self-insert-meta

Teclas / sequência	Comando / ação
M-N ; M-P ; M-Q ; M-R ; M-RET ; M-S ; M-SPC ; M-T	vterm--self-insert-meta
M-U ; M-V ; M-W ; M-X ; M-Y ; M-Z ; M-\ ; M-]	vterm--self-insert-meta
M-^ ; M-_ ; M-` ; M-a ; M-b ; M-c ; M-d ; M-e	vterm--self-insert-meta
M-f ; M-g ; M-h ; M-i ; M-j ; M-k ; M-l ; M-m	vterm--self-insert-meta
M-n ; M-p ; M-q ; M-r ; M-s ; M-t ; M-u ; M-v	vterm--self-insert-meta
M-w ; M-z ; M-{ ; M-| ; M-} ; M-~	vterm--self-insert-meta
C-c C-l	vterm-clear-scrollback
C-c C-t	vterm-copy-mode
C-l	vterm-clear
C-q	vterm-send-next-key
M-<down>	windmove-down
M-<left>	windmove-left
M-<right>	windmove-right
M-<up>	windmove-up
S-<next>	scroll-up-command
S-<prior>	scroll-down-command
S-SPC	vterm-send-space

5.22 copilot-mode-map

Teclas / sequência	Comando / ação
<tab> ; TAB	copilot-accept-completion

5.23 +dashboard-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <remap> <evil-paste-pop> ; <remap> <evil-previous-line> ; <remap> <evil-previous-visual-line> ; <up> ; C-p ; p	backward-button
<down> ; <remap> <evil-next-line> ; <remap> <evil-next-visual-line> ; <remap> <evil-paste-pop-next> ; <tab> ; C-n ; n	forward-button
<remap> <backward-button>	+dashboard/backward-button
<remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change> ; <remap> <evil-delete-line> ; <remap> <evil-delete> ; <remap> <evil-enter-replace-state> ; <remap> <evil-insert> ; <remap> <evil-replace>	ignore

Teclas / sequência	Comando / ação
<remap> <evil-visual-char> ; <remap> <evil-visual-line>	ignore
<remap> <forward-button>	+dashboard/forward-button
<remap> <push-button>	+dashboard/push-button

5.24 +dashboard-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
Z Q	evil-quit
Z Z ; q	quit-window
g r	revert-buffer

5.25 +popup-buffer-mode-map

Teclas / sequência	Comando / ação
<escape>	doom/escape
<remap> <doom/window-maximize-buffer>	+popup/raise
<remap> <kill-current-buffer>	+popup/kill
<remap> <quit-window>	+popup/quit-window

5.26 +vertico-embark-doom-package-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
b	doom/bump-package
c	doom/help-package-config

Teclas / sequência	Comando / ação
h	doom/help-packages
u	doom/help-package-homepage

5.27 2C-minor-mode-map

Teclas / sequência	Comando / ação
1	2C-merge
RET	2C-newline
d	2C-dissociate
o	2C-associated-buffer
{	2C-shrink-window-horizontally
|	2C-toggle-autoscroll
}	2C-enlarge-window-horizontally

5.28 2C-mode-map

Teclas / sequência	Comando / ação
2 ; <f2>	2C-two-columns
b	2C-associate-buffer
s	2C-split

5.29 abbrev-map

Teclas / sequência	Comando / ação
' ; e	expand-abbrev
+ ; C-a ; l	add-mode-abbrev
- ; i g	inverse-add-global-abbrev
g	add-global-abbrev
i l	inverse-add-mode-abbrev
n	expand-jump-to-next-slot
p	expand-jump-to-previous-slot

5.30 ansi-osc-hyperlink-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
C-c RET ; RET	browse-url-button-open

5.31 apheleia-mode-map

Teclas / sequência	Comando / ação
<remap> <basic-save-buffer>	+format/save-buffer

5.32 apropos-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab> ; C-M-i	backward-button
<normal-state> <return> ; <normal-state> RET ; RET	apropos-follow
<normal-state> <tab> ; <normal-state> TAB ; TAB	forward-button
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> g ?	describe-mode
<normal-state> g r	revert-buffer
<normal-state> o	link-hint-open-link
n	apropos-next-symbol
p	apropos-previous-symbol

5.33 archive-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<down> ; <normal-state>]] ; <normal-state> g j ; <normal-state> j ; C-n ; SPC ; n	archive-next-line
<follow-link>	mouse-face
<normal-state> <return> ; <normal-state> RET ; RET ; e ... f	archive-extract
<normal-state> C ; C	archive-copy-file
<normal-state> G	end-of-buffer
<normal-state> M ; M	archive-chmod-entry
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; v	archive-view
<normal-state> O ; O	archive-chown-entry
<normal-state> P ; G	archive-chgrp-entry
<normal-state> R ; <normal-state> r ; r	archive-rename-entry
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; E ; o	archive-extract-other-window
<normal-state> U ; M-DEL	archive-unmark-all-files
<normal-state> [[; <normal-state> g k ; <normal-state> k ; <up> ; C-p ; S-SPC ; p	archive-previous-line
<normal-state> a ; a	archive-alternate-display
<normal-state> d ; C-d ; d	archive-flag-deleted
<normal-state> g g	beginning-of-buffer
<normal-state> g r	revert-buffer
<normal-state> m ; m	archive-mark
<normal-state> q	quit-window

Teclas / sequência	Comando / ação
`<normal-state> u ; u`	`archive-unflag`
`<normal-state> x ; x`	`archive-expunge`
`<remap> <undo>`	`archive-undo`
`DEL`	`archive-unflag-backwards`

5.34 awk-mode-map

Herda de: c-mode-base-map.

Teclas / sequência	Comando / ação
`# ; * ; /`	`self-insert-command`
`C-M-a`	`c-awk-beginning-of-defun`
`C-M-e`	`c-awk-end-of-defun`
`C-c C-n ; C-c C-p ; C-c C-u`	`undefined`
`M-a`	`c-beginning-of-statement`
`M-e`	`c-end-of-statement`

5.35 backtrace-mode-map

Teclas / sequência	Comando / ação
`#`	`backtrace-toggle-print-circle`
`+`	`backtrace-multi-line`
`-`	`backtrace-single-line`
`.`	`backtrace-expand-ellipses`
`:`	`backtrace-toggle-print-gensym`
`<follow-link>`	`mouse-face`
`C-]`	`abort-recursive-edit`
`RET`	`backtrace-help-follow-symbol`
`n`	`backtrace-forward-frame`
`p`	`backtrace-backward-frame`
`v`	`backtrace-toggle-locals`

5.36 bibtex-dialect-select-map

Teclas / sequência	Comando / ação
`<BibTeX> ; <biblatex>`	`Função anônima (lambda)`

5.37 bibtex-mode-map

Teclas / sequência	Comando / ação
`<remap> <backward-paragraph>`	`bibtex-previous-entry`
`<remap> <forward-paragraph>`	`bibtex-next-entry`
`C-M-a`	`bibtex-beginning-of-entry`
`C-M-e`	`bibtex-end-of-entry`
`C-M-h`	`bibtex-mark-entry`
`C-M-i`	`completion-at-point`

Teclas / sequência	Comando / ação
C-M-l	bibtex-reposition-window
C-c " ; C-c { ; C-c }	bibtex-remove-delimiters
C-c $	bibtex-ispell-abstract
C-c &	reftex-view-crossref-from-bibtex
C-c ?	bibtex-print-help-message
C-c C-a	bibtex-search-entries
C-c C-b	bibtex-entry
C-c C-c	bibtex-clean-entry
C-c C-d	bibtex-empty-field
C-c C-e B	bibtex-Booklet
C-c C-e C-a	bibtex-Article
C-c C-e C-b ; C-c C-e I	bibtex-InBook
C-c C-e C-c ; C-c C-e i	bibtex-InCollection
C-c C-e C-p ; C-c C-e TAB	bibtex-InProceedings
C-c C-e C-s	bibtex-String
C-c C-e C-t	bibtex-TechReport
C-c C-e C-u	bibtex-Unpublished
C-c C-e M	bibtex-Misc
C-c C-e M-p	bibtex-Preamble
C-c C-e P	bibtex-PhdThesis
C-c C-e RET	bibtex-Manual
C-c C-e b	bibtex-Book
C-c C-e m	bibtex-MastersThesis
C-c C-e p	bibtex-Proceedings
C-c C-f	bibtex-make-field
C-c C-k	bibtex-kill-field
C-c C-l	bibtex-url
C-c C-n	bibtex-pop-next
C-c C-o	bibtex-remove-OPT-or-ALT
C-c C-p	bibtex-pop-previous
C-c C-q ; C-c \	bibtex-fill-entry
C-c C-r n	bibtex-narrow-to-entry
C-c C-r w	widen
C-c C-s	bibtex-search-entry
C-c C-t	bibtex-copy-summary-as-kill
C-c C-u	bibtex-entry-update
C-c C-w	bibtex-kill-entry
C-c C-x	bibtex-search-crossref
C-c C-y	bibtex-yank
C-c M-k	bibtex-copy-field-as-kill
C-c M-w	bibtex-copy-entry-as-kill
C-c M-y	bibtex-yank-pop
C-j	bibtex-next-field
TAB	bibtex-find-text

5.38 bookmark-bmenu-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
/ ; <normal-state> s	bookmark-bmenu-search

Teclas / sequência	Comando / ação
1 ; <normal-state> 1	bookmark-bmenu-1-window
2 ; <normal-state> 2	bookmark-bmenu-2-window
5 ; <normal-state> 5	bookmark-bmenu-other-frame
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <remap> <evil-write> ; C-x C-s ; s	bookmark-bmenu-save
<normal-state> <return> ; <normal-state> RET ; C-c C-c ; RET ; f ; j	bookmark-bmenu-this-window
<normal-state> A ; A	bookmark-bmenu-show-all-annotations
<normal-state> D ; C-d	bookmark-bmenu-delete-backwards
<normal-state> DEL ; DEL	bookmark-bmenu-backup-unmark
<normal-state> E ; <normal-state> e ; e	bookmark-bmenu-edit-annotation
<normal-state> L ; l	bookmark-bmenu-load
<normal-state> M ; M	bookmark-bmenu-mark-all
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; C-o	bookmark-bmenu-switch-other-window
<normal-state> O ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; o	bookmark-bmenu-other-window

Teclas / sequência	Comando / ação
<normal-state> R ; r	bookmark-bmenu-rename
<normal-state> U ; U	bookmark-bmenu-unmark-all
<normal-state> W ; w	bookmark-bmenu-locate
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> a ; a	bookmark-bmenu-show-annotation
<normal-state> d ; d ; k	bookmark-bmenu-delete
<normal-state> m ; m	bookmark-bmenu-mark
<normal-state> o ; v	bookmark-bmenu-select
<normal-state> r ; R	bookmark-bmenu-relocate
<normal-state> t ; t	bookmark-bmenu-toggle-filenames
<normal-state> u ; u	bookmark-bmenu-unmark
<normal-state> x ; x	bookmark-bmenu-execute-deletions
D	bookmark-bmenu-delete-all
J	bookmark-jump
S-SPC	previous-line
SPC	next-line

5.39 bookmark-edit-annotation-mode-map

Herda de: text-mode-map.

Teclas / sequência	Comando / ação
C-c C-c	bookmark-edit-annotation-confirm
C-c C-k	bookmark-edit-annotation-cancel

5.40 bookmark-map

Teclas / sequência	Comando / ação
5	bookmark-jump-other-frame
D	bookmark-delete-all
M	bookmark-set-no-overwrite
d	bookmark-delete
e	edit-bookmarks
f	bookmark-insert-location
g ; j	bookmark-jump
i	bookmark-insert
l	bookmark-load
m ; x	bookmark-set
o	bookmark-jump-other-window
r	bookmark-rename
s	bookmark-save
w	bookmark-write

5.41 bookmark-minibuffer-read-name-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
C-w	bookmark-yank-word

5.42 bookmark-minibuffer-read-name-map [Evil insert]

Teclas / sequência	Comando / ação
C-j	next-line
C-k	previous-line

5.43 browse-url-button-map

Teclas / sequência	Comando / ação
C-c RET ; RET	browse-url-button-open
w	browse-url-button-copy

5.44 Buffer-menu-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
% ; <normal-state> %	Buffer-menu-toggle-read-only
1 ; <normal-state> 1	Buffer-menu-1-window
2 ; <normal-state> 2	Buffer-menu-2-window
<follow-link> ; <normal-state> <follow-link>	mouse-face
<normal-state> <delete> ; DEL	Buffer-menu-backup-unmark
<normal-state> <return> ; <normal-state> RET ; e ; f	Buffer-menu-this-window
<normal-state> C-d ; C-d	Buffer-menu-delete-backwards
<normal-state> C-k ; <normal-state> d ; C-k ; d ; k	Buffer-menu-delete
<normal-state> M-s a C-M-s ; M-s a C-M-s	Buffer-menu-isearch-buffers-regexp
<normal-state> M-s a C-o ; M-s a C-o	Buffer-menu-multi-occur
<normal-state> M-s a C-s ; M-s a C-s	Buffer-menu-isearch-buffers
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; RET ; o	Buffer-menu-other-window
<normal-state> T ; T	Buffer-menu-toggle-files-only
<normal-state> U ; U	Buffer-menu-unmark-all
<normal-state> X ; b	Buffer-menu-bury
<normal-state> Z Q	evil-quit
<normal-state> Z Z	quit-window
<normal-state> g V ; V	Buffer-menu-view
<normal-state> g r	revert-buffer
<normal-state> g v ; v	Buffer-menu-select
<normal-state> m ; m	Buffer-menu-mark

Teclas / sequência	Comando / ação
<normal-state> o	tabulated-list-sort
<normal-state> s ; s	Buffer-menu-save
<normal-state> t ; t	Buffer-menu-visit-tags-table
<normal-state> u ; u	Buffer-menu-unmark
<normal-state> v	evil-visual-char
<normal-state> x ; x	Buffer-menu-execute
<normal-state> ~ ; ~	Buffer-menu-not-modified
C-o	Buffer-menu-switch-other-window
I	Buffer-menu-toggle-internal
M-DEL	Buffer-menu-unmark-all-buffers
O	Buffer-menu-view-other-window
SPC	next-line

5.45 buffer-navigation-repeat-map

Teclas / sequência	Comando / ação
<left>	previous-buffer
<right>	next-buffer

5.46 bug-reference-map

Teclas / sequência	Comando / ação
<remap> <magit-visit-thing> ; C-c RET	bug-reference-push-button

5.47 button-buffer-map

Teclas / sequência	Comando / ação
<backtab> ; C-M-i	backward-button
TAB	forward-button

5.48 button-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
RET	push-button

5.49 c++-mode-map

Herda de: c-mode-base-map.

Teclas / sequência	Comando / ação
`<emacs-state> M-SPC m c t ; <insert-state> M-SPC m c t ; <motion-state> SPC m c t ; <normal-state> SPC m c t ; <visual-state> SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`
`C-c :`	`c-scope-operator`
`C-c C-e`	`c-macro-expand`

5.50 c++-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
`M-SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`

5.51 c++-mode-map [Evil insert]

Teclas / sequência	Comando / ação
`M-SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`

5.52 c++-mode-map [Evil motion]

Teclas / sequência	Comando / ação
`SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`

5.53 c++-mode-map [Evil normal]

Teclas / sequência	Comando / ação
`SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`

5.54 c++-mode-map [Evil visual]

Teclas / sequência	Comando / ação
`SPC m c t`	`+cc/eglot-ccls-inheritance-hierarchy`

5.55 c-mode-base-map

Herda de: prog-mode-map.

Teclas / sequência	Comando / ação
`C-M-a`	`c-beginning-of-defun`
`C-M-e`	`c-end-of-defun`
`C-M-h`	`c-mark-function`
`C-M-q`	`c-indent-exp`

Teclas / sequência	Comando / ação
C-c .	c-set-style
C-c <deletechar> ; C-c C-<delete> ; C-c C-<deletechar> ; C-c C-d	c-hungry-delete-forward
C-c C-<backspace> ; C-c C-DEL ; C-c DEL	c-hungry-delete-backwards
C-c C-\	c-backslash-region
C-c C-a	c-toggle-auto-newline
C-c C-b	c-submit-bug-report
C-c C-c	comment-region
C-c C-k	c-toggle-comment-style
C-c C-l	c-toggle-electric-state
C-c C-n	c-forward-conditional
C-c C-o	c-set-offset
C-c C-p	c-backward-conditional
C-c C-q	c-indent-defun
C-c C-s	c-show-syntactic-information
C-c C-u	c-up-conditional
C-c C-w	c-subword-mode
C-c C-z	c-display-defun-name
C-d	c-electric-delete-forward
M-a	c-beginning-of-statement
M-e	c-end-of-statement
M-q	c-fill-paragraph
TAB	c-indent-line-or-region

5.56 c-mode-map

Herda de: c-mode-base-map.

Teclas / sequência	Comando / ação
C-c C-e	c-macro-expand

5.57 calc-alg-esc-map

Teclas / sequência	Comando / ação
!	calc-factorial
" ; $	calc-auto-algebraic-entry
%	calc-mod
& ; V & ; V M-& ; v & ; v M-&	calc-inv
'	calc-algebraic-entry
(	calc-begin-complex
)	calc-end-complex
*	calc-times
+	calc-plus
,	calc-comma
-	calc-minus
. ; @ ; _ ; e	calcDigit-start
/	calc-divide
0	+workspace/switch-to-final

Teclas / sequência	Comando / ação
1	+workspace/switch-to-0
2	+workspace/switch-to-1
3	+workspace/switch-to-2
4	+workspace/switch-to-3
5	+workspace/switch-to-4
6	+workspace/switch-to-5
7	+workspace/switch-to-6
8	+workspace/switch-to-7
9	+workspace/switch-to-8
:	calc-fdiv
;	calc-semi
<	calc-scroll-left
<begin> ; <home>	beginning-of-buffer-other-window
<end>	end-of-buffer-other-window
<f10>	toggle-frame-maximized
<left>	backward-word
<next> ; C-v	scroll-other-window
<prior> ; C-S-v	scroll-other-window-down
<right>	forward-word
=	calc-evaluate
>	calc-scroll-right
?	calc-help
A ; a A ; a M-A	calc-abs
B ; b B ; b M-B	calc-log
C ; c C ; c M-C	calc-cos
C-%	query-replace-regexp
C-,	xref-go-forward
C--	negative-argument
C-.	xref-find-apropos
C-/	dabbrev-completion
C-0 ; C-1 ; C-2 ; C-3 ; C-4 ; C-5 ; C-6 ; C-7	digit-argument
C-8 ; C-9	digit-argument
C-<backspace> ; C-<delete>	backward-kill-sexp
C-<down> ; C-d	down-list
C-<end> ; C-e	end-of-defun
C-<home> ; C-a	beginning-of-defun
C-<left> ; C-b	backward-sexp
C-<right> ; C-f	forward-sexp
C-<up> ; C-u	backward-up-list
C-@ ; C-SPC	mark-sexp
C-S-l	recenter-other-window
C-\	indent-region
C-_	undo-redo
C-c	exit-recursive-edit
C-h	mark-defun
C-j	default-indent-new-line
C-k	kill-sexp
C-l	reposition-window
C-n	forward-list
C-o	split-line
C-p	backward-list

Teclas / sequência	Comando / ação
C-r	isearch-backward-regexp
C-s	isearch-forward-regexp
C-t	transpose-sexps
C-w	append-next-kill
D ; d D ; d M-D	calc-redo
DEL	calc-pop-above
E	calc-exp
ESC ESC	keyboard-escape-quit
F ; f F ; f M-F	calc-floor
G ; g G ; g M-G	calc-argument
H	calc-hyperbolic
I	calc-inverse
J ; j J ; j M-J	calc-conj
K ; k K ; k M-K	calc-keep-args
L	calc-ln
M ; m M ; m M-M	calc-more-recursion-depth
M-:	eval-expression
N	calc-eval-num
O	calc-option
P	calc-pi
Q	calc-sqrt
R	calc-round
RET	calc-last-args-stub
S ; s M-S ; s S	calc-sin
SPC	calc-enter
T ; t M-T ; t T	calc-tan
TAB	calc-roll-up
U ; u M-U ; u U	calc-undo
V # ; V M-# ; v # ; v M-#	calc-set-cardinality
V (; V M-(; v (; v M-(	calc-vector-parens
V) ; V M-) ; V M-] ; V M-} ; V] ; V } ; v) ; v M-)	calc-matrix-brackets
v M-] ; v M-} ; v] ; v }	calc-matrix-brackets
V + ; V M-+ ; v + ; v M-+	calc-remove-duplicates
V , ; V M-, ; v , ; v M-,	calc-vector-commas
V - ; V M-- ; v - ; v M--	calc-set-difference
V . ; V M-. ; v . ; v M-.	calc-full-vectors
V / ; V M-/ ; v / ; v M-/	calc-break-vectors
V : ; V M-: ; v : ; v M-:	calc-set-span
V < ; V M-< ; v < ; v M-<	calc-matrix-left-justify
V = ; V M-= ; v = ; v M-=	calc-matrix-center-justify
V > ; V M-> ; v > ; v M->	calc-matrix-right-justify
V ? ; V M-? ; v ? ; v M-?	calc-v-prefix-help
V A ; V M-A ; v A ; v M-A	calc-apply
V C ; V M-C ; v C ; v M-C	calc-cross
V D ; V M-D ; v D ; v M-D	calc-mdet
V E ; V M-E ; v E ; v M-E	calc-set-enumerate
V F ; V M-F ; v F ; v M-F	calc-set-floor
V G ; V M-G ; v G ; v M-G	calc-grade
V H ; V M-H ; v H ; v M-H	calc-histogram
V I ; V M-I ; v I ; v M-I	calc-inner-product
V J ; V M-J ; v J ; v M-J	calc-conj-transpose

Teclas / sequência	Comando / ação
V K ; V M-K ; v K ; v M-K	calc-kron
V L ; V M-L ; v L ; v M-L	calc-mlud
V M ; V M-M ; v M ; v M-M	calc-map
V M-N ; V N ; v M-N ; v N	calc-cnorm
V M-O ; V O ; v M-O ; v O	calc-outer-product
V M-R ; V R ; v M-R ; v R	calc-reduce
V M-S ; V S ; v M-S ; v S	calc-sort
V M-T ; V T ; v M-T ; v T	calc-mtrace
V M-U ; V U ; v M-U ; v U	calc-accumulate
V M-V ; V V ; v M-V ; v V	calc-set-union
V M-X ; V X ; v M-X ; v X	calc-set-xor
V M-[; V [; v M-[; v [	calc-vector-brackets
V M-^ ; V ^ ; v M-^ ; v ^	calc-set-intersect
V M-a ; V a ; v M-a ; v a	calc-arrange-vector
V M-b ; V b ; v M-b ; v b	calc-build-vector
V M-c ; V c ; v M-c ; v c	calc-mcol
V M-d ; V d ; v M-d ; v d	calc-diag
V M-e ; V e ; v M-e ; v e	calc-expand-vector
V M-f ; V f ; v M-f ; v f	calc-vector-find
V M-h ; V h ; v M-h ; v h	calc-head
V M-i ; V i ; v M-i ; v i	calc-ident
V M-k ; V k ; v M-k ; v k	calc-cons
V M-l ; V l ; v M-l ; v l	calc-vlength
V M-m ; V m ; v M-m ; v m	calc-mask-vector
V M-n ; V n ; v M-n ; v n	calc-rnorm
V M-p ; V p ; v M-p ; v p	calc-pack
V M-r ; V r ; v M-r ; v r	calc-mrow
V M-s ; V s ; v M-s ; v s	calc-subvector
V M-t ; V t ; v M-t ; v t	calc-transpose
V M-u ; V u ; v M-u ; v u	calc-unpack
V M-v ; V v ; v M-v ; v v	calc-reverse-vector
V M-x ; V x ; v M-x ; v x	calc-index
V M-{ ; V { ; v M-{ ; v {	calc-vector-braces
V M-~ ; V ~ ; v M-~ ; v ~	calc-set-complement
W	undefined
X	calc-call-last-kbd-macro
Y ? ; Y ESC M-? ; Y M-?	calc-shift-Y-prefix-help
Z # ; Z M-#	calc-kbd-query
Z ' ; Z M-'	calc-kbd-pop
Z (; Z M-(	calc-kbd-for
Z) ; Z M-)	calc-kbd-end-for
Z / ; Z M-/	calc-kbd-break
Z : ; Z M-:	calc-kbd-else
Z < ; Z M-<	calc-kbd-repeat
Z > ; Z M->	calc-kbd-end-repeat
Z ? ; Z M-?	calc-shift-Z-prefix-help
Z C ; Z M-C	calc-user-define-composition
Z D ; Z M-D	calc-user-define
Z E ; Z M-E	calc-user-define-edit
Z F ; Z M-F	calc-user-define-formula
Z G ; Z M-G	calc-get-user-defn
Z I ; Z M-I	calc-user-define-invocation

Teclas / sequência	Comando / ação
Z K ; Z M-K	calc-user-define-kbd-macro
Z M-P ; Z P	calc-user-define-permanent
Z M-S ; Z S	calc-edit-user-syntax
Z M-T ; Z T	calc-timing
Z M-U ; Z U	calc-user-undefine
Z M-[; Z [	calc-kbd-if
Z M-] ; Z]	calc-kbd-end-if
Z M-` ; Z `	calc-kbd-push
Z M-{ ; Z {	calc-kbd-loop
Z M-| ; Z |	calc-kbd-else-if
Z M-} ; Z }	calc-kbd-end-loop
[	calc-begin-vector
\	calc-idiv
]	calc-end-vector
^	calc-power
`	calc-edit
a ! ; a M-!	calc-logical-not
a " ; a M-"	calc-expand-formula
a # ; a M-#	calc-not-equal-to
a % ; a M-%	calc-poly-rem
a & ; a M-&	calc-logical-and
a * ; a M-*	calc-product
a + ; a M-+	calc-summation
a - ; a M--	calc-alt-summation
a . ; a M-.	calc-remove-equal
a / ; a M-/	calc-poly-div-rem
a : ; a M-:	calc-logical-if
a < ; a M-<	calc-less-than
a = ; a M-=	calc-equal-to
a > ; a M->	calc-greater-than
a ? ; a M-?	calc-a-prefix-help
a F ; a M-F	calc-curve-fit
a I ; a M-I	calc-num-integral
a M ; a M-M	calc-map-equation
a M-N ; a N	calc-find-minimum
a M-P ; a P	calc-poly-roots
a M-R ; a R	calc-find-root
a M-S ; a S	calc-solve-for
a M-T ; a T	calc-tabulate
a M-X ; a X	calc-find-maximum
a M-[; a [	calc-less-equal
a M-\ ; a \	calc-poly-div
a M-] ; a]	calc-greater-equal
a M-_ ; a _	calc-subscript
a M-a ; a a	calc-apart
a M-b ; a b	calc-substitute
a M-c ; a c	calc-collect
a M-d ; a d	calc-derivative
a M-e ; a e	calc-simplify-extended
a M-f ; a f	calc-factor
a M-g ; a g	calc-poly-gcd
a M-i ; a i	calc-integral

Teclas / sequência	Comando / ação
a M-m ; a m	calc-match
a M-n ; a n	calc-normalize-rat
a M-p ; a p	calc-poly-interp
a M-r ; a r	calc-rewrite
a M-s ; a s	calc-simplify
a M-t ; a t	calc-taylor
a M-v ; a v	calc-alg-evaluate
a M-x ; a x	calc-expand
a M-{ ; a {	calc-in-set
a M-| ; a |	calc-logical-or
b # ; b M-#	calc-fin-nper
b % ; b M-%	calc-percent-change
b ? ; b M-?	calc-b-prefix-help
b D ; b M-D	calc-fin-ddb
b F ; b M-F	calc-fin-fv
b I ; b M-I	calc-fin-irr
b L ; b M-L	calc-lshift-arith
b M ; b M-M	calc-fin-pmt
b M-N ; b N	calc-fin-npv
b M-P ; b P	calc-fin-pv
b M-R ; b R	calc-rshift-arith
b M-S ; b S	calc-fin-sln
b M-T ; b T	calc-fin-rate
b M-Y ; b Y	calc-fin-syd
b M-a ; b a	calc-and
b M-c ; b c	calc-clip
b M-d ; b d	calc-diff
b M-l ; b l	calc-lshift-binary
b M-n ; b n	calc-not
b M-o ; b o	calc-or
b M-p ; b p	calc-pack-bits
b M-r ; b r	calc-rshift-binary
b M-t ; b t	calc-rotate-binary
b M-u ; b u	calc-unpack-bits
b M-w ; b w	calc-word-size
b M-x ; b x	calc-xor
c % ; c M-%	calc-convert-percent
c 0 ; c 1 ; c 2 ; c 3 ; c 4 ; c 5 ; c 6 ; c 7	calc-clean-num
c 8 ; c 9 ; c M-0 ; c M-1 ; c M-2 ; c M-3 ; c M-4 ; c M-5	calc-clean-num
c M-6 ; c M-7 ; c M-8 ; c M-9	calc-clean-num
c ? ; c M-?	calc-c-prefix-help
c F ; c M-F	calc-fraction
c M-c ; c c	calc-clean
c M-d ; c d	calc-to-degrees
c M-f ; c f	calc-float
c M-h ; c h	calc-to-hms
c M-p ; c p	calc-polar
c M-r ; c r	calc-to-radians
d " ; d M-"	calc-display-strings
d ' ; d M-'	calc-display-raw

Teclas / sequência	Comando / ação
d , ; d M-,	calc-group-char
d . ; d M-.	calc-point-char
d 0 ; d M-0	calc-decimal-radix
d 2 ; d M-2	calc-binary-radix
d 6 ; d M-6	calc-hex-radix
d 8 ; d M-8	calc-octal-radix
d < ; d M-<	calc-left-justify
d = ; d M-=	calc-center-justify
d > ; d M->	calc-right-justify
d ? ; d M-?	calc-d-prefix-help
d @ ; d M-@	calc-toggle-banner
d A ; d M-A	calc-giac-language
d B ; d M-B	calc-big-language
d C ; d M-C	calc-c-language
d E ; d M-E	calc-eqn-language
d F ; d M-F	calc-fortran-language
d L ; d M-L	calc-latex-language
d M ; d M-M	calc-mathematica-language
d M-N ; d N	calc-normal-language
d M-O ; d O	calc-flat-language
d M-P ; d P	calc-pascal-language
d M-RET ; d RET	calc-refresh-top
d M-SPC ; d SPC	calc-refresh
d M-T ; d T	calc-tex-language
d M-U ; d U	calc-unformatted-language
d M-W ; d W	calc-maple-language
d M-X ; d X	calc-maxima-language
d M-Y ; d Y	calc-yacas-language
d M-[; d [	calc-truncate-up
d M-] ; d]	calc-truncate-down
d M-b ; d b	calc-line-breaking
d M-c ; d c	calc-complex-notation
d M-d ; d d	calc-date-notation
d M-e ; d e	calc-eng-notation
d M-f ; d f	calc-fix-notation
d M-g ; d g	calc-group-digits
d M-h ; d h	calc-hms-notation
d M-i ; d i	calc-i-notation
d M-j ; d j	calc-j-notation
d M-l ; d l	calc-line-numbering
d M-n ; d n	calc-normal-notation
d M-o ; d o	calc-over-notation
d M-p ; d p	calc-show-plain
d M-r ; d r	calc-radix
d M-s ; d s	calc-sci-notation
d M-t ; d t	calc-truncate-stack
d M-w ; d w	calc-auto-why
d M-z ; d z	calc-leading-zeros
d M-{ ; d {	calc-left-label
d M-} ; d }	calc-right-label
f ? ; f M-?	calc-f-prefix-help
f A ; f M-A	calc-abssqr

Teclas / sequência	Comando / ação
f B ; f M-B	calc-inc-beta
f E ; f M-E	calc-expm1
f G ; f M-G	calc-inc-gamma
f I ; f M-I	calc-ilog
f L ; f M-L	calc-lnp1
f M ; f M-M	calc-mant-part
f M-Q ; f Q	calc-isqrt
f M-S ; f S	calc-scale-float
f M-T ; f T	calc-arctan2
f M-X ; f X	calc-xpon-part
f M-[; f [	calc-decrement
f M-] ; f]	calc-increment
f M-b ; f b	calc-beta
f M-e ; f e	calc-erf
f M-g ; f g	calc-gamma
f M-h ; f h	calc-hypot
f M-i ; f i	calc-im
f M-j ; f j	calc-bessel-J
f M-n ; f n	calc-min
f M-r ; f r	calc-re
f M-s ; f s	calc-sign
f M-x ; f x	calc-max
f M-y ; f y	calc-bessel-Y
g ? ; g M-?	calc-g-prefix-help
g A ; g M-A	calc-graph-add-3d
g C ; g M-C	calc-graph-command
g C-M-l ; g C-l	calc-graph-log-z
g C-M-r ; g C-r	calc-graph-range-z
g C-M-t ; g C-t	calc-graph-title-z
g D ; g M-D	calc-graph-device
g F ; g M-F	calc-graph-fast-3d
g H ; g M-H	calc-graph-hide
g K ; g M-K	calc-graph-kill
g L ; g M-L	calc-graph-log-y
g M-N ; g N	calc-graph-num-points
g M-O ; g O	calc-graph-output
g M-P ; g P	calc-graph-print
g M-R ; g R	calc-graph-range-y
g M-S ; g S	calc-graph-point-style
g M-T ; g T	calc-graph-title-y
g M-V ; g V	calc-graph-view-trail
g M-X ; g X	calc-graph-geometry
g M-Z ; g Z	calc-graph-zero-y
g M-a ; g a	calc-graph-add
g M-b ; g b	calc-graph-border
g M-c ; g c	calc-graph-clear
g M-d ; g d	calc-graph-delete
g M-f ; g f	calc-graph-fast
g M-g ; g g	calc-graph-grid
g M-h ; g h	calc-graph-header
g M-j ; g j	calc-graph-juggle
g M-k ; g k	calc-graph-key

Teclas / sequência	Comando / ação
g M-l ; g l	calc-graph-log-x
g M-n ; g n	calc-graph-name
g M-p ; g p	calc-graph-plot
g M-q ; g q	calc-graph-quit
g M-r ; g r	calc-graph-range-x
g M-s ; g s	calc-graph-line-style
g M-t ; g t	calc-graph-title-x
g M-v ; g v	calc-graph-view-commands
g M-x ; g x	calc-graph-display
g M-z ; g z	calc-graph-zero-x
h	calc-help-prefix
i	calc-info
j " ; j M-"	calc-sel-expand-formula
j & ; j M-&	calc-sel-invert
j ' ; j M-'	calc-enter-selection
j * ; j M-*	calc-sel-mult-both-sides
j + ; j M-+	calc-sel-add-both-sides
j - ; j M--	calc-sel-sub-both-sides
j / ; j M-/	calc-sel-div-both-sides
j 0 ; j 1 ; j 2 ; j 3 ; j 4 ; j 5 ; j 6 ; j 7	calc-select-part
j 8 ; j 9 ; j M-0 ; j M-1 ; j M-2 ; j M-3 ; j M-4 ; j M-5	calc-select-part
j M-6 ; j M-7 ; j M-8 ; j M-9	calc-select-part
j ? ; j M-?	calc-j-prefix-help
j C ; j M-C	calc-sel-commute
j C-M-h ; j C-h ; j DEL ; j M-DEL	calc-del-selection
j C-M-j ; j C-j ; j M-RET ; j RET	calc-copy-selection
j D ; j M-D	calc-sel-distribute
j E ; j M-E	calc-sel-jump-equals
j I ; j M-I	calc-sel-isolate
j L ; j M-L	calc-commute-left
j M ; j M-M	calc-sel-merge
j M-N ; j N	calc-sel-negate
j M-O ; j O	calc-select-once-maybe
j M-R ; j R	calc-commute-right
j M-S ; j S	calc-select-here-maybe
j M-U ; j U	calc-sel-unpack
j M-` ; j `	calc-edit-selection
j M-a ; j a	calc-select-additional
j M-b ; j b	calc-break-selections
j M-c ; j c	calc-clear-selections
j M-d ; j d	calc-show-selections
j M-e ; j e	calc-enable-selections
j M-l ; j l	calc-select-less
j M-m ; j m	calc-select-more
j M-n ; j n	calc-select-next
j M-o ; j o	calc-select-once
j M-p ; j p	calc-select-previous
j M-r ; j r	calc-rewrite-selection
j M-s ; j s	calc-select-here

Teclas / sequência	Comando / ação
j M-u ; j u	calc-unselect
j M-v ; j v	calc-sel-evaluate
k ? ; k M-?	calc-k-prefix-help
k B ; k M-B	calc-utpb
k C ; k M-C	calc-utpc
k E ; k M-E	calc-extended-gcd
k F ; k M-F	calc-utpf
k M-N ; k N	calc-utpn
k M-P ; k P	calc-utpp
k M-T ; k T	calc-utpt
k M-a ; k a	calc-random-again
k M-b ; k b	calc-bernoulli-number
k M-c ; k c	calc-choose
k M-d ; k d	calc-double-factorial
k M-e ; k e	calc-euler-number
k M-f ; k f	calc-prime-factors
k M-g ; k g	calc-gcd
k M-h ; k h	calc-shuffle
k M-l ; k l	calc-lcm
k M-m ; k m	calc-moebius
k M-n ; k n	calc-next-prime
k M-p ; k p	calc-prime-test
k M-r ; k r	calc-random
k M-s ; k s	calc-stirling-number
k M-t ; k t	calc-totient
l * ; l M-*	calc-lu-times
l + ; l M-+	calc-lu-plus
l - ; l M--	calc-lu-minus
l / ; l M-/	calc-lu-divide
l ? ; l M-?	calc-l-prefix-help
l M-d ; l d	calc-db
l M-f ; l f	calc-freq
l M-m ; l m	calc-midi
l M-n ; l n	calc-np
l M-q ; l q	calc-lu-quant
l M-s ; l s	calc-spn
m ? ; m M-?	calc-m-prefix-help
m A ; m M-A	calc-alg-simplify-mode
m B ; m M-B	calc-bin-simplify-mode
m C ; m M-C	calc-auto-recompute
m D ; m M-D	calc-default-simplify-mode
m E ; m M-E	calc-ext-simplify-mode
m F ; m M-F	calc-settings-file-name
m I ; m M-I	calc-basic-simplify-mode
m M-N ; m N	calc-num-simplify-mode
m M-O ; m O	calc-no-simplify-mode
m M-R ; m R	calc-mode-record-mode
m M-S ; m S	calc-shift-prefix
m M-U ; m U	calc-units-simplify-mode
m M-X ; m X	calc-load-everything
m M-a ; m a	calc-algebraic-mode
m M-d ; m d	calc-degrees-mode

Teclas / sequência	Comando / ação
m M-e ; m e	calc-embedded-preserve-modes
m M-f ; m f	calc-frac-mode
m M-g ; m g	calc-get-modes
m M-h ; m h	calc-hms-mode
m M-i ; m i	calc-infinite-mode
m M-m ; m m	calc-save-modes
m M-p ; m p	calc-polar-mode
m M-r ; m r	calc-radians-mode
m M-s ; m s	calc-symbolic-mode
m M-t ; m t	calc-total-algebraic-mode
m M-v ; m v	calc-matrix-mode
m M-w ; m w	calc-working
m M-x ; m x	calc-always-load-extensions
n	calc-change-sign
o	calc-realign
p	calc-precision
q	calc-quit
r 0 ; r 1 ; r 2 ; r 3 ; r 4 ; r 5 ; r 6 ; r 7	calc-recall-quick
r 8 ; r 9 ; r M-0 ; r M-1 ; r M-2 ; r M-3 ; r M-4 ; r M-5	calc-recall-quick
r M-6 ; r M-7 ; r M-8 ; r M-9	calc-recall-quick
r ? ; r M-?	calc-r-prefix-help
r M-i ; r i	calc-insert-register
r M-s ; r s	calc-copy-to-register
s & ; s M-&	calc-store-inv
s * ; s M-*	calc-store-times
s + ; s M-+	calc-store-plus
s - ; s M--	calc-store-minus
s / ; s M-/	calc-store-div
s 0 ; s 1 ; s 2 ; s 3 ; s 4 ; s 5 ; s 6 ; s 7	calc-store-quick
s 8 ; s 9 ; s M-0 ; s M-1 ; s M-2 ; s M-3 ; s M-4 ; s M-5	calc-store-quick
s M-6 ; s M-7 ; s M-8 ; s M-9	calc-store-quick
s : ; s M-:	calc-assign
s = ; s M-=	calc-evalto
s ? ; s M-?	calc-s-prefix-help
s A ; s M-A	calc-edit-AlgSimpRules
s D ; s M-D	calc-edit-Decls
s E ; s M-E	calc-edit-EvalRules
s F ; s M-F	calc-edit-FitRules
s G ; s M-G	calc-edit-GenCount
s H ; s M-H	calc-edit-Holidays
s I ; s M-I	calc-edit-IntegLimit
s L ; s M-L	calc-edit-LineStyles
s M-P ; s P	calc-edit-PointStyles
s M-R ; s R	calc-edit-PlotRejects
s M-T ; s T	calc-edit-TimeZone
s M-U ; s U	calc-edit-Units
s M-X ; s X	calc-edit-ExtSimpRules
s M-[; s [	calc-store-decr
s M-] ; s]	calc-store-incr

Teclas / sequência	Comando / ação
s M-^ ; s ^	calc-store-power
s M-c ; s c	calc-copy-variable
s M-d ; s d	calc-declare-variable
s M-e ; s e	calc-edit-variable
s M-i ; s i	calc-insert-variables
s M-k ; s k	calc-copy-special-constant
s M-l ; s l	calc-let
s M-m ; s m	calc-store-map
s M-n ; s n	calc-store-neg
s M-p ; s p	calc-permanent-variable
s M-r ; s r	calc-recall
s M-s ; s s	calc-store
s M-t ; s t	calc-store-into
s M-u ; s u	calc-unstore
s M-x ; s x	calc-store-exchange
s M-| ; s |	calc-store-concat
t + ; t M-+	calc-business-days-plus
t - ; t M--	calc-business-days-minus
t . ; t M-.	calc-full-trail-vectors
t 0 ; t 1 ; t 2 ; t 3 ; t 4 ; t 5 ; t 6 ; t 7	calc-store-into-quick
t 8 ; t 9 ; t M-0 ; t M-1 ; t M-2 ; t M-3 ; t M-4 ; t M-5	calc-store-into-quick
t M-6 ; t M-7 ; t M-8 ; t M-9	calc-store-into-quick
t < ; t M-<	calc-trail-scroll-left
t > ; t M->	calc-trail-scroll-right
t ? ; t M-?	calc-t-prefix-help
t C ; t M-C	calc-convert-time-zones
t D ; t M-D	calc-date
t I ; t M-I	calc-inc-month
t J ; t M-J	calc-julian
t M ; t M-M	calc-new-month
t M-N ; t N	calc-now
t M-P ; t P	calc-date-part
t M-U ; t U	calc-unix-time
t M-W ; t W	calc-new-week
t M-Y ; t Y	calc-new-year
t M-Z ; t Z	calc-time-zone
t M-[; t [	calc-trail-first
t M-] ; t]	calc-trail-last
t M-b ; t M-{ ; t b ; t {	calc-trail-backward
t M-d ; t d	calc-trail-display
t M-f ; t M-} ; t f ; t }	calc-trail-forward
t M-h ; t h	calc-trail-here
t M-i ; t i	calc-trail-in
t M-k ; t k	calc-trail-kill
t M-m ; t m	calc-trail-marker
t M-n ; t n	calc-trail-next
t M-o ; t o	calc-trail-out
t M-p ; t p	calc-trail-previous
t M-r ; t r	calc-trail-isearch-backward
t M-s ; t s	calc-trail-isearch-forward

Teclas / sequência	Comando / ação
t M-y ; t y	calc-trail-yank
u # ; u M-#	calc-vector-count
u * ; u M-*	calc-vector-product
u + ; u M-+	calc-vector-sum
u 0 ; u 1 ; u 2 ; u 3 ; u 4 ; u 5 ; u 6 ; u 7	calc-quick-units
u 8 ; u 9 ; u M-0 ; u M-1 ; u M-2 ; u M-3 ; u M-4 ; u M-5	calc-quick-units
u M-6 ; u M-7 ; u M-8 ; u M-9	calc-quick-units
u ? ; u M-?	calc-u-prefix-help
u C ; u M-C	calc-vector-covariance
u G ; u M-G	calc-vector-geometric-mean
u M ; u M-M	calc-vector-mean
u M-N ; u N	calc-vector-min
u M-R ; u R	calc-vector-rms
u M-S ; u S	calc-vector-sdev
u M-V ; u V	calc-view-units-table
u M-X ; u X	calc-vector-max
u M-a ; u a	calc-autorange-units
u M-b ; u b	calc-base-units
u M-c ; u c	calc-convert-units
u M-d ; u d	calc-define-unit
u M-e ; u e	calc-explain-units
u M-g ; u g	calc-get-unit-definition
u M-n ; u n	calc-convert-exact-units
u M-p ; u p	calc-permanent-units
u M-r ; u r	calc-remove-units
u M-s ; u s	calc-simplify-units
u M-t ; u t	calc-convert-temperature
u M-u ; u u	calc-undefine-unit
u M-v ; u v	calc-enter-units-table
u M-x ; u x	calc-extract-units
w	calc-why
x	execute-extended-command
y	calc-copy-to-buffer
z ? ; z M-?	calc-z-prefix-help
{	calc-scroll-down
|	calc-concat
}	calc-scroll-up
~	calc-num-prefix

5.58 calc-alg-map

Teclas / sequência	Comando / ação
' ; <normal-state> '	calc-algebraic-entry
(... < ; <normal-state> " ; <normal-state> $; > ; @ ... _ ; SPC ... & ; a ... ~	calc-auto-algebraic-entry
<deletechar> ; <normal-state> <delete> ; <normal-state> DEL ; C-d ; DEL	calc-pop

Teclas / sequência	Comando / ação
<normal-state> !	calc-factorial
<normal-state> # ; <normal-state> . ; <normal-state> 0 ; <normal-state> 1 ; <normal-state> 2 ; <normal-state> 3 ; <normal-state> 4 ; <normal-state> 5	calcDigit-start
<normal-state> 6 ; <normal-state> 7 ; <normal-state> 8 ; <normal-state> 9 ; <normal-state> @ ; <normal-state> _ ; <normal-state> e	calcDigit-start
<normal-state> %	calc-mod
<normal-state> & ; <normal-state> V & ; <normal-state> V M-& ; <normal-state> v & ; <normal-state> v M-&	calc-inv
<normal-state> (	calc-begin-complex
<normal-state>)	calc-end-complex
<normal-state> *	calc-times
<normal-state> +	calc-plus
<normal-state> ,	calc-comma
<normal-state> -	calc-minus
<normal-state> /	calc-divide
<normal-state> :	calc-fdiv
<normal-state> ;	calc-semi
<normal-state> <	calc-scroll-left
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	calc-enter
<normal-state> <tab> ; TAB	calc-roll-down
<normal-state> = ; =	calc-evaluate
<normal-state> >	calc-scroll-right
<normal-state> ? ; ?	calc-help
<normal-state> A ; <normal-state> a A ; <normal-state> a M-A	calc-abs
<normal-state> B ; <normal-state> b B ; <normal-state> b M-B	calc-log
<normal-state> C ; <normal-state> c C ; <normal-state> c M-C	calc-cos
<normal-state> C-M-d ; <normal-state> M-DEL	calc-pop-above
<normal-state> C-M-i	calc-roll-up
<normal-state> C-M-w	kill-ring-save
<normal-state> C-p	calc-precision
<normal-state> C-x C-t ; C-x C-t	calc-transpose-lines
<normal-state> D " ; <normal-state> D M-"	calc-display-strings
<normal-state> D ' ; <normal-state> D M-'	calc-display-raw
<normal-state> D , ; <normal-state> D M-,	calc-group-char
<normal-state> D . ; <normal-state> D M-.	calc-point-char
<normal-state> D 0 ; <normal-state> D M-0	calc-decimal-radix
<normal-state> D 2 ; <normal-state> D M-2	calc-binary-radix
<normal-state> D 6 ; <normal-state> D M-6	calc-hex-radix
<normal-state> D 8 ; <normal-state> D M-8	calc-octal-radix
<normal-state> D < ; <normal-state> D M-<	calc-left-justify
<normal-state> D = ; <normal-state> D M-=	calc-center-justify
<normal-state> D > ; <normal-state> D M->	calc-right-justify
<normal-state> D ? ; <normal-state> D M-?	calc-d-prefix-help

Teclas / sequência	Comando / ação
<normal-state> D @ ; <normal-state> D M-@	calc-toggle-banner
<normal-state> D A ; <normal-state> D M-A	calc-giac-language
<normal-state> D B ; <normal-state> D M-B	calc-big-language
<normal-state> D C ; <normal-state> D M-C	calc-c-language
<normal-state> D D ; <normal-state> D M-D	calc-redo
<normal-state> D E ; <normal-state> D M-E	calc-eqn-language
<normal-state> D F ; <normal-state> D M-F	calc-fortran-language
<normal-state> D L ; <normal-state> D M-L	calc-latex-language
<normal-state> D M ; <normal-state> D M-M	calc-mathematica-language
<normal-state> D M-N ; <normal-state> D N	calc-normal-language
<normal-state> D M-O ; <normal-state> D O	calc-flat-language
<normal-state> D M-P ; <normal-state> D P	calc-pascal-language
<normal-state> D M-RET ; <normal-state> D RET	calc-refresh-top
<normal-state> D M-SPC ; <normal-state> D SPC	calc-refresh
<normal-state> D M-T ; <normal-state> D T	calc-tex-language
<normal-state> D M-U ; <normal-state> D U	calc-unformatted-language
<normal-state> D M-W ; <normal-state> D W	calc-maple-language
<normal-state> D M-X ; <normal-state> D X	calc-maxima-language
<normal-state> D M-Y ; <normal-state> D Y	calc-yacas-language
<normal-state> D M-[; <normal-state> D [	calc-truncate-up
<normal-state> D M-] ; <normal-state> D]	calc-truncate-down
<normal-state> D M-b ; <normal-state> D b	calc-line-breaking
<normal-state> D M-c ; <normal-state> D c	calc-complex-notation
<normal-state> D M-d ; <normal-state> D d	calc-date-notation
<normal-state> D M-e ; <normal-state> D e	calc-eng-notation
<normal-state> D M-f ; <normal-state> D f	calc-fix-notation
<normal-state> D M-g ; <normal-state> D g	calc-group-digits

Teclas / sequência	Comando / ação
<normal-state> D M-h ; <normal-state> D h	calc-hms-notation
<normal-state> D M-i ; <normal-state> D i	calc-i-notation
<normal-state> D M-j ; <normal-state> D j	calc-j-notation
<normal-state> D M-l ; <normal-state> D l	calc-line-numbering
<normal-state> D M-n ; <normal-state> D n	calc-normal-notation
<normal-state> D M-o ; <normal-state> D o	calc-over-notation
<normal-state> D M-p ; <normal-state> D p	calc-show-plain
<normal-state> D M-r ; <normal-state> D r	calc-radix
<normal-state> D M-s ; <normal-state> D s	calc-sci-notation
<normal-state> D M-t ; <normal-state> D t	calc-truncate-stack
<normal-state> D M-w ; <normal-state> D w	calc-auto-why
<normal-state> D M-z ; <normal-state> D z	calc-leading-zeros
<normal-state> D M-{ ; <normal-state> D {	calc-left-label
<normal-state> D M-} ; <normal-state> D }	calc-right-label
<normal-state> E	calc-exp
<normal-state> F ; <normal-state> f F ; <normal-state> f M-F	calc-floor
<normal-state> G	calc-argument
<normal-state> H	calc-hyperbolic
<normal-state> I	calc-inverse
<normal-state> J ; <normal-state> z j J ; <normal-state> z j M-J	calc-conj
<normal-state> K ; <normal-state> z k K ; <normal-state> z k M-K	calc-keep-args
<normal-state> L	calc-ln
<normal-state> M ; <normal-state> m M ; <normal-state> m M-M	calc-more-recursion-depth
<normal-state> M-%	calc-percent
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O	calc-last-args
<normal-state> M-k	calc-copy-as-kill
<normal-state> M-m t ; <normal-state> m M-t ; <normal-state> m t	calc-total-algebraic-mode
<normal-state> M-w	calc-copy-region-as-kill
<normal-state> N	calc-eval-num
<normal-state> O	calc-option
<normal-state> P	calc-pi

Teclas / sequência	Comando / ação
<normal-state> Q	calc-sqrt
<normal-state> R	calc-round
<normal-state> S ; <normal-state> s M-S ; <normal-state> s S	calc-sin
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; C-j	calc-over
<normal-state> T ; <normal-state> t M-T ; <normal-state> t T	calc-tan
<normal-state> U # ; <normal-state> U M-#	calc-vector-count
<normal-state> U * ; <normal-state> U M-*	calc-vector-product
<normal-state> U + ; <normal-state> U M-+	calc-vector-sum
<normal-state> U 0 ; <normal-state> U 1 ; <normal-state> U 2 ; <normal-state> U 3 ; <normal-state> U 4 ; <normal-state> U 5 ; <normal-state> U 6 ; <normal-state> U 7	calc-quick-units
<normal-state> U 8 ; <normal-state> U 9 ; <normal-state> U M-0 ; <normal-state> U M-1 ; <normal-state> U M-2 ; <normal-state> U M-3 ; <normal-state> U M-4 ; <normal-state> U M-5	calc-quick-units
<normal-state> U M-6 ; <normal-state> U M-7 ; <normal-state> U M-8 ; <normal-state> U M-9	calc-quick-units
<normal-state> U ? ; <normal-state> U M-?	calc-u-prefix-help
<normal-state> U C ; <normal-state> U M-C	calc-vector-covariance
<normal-state> U G ; <normal-state> U M-G	calc-vector-geometric-mean
<normal-state> U M ; <normal-state> U M-M	calc-vector-mean
<normal-state> U M-N ; <normal-state> U N	calc-vector-min
<normal-state> U M-R ; <normal-state> U R	calc-vector-rms
<normal-state> U M-S ; <normal-state> U S	calc-vector-sdev
<normal-state> U M-U ; <normal-state> U U ; <normal-state> u ; <remap> <undo>	calc-undo
<normal-state> U M-V ; <normal-state> U V	calc-view-units-table
<normal-state> U M-X ; <normal-state> U X	calc-vector-max
<normal-state> U M-a ; <normal-state> U a	calc-autorange-units
<normal-state> U M-b ; <normal-state> U b	calc-base-units

Teclas / sequência	Comando / ação
<normal-state> U M-c ; <normal-state> U c	calc-convert-units
<normal-state> U M-d ; <normal-state> U d	calc-define-unit
<normal-state> U M-e ; <normal-state> U e	calc-explain-units
<normal-state> U M-g ; <normal-state> U g	calc-get-unit-definition
<normal-state> U M-n ; <normal-state> U n	calc-convert-exact-units
<normal-state> U M-p ; <normal-state> U p	calc-permanent-units
<normal-state> U M-r ; <normal-state> U r	calc-remove-units
<normal-state> U M-s ; <normal-state> U s	calc-simplify-units
<normal-state> U M-t ; <normal-state> U t	calc-convert-temperature
<normal-state> U M-u ; <normal-state> U u	calc-undefine-unit
<normal-state> U M-v ; <normal-state> U v	calc-enter-units-table
<normal-state> U M-x ; <normal-state> U x	calc-extract-units
<normal-state> V # ; <normal-state> V M-# ; <normal-state> v # ; <normal-state> v M-#	calc-set-cardinality
<normal-state> V (; <normal-state> V M-(; <normal-state> v (; <normal-state> v M-(	calc-vector-parens
<normal-state> V) ; <normal-state> V M-) ; <normal-state> V M-] ; <normal-state> V M-} ; <normal-state> V] ; <normal-state> V } ; <normal-state> v) ; <normal-state> v M-)	calc-matrix-brackets
<normal-state> v M-] ; <normal-state> v M-} ; <normal-state> v] ; <normal-state> v }	calc-matrix-brackets
<normal-state> V + ; <normal-state> V M-+ ; <normal-state> v + ; <normal-state> v M-+	calc-remove-duplicates
<normal-state> V , ; <normal-state> V M-, ; <normal-state> v , ; <normal-state> v M-,	calc-vector-commas
<normal-state> V - ; <normal-state> V M-- ; <normal-state> v - ; <normal-state> v M--	calc-set-difference
<normal-state> V . ; <normal-state> V M-. ; <normal-state> v . ; <normal-state> v M-.	calc-full-vectors
<normal-state> V / ; <normal-state> V M-/ ; <normal-state> v / ; <normal-state> v M-/	calc-break-vectors

Teclas / sequência	Comando / ação
<normal-state> V : ; <normal-state> V M-: ; <normal-state> v : ; <normal-state> v M-:	calc-set-span
<normal-state> V < ; <normal-state> V M-< ; <normal-state> v < ; <normal-state> v M-<	calc-matrix-left-justify
<normal-state> V = ; <normal-state> V M-= ; <normal-state> v = ; <normal-state> v M-=	calc-matrix-center-justify
<normal-state> V > ; <normal-state> V M-> ; <normal-state> v > ; <normal-state> v M->	calc-matrix-right-justify
<normal-state> V ? ; <normal-state> V M-? ; <normal-state> v ? ; <normal-state> v M-?	calc-v-prefix-help
<normal-state> V A ; <normal-state> V M-A ; <normal-state> v A ; <normal-state> v M-A	calc-apply
<normal-state> V C ; <normal-state> V M-C ; <normal-state> v C ; <normal-state> v M-C	calc-cross
<normal-state> V D ; <normal-state> V M-D ; <normal-state> v D ; <normal-state> v M-D	calc-mdet
<normal-state> V E ; <normal-state> V M-E ; <normal-state> v E ; <normal-state> v M-E	calc-set-enumerate
<normal-state> V F ; <normal-state> V M-F ; <normal-state> v F ; <normal-state> v M-F	calc-set-floor
<normal-state> V G ; <normal-state> V M-G ; <normal-state> v G ; <normal-state> v M-G	calc-grade
<normal-state> V H ; <normal-state> V M-H ; <normal-state> v H ; <normal-state> v M-H	calc-histogram
<normal-state> V I ; <normal-state> V M-I ; <normal-state> v I ; <normal-state> v M-I	calc-inner-product
<normal-state> V J ; <normal-state> V M-J ; <normal-state> v J ; <normal-state> v M-J	calc-conj-transpose
<normal-state> V K ; <normal-state> V M-K ; <normal-state> v K ; <normal-state> v M-K	calc-kron
<normal-state> V L ; <normal-state> V M-L ; <normal-state> v L ; <normal-state> v M-L	calc-mlud
<normal-state> V M ; <normal-state> V M-M ; <normal-state> v M ; <normal-state> v M-M	calc-map
<normal-state> V M-N ; <normal-state> V N ; <normal-state> v M-N ; <normal-state> v N	calc-cnorm

Teclas / sequência	Comando / ação
<normal-state> V M-O ; <normal-state> V O ; <normal-state> v M-O ; <normal-state> v O	calc-outer-product
<normal-state> V M-R ; <normal-state> V R ; <normal-state> v M-R ; <normal-state> v R	calc-reduce
<normal-state> V M-S ; <normal-state> V S ; <normal-state> v M-S ; <normal-state> v S	calc-sort
<normal-state> V M-T ; <normal-state> V T ; <normal-state> v M-T ; <normal-state> v T	calc-mtrace
<normal-state> V M-U ; <normal-state> V U ; <normal-state> v M-U ; <normal-state> v U	calc-accumulate
<normal-state> V M-V ; <normal-state> V V ; <normal-state> v M-V ; <normal-state> v V	calc-set-union
<normal-state> V M-X ; <normal-state> V X ; <normal-state> v M-X ; <normal-state> v X	calc-set-xor
<normal-state> V M-[; <normal-state> V [; <normal-state> v M-[; <normal-state> v [	calc-vector-brackets
<normal-state> V M-^ ; <normal-state> V ^ ; <normal-state> v M-^ ; <normal-state> v ^	calc-set-intersect
<normal-state> V M-a ; <normal-state> V a ; <normal-state> v M-a ; <normal-state> v a	calc-arrange-vector
<normal-state> V M-b ; <normal-state> V b ; <normal-state> v M-b ; <normal-state> v b	calc-build-vector
<normal-state> V M-c ; <normal-state> V c ; <normal-state> v M-c ; <normal-state> v c	calc-mcol
<normal-state> V M-d ; <normal-state> V d ; <normal-state> v M-d ; <normal-state> v d	calc-diag
<normal-state> V M-e ; <normal-state> V e ; <normal-state> v M-e ; <normal-state> v e	calc-expand-vector
<normal-state> V M-f ; <normal-state> V f ; <normal-state> v M-f ; <normal-state> v f	calc-vector-find
<normal-state> V M-h ; <normal-state> V h ; <normal-state> v M-h ; <normal-state> v h	calc-head
<normal-state> V M-i ; <normal-state> V i ; <normal-state> v M-i ; <normal-state> v i	calc-ident
<normal-state> V M-k ; <normal-state> V k ; <normal-state> v M-k ; <normal-state> v k	calc-cons

Teclas / sequência	Comando / ação
<normal-state> V M-l ; <normal-state> V l ; <normal-state> v M-l ; <normal-state> v l	calc-vlength
<normal-state> V M-m ; <normal-state> V m ; <normal-state> v M-m ; <normal-state> v m	calc-mask-vector
<normal-state> V M-n ; <normal-state> V n ; <normal-state> v M-n ; <normal-state> v n	calc-rnorm
<normal-state> V M-p ; <normal-state> V p ; <normal-state> v M-p ; <normal-state> v p	calc-pack
<normal-state> V M-r ; <normal-state> V r ; <normal-state> v M-r ; <normal-state> v r	calc-mrow
<normal-state> V M-s ; <normal-state> V s ; <normal-state> v M-s ; <normal-state> v s	calc-subvector
<normal-state> V M-t ; <normal-state> V t ; <normal-state> v M-t ; <normal-state> v t	calc-transpose
<normal-state> V M-u ; <normal-state> V u ; <normal-state> v M-u ; <normal-state> v u	calc-unpack
<normal-state> V M-v ; <normal-state> V v ; <normal-state> v M-v ; <normal-state> v v	calc-reverse-vector
<normal-state> V M-x ; <normal-state> V x ; <normal-state> v M-x ; <normal-state> v x	calc-index
<normal-state> V M-{ ; <normal-state> V { ; <normal-state> v M-{ ; <normal-state> v {	calc-vector-braces
<normal-state> V M-~ ; <normal-state> V ~ ; <normal-state> v M-~ ; <normal-state> v ~	calc-set-complement
<normal-state> X	calc-call-last-kbd-macro
<normal-state> Y ? ; <normal-state> Y M-?	calc-shift-Y-prefix-help
<normal-state> Z # ; <normal-state> Z M-#	calc-kbd-query
<normal-state> Z ' ; <normal-state> Z M-'	calc-kbd-pop
<normal-state> Z (; <normal-state> Z M-(	calc-kbd-for
<normal-state> Z) ; <normal-state> Z M-)	calc-kbd-end-for
<normal-state> Z / ; <normal-state> Z M-/	calc-kbd-break
<normal-state> Z : ; <normal-state> Z M-:	calc-kbd-else
<normal-state> Z < ; <normal-state> Z M-<	calc-kbd-repeat
<normal-state> Z > ; <normal-state> Z M->	calc-kbd-end-repeat

Teclas / sequência	Comando / ação
<normal-state> Z ? ; <normal-state> Z M-?	calc-shift-Z-prefix-help
<normal-state> Z C ; <normal-state> Z M-C	calc-user-define-composition
<normal-state> Z D ; <normal-state> Z M-D	calc-user-define
<normal-state> Z E ; <normal-state> Z M-E	calc-user-define-edit
<normal-state> Z F ; <normal-state> Z M-F	calc-user-define-formula
<normal-state> Z G ; <normal-state> Z M-G	calc-get-user-defn
<normal-state> Z I ; <normal-state> Z M-I	calc-user-define-invocation
<normal-state> Z K ; <normal-state> Z M-K	calc-user-define-kbd-macro
<normal-state> Z M-P ; <normal-state> Z P	calc-user-define-permanent
<normal-state> Z M-S ; <normal-state> Z S	calc-edit-user-syntax
<normal-state> Z M-T ; <normal-state> Z T	calc-timing
<normal-state> Z M-U ; <normal-state> Z U	calc-user-undefine
<normal-state> Z M-[; <normal-state> Z [	calc-kbd-if
<normal-state> Z M-] ; <normal-state> Z]	calc-kbd-end-if
<normal-state> Z M-` ; <normal-state> Z `	calc-kbd-push
<normal-state> Z M-{ ; <normal-state> Z {	calc-kbd-loop
<normal-state> Z M-| ; <normal-state> Z |	calc-kbd-else-if
<normal-state> Z M-} ; <normal-state> Z }	calc-kbd-end-loop
<normal-state> [[	calc-begin-vector
<normal-state> \	calc-idiv
<normal-state>]]	calc-end-vector
<normal-state> ^	calc-power
<normal-state> ` ; `	calc-edit
<normal-state> a ! ; <normal-state> a M-!	calc-logical-not
<normal-state> a " ; <normal-state> a M-"	calc-expand-formula
<normal-state> a # ; <normal-state> a M-#	calc-not-equal-to
<normal-state> a % ; <normal-state> a M-%	calc-poly-rem
<normal-state> a & ; <normal-state> a M-&	calc-logical-and
<normal-state> a * ; <normal-state> a M-*	calc-product
<normal-state> a + ; <normal-state> a M-+	calc-summation

Teclas / sequência	Comando / ação
<normal-state> a - ; <normal-state> a M--	calc-alt-summation
<normal-state> a . ; <normal-state> a M-.	calc-remove-equal
<normal-state> a / ; <normal-state> a M-/	calc-poly-div-rem
<normal-state> a : ; <normal-state> a M-:	calc-logical-if
<normal-state> a < ; <normal-state> a M-<	calc-less-than
<normal-state> a = ; <normal-state> a M-=	calc-equal-to
<normal-state> a > ; <normal-state> a M->	calc-greater-than
<normal-state> a ? ; <normal-state> a M-?	calc-a-prefix-help
<normal-state> a F ; <normal-state> a M-F	calc-curve-fit
<normal-state> a I ; <normal-state> a M-I	calc-num-integral
<normal-state> a M ; <normal-state> a M-M	calc-map-equation
<normal-state> a M-N ; <normal-state> a N	calc-find-minimum
<normal-state> a M-P ; <normal-state> a P	calc-poly-roots
<normal-state> a M-R ; <normal-state> a R	calc-find-root
<normal-state> a M-S ; <normal-state> a S	calc-solve-for
<normal-state> a M-T ; <normal-state> a T	calc-tabulate
<normal-state> a M-X ; <normal-state> a X	calc-find-maximum
<normal-state> a M-[; <normal-state> a [	calc-less-equal
<normal-state> a M-\ ; <normal-state> a \	calc-poly-div
<normal-state> a M-] ; <normal-state> a]	calc-greater-equal
<normal-state> a M-_ ; <normal-state> a _	calc-subscript
<normal-state> a M-a ; <normal-state> a a	calc-apart
<normal-state> a M-b ; <normal-state> a b	calc-substitute
<normal-state> a M-c ; <normal-state> a c	calc-collect
<normal-state> a M-d ; <normal-state> a d	calc-derivative
<normal-state> a M-e ; <normal-state> a e	calc-simplify-extended
<normal-state> a M-f ; <normal-state> a f	calc-factor

Teclas / sequência	Comando / ação
<normal-state> a M-g ; <normal-state> a g	calc-poly-gcd
<normal-state> a M-i ; <normal-state> a i	calc-integral
<normal-state> a M-m ; <normal-state> a m	calc-match
<normal-state> a M-n ; <normal-state> a n	calc-normalize-rat
<normal-state> a M-p ; <normal-state> a p	calc-poly-interp
<normal-state> a M-r ; <normal-state> a r	calc-rewrite
<normal-state> a M-s ; <normal-state> a s	calc-simplify
<normal-state> a M-t ; <normal-state> a t	calc-taylor
<normal-state> a M-v ; <normal-state> a v	calc-alg-evaluate
<normal-state> a M-x ; <normal-state> a x	calc-expand
<normal-state> a M-{ ; <normal-state> a {	calc-in-set
<normal-state> a M-| ; <normal-state> a |	calc-logical-or
<normal-state> b # ; <normal-state> b M-#	calc-fin-nper
<normal-state> b % ; <normal-state> b M-%	calc-percent-change
<normal-state> b ? ; <normal-state> b M-?	calc-b-prefix-help
<normal-state> b D ; <normal-state> b M-D	calc-fin-ddb
<normal-state> b F ; <normal-state> b M-F	calc-fin-fv
<normal-state> b I ; <normal-state> b M-I	calc-fin-irr
<normal-state> b L ; <normal-state> b M-L	calc-lshift-arith
<normal-state> b M ; <normal-state> b M-M	calc-fin-pmt
<normal-state> b M-N ; <normal-state> b N	calc-fin-npv
<normal-state> b M-P ; <normal-state> b P	calc-fin-pv
<normal-state> b M-R ; <normal-state> b R	calc-rshift-arith
<normal-state> b M-S ; <normal-state> b S	calc-fin-sln
<normal-state> b M-T ; <normal-state> b T	calc-fin-rate
<normal-state> b M-Y ; <normal-state> b Y	calc-fin-syd
<normal-state> b M-a ; <normal-state> b a	calc-and

Teclas / sequência	Comando / ação
<normal-state> b M-c ; <normal-state> b c	calc-clip
<normal-state> b M-d ; <normal-state> b d	calc-diff
<normal-state> b M-l ; <normal-state> b l	calc-lshift-binary
<normal-state> b M-n ; <normal-state> b n	calc-not
<normal-state> b M-o ; <normal-state> b o	calc-or
<normal-state> b M-p ; <normal-state> b p	calc-pack-bits
<normal-state> b M-r ; <normal-state> b r	calc-rshift-binary
<normal-state> b M-t ; <normal-state> b t	calc-rotate-binary
<normal-state> b M-u ; <normal-state> b u	calc-unpack-bits
<normal-state> b M-w ; <normal-state> b w	calc-word-size
<normal-state> b M-x ; <normal-state> b x	calc-xor
<normal-state> c % ; <normal-state> c M-%	calc-convert-percent
<normal-state> c 0 ; <normal-state> c 1 ; <normal-state> c 2 ; <normal-state> c 3 ; <normal-state> c 4 ; <normal-state> c 5 ; <normal-state> c 6 ; <normal-state> c 7	calc-clean-num
<normal-state> c 8 ; <normal-state> c 9 ; <normal-state> c M-0 ; <normal-state> c M-1 ; <normal-state> c M-2 ; <normal-state> c M-3 ; <normal-state> c M-4 ; <normal-state> c M-5	calc-clean-num
<normal-state> c M-6 ; <normal-state> c M-7 ; <normal-state> c M-8 ; <normal-state> c M-9	calc-clean-num
<normal-state> c ? ; <normal-state> c M-?	calc-c-prefix-help
<normal-state> c F ; <normal-state> c M-F	calc-fraction
<normal-state> c M-c ; <normal-state> c c	calc-clean
<normal-state> c M-d ; <normal-state> c d	calc-to-degrees
<normal-state> c M-f ; <normal-state> c f	calc-float
<normal-state> c M-h ; <normal-state> c h	calc-to-hms
<normal-state> c M-p ; <normal-state> c p	calc-polar
<normal-state> c M-r ; <normal-state> c r	calc-to-radians
<normal-state> d ; C-k	calc-kill

Teclas / sequência	Comando / ação
<normal-state> f ? ; <normal-state> f M-?	calc-f-prefix-help
<normal-state> f A ; <normal-state> f M-A	calc-abssqr
<normal-state> f B ; <normal-state> f M-B	calc-inc-beta
<normal-state> f E ; <normal-state> f M-E	calc-expm1
<normal-state> f G ; <normal-state> f M-G	calc-inc-gamma
<normal-state> f I ; <normal-state> f M-I	calc-ilog
<normal-state> f L ; <normal-state> f M-L	calc-lnp1
<normal-state> f M ; <normal-state> f M-M	calc-mant-part
<normal-state> f M-Q ; <normal-state> f Q	calc-isqrt
<normal-state> f M-S ; <normal-state> f S	calc-scale-float
<normal-state> f M-T ; <normal-state> f T	calc-arctan2
<normal-state> f M-X ; <normal-state> f X	calc-xpon-part
<normal-state> f M-[; <normal-state> f [	calc-decrement
<normal-state> f M-] ; <normal-state> f]	calc-increment
<normal-state> f M-b ; <normal-state> f b	calc-beta
<normal-state> f M-e ; <normal-state> f e	calc-erf
<normal-state> f M-g ; <normal-state> f g	calc-gamma
<normal-state> f M-h ; <normal-state> f h	calc-hypot
<normal-state> f M-i ; <normal-state> f i	calc-im
<normal-state> f M-j ; <normal-state> f j	calc-bessel-J
<normal-state> f M-n ; <normal-state> f n	calc-min
<normal-state> f M-r ; <normal-state> f r	calc-re
<normal-state> f M-s ; <normal-state> f s	calc-sign
<normal-state> f M-x ; <normal-state> f x	calc-max
<normal-state> f M-y ; <normal-state> f y	calc-bessel-Y
<normal-state> i	calc-info
<normal-state> m ? ; <normal-state> m M-?	calc-m-prefix-help
<normal-state> m A ; <normal-state> m M-A	calc-alg-simplify-mode

Teclas / sequência	Comando / ação
<normal-state> m B ; <normal-state> m M-B	calc-bin-simplify-mode
<normal-state> m C ; <normal-state> m M-C	calc-auto-recompute
<normal-state> m D ; <normal-state> m M-D	calc-default-simplify-mode
<normal-state> m E ; <normal-state> m M-E	calc-ext-simplify-mode
<normal-state> m F ; <normal-state> m M-F	calc-settings-file-name
<normal-state> m I ; <normal-state> m M-I	calc-basic-simplify-mode
<normal-state> m M-N ; <normal-state> m N	calc-num-simplify-mode
<normal-state> m M-O ; <normal-state> m O	calc-no-simplify-mode
<normal-state> m M-R ; <normal-state> m R	calc-mode-record-mode
<normal-state> m M-S ; <normal-state> m S	calc-shift-prefix
<normal-state> m M-U ; <normal-state> m U	calc-units-simplify-mode
<normal-state> m M-X ; <normal-state> m X	calc-load-everything
<normal-state> m M-a ; <normal-state> m a	calc-algebraic-mode
<normal-state> m M-d ; <normal-state> m d	calc-degrees-mode
<normal-state> m M-e ; <normal-state> m e	calc-embedded-preserve-modes
<normal-state> m M-f ; <normal-state> m f	calc-frac-mode
<normal-state> m M-g ; <normal-state> m g	calc-get-modes
<normal-state> m M-h ; <normal-state> m h	calc-hms-mode
<normal-state> m M-i ; <normal-state> m i	calc-infinite-mode
<normal-state> m M-m ; <normal-state> m m	calc-save-modes
<normal-state> m M-p ; <normal-state> m p	calc-polar-mode
<normal-state> m M-r ; <normal-state> m r	calc-radians-mode
<normal-state> m M-s ; <normal-state> m s	calc-symbolic-mode
<normal-state> m M-v ; <normal-state> m v	calc-matrix-mode
<normal-state> m M-w ; <normal-state> m w	calc-working
<normal-state> m M-x ; <normal-state> m x	calc-always-load-extensions
<normal-state> n	calc-change-sign
<normal-state> o	calc-realign
<normal-state> p P	calc-copy-to-buffer

Teclas / sequência	Comando / ação
<normal-state> p p ; C-y	calc-yank
<normal-state> q	calc-quit
<normal-state> r 0 ; <normal-state> r 1 ; <normal-state> r 2 ; <normal-state> r 3 ; <normal-state> r 4 ; <normal-state> r 5 ; <normal-state> r 6 ; <normal-state> r 7	calc-recall-quick
<normal-state> r 8 ; <normal-state> r 9 ; <normal-state> r M-0 ; <normal-state> r M-1 ; <normal-state> r M-2 ; <normal-state> r M-3 ; <normal-state> r M-4 ; <normal-state> r M-5	calc-recall-quick
<normal-state> r M-6 ; <normal-state> r M-7 ; <normal-state> r M-8 ; <normal-state> r M-9	calc-recall-quick
<normal-state> r ? ; <normal-state> r M-?	calc-r-prefix-help
<normal-state> r M-i ; <normal-state> r i	calc-insert-register
<normal-state> r M-s ; <normal-state> r s	calc-copy-to-register
<normal-state> s & ; <normal-state> s M-&	calc-store-inv
<normal-state> s * ; <normal-state> s M-*	calc-store-times
<normal-state> s + ; <normal-state> s M-+	calc-store-plus
<normal-state> s - ; <normal-state> s M--	calc-store-minus
<normal-state> s / ; <normal-state> s M-/	calc-store-div
<normal-state> s 0 ; <normal-state> s 1 ; <normal-state> s 2 ; <normal-state> s 3 ; <normal-state> s 4 ; <normal-state> s 5 ; <normal-state> s 6 ; <normal-state> s 7	calc-store-quick
<normal-state> s 8 ; <normal-state> s 9 ; <normal-state> s M-0 ; <normal-state> s M-1 ; <normal-state> s M-2 ; <normal-state> s M-3 ; <normal-state> s M-4 ; <normal-state> s M-5	calc-store-quick
<normal-state> s M-6 ; <normal-state> s M-7 ; <normal-state> s M-8 ; <normal-state> s M-9	calc-store-quick
<normal-state> s : ; <normal-state> s M-:	calc-assign
<normal-state> s = ; <normal-state> s M-=	calc-evalto
<normal-state> s ? ; <normal-state> s M-?	calc-s-prefix-help
<normal-state> s A ; <normal-state> s M-A	calc-edit-AlgSimpRules

Teclas / sequência	Comando / ação
<normal-state> s D ; <normal-state> s M-D	calc-edit-Decls
<normal-state> s E ; <normal-state> s M-E	calc-edit-EvalRules
<normal-state> s F ; <normal-state> s M-F	calc-edit-FitRules
<normal-state> s G ; <normal-state> s M-G	calc-edit-GenCount
<normal-state> s H ; <normal-state> s M-H	calc-edit-Holidays
<normal-state> s I ; <normal-state> s M-I	calc-edit-IntegLimit
<normal-state> s L ; <normal-state> s M-L	calc-edit-LineStyles
<normal-state> s M-P ; <normal-state> s P	calc-edit-PointStyles
<normal-state> s M-R ; <normal-state> s R	calc-edit-PlotRejects
<normal-state> s M-T ; <normal-state> s T	calc-edit-TimeZone
<normal-state> s M-U ; <normal-state> s U	calc-edit-Units
<normal-state> s M-X ; <normal-state> s X	calc-edit-ExtSimpRules
<normal-state> s M-[; <normal-state> s [	calc-store-decr
<normal-state> s M-] ; <normal-state> s]	calc-store-incr
<normal-state> s M-^ ; <normal-state> s ^	calc-store-power
<normal-state> s M-c ; <normal-state> s c	calc-copy-variable
<normal-state> s M-d ; <normal-state> s d	calc-declare-variable
<normal-state> s M-e ; <normal-state> s e	calc-edit-variable
<normal-state> s M-i ; <normal-state> s i	calc-insert-variables
<normal-state> s M-k ; <normal-state> s k	calc-copy-special-constant
<normal-state> s M-l ; <normal-state> s l	calc-let
<normal-state> s M-m ; <normal-state> s m	calc-store-map
<normal-state> s M-n ; <normal-state> s n	calc-store-neg
<normal-state> s M-p ; <normal-state> s p	calc-permanent-variable
<normal-state> s M-r ; <normal-state> s r	calc-recall
<normal-state> s M-s ; <normal-state> s s	calc-store
<normal-state> s M-t ; <normal-state> s t	calc-store-into

Teclas / sequência	Comando / ação
<normal-state> s M-u ; <normal-state> s u	calc-unstore
<normal-state> s M-x ; <normal-state> s x	calc-store-exchange
<normal-state> s M-| ; <normal-state> s |	calc-store-concat
<normal-state> t + ; <normal-state> t M-+	calc-business-days-plus
<normal-state> t - ; <normal-state> t M--	calc-business-days-minus
<normal-state> t . ; <normal-state> t M-.	calc-full-trail-vectors
<normal-state> t 0 ; <normal-state> t 1 ; <normal-state> t 2 ; <normal-state> t 3 ; <normal-state> t 4 ; <normal-state> t 5 ; <normal-state> t 6 ; <normal-state> t 7	calc-store-into-quick
<normal-state> t 8 ; <normal-state> t 9 ; <normal-state> t M-0 ; <normal-state> t M-1 ; <normal-state> t M-2 ; <normal-state> t M-3 ; <normal-state> t M-4 ; <normal-state> t M-5	calc-store-into-quick
<normal-state> t M-6 ; <normal-state> t M-7 ; <normal-state> t M-8 ; <normal-state> t M-9	calc-store-into-quick
<normal-state> t < ; <normal-state> t M-<	calc-trail-scroll-left
<normal-state> t > ; <normal-state> t M->	calc-trail-scroll-right
<normal-state> t ? ; <normal-state> t M-?	calc-t-prefix-help
<normal-state> t C ; <normal-state> t M-C	calc-convert-time-zones
<normal-state> t D ; <normal-state> t M-D	calc-date
<normal-state> t I ; <normal-state> t M-I	calc-inc-month
<normal-state> t J ; <normal-state> t M-J	calc-julian
<normal-state> t M ; <normal-state> t M-M	calc-new-month
<normal-state> t M-N ; <normal-state> t N	calc-now
<normal-state> t M-P ; <normal-state> t P	calc-date-part
<normal-state> t M-U ; <normal-state> t U	calc-unix-time
<normal-state> t M-W ; <normal-state> t W	calc-new-week
<normal-state> t M-Y ; <normal-state> t Y	calc-new-year
<normal-state> t M-Z ; <normal-state> t Z	calc-time-zone

Teclas / sequência	Comando / ação
<normal-state> t M-[; <normal-state> t [	calc-trail-first
<normal-state> t M-] ; <normal-state> t]	calc-trail-last
<normal-state> t M-b ; <normal-state> t M-{ ; <normal-state> t b ; <normal-state> t {	calc-trail-backward
<normal-state> t M-d ; <normal-state> t d	calc-trail-display
<normal-state> t M-f ; <normal-state> t M-} ; <normal-state> t f ; <normal-state> t }	calc-trail-forward
<normal-state> t M-h ; <normal-state> t h	calc-trail-here
<normal-state> t M-i ; <normal-state> t i	calc-trail-in
<normal-state> t M-k ; <normal-state> t k	calc-trail-kill
<normal-state> t M-m ; <normal-state> t m	calc-trail-marker
<normal-state> t M-n ; <normal-state> t n	calc-trail-next
<normal-state> t M-o ; <normal-state> t o	calc-trail-out
<normal-state> t M-p ; <normal-state> t p	calc-trail-previous
<normal-state> t M-r ; <normal-state> t r	calc-trail-isearch-backward
<normal-state> t M-s ; <normal-state> t s	calc-trail-isearch-forward
<normal-state> t M-y ; <normal-state> t y	calc-trail-yank
<normal-state> w	calc-why
<normal-state> x	calc-execute-extended-command
<normal-state> z j " ; <normal-state> z j M-"	calc-sel-expand-formula
<normal-state> z j & ; <normal-state> z j M-&	calc-sel-invert
<normal-state> z j ' ; <normal-state> z j M-'	calc-enter-selection
<normal-state> z j * ; <normal-state> z j M-*	calc-sel-mult-both-sides
<normal-state> z j + ; <normal-state> z j M-+	calc-sel-add-both-sides
<normal-state> z j - ; <normal-state> z j M--	calc-sel-sub-both-sides
<normal-state> z j / ; <normal-state> z j M-/	calc-sel-div-both-sides
<normal-state> z j 0 ; <normal-state> z j 1 ; <normal-state> z j 2 ; <normal-state> z j 3 ; <normal-state> z j 4 ; <normal-state> z j 5 ; <normal-state> z j 6 ; <normal-state> z j 7	calc-select-part

Teclas / sequência	Comando / ação
<normal-state> z j 8 ; <normal-state> z j 9 ; <normal-state> z j M-0 ; <normal-state> z j M-1 ; <normal-state> z j M-2 ; <normal-state> z j M-3 ; <normal-state> z j M-4 ; <normal-state> z j M-5	calc-select-part
<normal-state> z j M-6 ; <normal-state> z j M-7 ; <normal-state> z j M-8 ; <normal-state> z j M-9	calc-select-part
<normal-state> z j ? ; <normal-state> z j M-?	calc-j-prefix-help
<normal-state> z j C ; <normal-state> z j M-C	calc-sel-commute
<normal-state> z j C-M-h ; <normal-state> z j C-h ; <normal-state> z j DEL ; <normal-state> z j M-DEL	calc-del-selection
<normal-state> z j C-M-j ; <normal-state> z j C-j ; <normal-state> z j M-RET ; <normal-state> z j RET	calc-copy-selection
<normal-state> z j D ; <normal-state> z j M-D	calc-sel-distribute
<normal-state> z j E ; <normal-state> z j M-E	calc-sel-jump-equals
<normal-state> z j I ; <normal-state> z j M-I	calc-sel-isolate
<normal-state> z j L ; <normal-state> z j M-L	calc-commute-left
<normal-state> z j M ; <normal-state> z j M-M	calc-sel-merge
<normal-state> z j M-N ; <normal-state> z j N	calc-sel-negate
<normal-state> z j M-O ; <normal-state> z j O	calc-select-once-maybe
<normal-state> z j M-R ; <normal-state> z j R	calc-commute-right
<normal-state> z j M-S ; <normal-state> z j S	calc-select-here-maybe
<normal-state> z j M-U ; <normal-state> z j U	calc-sel-unpack
<normal-state> z j M-` ; <normal-state> z j `	calc-edit-selection
<normal-state> z j M-a ; <normal-state> z j a	calc-select-additional
<normal-state> z j M-b ; <normal-state> z j b	calc-break-selections
<normal-state> z j M-c ; <normal-state> z j c	calc-clear-selections
<normal-state> z j M-d ; <normal-state> z j d	calc-show-selections
<normal-state> z j M-e ; <normal-state> z j e	calc-enable-selections

Teclas / sequência	Comando / ação
<normal-state> z j M-l ; <normal-state> z j l	calc-select-less
<normal-state> z j M-m ; <normal-state> z j m	calc-select-more
<normal-state> z j M-n ; <normal-state> z j n	calc-select-next
<normal-state> z j M-o ; <normal-state> z j o	calc-select-once
<normal-state> z j M-p ; <normal-state> z j p	calc-select-previous
<normal-state> z j M-r ; <normal-state> z j r	calc-rewrite-selection
<normal-state> z j M-s ; <normal-state> z j s	calc-select-here
<normal-state> z j M-u ; <normal-state> z j u	calc-unselect
<normal-state> z j M-v ; <normal-state> z j v	calc-sel-evaluate
<normal-state> z k ? ; <normal-state> z k M-?	calc-k-prefix-help
<normal-state> z k B ; <normal-state> z k M-B	calc-utpb
<normal-state> z k C ; <normal-state> z k M-C	calc-utpc
<normal-state> z k E ; <normal-state> z k M-E	calc-extended-gcd
<normal-state> z k F ; <normal-state> z k M-F	calc-utpf
<normal-state> z k M-N ; <normal-state> z k N	calc-utpn
<normal-state> z k M-P ; <normal-state> z k P	calc-utpp
<normal-state> z k M-T ; <normal-state> z k T	calc-utpt
<normal-state> z k M-a ; <normal-state> z k a	calc-random-again
<normal-state> z k M-b ; <normal-state> z k b	calc-bernoulli-number
<normal-state> z k M-c ; <normal-state> z k c	calc-choose
<normal-state> z k M-d ; <normal-state> z k d	calc-double-factorial
<normal-state> z k M-e ; <normal-state> z k e	calc-euler-number
<normal-state> z k M-f ; <normal-state> z k f	calc-prime-factors
<normal-state> z k M-g ; <normal-state> z k g	calc-gcd
<normal-state> z k M-h ; <normal-state> z k h	calc-shuffle
<normal-state> z k M-l ; <normal-state> z k l	calc-lcm
<normal-state> z k M-m ; <normal-state> z k m	calc-moebius

Teclas / sequência	Comando / ação
<normal-state> z k M-n ; <normal-state> z k n	calc-next-prime
<normal-state> z k M-p ; <normal-state> z k p	calc-prime-test
<normal-state> z k M-r ; <normal-state> z k r	calc-random
<normal-state> z k M-s ; <normal-state> z k s	calc-stirling-number
<normal-state> z k M-t ; <normal-state> z k t	calc-totient
<normal-state> z l * ; <normal-state> z l M-*	calc-lu-times
<normal-state> z l + ; <normal-state> z l M-+	calc-lu-plus
<normal-state> z l - ; <normal-state> z l M--	calc-lu-minus
<normal-state> z l / ; <normal-state> z l M-/	calc-lu-divide
<normal-state> z l ? ; <normal-state> z l M-?	calc-l-prefix-help
<normal-state> z l M-d ; <normal-state> z l d	calc-db
<normal-state> z l M-f ; <normal-state> z l f	calc-freq
<normal-state> z l M-m ; <normal-state> z l m	calc-midi
<normal-state> z l M-n ; <normal-state> z l n	calc-np
<normal-state> z l M-q ; <normal-state> z l q	calc-lu-quant
<normal-state> z l M-s ; <normal-state> z l s	calc-spn
<normal-state> z z ? ; <normal-state> z z M-?	calc-z-prefix-help
<normal-state> {	calc-scroll-down
<normal-state> |	calc-concat
<normal-state> }	calc-scroll-up
<normal-state> ~	calc-num-prefix
<remap> <self-insert-command>	undefined
<visual-state> d ; C-w	calc-kill-region
ESC	**Mapa:** calc-alg-esc-map

5.59 calc-alg-map [Evil normal]

Teclas / sequência	Comando / ação
!	calc-factorial
" ; $	calc-auto-algebraic-entry
# ; . ; 0 ; 1 ; 2 ; 3 ; 4 ; 5	calcDigit-start
6 ; 7 ; 8 ; 9 ; @ ; _ ; e	calcDigit-start
%	calc-mod
& ; V & ; V M-& ; v & ; v M-&	calc-inv
'	calc-algebraic-entry

Teclas / sequência	Comando / ação
(	calc-begin-complex
)	calc-end-complex
*	calc-times
+	calc-plus
,	calc-comma
-	calc-minus
/	calc-divide
:	calc-fdiv
;	calc-semi
<	calc-scroll-left
<delete> ; DEL	calc-pop
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	calc-enter
<tab>	calc-roll-down
=	calc-evaluate
>	calc-scroll-right
?	calc-help
A ; a A ; a M-A	calc-abs
B ; b B ; b M-B	calc-log
C ; c C ; c M-C	calc-cos
C-M-d ; M-DEL	calc-pop-above
C-M-i	calc-roll-up
C-M-w	kill-ring-save
C-p	calc-precision
C-x C-t	calc-transpose-lines
D " ; D M-"	calc-display-strings
D ' ; D M-'	calc-display-raw
D , ; D M-,	calc-group-char
D . ; D M-.	calc-point-char
D 0 ; D M-0	calc-decimal-radix
D 2 ; D M-2	calc-binary-radix
D 6 ; D M-6	calc-hex-radix
D 8 ; D M-8	calc-octal-radix

Teclas / sequência	Comando / ação
D < ; D M-<	calc-left-justify
D = ; D M-=	calc-center-justify
D > ; D M->	calc-right-justify
D ? ; D M-?	calc-d-prefix-help
D @ ; D M-@	calc-toggle-banner
D A ; D M-A	calc-giac-language
D B ; D M-B	calc-big-language
D C ; D M-C	calc-c-language
D D ; D M-D	calc-redo
D E ; D M-E	calc-eqn-language
D F ; D M-F	calc-fortran-language
D L ; D M-L	calc-latex-language
D M ; D M-M	calc-mathematica-language
D M-N ; D N	calc-normal-language
D M-O ; D O	calc-flat-language
D M-P ; D P	calc-pascal-language
D M-RET ; D RET	calc-refresh-top
D M-SPC ; D SPC	calc-refresh
D M-T ; D T	calc-tex-language
D M-U ; D U	calc-unformatted-language
D M-W ; D W	calc-maple-language
D M-X ; D X	calc-maxima-language
D M-Y ; D Y	calc-yacas-language
D M-[; D [	calc-truncate-up
D M-] ; D]	calc-truncate-down
D M-b ; D b	calc-line-breaking
D M-c ; D c	calc-complex-notation
D M-d ; D d	calc-date-notation
D M-e ; D e	calc-eng-notation
D M-f ; D f	calc-fix-notation
D M-g ; D g	calc-group-digits
D M-h ; D h	calc-hms-notation
D M-i ; D i	calc-i-notation
D M-j ; D j	calc-j-notation
D M-l ; D l	calc-line-numbering
D M-n ; D n	calc-normal-notation
D M-o ; D o	calc-over-notation
D M-p ; D p	calc-show-plain
D M-r ; D r	calc-radix
D M-s ; D s	calc-sci-notation
D M-t ; D t	calc-truncate-stack
D M-w ; D w	calc-auto-why
D M-z ; D z	calc-leading-zeros
D M-{ ; D {	calc-left-label
D M-} ; D }	calc-right-label
E	calc-exp
F ; f F ; f M-F	calc-floor
G	calc-argument
H	calc-hyperbolic
I	calc-inverse
J ; z j J ; z j M-J	calc-conj
K ; z k K ; z k M-K	calc-keep-args

Teclas / sequência	Comando / ação
L	calc-ln
M ; m M ; m M-M	calc-more-recursion-depth
M-%	calc-percent
M-<return> ; M-RET ; g O	calc-last-args
M-k	calc-copy-as-kill
M-m t ; m M-t ; m t	calc-total-algebraic-mode
M-w	calc-copy-region-as-kill
N	calc-eval-num
O	calc-option
P	calc-pi
Q	calc-sqrt
R	calc-round
S ; s M-S ; s S	calc-sin
S-<return> ; S-RET ; g o	calc-over
T ; t M-T ; t T	calc-tan
U # ; U M-#	calc-vector-count
U * ; U M-*	calc-vector-product
U + ; U M-+	calc-vector-sum
U 0 ; U 1 ; U 2 ; U 3 ; U 4 ; U 5 ; U 6 ; U 7	calc-quick-units
U 8 ; U 9 ; U M-0 ; U M-1 ; U M-2 ; U M-3 ; U M-4 ; U M-5	calc-quick-units
U M-6 ; U M-7 ; U M-8 ; U M-9	calc-quick-units
U ? ; U M-?	calc-u-prefix-help
U C ; U M-C	calc-vector-covariance
U G ; U M-G	calc-vector-geometric-mean
U M ; U M-M	calc-vector-mean
U M-N ; U N	calc-vector-min
U M-R ; U R	calc-vector-rms
U M-S ; U S	calc-vector-sdev
U M-U ; U U ; u	calc-undo
U M-V ; U V	calc-view-units-table
U M-X ; U X	calc-vector-max
U M-a ; U a	calc-autorange-units
U M-b ; U b	calc-base-units
U M-c ; U c	calc-convert-units
U M-d ; U d	calc-define-unit
U M-e ; U e	calc-explain-units
U M-g ; U g	calc-get-unit-definition
U M-n ; U n	calc-convert-exact-units
U M-p ; U p	calc-permanent-units
U M-r ; U r	calc-remove-units
U M-s ; U s	calc-simplify-units
U M-t ; U t	calc-convert-temperature
U M-u ; U u	calc-undefine-unit
U M-v ; U v	calc-enter-units-table
U M-x ; U x	calc-extract-units
V # ; V M-# ; v # ; v M-#	calc-set-cardinality
V (; V M-(; v (; v M-(	calc-vector-parens
V) ; V M-) ; V M-] ; V M-} ; V] ; V } ; v) ; v M-)	calc-matrix-brackets
v M-] ; v M-} ; v] ; v }	calc-matrix-brackets
V + ; V M-+ ; v + ; v M-+	calc-remove-duplicates

Teclas / sequência	Comando / ação
`V , ; V M-, ; v , ; v M-,`	`calc-vector-commas`
`V - ; V M-- ; v - ; v M--`	`calc-set-difference`
`V . ; V M-. ; v . ; v M-.`	`calc-full-vectors`
`V / ; V M-/ ; v / ; v M-/`	`calc-break-vectors`
`V : ; V M-: ; v : ; v M-:`	`calc-set-span`
`V < ; V M-< ; v < ; v M-<`	`calc-matrix-left-justify`
`V = ; V M-= ; v = ; v M-=`	`calc-matrix-center-justify`
`V > ; V M-> ; v > ; v M->`	`calc-matrix-right-justify`
`V ? ; V M-? ; v ? ; v M-?`	`calc-v-prefix-help`
`V A ; V M-A ; v A ; v M-A`	`calc-apply`
`V C ; V M-C ; v C ; v M-C`	`calc-cross`
`V D ; V M-D ; v D ; v M-D`	`calc-mdet`
`V E ; V M-E ; v E ; v M-E`	`calc-set-enumerate`
`V F ; V M-F ; v F ; v M-F`	`calc-set-floor`
`V G ; V M-G ; v G ; v M-G`	`calc-grade`
`V H ; V M-H ; v H ; v M-H`	`calc-histogram`
`V I ; V M-I ; v I ; v M-I`	`calc-inner-product`
`V J ; V M-J ; v J ; v M-J`	`calc-conj-transpose`
`V K ; V M-K ; v K ; v M-K`	`calc-kron`
`V L ; V M-L ; v L ; v M-L`	`calc-mlud`
`V M ; V M-M ; v M ; v M-M`	`calc-map`
`V M-N ; V N ; v M-N ; v N`	`calc-cnorm`
`V M-O ; V O ; v M-O ; v O`	`calc-outer-product`
`V M-R ; V R ; v M-R ; v R`	`calc-reduce`
`V M-S ; V S ; v M-S ; v S`	`calc-sort`
`V M-T ; V T ; v M-T ; v T`	`calc-mtrace`
`V M-U ; V U ; v M-U ; v U`	`calc-accumulate`
`V M-V ; V V ; v M-V ; v V`	`calc-set-union`
`V M-X ; V X ; v M-X ; v X`	`calc-set-xor`
`V M-[ ; V [ ; v M-[ ; v [`	`calc-vector-brackets`
`V M-^ ; V ^ ; v M-^ ; v ^`	`calc-set-intersect`
`V M-a ; V a ; v M-a ; v a`	`calc-arrange-vector`
`V M-b ; V b ; v M-b ; v b`	`calc-build-vector`
`V M-c ; V c ; v M-c ; v c`	`calc-mcol`
`V M-d ; V d ; v M-d ; v d`	`calc-diag`
`V M-e ; V e ; v M-e ; v e`	`calc-expand-vector`
`V M-f ; V f ; v M-f ; v f`	`calc-vector-find`
`V M-h ; V h ; v M-h ; v h`	`calc-head`
`V M-i ; V i ; v M-i ; v i`	`calc-ident`
`V M-k ; V k ; v M-k ; v k`	`calc-cons`
`V M-l ; V l ; v M-l ; v l`	`calc-vlength`
`V M-m ; V m ; v M-m ; v m`	`calc-mask-vector`
`V M-n ; V n ; v M-n ; v n`	`calc-rnorm`
`V M-p ; V p ; v M-p ; v p`	`calc-pack`
`V M-r ; V r ; v M-r ; v r`	`calc-mrow`
`V M-s ; V s ; v M-s ; v s`	`calc-subvector`
`V M-t ; V t ; v M-t ; v t`	`calc-transpose`
`V M-u ; V u ; v M-u ; v u`	`calc-unpack`
`V M-v ; V v ; v M-v ; v v`	`calc-reverse-vector`
`V M-x ; V x ; v M-x ; v x`	`calc-index`
`V M-{ ; V { ; v M-{ ; v {`	`calc-vector-braces`
`V M-~ ; V ~ ; v M-~ ; v ~`	`calc-set-complement`

Teclas / sequência	Comando / ação
X	calc-call-last-kbd-macro
Y ? ; Y M-?	calc-shift-Y-prefix-help
Z # ; Z M-#	calc-kbd-query
Z ' ; Z M-'	calc-kbd-pop
Z (; Z M-(	calc-kbd-for
Z) ; Z M-)	calc-kbd-end-for
Z / ; Z M-/	calc-kbd-break
Z : ; Z M-:	calc-kbd-else
Z < ; Z M-<	calc-kbd-repeat
Z > ; Z M->	calc-kbd-end-repeat
Z ? ; Z M-?	calc-shift-Z-prefix-help
Z C ; Z M-C	calc-user-define-composition
Z D ; Z M-D	calc-user-define
Z E ; Z M-E	calc-user-define-edit
Z F ; Z M-F	calc-user-define-formula
Z G ; Z M-G	calc-get-user-defn
Z I ; Z M-I	calc-user-define-invocation
Z K ; Z M-K	calc-user-define-kbd-macro
Z M-P ; Z P	calc-user-define-permanent
Z M-S ; Z S	calc-edit-user-syntax
Z M-T ; Z T	calc-timing
Z M-U ; Z U	calc-user-undefine
Z M-[; Z [	calc-kbd-if
Z M-] ; Z]	calc-kbd-end-if
Z M-` ; Z `	calc-kbd-push
Z M-{ ; Z {	calc-kbd-loop
Z M-| ; Z |	calc-kbd-else-if
Z M-} ; Z }	calc-kbd-end-loop
[[	calc-begin-vector
\	calc-idiv
]]	calc-end-vector
^	calc-power
`	calc-edit
a ! ; a M-!	calc-logical-not
a " ; a M-"	calc-expand-formula
a # ; a M-#	calc-not-equal-to
a % ; a M-%	calc-poly-rem
a & ; a M-&	calc-logical-and
a * ; a M-*	calc-product
a + ; a M-+	calc-summation
a - ; a M--	calc-alt-summation
a . ; a M-.	calc-remove-equal
a / ; a M-/	calc-poly-div-rem
a : ; a M-:	calc-logical-if
a < ; a M-<	calc-less-than
a = ; a M-=	calc-equal-to
a > ; a M->	calc-greater-than
a ? ; a M-?	calc-a-prefix-help
a F ; a M-F	calc-curve-fit
a I ; a M-I	calc-num-integral
a M ; a M-M	calc-map-equation
a M-N ; a N	calc-find-minimum

Teclas / sequência	Comando / ação
a M-P ; a P	calc-poly-roots
a M-R ; a R	calc-find-root
a M-S ; a S	calc-solve-for
a M-T ; a T	calc-tabulate
a M-X ; a X	calc-find-maximum
a M-[; a [	calc-less-equal
a M-\ ; a \	calc-poly-div
a M-] ; a]	calc-greater-equal
a M-_ ; a _	calc-subscript
a M-a ; a a	calc-apart
a M-b ; a b	calc-substitute
a M-c ; a c	calc-collect
a M-d ; a d	calc-derivative
a M-e ; a e	calc-simplify-extended
a M-f ; a f	calc-factor
a M-g ; a g	calc-poly-gcd
a M-i ; a i	calc-integral
a M-m ; a m	calc-match
a M-n ; a n	calc-normalize-rat
a M-p ; a p	calc-poly-interp
a M-r ; a r	calc-rewrite
a M-s ; a s	calc-simplify
a M-t ; a t	calc-taylor
a M-v ; a v	calc-alg-evaluate
a M-x ; a x	calc-expand
a M-{ ; a {	calc-in-set
a M-| ; a |	calc-logical-or
b # ; b M-#	calc-fin-nper
b % ; b M-%	calc-percent-change
b ? ; b M-?	calc-b-prefix-help
b D ; b M-D	calc-fin-ddb
b F ; b M-F	calc-fin-fv
b I ; b M-I	calc-fin-irr
b L ; b M-L	calc-lshift-arith
b M ; b M-M	calc-fin-pmt
b M-N ; b N	calc-fin-npv
b M-P ; b P	calc-fin-pv
b M-R ; b R	calc-rshift-arith
b M-S ; b S	calc-fin-sln
b M-T ; b T	calc-fin-rate
b M-Y ; b Y	calc-fin-syd
b M-a ; b a	calc-and
b M-c ; b c	calc-clip
b M-d ; b d	calc-diff
b M-l ; b l	calc-lshift-binary
b M-n ; b n	calc-not
b M-o ; b o	calc-or
b M-p ; b p	calc-pack-bits
b M-r ; b r	calc-rshift-binary
b M-t ; b t	calc-rotate-binary
b M-u ; b u	calc-unpack-bits
b M-w ; b w	calc-word-size

Teclas / sequência	Comando / ação
b M-x ; b x	calc-xor
c % ; c M-%	calc-convert-percent
c 0 ; c 1 ; c 2 ; c 3 ; c 4 ; c 5 ; c 6 ; c 7	calc-clean-num
c 8 ; c 9 ; c M-0 ; c M-1 ; c M-2 ; c M-3 ; c M-4 ; c M-5	calc-clean-num
c M-6 ; c M-7 ; c M-8 ; c M-9	calc-clean-num
c ? ; c M-?	calc-c-prefix-help
c F ; c M-F	calc-fraction
c M-c ; c c	calc-clean
c M-d ; c d	calc-to-degrees
c M-f ; c f	calc-float
c M-h ; c h	calc-to-hms
c M-p ; c p	calc-polar
c M-r ; c r	calc-to-radians
d	calc-kill
f ? ; f M-?	calc-f-prefix-help
f A ; f M-A	calc-abssqr
f B ; f M-B	calc-inc-beta
f E ; f M-E	calc-expm1
f G ; f M-G	calc-inc-gamma
f I ; f M-I	calc-ilog
f L ; f M-L	calc-lnp1
f M ; f M-M	calc-mant-part
f M-Q ; f Q	calc-isqrt
f M-S ; f S	calc-scale-float
f M-T ; f T	calc-arctan2
f M-X ; f X	calc-xpon-part
f M-[; f [	calc-decrement
f M-] ; f]	calc-increment
f M-b ; f b	calc-beta
f M-e ; f e	calc-erf
f M-g ; f g	calc-gamma
f M-h ; f h	calc-hypot
f M-i ; f i	calc-im
f M-j ; f j	calc-bessel-J
f M-n ; f n	calc-min
f M-r ; f r	calc-re
f M-s ; f s	calc-sign
f M-x ; f x	calc-max
f M-y ; f y	calc-bessel-Y
i	calc-info
m ? ; m M-?	calc-m-prefix-help
m A ; m M-A	calc-alg-simplify-mode
m B ; m M-B	calc-bin-simplify-mode
m C ; m M-C	calc-auto-recompute
m D ; m M-D	calc-default-simplify-mode
m E ; m M-E	calc-ext-simplify-mode
m F ; m M-F	calc-settings-file-name
m I ; m M-I	calc-basic-simplify-mode
m M-N ; m N	calc-num-simplify-mode
m M-O ; m O	calc-no-simplify-mode

Teclas / sequência	Comando / ação
m M-R ; m R	calc-mode-record-mode
m M-S ; m S	calc-shift-prefix
m M-U ; m U	calc-units-simplify-mode
m M-X ; m X	calc-load-everything
m M-a ; m a	calc-algebraic-mode
m M-d ; m d	calc-degrees-mode
m M-e ; m e	calc-embedded-preserve-modes
m M-f ; m f	calc-frac-mode
m M-g ; m g	calc-get-modes
m M-h ; m h	calc-hms-mode
m M-i ; m i	calc-infinite-mode
m M-m ; m m	calc-save-modes
m M-p ; m p	calc-polar-mode
m M-r ; m r	calc-radians-mode
m M-s ; m s	calc-symbolic-mode
m M-v ; m v	calc-matrix-mode
m M-w ; m w	calc-working
m M-x ; m x	calc-always-load-extensions
n	calc-change-sign
o	calc-realign
p P	calc-copy-to-buffer
p p	calc-yank
q	calc-quit
r 0 ; r 1 ; r 2 ; r 3 ; r 4 ; r 5 ; r 6 ; r 7	calc-recall-quick
r 8 ; r 9 ; r M-0 ; r M-1 ; r M-2 ; r M-3 ; r M-4 ; r M-5	calc-recall-quick
r M-6 ; r M-7 ; r M-8 ; r M-9	calc-recall-quick
r ? ; r M-?	calc-r-prefix-help
r M-i ; r i	calc-insert-register
r M-s ; r s	calc-copy-to-register
s & ; s M-&	calc-store-inv
s * ; s M-*	calc-store-times
s + ; s M-+	calc-store-plus
s - ; s M--	calc-store-minus
s / ; s M-/	calc-store-div
s 0 ; s 1 ; s 2 ; s 3 ; s 4 ; s 5 ; s 6 ; s 7	calc-store-quick
s 8 ; s 9 ; s M-0 ; s M-1 ; s M-2 ; s M-3 ; s M-4 ; s M-5	calc-store-quick
s M-6 ; s M-7 ; s M-8 ; s M-9	calc-store-quick
s : ; s M-:	calc-assign
s = ; s M-=	calc-evalto
s ? ; s M-?	calc-s-prefix-help
s A ; s M-A	calc-edit-AlgSimpRules
s D ; s M-D	calc-edit-Decls
s E ; s M-E	calc-edit-EvalRules
s F ; s M-F	calc-edit-FitRules
s G ; s M-G	calc-edit-GenCount
s H ; s M-H	calc-edit-Holidays
s I ; s M-I	calc-edit-IntegLimit
s L ; s M-L	calc-edit-LineStyles
s M-P ; s P	calc-edit-PointStyles

Teclas / sequência	Comando / ação
s M-R ; s R	calc-edit-PlotRejects
s M-T ; s T	calc-edit-TimeZone
s M-U ; s U	calc-edit-Units
s M-X ; s X	calc-edit-ExtSimpRules
s M-[; s [	calc-store-decr
s M-] ; s]	calc-store-incr
s M-^ ; s ^	calc-store-power
s M-c ; s c	calc-copy-variable
s M-d ; s d	calc-declare-variable
s M-e ; s e	calc-edit-variable
s M-i ; s i	calc-insert-variables
s M-k ; s k	calc-copy-special-constant
s M-l ; s l	calc-let
s M-m ; s m	calc-store-map
s M-n ; s n	calc-store-neg
s M-p ; s p	calc-permanent-variable
s M-r ; s r	calc-recall
s M-s ; s s	calc-store
s M-t ; s t	calc-store-into
s M-u ; s u	calc-unstore
s M-x ; s x	calc-store-exchange
s M-| ; s |	calc-store-concat
t + ; t M-+	calc-business-days-plus
t - ; t M--	calc-business-days-minus
t . ; t M-.	calc-full-trail-vectors
t 0 ; t 1 ; t 2 ; t 3 ; t 4 ; t 5 ; t 6 ; t 7	calc-store-into-quick
t 8 ; t 9 ; t M-0 ; t M-1 ; t M-2 ; t M-3 ; t M-4 ; t M-5	calc-store-into-quick
t M-6 ; t M-7 ; t M-8 ; t M-9	calc-store-into-quick
t < ; t M-<	calc-trail-scroll-left
t > ; t M->	calc-trail-scroll-right
t ? ; t M-?	calc-t-prefix-help
t C ; t M-C	calc-convert-time-zones
t D ; t M-D	calc-date
t I ; t M-I	calc-inc-month
t J ; t M-J	calc-julian
t M ; t M-M	calc-new-month
t M-N ; t N	calc-now
t M-P ; t P	calc-date-part
t M-U ; t U	calc-unix-time
t M-W ; t W	calc-new-week
t M-Y ; t Y	calc-new-year
t M-Z ; t Z	calc-time-zone
t M-[; t [	calc-trail-first
t M-] ; t]	calc-trail-last
t M-b ; t M-{ ; t b ; t {	calc-trail-backward
t M-d ; t d	calc-trail-display
t M-f ; t M-} ; t f ; t }	calc-trail-forward
t M-h ; t h	calc-trail-here
t M-i ; t i	calc-trail-in
t M-k ; t k	calc-trail-kill

Teclas / sequência	Comando / ação
t M-m ; t m	calc-trail-marker
t M-n ; t n	calc-trail-next
t M-o ; t o	calc-trail-out
t M-p ; t p	calc-trail-previous
t M-r ; t r	calc-trail-isearch-backward
t M-s ; t s	calc-trail-isearch-forward
t M-y ; t y	calc-trail-yank
w	calc-why
x	calc-execute-extended-command
z j " ; z j M-"	calc-sel-expand-formula
z j & ; z j M-&	calc-sel-invert
z j ' ; z j M-'	calc-enter-selection
z j * ; z j M-*	calc-sel-mult-both-sides
z j + ; z j M-+	calc-sel-add-both-sides
z j - ; z j M--	calc-sel-sub-both-sides
z j / ; z j M-/	calc-sel-div-both-sides
z j 0 ; z j 1 ; z j 2 ; z j 3 ; z j 4 ; z j 5 ; z j 6 ; z j 7	calc-select-part
z j 8 ; z j 9 ; z j M-0 ; z j M-1 ; z j M-2 ; z j M-3 ; z j M-4 ; z j M-5	calc-select-part
z j M-6 ; z j M-7 ; z j M-8 ; z j M-9	calc-select-part
z j ? ; z j M-?	calc-j-prefix-help
z j C ; z j M-C	calc-sel-commute
z j C-M-h ; z j C-h ; z j DEL ; z j M-DEL	calc-del-selection
z j C-M-j ; z j C-j ; z j M-RET ; z j RET	calc-copy-selection
z j D ; z j M-D	calc-sel-distribute
z j E ; z j M-E	calc-sel-jump-equals
z j I ; z j M-I	calc-sel-isolate
z j L ; z j M-L	calc-commute-left
z j M ; z j M-M	calc-sel-merge
z j M-N ; z j N	calc-sel-negate
z j M-O ; z j O	calc-select-once-maybe
z j M-R ; z j R	calc-commute-right
z j M-S ; z j S	calc-select-here-maybe
z j M-U ; z j U	calc-sel-unpack
z j M-` ; z j `	calc-edit-selection
z j M-a ; z j a	calc-select-additional
z j M-b ; z j b	calc-break-selections
z j M-c ; z j c	calc-clear-selections
z j M-d ; z j d	calc-show-selections
z j M-e ; z j e	calc-enable-selections
z j M-l ; z j l	calc-select-less
z j M-m ; z j m	calc-select-more
z j M-n ; z j n	calc-select-next
z j M-o ; z j o	calc-select-once
z j M-p ; z j p	calc-select-previous
z j M-r ; z j r	calc-rewrite-selection
z j M-s ; z j s	calc-select-here

Teclas / sequência	Comando / ação
z j M-u ; z j u	calc-unselect
z j M-v ; z j v	calc-sel-evaluate
z k ? ; z k M-?	calc-k-prefix-help
z k B ; z k M-B	calc-utpb
z k C ; z k M-C	calc-utpc
z k E ; z k M-E	calc-extended-gcd
z k F ; z k M-F	calc-utpf
z k M-N ; z k N	calc-utpn
z k M-P ; z k P	calc-utpp
z k M-T ; z k T	calc-utpt
z k M-a ; z k a	calc-random-again
z k M-b ; z k b	calc-bernoulli-number
z k M-c ; z k c	calc-choose
z k M-d ; z k d	calc-double-factorial
z k M-e ; z k e	calc-euler-number
z k M-f ; z k f	calc-prime-factors
z k M-g ; z k g	calc-gcd
z k M-h ; z k h	calc-shuffle
z k M-l ; z k l	calc-lcm
z k M-m ; z k m	calc-moebius
z k M-n ; z k n	calc-next-prime
z k M-p ; z k p	calc-prime-test
z k M-r ; z k r	calc-random
z k M-s ; z k s	calc-stirling-number
z k M-t ; z k t	calc-totient
z l * ; z l M-*	calc-lu-times
z l + ; z l M-+	calc-lu-plus
z l - ; z l M--	calc-lu-minus
z l / ; z l M-/	calc-lu-divide
z l ? ; z l M-?	calc-l-prefix-help
z l M-d ; z l d	calc-db
z l M-f ; z l f	calc-freq
z l M-m ; z l m	calc-midi
z l M-n ; z l n	calc-np
z l M-q ; z l q	calc-lu-quant
z l M-s ; z l s	calc-spn
z z ? ; z z M-?	calc-z-prefix-help
{	calc-scroll-down
|	calc-concat
}	calc-scroll-up
~	calc-num-prefix

5.60 calc-alg-map [Evil visual]

Teclas / sequência	Comando / ação
d	calc-kill-region

5.61 calc-digit-map

Teclas / sequência	Comando / ação
" ... # ; + ; - ... . ; 0 ... : ; @ ; M ; _ ; e	calcDigit-key
h ; m ... p ; s	calcDigit-key
$ ... & ; (... * ; , ; / ; ; . .. ? ; <remap> ; C-w ... C-y ; ESC	calcDigit-nondigit
RET ; SPC ... ! ; TAB ... C-k ; [... ^ ; { ... ~	calcDigit-nondigit
'	calcDigit-algebraic
<deletechar> ; C-d	calcDigit-delchar
A ... L ; N ... Z ; a ... d ; f ... g ; i ... l ; q ... r ; t ... z	calcDigit-letter
C-g	abort-recursive-edit
DEL	calcDigit-backspace
`	calcDigit-edit

5.62 calc-dispatch-map

Teclas / sequência	Comando / ação
# ; & ; * ... + ; - ; / ; = ; M-# ; M-&	calc-same-interface
M-* ; M-+ ; M-- ; M-/ ; M-= ; M-\ ; \	calc-same-interface
' ; C-f ; F ; M-' ; M-f ; f	calc-embedded-new-formula
0 ; M-0	calc-reset
: ; M-:	calc-grab-sum-down
? ; C-h ; H ; M-? ; M-h ; h	calc-dispatch-help
A ; C-a ; M-a ; a	calc-embedded-activate
B ; C-b ; M-b ; b	calc-big-or-small
C ; C-c ; M-c ; c	calc
C-d ; D ; M-d ; d	calc-embedded-duplicate
C-e ; E ; M-e ; e	calc-embedded
C-j ; J ; M-j ; j	calc-embedded-select
C-k ; K ; M-k ; k	calc-keypad
C-l ; L ; M-l ; l	calc-load-everything
C-n ; M-n ; N ; n	calc-embedded-next
C-o ; M-o ; O ; o	calc-other-window
C-p ; M-p ; P ; p	calc-embedded-previous
C-q ; M-q ; Q ; q	quick-calc
C-r ; M-r ; R ; r	calc-grab-rectangle
C-s ; M-s ; S ; s	calc-info-summary
C-t ; M-t ; T ; t	calc-tutorial
C-u ; M-u ; U ; u	calc-embedded-update-formula
C-w ; M-w ; W ; w	calc-embedded-word
C-x ; M-x ; X ; x	calc-quit
C-y ; M-y ; Y ; y	calc-copy-to-buffer
C-z ; M-z ; Z ; z	calc-user-invocation
G ; M-g ; g	calc-grab-region
I ; M-i ; TAB ; i	calc-info
M ; M-m ; m	read-kbd-macro

Teclas / sequência	Comando / ação
M-_ ; _	calc-grab-sum-across
M-` ; `	calc-embedded-edit

5.63 calc-fancy-prefix-map

Teclas / sequência	Comando / ação
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
<t> ; ESC <t>	calc-fancy-prefix-other-key
C-u	universal-argument

5.64 calc-help-map

Teclas / sequência	Comando / ação
? ; C-h	calc-help-for-help
C-c	calc-describe-copying
C-d	calc-describe-distribution
C-n ; n	calc-view-news
C-w	calc-describe-no-warranty
b	calc-describe-bindings
c	calc-describe-key-briefly
f	calc-describe-function
h	calc-full-help
i	calc-info
k	calc-describe-key
s	calc-info-summary
t	calc-tutorial
v	calc-describe-variable

5.65 calc-mode-map

Teclas / sequência	Comando / ação
! ; <normal-state> !	calc-factorial
" ; $; <normal-state> " ; <normal-state> $	calc-auto-algebraic-entry
# ; . ; 0 ... 9 ; <normal-state> # ; <normal-state> . ; <normal-state> 0 ; <normal-state> 1 ; <normal-state> 2	calcDigit-start
<normal-state> 3 ; <normal-state> 4 ; <normal-state> 5 ; <normal-state> 6 ; <normal-state> 7 ; <normal-state> 8 ; <normal-state> 9 ; <normal-state> @	calcDigit-start
<normal-state> _ ; <normal-state> e ; @ ; _ ; e	calcDigit-start
% ; <normal-state> %	calc-mod

Teclas / sequência	Comando / ação
& ; <normal-state> & ; <normal-state> V & ; <normal-state> V M-& ; <normal-state> v & ; <normal-state> v M-& ; V & ; V M-&	calc-inv
v & ; v M-&	calc-inv
' ; <normal-state> '	calc-algebraic-entry
(; <normal-state> (	calc-begin-complex
) ; <normal-state>)	calc-end-complex
* ; <normal-state> *	calc-times
+ ; <normal-state> +	calc-plus
, ; <normal-state> ,	calc-comma
- ; <normal-state> -	calc-minus
/ ; <normal-state> /	calc-divide
: ; <normal-state> :	calc-fdiv
; ; <normal-state> ;	calc-semi
< ; <normal-state> <	calc-scroll-left
<deletechar> ; <normal-state> <delete> ; <normal-state> DEL ; C-d ; DEL	calc-pop
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET ; SPC	calc-enter

Teclas / sequência	Comando / ação
<normal-state> <tab> ; TAB	calc-roll-down
<normal-state> = ; =	calc-evaluate
<normal-state> > ; >	calc-scroll-right
<normal-state> ? ; ?	calc-help
<normal-state> A ; <normal-state> a A ; <normal-state> a M-A ; A ; a A ; a M-A	calc-abs
<normal-state> B ; <normal-state> b B ; <normal-state> b M-B ; B ; b B ; b M-B	calc-log
<normal-state> C ; <normal-state> c C ; <normal-state> c M-C ; C ; c C ; c M-C	calc-cos
<normal-state> C-M-d ; <normal-state> M-DEL ; C-M-d ; ESC <deletechar> ; M-DEL	calc-pop-above
<normal-state> C-M-i ; C-M-i	calc-roll-up
<normal-state> C-M-w ; C-M-w	kill-ring-save
<normal-state> C-p ; p	calc-precision
<normal-state> C-x C-t ; C-x C-t	calc-transpose-lines
<normal-state> D " ; <normal-state> D M-" ; d " ; d M-"	calc-display-strings
<normal-state> D ' ; <normal-state> D M-' ; d ' ; d M-'	calc-display-raw
<normal-state> D , ; <normal-state> D M-, ; d , ; d M-,	calc-group-char
<normal-state> D . ; <normal-state> D M-. ; d . ; d M-.	calc-point-char
<normal-state> D 0 ; <normal-state> D M-0 ; d 0 ; d M-0	calc-decimal-radix
<normal-state> D 2 ; <normal-state> D M-2 ; d 2 ; d M-2	calc-binary-radix
<normal-state> D 6 ; <normal-state> D M-6 ; d 6 ; d M-6	calc-hex-radix
<normal-state> D 8 ; <normal-state> D M-8 ; d 8 ; d M-8	calc-octal-radix
<normal-state> D < ; <normal-state> D M-< ; d < ; d M-<	calc-left-justify
<normal-state> D = ; <normal-state> D M-= ; d = ; d M-=	calc-center-justify
<normal-state> D > ; <normal-state> D M-> ; d > ; d M->	calc-right-justify
<normal-state> D ? ; <normal-state> D M-? ; d ? ; d M-?	calc-d-prefix-help
<normal-state> D @ ; <normal-state> D M-@ ; d @ ; d M-@	calc-toggle-banner
<normal-state> D A ; <normal-state> D M-A ; d A ; d M-A	calc-giac-language
<normal-state> D B ; <normal-state> D M-B ; d B ; d M-B	calc-big-language
<normal-state> D C ; <normal-state> D M-C ; d C ; d M-C	calc-c-language
<normal-state> D D ; <normal-state> D M-D ; D ; d D ; d M-D	calc-redo

Teclas / sequência	Comando / ação
<normal-state> D E ; <normal-state> D M-E ; d E ; d M-E	calc-eqn-language
<normal-state> D F ; <normal-state> D M-F ; d F ; d M-F	calc-fortran-language
<normal-state> D L ; <normal-state> D M-L ; d L ; d M-L	calc-latex-language
<normal-state> D M ; <normal-state> D M-M ; d M ; d M-M	calc-mathematica-language
<normal-state> D M-N ; <normal-state> D N ; d M-N ; d N	calc-normal-language
<normal-state> D M-O ; <normal-state> D O ; d M-O ; d O	calc-flat-language
<normal-state> D M-P ; <normal-state> D P ; d M-P ; d P	calc-pascal-language
<normal-state> D M-RET ; <normal-state> D RET ; d M-RET ; d RET	calc-refresh-top
<normal-state> D M-SPC ; <normal-state> D SPC ; d M-SPC ; d SPC	calc-refresh
<normal-state> D M-T ; <normal-state> D T ; d M-T ; d T	calc-tex-language
<normal-state> D M-U ; <normal-state> D U ; d M-U ; d U	calc-unformatted-language
<normal-state> D M-W ; <normal-state> D W ; d M-W ; d W	calc-maple-language
<normal-state> D M-X ; <normal-state> D X ; d M-X ; d X	calc-maxima-language
<normal-state> D M-Y ; <normal-state> D Y ; d M-Y ; d Y	calc-yacas-language
<normal-state> D M-[; <normal-state> D [; d M-[; d [	calc-truncate-up
<normal-state> D M-] ; <normal-state> D] ; d M-] ; d]	calc-truncate-down
<normal-state> D M-b ; <normal-state> D b ; d M-b ; d b	calc-line-breaking
<normal-state> D M-c ; <normal-state> D c ; d M-c ; d c	calc-complex-notation
<normal-state> D M-d ; <normal-state> D d ; d M-d ; d d	calc-date-notation
<normal-state> D M-e ; <normal-state> D e ; d M-e ; d e	calc-eng-notation
<normal-state> D M-f ; <normal-state> D f ; d M-f ; d f	calc-fix-notation
<normal-state> D M-g ; <normal-state> D g ; d M-g ; d g	calc-group-digits
<normal-state> D M-h ; <normal-state> D h ; d M-h ; d h	calc-hms-notation
<normal-state> D M-i ; <normal-state> D i ; d M-i ; d i	calc-i-notation
<normal-state> D M-j ; <normal-state> D j ; d M-j ; d j	calc-j-notation
<normal-state> D M-l ; <normal-state> D l ; d M-l ; d l	calc-line-numbering

Teclas / sequência	Comando / ação
<normal-state> D M-n ; <normal-state> D n ; d M-n ; d n	calc-normal-notation
<normal-state> D M-o ; <normal-state> D o ; d M-o ; d o	calc-over-notation
<normal-state> D M-p ; <normal-state> D p ; d M-p ; d p	calc-show-plain
<normal-state> D M-r ; <normal-state> D r ; d M-r ; d r	calc-radix
<normal-state> D M-s ; <normal-state> D s ; d M-s ; d s	calc-sci-notation
<normal-state> D M-t ; <normal-state> D t ; d M-t ; d t	calc-truncate-stack
<normal-state> D M-w ; <normal-state> D w ; d M-w ; d w	calc-auto-why
<normal-state> D M-z ; <normal-state> D z ; d M-z ; d z	calc-leading-zeros
<normal-state> D M-{ ; <normal-state> D { ; d M-{ ; d {	calc-left-label
<normal-state> D M-} ; <normal-state> D } ; d M-} ; d }	calc-right-label
<normal-state> E ; E	calc-exp
<normal-state> F ; <normal-state> f F ; <normal-state> f M-F ; F ; f F ; f M-F	calc-floor
<normal-state> G ; G ; g G ; g M-G	calc-argument
<normal-state> H ; H	calc-hyperbolic
<normal-state> I ; I	calc-inverse
<normal-state> J ; <normal-state> z j J ; <normal-state> z j M-J ; J ; j J ; j M-J	calc-conj
<normal-state> K ; <normal-state> z k K ; <normal-state> z k M-K ; K ; k K ; k M-K	calc-keep-args
<normal-state> L ; L	calc-ln
<normal-state> M ; <normal-state> m M ; <normal-state> m M-M ; M ; m M ; m M-M	calc-more-recursion-depth
<normal-state> M-% ; M-%	calc-percent
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; M-RET	calc-last-args
<normal-state> M-k ; M-k	calc-copy-as-kill
<normal-state> M-m t ; <normal-state> m M-t ; <normal-state> m t ; M-m M-t ; M-m t ; m M-t ; m t	calc-total-algebraic-mode
<normal-state> M-w ; M-w	calc-copy-region-as-kill
<normal-state> N ; N	calc-eval-num
<normal-state> O ; O	calc-option
<normal-state> P ; P	calc-pi
<normal-state> Q ; Q	calc-sqrt
<normal-state> R ; R	calc-round

Teclas / sequência	Comando / ação
<normal-state> S ; <normal-state> s M-S ; <normal-state> s S ; S ; s M-S ; s S	calc-sin
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; C-j	calc-over
<normal-state> T ; <normal-state> t M-T ; <normal-state> t T ; T ; t M-T ; t T	calc-tan
<normal-state> U # ; <normal-state> U M-# ; u # ; u M-#	calc-vector-count
<normal-state> U * ; <normal-state> U M-* ; u * ; u M-*	calc-vector-product
<normal-state> U + ; <normal-state> U M-+ ; u + ; u M-+	calc-vector-sum
<normal-state> U 0 ; <normal-state> U 1 ; <normal-state> U 2 ; <normal-state> U 3 ; <normal-state> U 4 ; <normal-state> U 5 ; <normal-state> U 6 ; <normal-state> U 7	calc-quick-units
<normal-state> U 8 ; <normal-state> U 9 ; <normal-state> U M-0 ; <normal-state> U M-1 ; <normal-state> U M-2 ; <normal-state> U M-3 ; <normal-state> U M-4 ; <normal-state> U M-5	calc-quick-units
<normal-state> U M-6 ; <normal-state> U M-7 ; <normal-state> U M-8 ; <normal-state> U M-9 ; u 0 ; u 1 ; u 2 ; u 3	calc-quick-units
u 4 ; u 5 ; u 6 ; u 7 ; u 8 ; u 9 ; u M-0 ; u M-1	calc-quick-units
u M-2 ; u M-3 ; u M-4 ; u M-5 ; u M-6 ; u M-7 ; u M-8 ; u M-9	calc-quick-units
<normal-state> U ? ; <normal-state> U M-? ; u ? ; u M-?	calc-u-prefix-help
<normal-state> U C ; <normal-state> U M-C ; u C ; u M-C	calc-vector-covariance
<normal-state> U G ; <normal-state> U M-G ; u G ; u M-G	calc-vector-geometric-mean
<normal-state> U M ; <normal-state> U M-M ; u M ; u M-M	calc-vector-mean
<normal-state> U M-N ; <normal-state> U N ; u M-N ; u N	calc-vector-min
<normal-state> U M-R ; <normal-state> U R ; u M-R ; u R	calc-vector-rms
<normal-state> U M-S ; <normal-state> U S ; u M-S ; u S	calc-vector-sdev
<normal-state> U M-U ; <normal-state> U U ; <normal-state> u ; <remap> <undo> ; U ; u M-U ; u U	calc-undo
<normal-state> U M-V ; <normal-state> U V ; u M-V ; u V	calc-view-units-table

Teclas / sequência	Comando / ação
<normal-state> U M-X ; <normal-state> U X ; u M-X ; u X	calc-vector-max
<normal-state> U M-a ; <normal-state> U a ; u M-a ; u a	calc-autorange-units
<normal-state> U M-b ; <normal-state> U b ; u M-b ; u b	calc-base-units
<normal-state> U M-c ; <normal-state> U c ; u M-c ; u c	calc-convert-units
<normal-state> U M-d ; <normal-state> U d ; u M-d ; u d	calc-define-unit
<normal-state> U M-e ; <normal-state> U e ; u M-e ; u e	calc-explain-units
<normal-state> U M-g ; <normal-state> U g ; u M-g ; u g	calc-get-unit-definition
<normal-state> U M-n ; <normal-state> U n ; u M-n ; u n	calc-convert-exact-units
<normal-state> U M-p ; <normal-state> U p ; u M-p ; u p	calc-permanent-units
<normal-state> U M-r ; <normal-state> U r ; u M-r ; u r	calc-remove-units
<normal-state> U M-s ; <normal-state> U s ; u M-s ; u s	calc-simplify-units
<normal-state> U M-t ; <normal-state> U t ; u M-t ; u t	calc-convert-temperature
<normal-state> U M-u ; <normal-state> U u ; u M-u ; u u	calc-undefine-unit
<normal-state> U M-v ; <normal-state> U v ; u M-v ; u v	calc-enter-units-table
<normal-state> U M-x ; <normal-state> U x ; u M-x ; u x	calc-extract-units
<normal-state> V # ; <normal-state> V M-# ; <normal-state> v # ; <normal-state> v M-# ; V # ; V M-# ; v # ; v M-#	calc-set-cardinality
<normal-state> V (; <normal-state> V M-(; <normal-state> v (; <normal-state> v M-(; V (; V M-(; v (; v M-(	calc-vector-parens
<normal-state> V) ; <normal-state> V M-) ; <normal-state> V M-] ; <normal-state> V M-} ; <normal-state> V] ; <normal-state> V } ; <normal-state> v) ; <normal-state> v M-)	calc-matrix-brackets
<normal-state> v M-] ; <normal-state> v M-} ; <normal-state> v] ; <normal-state> v } ; V) ; V M-) ; V M-] ; V M-}	calc-matrix-brackets
V] ; V } ; v) ; v M-) ; v M-] ; v M-} ; v] ; v }	calc-matrix-brackets
<normal-state> V + ; <normal-state> V M-+ ; <normal-state> v + ; <normal-state> v M-+ ; V + ; V M-+ ; v + ; v M-+	calc-remove-duplicates

Teclas / sequência	Comando / ação
<normal-state> V , ; <normal-state> V M-, ; <normal-state> v , ; <normal-state> v M-, ; V , ; V M-, ; v , ; v M-,	calc-vector-commas
<normal-state> V - ; <normal-state> V M-- ; <normal-state> v - ; <normal-state> v M-- ; V - ; V M-- ; v - ; v M--	calc-set-difference
<normal-state> V . ; <normal-state> V M-. ; <normal-state> v . ; <normal-state> v M-. ; V . ; V M-. ; v . ; v M-.	calc-full-vectors
<normal-state> V / ; <normal-state> V M-/ ; <normal-state> v / ; <normal-state> v M-/ ; V / ; V M-/ ; v / ; v M-/	calc-break-vectors
<normal-state> V : ; <normal-state> V M-: ; <normal-state> v : ; <normal-state> v M-: ; V : ; V M-: ; v : ; v M-:	calc-set-span
<normal-state> V < ; <normal-state> V M-< ; <normal-state> v < ; <normal-state> v M-< ; V < ; V M-< ; v < ; v M-<	calc-matrix-left-justify
<normal-state> V = ; <normal-state> V M-= ; <normal-state> v = ; <normal-state> v M-= ; V = ; V M-= ; v = ; v M-=	calc-matrix-center-justify
<normal-state> V > ; <normal-state> V M-> ; <normal-state> v > ; <normal-state> v M-> ; V > ; V M-> ; v > ; v M->	calc-matrix-right-justify
<normal-state> V ? ; <normal-state> V M-? ; <normal-state> v ? ; <normal-state> v M-? ; V ? ; V M-? ; v ? ; v M-?	calc-v-prefix-help
<normal-state> V A ; <normal-state> V M-A ; <normal-state> v A ; <normal-state> v M-A ; V A ; V M-A ; v A ; v M-A	calc-apply
<normal-state> V C ; <normal-state> V M-C ; <normal-state> v C ; <normal-state> v M-C ; V C ; V M-C ; v C ; v M-C	calc-cross
<normal-state> V D ; <normal-state> V M-D ; <normal-state> v D ; <normal-state> v M-D ; V D ; V M-D ; v D ; v M-D	calc-mdet
<normal-state> V E ; <normal-state> V M-E ; <normal-state> v E ; <normal-state> v M-E ; V E ; V M-E ; v E ; v M-E	calc-set-enumerate
<normal-state> V F ; <normal-state> V M-F ; <normal-state> v F ; <normal-state> v M-F ; V F ; V M-F ; v F ; v M-F	calc-set-floor

Teclas / sequência	Comando / ação
<normal-state> V G ; <normal-state> V M-G ; <normal-state> v G ; <normal-state> v M-G ; V G ; V M-G ; v G ; v M-G	calc-grade
<normal-state> V H ; <normal-state> V M-H ; <normal-state> v H ; <normal-state> v M-H ; V H ; V M-H ; v H ; v M-H	calc-histogram
<normal-state> V I ; <normal-state> V M-I ; <normal-state> v I ; <normal-state> v M-I ; V I ; V M-I ; v I ; v M-I	calc-inner-product
<normal-state> V J ; <normal-state> V M-J ; <normal-state> v J ; <normal-state> v M-J ; V J ; V M-J ; v J ; v M-J	calc-conj-transpose
<normal-state> V K ; <normal-state> V M-K ; <normal-state> v K ; <normal-state> v M-K ; V K ; V M-K ; v K ; v M-K	calc-kron
<normal-state> V L ; <normal-state> V M-L ; <normal-state> v L ; <normal-state> v M-L ; V L ; V M-L ; v L ; v M-L	calc-mlud
<normal-state> V M ; <normal-state> V M-M ; <normal-state> v M ; <normal-state> v M-M ; V M ; V M-M ; v M ; v M-M	calc-map
<normal-state> V M-N ; <normal-state> V N ; <normal-state> v M-N ; <normal-state> v N ; V M-N ; V N ; v M-N ; v N	calc-cnorm
<normal-state> V M-O ; <normal-state> V O ; <normal-state> v M-O ; <normal-state> v O ; V M-O ; V O ; v M-O ; v O	calc-outer-product
<normal-state> V M-R ; <normal-state> V R ; <normal-state> v M-R ; <normal-state> v R ; V M-R ; V R ; v M-R ; v R	calc-reduce
<normal-state> V M-S ; <normal-state> V S ; <normal-state> v M-S ; <normal-state> v S ; V M-S ; V S ; v M-S ; v S	calc-sort
<normal-state> V M-T ; <normal-state> V T ; <normal-state> v M-T ; <normal-state> v T ; V M-T ; V T ; v M-T ; v T	calc-mtrace
<normal-state> V M-U ; <normal-state> V U ; <normal-state> v M-U ; <normal-state> v U ; V M-U ; V U ; v M-U ; v U	calc-accumulate
<normal-state> V M-V ; <normal-state> V V ; <normal-state> v M-V ; <normal-state> v V ; V M-V ; V V ; v M-V ; v V	calc-set-union

Teclas / sequência	Comando / ação
<normal-state> V M-X ; <normal-state> V X ; <normal-state> v M-X ; <normal-state> v X ; V M-X ; V X ; v M-X ; v X	calc-set-xor
<normal-state> V M-[; <normal-state> V [; <normal-state> v M-[; <normal-state> v [; V M-[; V [; v M-[; v [	calc-vector-brackets
<normal-state> V M-^ ; <normal-state> V ^ ; <normal-state> v M-^ ; <normal-state> v ^ ; V M-^ ; V ^ ; v M-^ ; v ^	calc-set-intersect
<normal-state> V M-a ; <normal-state> V a ; <normal-state> v M-a ; <normal-state> v a ; V M-a ; V a ; v M-a ; v a	calc-arrange-vector
<normal-state> V M-b ; <normal-state> V b ; <normal-state> v M-b ; <normal-state> v b ; V M-b ; V b ; v M-b ; v b	calc-build-vector
<normal-state> V M-c ; <normal-state> V c ; <normal-state> v M-c ; <normal-state> v c ; V M-c ; V c ; v M-c ; v c	calc-mcol
<normal-state> V M-d ; <normal-state> V d ; <normal-state> v M-d ; <normal-state> v d ; V M-d ; V d ; v M-d ; v d	calc-diag
<normal-state> V M-e ; <normal-state> V e ; <normal-state> v M-e ; <normal-state> v e ; V M-e ; V e ; v M-e ; v e	calc-expand-vector
<normal-state> V M-f ; <normal-state> V f ; <normal-state> v M-f ; <normal-state> v f ; V M-f ; V f ; v M-f ; v f	calc-vector-find
<normal-state> V M-h ; <normal-state> V h ; <normal-state> v M-h ; <normal-state> v h ; V M-h ; V h ; v M-h ; v h	calc-head
<normal-state> V M-i ; <normal-state> V i ; <normal-state> v M-i ; <normal-state> v i ; V M-i ; V i ; v M-i ; v i	calc-ident
<normal-state> V M-k ; <normal-state> V k ; <normal-state> v M-k ; <normal-state> v k ; V M-k ; V k ; v M-k ; v k	calc-cons
<normal-state> V M-l ; <normal-state> V l ; <normal-state> v M-l ; <normal-state> v l ; V M-l ; V l ; v M-l ; v l	calc-vlength
<normal-state> V M-m ; <normal-state> V m ; <normal-state> v M-m ; <normal-state> v m ; V M-m ; V m ; v M-m ; v m	calc-mask-vector

Teclas / sequência	Comando / ação
<normal-state> V M-n ; <normal-state> V n ; <normal-state> v M-n ; <normal-state> v n ; V M-n ; V n ; v M-n ; v n	calc-rnorm
<normal-state> V M-p ; <normal-state> V p ; <normal-state> v M-p ; <normal-state> v p ; V M-p ; V p ; v M-p ; v p	calc-pack
<normal-state> V M-r ; <normal-state> V r ; <normal-state> v M-r ; <normal-state> v r ; V M-r ; V r ; v M-r ; v r	calc-mrow
<normal-state> V M-s ; <normal-state> V s ; <normal-state> v M-s ; <normal-state> v s ; V M-s ; V s ; v M-s ; v s	calc-subvector
<normal-state> V M-t ; <normal-state> V t ; <normal-state> v M-t ; <normal-state> v t ; V M-t ; V t ; v M-t ; v t	calc-transpose
<normal-state> V M-u ; <normal-state> V u ; <normal-state> v M-u ; <normal-state> v u ; V M-u ; V u ; v M-u ; v u	calc-unpack
<normal-state> V M-v ; <normal-state> V v ; <normal-state> v M-v ; <normal-state> v v ; V M-v ; V v ; v M-v ; v v	calc-reverse-vector
<normal-state> V M-x ; <normal-state> V x ; <normal-state> v M-x ; <normal-state> v x ; V M-x ; V x ; v M-x ; v x	calc-index
<normal-state> V M-{ ; <normal-state> V { ; <normal-state> v M-{ ; <normal-state> v { ; V M-{ ; V { ; v M-{ ; v {	calc-vector-braces
<normal-state> V M-~ ; <normal-state> V ~ ; <normal-state> v M-~ ; <normal-state> v ~ ; V M-~ ; V ~ ; v M-~ ; v ~	calc-set-complement
<normal-state> X ; X	calc-call-last-kbd-macro
<normal-state> Y ? ; <normal-state> Y M-? ; Y ? ; Y ESC M-? ; Y M-?	calc-shift-Y-prefix-help
<normal-state> Z # ; <normal-state> Z M-# ; Z # ; Z M-#	calc-kbd-query
<normal-state> Z ' ; <normal-state> Z M-' ; Z ' ; Z M-'	calc-kbd-pop
<normal-state> Z (; <normal-state> Z M-(; Z (; Z M-(	calc-kbd-for
<normal-state> Z) ; <normal-state> Z M-) ; Z) ; Z M-)	calc-kbd-end-for
<normal-state> Z / ; <normal-state> Z M-/ ; Z / ; Z M-/	calc-kbd-break
<normal-state> Z : ; <normal-state> Z M-: ; Z : ; Z M-:	calc-kbd-else

Teclas / sequência	Comando / ação
<normal-state> Z < ; <normal-state> Z M-< ; Z < ; Z M-<	calc-kbd-repeat
<normal-state> Z > ; <normal-state> Z M-> ; Z > ; Z M->	calc-kbd-end-repeat
<normal-state> Z ? ; <normal-state> Z M-? ; Z ? ; Z M-?	calc-shift-Z-prefix-help
<normal-state> Z C ; <normal-state> Z M-C ; Z C ; Z M-C	calc-user-define-composition
<normal-state> Z D ; <normal-state> Z M-D ; Z D ; Z M-D	calc-user-define
<normal-state> Z E ; <normal-state> Z M-E ; Z E ; Z M-E	calc-user-define-edit
<normal-state> Z F ; <normal-state> Z M-F ; Z F ; Z M-F	calc-user-define-formula
<normal-state> Z G ; <normal-state> Z M-G ; Z G ; Z M-G	calc-get-user-defn
<normal-state> Z I ; <normal-state> Z M-I ; Z I ; Z M-I	calc-user-define-invocation
<normal-state> Z K ; <normal-state> Z M-K ; Z K ; Z M-K	calc-user-define-kbd-macro
<normal-state> Z M-P ; <normal-state> Z P ; Z M-P ; Z P	calc-user-define-permanent
<normal-state> Z M-S ; <normal-state> Z S ; Z M-S ; Z S	calc-edit-user-syntax
<normal-state> Z M-T ; <normal-state> Z T ; Z M-T ; Z T	calc-timing
<normal-state> Z M-U ; <normal-state> Z U ; Z M-U ; Z U	calc-user-undefine
<normal-state> Z M-[; <normal-state> Z [; Z M-[; Z [	calc-kbd-if
<normal-state> Z M-] ; <normal-state> Z] ; Z M-] ; Z]	calc-kbd-end-if
<normal-state> Z M-` ; <normal-state> Z ` ; Z M-` ; Z `	calc-kbd-push
<normal-state> Z M-{ ; <normal-state> Z { ; Z M-{ ; Z {	calc-kbd-loop
<normal-state> Z M-| ; <normal-state> Z | ; Z M-| ; Z |	calc-kbd-else-if
<normal-state> Z M-} ; <normal-state> Z } ; Z M-} ; Z }	calc-kbd-end-loop
<normal-state> [[; [	calc-begin-vector
<normal-state> \ ; \	calc-idiv
<normal-state>]] ;]	calc-end-vector
<normal-state> ^ ; ^	calc-power
<normal-state> ` ; `	calc-edit
<normal-state> a ! ; <normal-state> a M-! ; a ! ; a M-!	calc-logical-not
<normal-state> a " ; <normal-state> a M-" ; a " ; a M-"	calc-expand-formula
<normal-state> a # ; <normal-state> a M-# ; a # ; a M-#	calc-not-equal-to
<normal-state> a % ; <normal-state> a M-% ; a % ; a M-%	calc-poly-rem
<normal-state> a & ; <normal-state> a M-& ; a & ; a M-&	calc-logical-and

Teclas / sequência	Comando / ação
<normal-state> a * ; <normal-state> a M-* ; a * ; a M-*	calc-product
<normal-state> a + ; <normal-state> a M-+ ; a + ; a M-+	calc-summation
<normal-state> a - ; <normal-state> a M-- ; a - ; a M--	calc-alt-summation
<normal-state> a . ; <normal-state> a M-. ; a . ; a M-.	calc-remove-equal
<normal-state> a / ; <normal-state> a M-/ ; a / ; a M-/	calc-poly-div-rem
<normal-state> a : ; <normal-state> a M-: ; a : ; a M-:	calc-logical-if
<normal-state> a < ; <normal-state> a M-< ; a < ; a M-<	calc-less-than
<normal-state> a = ; <normal-state> a M-= ; a = ; a M-=	calc-equal-to
<normal-state> a > ; <normal-state> a M-> ; a > ; a M->	calc-greater-than
<normal-state> a ? ; <normal-state> a M-? ; a ? ; a M-?	calc-a-prefix-help
<normal-state> a F ; <normal-state> a M-F ; a F ; a M-F	calc-curve-fit
<normal-state> a I ; <normal-state> a M-I ; a I ; a M-I	calc-num-integral
<normal-state> a M ; <normal-state> a M-M ; a M ; a M-M	calc-map-equation
<normal-state> a M-N ; <normal-state> a N ; a M-N ; a N	calc-find-minimum
<normal-state> a M-P ; <normal-state> a P ; a M-P ; a P	calc-poly-roots
<normal-state> a M-R ; <normal-state> a R ; a M-R ; a R	calc-find-root
<normal-state> a M-S ; <normal-state> a S ; a M-S ; a S	calc-solve-for
<normal-state> a M-T ; <normal-state> a T ; a M-T ; a T	calc-tabulate
<normal-state> a M-X ; <normal-state> a X ; a M-X ; a X	calc-find-maximum
<normal-state> a M-[; <normal-state> a [; a M-[; a [	calc-less-equal
<normal-state> a M-\ ; <normal-state> a \ ; a M-\ ; a \	calc-poly-div
<normal-state> a M-] ; <normal-state> a] ; a M-] ; a]	calc-greater-equal
<normal-state> a M-_ ; <normal-state> a _ ; a M-_ ; a _	calc-subscript
<normal-state> a M-a ; <normal-state> a a ; a M-a ; a a	calc-apart
<normal-state> a M-b ; <normal-state> a b ; a M-b ; a b	calc-substitute
<normal-state> a M-c ; <normal-state> a c ; a M-c ; a c	calc-collect
<normal-state> a M-d ; <normal-state> a d ; a M-d ; a d	calc-derivative

Teclas / sequência	Comando / ação
<normal-state> a M-e ; <normal-state> a e ; a M-e ; a e	calc-simplify-extended
<normal-state> a M-f ; <normal-state> a f ; a M-f ; a f	calc-factor
<normal-state> a M-g ; <normal-state> a g ; a M-g ; a g	calc-poly-gcd
<normal-state> a M-i ; <normal-state> a i ; a M-i ; a i	calc-integral
<normal-state> a M-m ; <normal-state> a m ; a M-m ; a m	calc-match
<normal-state> a M-n ; <normal-state> a n ; a M-n ; a n	calc-normalize-rat
<normal-state> a M-p ; <normal-state> a p ; a M-p ; a p	calc-poly-interp
<normal-state> a M-r ; <normal-state> a r ; a M-r ; a r	calc-rewrite
<normal-state> a M-s ; <normal-state> a s ; a M-s ; a s	calc-simplify
<normal-state> a M-t ; <normal-state> a t ; a M-t ; a t	calc-taylor
<normal-state> a M-v ; <normal-state> a v ; a M-v ; a v	calc-alg-evaluate
<normal-state> a M-x ; <normal-state> a x ; a M-x ; a x	calc-expand
<normal-state> a M-{ ; <normal-state> a { ; a M-{ ; a {	calc-in-set
<normal-state> a M-| ; <normal-state> a | ; a M-| ; a |	calc-logical-or
<normal-state> b # ; <normal-state> b M-# ; b # ; b M-#	calc-fin-nper
<normal-state> b % ; <normal-state> b M-% ; b % ; b M-%	calc-percent-change
<normal-state> b ? ; <normal-state> b M-? ; b ? ; b M-?	calc-b-prefix-help
<normal-state> b D ; <normal-state> b M-D ; b D ; b M-D	calc-fin-ddb
<normal-state> b F ; <normal-state> b M-F ; b F ; b M-F	calc-fin-fv
<normal-state> b I ; <normal-state> b M-I ; b I ; b M-I	calc-fin-irr
<normal-state> b L ; <normal-state> b M-L ; b L ; b M-L	calc-lshift-arith
<normal-state> b M ; <normal-state> b M-M ; b M ; b M-M	calc-fin-pmt
<normal-state> b M-N ; <normal-state> b N ; b M-N ; b N	calc-fin-npv
<normal-state> b M-P ; <normal-state> b P ; b M-P ; b P	calc-fin-pv
<normal-state> b M-R ; <normal-state> b R ; b M-R ; b R	calc-rshift-arith
<normal-state> b M-S ; <normal-state> b S ; b M-S ; b S	calc-fin-sln
<normal-state> b M-T ; <normal-state> b T ; b M-T ; b T	calc-fin-rate

Teclas / sequência	Comando / ação
<normal-state> b M-Y ; <normal-state> b Y ; b M-Y ; b Y	calc-fin-syd
<normal-state> b M-a ; <normal-state> b a ; b M-a ; b a	calc-and
<normal-state> b M-c ; <normal-state> b c ; b M-c ; b c	calc-clip
<normal-state> b M-d ; <normal-state> b d ; b M-d ; b d	calc-diff
<normal-state> b M-l ; <normal-state> b l ; b M-l ; b l	calc-lshift-binary
<normal-state> b M-n ; <normal-state> b n ; b M-n ; b n	calc-not
<normal-state> b M-o ; <normal-state> b o ; b M-o ; b o	calc-or
<normal-state> b M-p ; <normal-state> b p ; b M-p ; b p	calc-pack-bits
<normal-state> b M-r ; <normal-state> b r ; b M-r ; b r	calc-rshift-binary
<normal-state> b M-t ; <normal-state> b t ; b M-t ; b t	calc-rotate-binary
<normal-state> b M-u ; <normal-state> b u ; b M-u ; b u	calc-unpack-bits
<normal-state> b M-w ; <normal-state> b w ; b M-w ; b w	calc-word-size
<normal-state> b M-x ; <normal-state> b x ; b M-x ; b x	calc-xor
<normal-state> c % ; <normal-state> c M-% ; c % ; c M-%	calc-convert-percent
<normal-state> c 0 ; <normal-state> c 1 ; <normal-state> c 2 ; <normal-state> c 3 ; <normal-state> c 4 ; <normal-state> c 5 ; <normal-state> c 6 ; <normal-state> c 7	calc-clean-num
<normal-state> c 8 ; <normal-state> c 9 ; <normal-state> c M-0 ; <normal-state> c M-1 ; <normal-state> c M-2 ; <normal-state> c M-3 ; <normal-state> c M-4 ; <normal-state> c M-5	calc-clean-num
<normal-state> c M-6 ; <normal-state> c M-7 ; <normal-state> c M-8 ; <normal-state> c M-9 ; c 0 ; c 1 ; c 2 ; c 3	calc-clean-num
c 4 ; c 5 ; c 6 ; c 7 ; c 8 ; c 9 ; c M-0 ; c M-1	calc-clean-num
c M-2 ; c M-3 ; c M-4 ; c M-5 ; c M-6 ; c M-7 ; c M-8 ; c M-9	calc-clean-num
<normal-state> c ? ; <normal-state> c M-? ; c ? ; c M-?	calc-c-prefix-help
<normal-state> c F ; <normal-state> c M-F ; c F ; c M-F	calc-fraction
<normal-state> c M-c ; <normal-state> c c ; c M-c ; c c	calc-clean

Teclas / sequência	Comando / ação
<normal-state> c M-d ; <normal-state> c d ; c M-d ; c d	calc-to-degrees
<normal-state> c M-f ; <normal-state> c f ; c M-f ; c f	calc-float
<normal-state> c M-h ; <normal-state> c h ; c M-h ; c h	calc-to-hms
<normal-state> c M-p ; <normal-state> c p ; c M-p ; c p	calc-polar
<normal-state> c M-r ; <normal-state> c r ; c M-r ; c r	calc-to-radians
<normal-state> d ; C-k	calc-kill
<normal-state> f ? ; <normal-state> f M-? ; f ? ; f M-?	calc-f-prefix-help
<normal-state> f A ; <normal-state> f M-A ; f A ; f M-A	calc-abssqr
<normal-state> f B ; <normal-state> f M-B ; f B ; f M-B	calc-inc-beta
<normal-state> f E ; <normal-state> f M-E ; f E ; f M-E	calc-expm1
<normal-state> f G ; <normal-state> f M-G ; f G ; f M-G	calc-inc-gamma
<normal-state> f I ; <normal-state> f M-I ; f I ; f M-I	calc-ilog
<normal-state> f L ; <normal-state> f M-L ; f L ; f M-L	calc-lnp1
<normal-state> f M ; <normal-state> f M-M ; f M ; f M-M	calc-mant-part
<normal-state> f M-Q ; <normal-state> f Q ; f M-Q ; f Q	calc-isqrt
<normal-state> f M-S ; <normal-state> f S ; f M-S ; f S	calc-scale-float
<normal-state> f M-T ; <normal-state> f T ; f M-T ; f T	calc-arctan2
<normal-state> f M-X ; <normal-state> f X ; f M-X ; f X	calc-xpon-part
<normal-state> f M-[; <normal-state> f [; f M-[; f [	calc-decrement
<normal-state> f M-] ; <normal-state> f] ; f M-] ; f]	calc-increment
<normal-state> f M-b ; <normal-state> f b ; f M-b ; f b	calc-beta
<normal-state> f M-e ; <normal-state> f e ; f M-e ; f e	calc-erf
<normal-state> f M-g ; <normal-state> f g ; f M-g ; f g	calc-gamma
<normal-state> f M-h ; <normal-state> f h ; f M-h ; f h	calc-hypot
<normal-state> f M-i ; <normal-state> f i ; f M-i ; f i	calc-im
<normal-state> f M-j ; <normal-state> f j ; f M-j ; f j	calc-bessel-J
<normal-state> f M-n ; <normal-state> f n ; f M-n ; f n	calc-min
<normal-state> f M-r ; <normal-state> f r ; f M-r ; f r	calc-re

Teclas / sequência	Comando / ação
<normal-state> f M-s ; <normal-state> f s ; f M-s ; f s	calc-sign
<normal-state> f M-x ; <normal-state> f x ; f M-x ; f x	calc-max
<normal-state> f M-y ; <normal-state> f y ; f M-y ; f y	calc-bessel-Y
<normal-state> i ; i	calc-info
<normal-state> m ? ; <normal-state> m M-? ; m ? ; m M-?	calc-m-prefix-help
<normal-state> m A ; <normal-state> m M-A ; m A ; m M-A	calc-alg-simplify-mode
<normal-state> m B ; <normal-state> m M-B ; m B ; m M-B	calc-bin-simplify-mode
<normal-state> m C ; <normal-state> m M-C ; m C ; m M-C	calc-auto-recompute
<normal-state> m D ; <normal-state> m M-D ; m D ; m M-D	calc-default-simplify-mode
<normal-state> m E ; <normal-state> m M-E ; m E ; m M-E	calc-ext-simplify-mode
<normal-state> m F ; <normal-state> m M-F ; m F ; m M-F	calc-settings-file-name
<normal-state> m I ; <normal-state> m M-I ; m I ; m M-I	calc-basic-simplify-mode
<normal-state> m M-N ; <normal-state> m N ; m M-N ; m N	calc-num-simplify-mode
<normal-state> m M-O ; <normal-state> m O ; m M-O ; m O	calc-no-simplify-mode
<normal-state> m M-R ; <normal-state> m R ; m M-R ; m R	calc-mode-record-mode
<normal-state> m M-S ; <normal-state> m S ; m M-S ; m S	calc-shift-prefix
<normal-state> m M-U ; <normal-state> m U ; m M-U ; m U	calc-units-simplify-mode
<normal-state> m M-X ; <normal-state> m X ; m M-X ; m X	calc-load-everything
<normal-state> m M-a ; <normal-state> m a ; m M-a ; m a	calc-algebraic-mode
<normal-state> m M-d ; <normal-state> m d ; m M-d ; m d	calc-degrees-mode
<normal-state> m M-e ; <normal-state> m e ; m M-e ; m e	calc-embedded-preserve-modes
<normal-state> m M-f ; <normal-state> m f ; m M-f ; m f	calc-frac-mode
<normal-state> m M-g ; <normal-state> m g ; m M-g ; m g	calc-get-modes
<normal-state> m M-h ; <normal-state> m h ; m M-h ; m h	calc-hms-mode
<normal-state> m M-i ; <normal-state> m i ; m M-i ; m i	calc-infinite-mode
<normal-state> m M-m ; <normal-state> m m ; m M-m ; m m	calc-save-modes
<normal-state> m M-p ; <normal-state> m p ; m M-p ; m p	calc-polar-mode
<normal-state> m M-r ; <normal-state> m r ; m M-r ; m r	calc-radians-mode

Teclas / sequência	Comando / ação
<normal-state> m M-s ; <normal-state> m s ; m M-s ; m s	calc-symbolic-mode
<normal-state> m M-v ; <normal-state> m v ; m M-v ; m v	calc-matrix-mode
<normal-state> m M-w ; <normal-state> m w ; m M-w ; m w	calc-working
<normal-state> m M-x ; <normal-state> m x ; m M-x ; m x	calc-always-load-extensions
<normal-state> n ; n	calc-change-sign
<normal-state> o ; o	calc-realign
<normal-state> p P ; y	calc-copy-to-buffer
<normal-state> p p ; C-y	calc-yank
<normal-state> q ; q	calc-quit
<normal-state> r 0 ; <normal-state> r 1 ; <normal-state> r 2 ; <normal-state> r 3 ; <normal-state> r 4 ; <normal-state> r 5 ; <normal-state> r 6 ; <normal-state> r 7	calc-recall-quick
<normal-state> r 8 ; <normal-state> r 9 ; <normal-state> r M-0 ; <normal-state> r M-1 ; <normal-state> r M-2 ; <normal-state> r M-3 ; <normal-state> r M-4 ; <normal-state> r M-5	calc-recall-quick
<normal-state> r M-6 ; <normal-state> r M-7 ; <normal-state> r M-8 ; <normal-state> r M-9 ; r 0 ; r 1 ; r 2 ; r 3	calc-recall-quick
r 4 ; r 5 ; r 6 ; r 7 ; r 8 ; r 9 ; r M-0 ; r M-1	calc-recall-quick
r M-2 ; r M-3 ; r M-4 ; r M-5 ; r M-6 ; r M-7 ; r M-8 ; r M-9	calc-recall-quick
<normal-state> r ? ; <normal-state> r M-? ; r ? ; r M-?	calc-r-prefix-help
<normal-state> r M-i ; <normal-state> r i ; r M-i ; r i	calc-insert-register
<normal-state> r M-s ; <normal-state> r s ; r M-s ; r s	calc-copy-to-register
<normal-state> s & ; <normal-state> s M-& ; s & ; s M-&	calc-store-inv
<normal-state> s * ; <normal-state> s M-* ; s * ; s M-*	calc-store-times
<normal-state> s + ; <normal-state> s M-+ ; s + ; s M-+	calc-store-plus
<normal-state> s - ; <normal-state> s M-- ; s - ; s M--	calc-store-minus
<normal-state> s / ; <normal-state> s M-/ ; s / ; s M-/	calc-store-div
<normal-state> s 0 ; <normal-state> s 1 ; <normal-state> s 2 ; <normal-state> s 3 ; <normal-state> s 4 ; <normal-state> s 5 ; <normal-state> s 6 ; <normal-state> s 7	calc-store-quick

Teclas / sequência	Comando / ação
<normal-state> s 8 ; <normal-state> s 9 ; <normal-state> s M-0 ; <normal-state> s M-1 ; <normal-state> s M-2 ; <normal-state> s M-3 ; <normal-state> s M-4 ; <normal-state> s M-5	calc-store-quick
<normal-state> s M-6 ; <normal-state> s M-7 ; <normal-state> s M-8 ; <normal-state> s M-9 ; s 0 ; s 1 ; s 2 ; s 3	calc-store-quick
s 4 ; s 5 ; s 6 ; s 7 ; s 8 ; s 9 ; s M-0 ; s M-1	calc-store-quick
s M-2 ; s M-3 ; s M-4 ; s M-5 ; s M-6 ; s M-7 ; s M-8 ; s M-9	calc-store-quick
<normal-state> s : ; <normal-state> s M-: ; s : ; s M-:	calc-assign
<normal-state> s = ; <normal-state> s M-= ; s = ; s M-=	calc-evalto
<normal-state> s ? ; <normal-state> s M-? ; s ? ; s M-?	calc-s-prefix-help
<normal-state> s A ; <normal-state> s M-A ; s A ; s M-A	calc-edit-AlgSimpRules
<normal-state> s D ; <normal-state> s M-D ; s D ; s M-D	calc-edit-Decls
<normal-state> s E ; <normal-state> s M-E ; s E ; s M-E	calc-edit-EvalRules
<normal-state> s F ; <normal-state> s M-F ; s F ; s M-F	calc-edit-FitRules
<normal-state> s G ; <normal-state> s M-G ; s G ; s M-G	calc-edit-GenCount
<normal-state> s H ; <normal-state> s M-H ; s H ; s M-H	calc-edit-Holidays
<normal-state> s I ; <normal-state> s M-I ; s I ; s M-I	calc-edit-IntegLimit
<normal-state> s L ; <normal-state> s M-L ; s L ; s M-L	calc-edit-LineStyles
<normal-state> s M-P ; <normal-state> s P ; s M-P ; s P	calc-edit-PointStyles
<normal-state> s M-R ; <normal-state> s R ; s M-R ; s R	calc-edit-PlotRejects
<normal-state> s M-T ; <normal-state> s T ; s M-T ; s T	calc-edit-TimeZone
<normal-state> s M-U ; <normal-state> s U ; s M-U ; s U	calc-edit-Units
<normal-state> s M-X ; <normal-state> s X ; s M-X ; s X	calc-edit-ExtSimpRules
<normal-state> s M-[; <normal-state> s [; s M-[; s [	calc-store-decr
<normal-state> s M-] ; <normal-state> s] ; s M-] ; s]	calc-store-incr
<normal-state> s M-^ ; <normal-state> s ^ ; s M-^ ; s ^	calc-store-power
<normal-state> s M-c ; <normal-state> s c ; s M-c ; s c	calc-copy-variable

Teclas / sequência	Comando / ação
<normal-state> s M-d ; <normal-state> s d ; s M-d ; s d	calc-declare-variable
<normal-state> s M-e ; <normal-state> s e ; s M-e ; s e	calc-edit-variable
<normal-state> s M-i ; <normal-state> s i ; s M-i ; s i	calc-insert-variables
<normal-state> s M-k ; <normal-state> s k ; s M-k ; s k	calc-copy-special-constant
<normal-state> s M-l ; <normal-state> s l ; s M-l ; s l	calc-let
<normal-state> s M-m ; <normal-state> s m ; s M-m ; s m	calc-store-map
<normal-state> s M-n ; <normal-state> s n ; s M-n ; s n	calc-store-neg
<normal-state> s M-p ; <normal-state> s p ; s M-p ; s p	calc-permanent-variable
<normal-state> s M-r ; <normal-state> s r ; s M-r ; s r	calc-recall
<normal-state> s M-s ; <normal-state> s s ; s M-s ; s s	calc-store
<normal-state> s M-t ; <normal-state> s t ; s M-t ; s t	calc-store-into
<normal-state> s M-u ; <normal-state> s u ; s M-u ; s u	calc-unstore
<normal-state> s M-x ; <normal-state> s x ; s M-x ; s x	calc-store-exchange
<normal-state> s M-| ; <normal-state> s | ; s M-| ; s |	calc-store-concat
<normal-state> t + ; <normal-state> t M-+ ; t + ; t M-+	calc-business-days-plus
<normal-state> t - ; <normal-state> t M-- ; t - ; t M--	calc-business-days-minus
<normal-state> t . ; <normal-state> t M-. ; t . ; t M-.	calc-full-trail-vectors
<normal-state> t 0 ; <normal-state> t 1 ; <normal-state> t 2 ; <normal-state> t 3 ; <normal-state> t 4 ; <normal-state> t 5 ; <normal-state> t 6 ; <normal-state> t 7	calc-store-into-quick
<normal-state> t 8 ; <normal-state> t 9 ; <normal-state> t M-0 ; <normal-state> t M-1 ; <normal-state> t M-2 ; <normal-state> t M-3 ; <normal-state> t M-4 ; <normal-state> t M-5	calc-store-into-quick
<normal-state> t M-6 ; <normal-state> t M-7 ; <normal-state> t M-8 ; <normal-state> t M-9 ; t 0 ; t 1 ; t 2 ; t 3	calc-store-into-quick
t 4 ; t 5 ; t 6 ; t 7 ; t 8 ; t 9 ; t M-0 ; t M-1	calc-store-into-quick
t M-2 ; t M-3 ; t M-4 ; t M-5 ; t M-6 ; t M-7 ; t M-8 ; t M-9	calc-store-into-quick

Teclas / sequência	Comando / ação
<normal-state> t < ; <normal-state> t M-< ; t < ; t M-<	calc-trail-scroll-left
<normal-state> t > ; <normal-state> t M-> ; t > ; t M->	calc-trail-scroll-right
<normal-state> t ? ; <normal-state> t M-? ; t ? ; t M-?	calc-t-prefix-help
<normal-state> t C ; <normal-state> t M-C ; t C ; t M-C	calc-convert-time-zones
<normal-state> t D ; <normal-state> t M-D ; t D ; t M-D	calc-date
<normal-state> t I ; <normal-state> t M-I ; t I ; t M-I	calc-inc-month
<normal-state> t J ; <normal-state> t M-J ; t J ; t M-J	calc-julian
<normal-state> t M ; <normal-state> t M-M ; t M ; t M-M	calc-new-month
<normal-state> t M-N ; <normal-state> t N ; t M-N ; t N	calc-now
<normal-state> t M-P ; <normal-state> t P ; t M-P ; t P	calc-date-part
<normal-state> t M-U ; <normal-state> t U ; t M-U ; t U	calc-unix-time
<normal-state> t M-W ; <normal-state> t W ; t M-W ; t W	calc-new-week
<normal-state> t M-Y ; <normal-state> t Y ; t M-Y ; t Y	calc-new-year
<normal-state> t M-Z ; <normal-state> t Z ; t M-Z ; t Z	calc-time-zone
<normal-state> t M-[; <normal-state> t [; t M-[; t [	calc-trail-first
<normal-state> t M-] ; <normal-state> t] ; t M-] ; t]	calc-trail-last
<normal-state> t M-b ; <normal-state> t M-{ ; <normal-state> t b ; <normal-state> t { ; t M-b ; t M-{ ; t b ; t {	calc-trail-backward
<normal-state> t M-d ; <normal-state> t d ; t M-d ; t d	calc-trail-display
<normal-state> t M-f ; <normal-state> t M-} ; <normal-state> t f ; <normal-state> t } ; t M-f ; t M-} ; t f ; t }	calc-trail-forward
<normal-state> t M-h ; <normal-state> t h ; t M-h ; t h	calc-trail-here
<normal-state> t M-i ; <normal-state> t i ; t M-i ; t i	calc-trail-in
<normal-state> t M-k ; <normal-state> t k ; t M-k ; t k	calc-trail-kill
<normal-state> t M-m ; <normal-state> t m ; t M-m ; t m	calc-trail-marker
<normal-state> t M-n ; <normal-state> t n ; t M-n ; t n	calc-trail-next
<normal-state> t M-o ; <normal-state> t o ; t M-o ; t o	calc-trail-out

Teclas / sequência	Comando / ação
<normal-state> t M-p ; <normal-state> t p ; t M-p ; t p	calc-trail-previous
<normal-state> t M-r ; <normal-state> t r ; t M-r ; t r	calc-trail-isearch-backward
<normal-state> t M-s ; <normal-state> t s ; t M-s ; t s	calc-trail-isearch-forward
<normal-state> t M-y ; <normal-state> t y ; t M-y ; t y	calc-trail-yank
<normal-state> w ; w	calc-why
<normal-state> x ; x	calc-execute-extended-command
<normal-state> z j " ; <normal-state> z j M-" ; j " ; j M-"	calc-sel-expand-formula
<normal-state> z j & ; <normal-state> z j M-& ; j & ; j M-&	calc-sel-invert
<normal-state> z j ' ; <normal-state> z j M-' ; j ' ; j M-'	calc-enter-selection
<normal-state> z j * ; <normal-state> z j M-* ; j * ; j M-*	calc-sel-mult-both-sides
<normal-state> z j + ; <normal-state> z j M-+ ; j + ; j M-+	calc-sel-add-both-sides
<normal-state> z j - ; <normal-state> z j M-- ; j - ; j M--	calc-sel-sub-both-sides
<normal-state> z j / ; <normal-state> z j M-/ ; j / ; j M-/	calc-sel-div-both-sides
<normal-state> z j 0 ; <normal-state> z j 1 ; <normal-state> z j 2 ; <normal-state> z j 3 ; <normal-state> z j 4 ; <normal-state> z j 5 ; <normal-state> z j 6 ; <normal-state> z j 7	calc-select-part
<normal-state> z j 8 ; <normal-state> z j 9 ; <normal-state> z j M-0 ; <normal-state> z j M-1 ; <normal-state> z j M-2 ; <normal-state> z j M-3 ; <normal-state> z j M-4 ; <normal-state> z j M-5	calc-select-part
<normal-state> z j M-6 ; <normal-state> z j M-7 ; <normal-state> z j M-8 ; <normal-state> z j M-9 ; j 0 ; j 1 ; j 2 ; j 3	calc-select-part
j 4 ; j 5 ; j 6 ; j 7 ; j 8 ; j 9 ; j M-0 ; j M-1	calc-select-part
j M-2 ; j M-3 ; j M-4 ; j M-5 ; j M-6 ; j M-7 ; j M-8 ; j M-9	calc-select-part
<normal-state> z j ? ; <normal-state> z j M-? ; j ? ; j M-?	calc-j-prefix-help
<normal-state> z j C ; <normal-state> z j M-C ; j C ; j M-C	calc-sel-commute
<normal-state> z j C-M-h ; <normal-state> z j C-h ; <normal-state> z j DEL ; <normal-state> z j M-DEL ; j C-M-h ; j C-h ; j DEL ; j M-DEL	calc-del-selection

Teclas / sequência	Comando / ação
<normal-state> z j C-M-j ; <normal-state> z j C-j ; <normal-state> z j M-RET ; <normal-state> z j RET ; j C-M-j ; j C-j ; j M-RET ; j RET	calc-copy-selection
<normal-state> z j D ; <normal-state> z j M-D ; j D ; j M-D	calc-sel-distribute
<normal-state> z j E ; <normal-state> z j M-E ; j E ; j M-E	calc-sel-jump-equals
<normal-state> z j I ; <normal-state> z j M-I ; j I ; j M-I	calc-sel-isolate
<normal-state> z j L ; <normal-state> z j M-L ; j L ; j M-L	calc-commute-left
<normal-state> z j M ; <normal-state> z j M-M ; j M ; j M-M	calc-sel-merge
<normal-state> z j M-N ; <normal-state> z j N ; j M-N ; j N	calc-sel-negate
<normal-state> z j M-O ; <normal-state> z j O ; j M-O ; j O	calc-select-once-maybe
<normal-state> z j M-R ; <normal-state> z j R ; j M-R ; j R	calc-commute-right
<normal-state> z j M-S ; <normal-state> z j S ; j M-S ; j S	calc-select-here-maybe
<normal-state> z j M-U ; <normal-state> z j U ; j M-U ; j U	calc-sel-unpack
<normal-state> z j M-` ; <normal-state> z j ` ; j M-` ; j `	calc-edit-selection
<normal-state> z j M-a ; <normal-state> z j a ; j M-a ; j a	calc-select-additional
<normal-state> z j M-b ; <normal-state> z j b ; j M-b ; j b	calc-break-selections
<normal-state> z j M-c ; <normal-state> z j c ; j M-c ; j c	calc-clear-selections
<normal-state> z j M-d ; <normal-state> z j d ; j M-d ; j d	calc-show-selections
<normal-state> z j M-e ; <normal-state> z j e ; j M-e ; j e	calc-enable-selections
<normal-state> z j M-l ; <normal-state> z j l ; j M-l ; j l	calc-select-less
<normal-state> z j M-m ; <normal-state> z j m ; j M-m ; j m	calc-select-more
<normal-state> z j M-n ; <normal-state> z j n ; j M-n ; j n	calc-select-next
<normal-state> z j M-o ; <normal-state> z j o ; j M-o ; j o	calc-select-once
<normal-state> z j M-p ; <normal-state> z j p ; j M-p ; j p	calc-select-previous
<normal-state> z j M-r ; <normal-state> z j r ; j M-r ; j r	calc-rewrite-selection
<normal-state> z j M-s ; <normal-state> z j s ; j M-s ; j s	calc-select-here
<normal-state> z j M-u ; <normal-state> z j u ; j M-u ; j u	calc-unselect
<normal-state> z j M-v ; <normal-state> z j v ; j M-v ; j v	calc-sel-evaluate

Teclas / sequência	Comando / ação
<normal-state> z k ? ; <normal-state> z k M-? ; k ? ; k M-?	calc-k-prefix-help
<normal-state> z k B ; <normal-state> z k M-B ; k B ; k M-B	calc-utpb
<normal-state> z k C ; <normal-state> z k M-C ; k C ; k M-C	calc-utpc
<normal-state> z k E ; <normal-state> z k M-E ; k E ; k M-E	calc-extended-gcd
<normal-state> z k F ; <normal-state> z k M-F ; k F ; k M-F	calc-utpf
<normal-state> z k M-N ; <normal-state> z k N ; k M-N ; k N	calc-utpn
<normal-state> z k M-P ; <normal-state> z k P ; k M-P ; k P	calc-utpp
<normal-state> z k M-T ; <normal-state> z k T ; k M-T ; k T	calc-utpt
<normal-state> z k M-a ; <normal-state> z k a ; k M-a ; k a	calc-random-again
<normal-state> z k M-b ; <normal-state> z k b ; k M-b ; k b	calc-bernoulli-number
<normal-state> z k M-c ; <normal-state> z k c ; k M-c ; k c	calc-choose
<normal-state> z k M-d ; <normal-state> z k d ; k M-d ; k d	calc-double-factorial
<normal-state> z k M-e ; <normal-state> z k e ; k M-e ; k e	calc-euler-number
<normal-state> z k M-f ; <normal-state> z k f ; k M-f ; k f	calc-prime-factors
<normal-state> z k M-g ; <normal-state> z k g ; k M-g ; k g	calc-gcd
<normal-state> z k M-h ; <normal-state> z k h ; k M-h ; k h	calc-shuffle
<normal-state> z k M-l ; <normal-state> z k l ; k M-l ; k l	calc-lcm
<normal-state> z k M-m ; <normal-state> z k m ; k M-m ; k m	calc-moebius
<normal-state> z k M-n ; <normal-state> z k n ; k M-n ; k n	calc-next-prime
<normal-state> z k M-p ; <normal-state> z k p ; k M-p ; k p	calc-prime-test
<normal-state> z k M-r ; <normal-state> z k r ; k M-r ; k r	calc-random
<normal-state> z k M-s ; <normal-state> z k s ; k M-s ; k s	calc-stirling-number
<normal-state> z k M-t ; <normal-state> z k t ; k M-t ; k t	calc-totient
<normal-state> z l * ; <normal-state> z l M-* ; l * ; l M-*	calc-lu-times
<normal-state> z l + ; <normal-state> z l M-+ ; l + ; l M-+	calc-lu-plus
<normal-state> z l - ; <normal-state> z l M-- ; l - ; l M--	calc-lu-minus
<normal-state> z l / ; <normal-state> z l M-/ ; l / ; l M-/	calc-lu-divide

Teclas / sequência	Comando / ação
<normal-state> z l ? ; <normal-state> z l M-? ; l ? ; l M-?	calc-l-prefix-help
<normal-state> z l M-d ; <normal-state> z l d ; l M-d ; l d	calc-db
<normal-state> z l M-f ; <normal-state> z l f ; l M-f ; l f	calc-freq
<normal-state> z l M-m ; <normal-state> z l m ; l M-m ; l m	calc-midi
<normal-state> z l M-n ; <normal-state> z l n ; l M-n ; l n	calc-np
<normal-state> z l M-q ; <normal-state> z l q ; l M-q ; l q	calc-lu-quant
<normal-state> z l M-s ; <normal-state> z l s ; l M-s ; l s	calc-spn
<normal-state> z z ? ; <normal-state> z z M-? ; z ? ; z M-?	calc-z-prefix-help
<normal-state> { ; {	calc-scroll-down
<normal-state> | ; |	calc-concat
<normal-state> } ; }	calc-scroll-up
<normal-state> ~ ; ~	calc-num-prefix
<remap> <self-insert-command> ; W	undefined
<visual-state> d ; C-w	calc-kill-region
g ? ; g M-?	calc-g-prefix-help
g A ; g M-A	calc-graph-add-3d
g C ; g M-C	calc-graph-command
g C-M-l ; g C-l	calc-graph-log-z
g C-M-r ; g C-r	calc-graph-range-z
g C-M-t ; g C-t	calc-graph-title-z
g D ; g M-D	calc-graph-device
g F ; g M-F	calc-graph-fast-3d
g H ; g M-H	calc-graph-hide
g K ; g M-K	calc-graph-kill
g L ; g M-L	calc-graph-log-y
g M-N ; g N	calc-graph-num-points
g M-O ; g O	calc-graph-output
g M-P ; g P	calc-graph-print
g M-R ; g R	calc-graph-range-y
g M-S ; g S	calc-graph-point-style
g M-T ; g T	calc-graph-title-y
g M-V ; g V	calc-graph-view-trail
g M-X ; g X	calc-graph-geometry
g M-Z ; g Z	calc-graph-zero-y
g M-a ; g a	calc-graph-add
g M-b ; g b	calc-graph-border
g M-c ; g c	calc-graph-clear
g M-d ; g d	calc-graph-delete
g M-f ; g f	calc-graph-fast
g M-g ; g g	calc-graph-grid
g M-h ; g h	calc-graph-header
g M-j ; g j	calc-graph-juggle
g M-k ; g k	calc-graph-key
g M-l ; g l	calc-graph-log-x

Teclas / sequência	Comando / ação
g M-n ; g n	calc-graph-name
g M-p ; g p	calc-graph-plot
g M-q ; g q	calc-graph-quit
g M-r ; g r	calc-graph-range-x
g M-s ; g s	calc-graph-line-style
g M-t ; g t	calc-graph-title-x
g M-v ; g v	calc-graph-view-commands
g M-x ; g x	calc-graph-display
g M-z ; g z	calc-graph-zero-x
h	calc-help-prefix

5.66 calc-mode-map [Evil normal]

Teclas / sequência	Comando / ação
!	calc-factorial
" ; $	calc-auto-algebraic-entry
# ; . ; 0 ; 1 ; 2 ; 3 ; 4 ; 5	calcDigit-start
6 ; 7 ; 8 ; 9 ; @ ; _ ; e	calcDigit-start
%	calc-mod
& ; V & ; V M-& ; v & ; v M-&	calc-inv
'	calc-algebraic-entry
(	calc-begin-complex
)	calc-end-complex
*	calc-times
+	calc-plus
,	calc-comma
-	calc-minus
/	calc-divide
:	calc-fdiv
;	calc-semi
<	calc-scroll-left
<delete> ; DEL	calc-pop
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	calc-enter
<tab>	calc-roll-down
=	calc-evaluate
>	calc-scroll-right
?	calc-help
A ; a A ; a M-A	calc-abs
B ; b B ; b M-B	calc-log
C ; c C ; c M-C	calc-cos
C-M-d ; M-DEL	calc-pop-above
C-M-i	calc-roll-up
C-M-w	kill-ring-save
C-p	calc-precision
C-x C-t	calc-transpose-lines
D " ; D M-"	calc-display-strings
D ' ; D M-'	calc-display-raw
D , ; D M-,	calc-group-char
D . ; D M-.	calc-point-char
D 0 ; D M-0	calc-decimal-radix
D 2 ; D M-2	calc-binary-radix
D 6 ; D M-6	calc-hex-radix
D 8 ; D M-8	calc-octal-radix
D < ; D M-<	calc-left-justify
D = ; D M-=	calc-center-justify
D > ; D M->	calc-right-justify
D ? ; D M-?	calc-d-prefix-help
D @ ; D M-@	calc-toggle-banner
D A ; D M-A	calc-giac-language
D B ; D M-B	calc-big-language
D C ; D M-C	calc-c-language
D D ; D M-D	calc-redo
D E ; D M-E	calc-eqn-language
D F ; D M-F	calc-fortran-language
D L ; D M-L	calc-latex-language
D M ; D M-M	calc-mathematica-language
D M-N ; D N	calc-normal-language
D M-O ; D O	calc-flat-language
D M-P ; D P	calc-pascal-language
D M-RET ; D RET	calc-refresh-top
D M-SPC ; D SPC	calc-refresh
D M-T ; D T	calc-tex-language
D M-U ; D U	calc-unformatted-language
D M-W ; D W	calc-maple-language
D M-X ; D X	calc-maxima-language
D M-Y ; D Y	calc-yacas-language
D M-[; D [	calc-truncate-up
D M-] ; D]	calc-truncate-down

Teclas / sequência	Comando / ação
D M-b ; D b	calc-line-breaking
D M-c ; D c	calc-complex-notation
D M-d ; D d	calc-date-notation
D M-e ; D e	calc-eng-notation
D M-f ; D f	calc-fix-notation
D M-g ; D g	calc-group-digits
D M-h ; D h	calc-hms-notation
D M-i ; D i	calc-i-notation
D M-j ; D j	calc-j-notation
D M-l ; D l	calc-line-numbering
D M-n ; D n	calc-normal-notation
D M-o ; D o	calc-over-notation
D M-p ; D p	calc-show-plain
D M-r ; D r	calc-radix
D M-s ; D s	calc-sci-notation
D M-t ; D t	calc-truncate-stack
D M-w ; D w	calc-auto-why
D M-z ; D z	calc-leading-zeros
D M-{ ; D {	calc-left-label
D M-} ; D }	calc-right-label
E	calc-exp
F ; f F ; f M-F	calc-floor
G	calc-argument
H	calc-hyperbolic
I	calc-inverse
J ; z j J ; z j M-J	calc-conj
K ; z k K ; z k M-K	calc-keep-args
L	calc-ln
M ; m M ; m M-M	calc-more-recursion-depth
M-%	calc-percent
M-<return> ; M-RET ; g O	calc-last-args
M-k	calc-copy-as-kill
M-m t ; m M-t ; m t	calc-total-algebraic-mode
M-w	calc-copy-region-as-kill
N	calc-eval-num
O	calc-option
P	calc-pi
Q	calc-sqrt
R	calc-round
S ; s M-S ; s S	calc-sin
S-<return> ; S-RET ; g o	calc-over
T ; t M-T ; t T	calc-tan
U # ; U M-#	calc-vector-count
U * ; U M-*	calc-vector-product
U + ; U M-+	calc-vector-sum
U 0 ; U 1 ; U 2 ; U 3 ; U 4 ; U 5 ; U 6 ; U 7	calc-quick-units
U 8 ; U 9 ; U M-0 ; U M-1 ; U M-2 ; U M-3 ; U M-4 ; U M-5	calc-quick-units
U M-6 ; U M-7 ; U M-8 ; U M-9	calc-quick-units
U ? ; U M-?	calc-u-prefix-help
U C ; U M-C	calc-vector-covariance

Teclas / sequência	Comando / ação
U G ; U M-G	calc-vector-geometric-mean
U M ; U M-M	calc-vector-mean
U M-N ; U N	calc-vector-min
U M-R ; U R	calc-vector-rms
U M-S ; U S	calc-vector-sdev
U M-U ; U U ; u	calc-undo
U M-V ; U V	calc-view-units-table
U M-X ; U X	calc-vector-max
U M-a ; U a	calc-autorange-units
U M-b ; U b	calc-base-units
U M-c ; U c	calc-convert-units
U M-d ; U d	calc-define-unit
U M-e ; U e	calc-explain-units
U M-g ; U g	calc-get-unit-definition
U M-n ; U n	calc-convert-exact-units
U M-p ; U p	calc-permanent-units
U M-r ; U r	calc-remove-units
U M-s ; U s	calc-simplify-units
U M-t ; U t	calc-convert-temperature
U M-u ; U u	calc-undefine-unit
U M-v ; U v	calc-enter-units-table
U M-x ; U x	calc-extract-units
V # ; V M-# ; v # ; v M-#	calc-set-cardinality
V (; V M-(; v (; v M-(	calc-vector-parens
V) ; V M-) ; V M-] ; V M-} ; V] ; V } ; v) ; v M-)	calc-matrix-brackets
v M-] ; v M-} ; v] ; v }	calc-matrix-brackets
V + ; V M-+ ; v + ; v M-+	calc-remove-duplicates
V , ; V M-, ; v , ; v M-,	calc-vector-commas
V - ; V M-- ; v - ; v M--	calc-set-difference
V . ; V M-. ; v . ; v M-.	calc-full-vectors
V / ; V M-/ ; v / ; v M-/	calc-break-vectors
V : ; V M-: ; v : ; v M-:	calc-set-span
V < ; V M-< ; v < ; v M-<	calc-matrix-left-justify
V = ; V M-= ; v = ; v M-=	calc-matrix-center-justify
V > ; V M-> ; v > ; v M->	calc-matrix-right-justify
V ? ; V M-? ; v ? ; v M-?	calc-v-prefix-help
V A ; V M-A ; v A ; v M-A	calc-apply
V C ; V M-C ; v C ; v M-C	calc-cross
V D ; V M-D ; v D ; v M-D	calc-mdet
V E ; V M-E ; v E ; v M-E	calc-set-enumerate
V F ; V M-F ; v F ; v M-F	calc-set-floor
V G ; V M-G ; v G ; v M-G	calc-grade
V H ; V M-H ; v H ; v M-H	calc-histogram
V I ; V M-I ; v I ; v M-I	calc-inner-product
V J ; V M-J ; v J ; v M-J	calc-conj-transpose
V K ; V M-K ; v K ; v M-K	calc-kron
V L ; V M-L ; v L ; v M-L	calc-mlud
V M ; V M-M ; v M ; v M-M	calc-map
V M-N ; V N ; v M-N ; v N	calc-cnorm
V M-O ; V O ; v M-O ; v O	calc-outer-product
V M-R ; V R ; v M-R ; v R	calc-reduce

Teclas / sequência	Comando / ação
V M-S ; V S ; v M-S ; v S	calc-sort
V M-T ; V T ; v M-T ; v T	calc-mtrace
V M-U ; V U ; v M-U ; v U	calc-accumulate
V M-V ; V V ; v M-V ; v V	calc-set-union
V M-X ; V X ; v M-X ; v X	calc-set-xor
V M-[; V [; v M-[; v [	calc-vector-brackets
V M-^ ; V ^ ; v M-^ ; v ^	calc-set-intersect
V M-a ; V a ; v M-a ; v a	calc-arrange-vector
V M-b ; V b ; v M-b ; v b	calc-build-vector
V M-c ; V c ; v M-c ; v c	calc-mcol
V M-d ; V d ; v M-d ; v d	calc-diag
V M-e ; V e ; v M-e ; v e	calc-expand-vector
V M-f ; V f ; v M-f ; v f	calc-vector-find
V M-h ; V h ; v M-h ; v h	calc-head
V M-i ; V i ; v M-i ; v i	calc-ident
V M-k ; V k ; v M-k ; v k	calc-cons
V M-l ; V l ; v M-l ; v l	calc-vlength
V M-m ; V m ; v M-m ; v m	calc-mask-vector
V M-n ; V n ; v M-n ; v n	calc-rnorm
V M-p ; V p ; v M-p ; v p	calc-pack
V M-r ; V r ; v M-r ; v r	calc-mrow
V M-s ; V s ; v M-s ; v s	calc-subvector
V M-t ; V t ; v M-t ; v t	calc-transpose
V M-u ; V u ; v M-u ; v u	calc-unpack
V M-v ; V v ; v M-v ; v v	calc-reverse-vector
V M-x ; V x ; v M-x ; v x	calc-index
V M-{ ; V { ; v M-{ ; v {	calc-vector-braces
V M-~ ; V ~ ; v M-~ ; v ~	calc-set-complement
X	calc-call-last-kbd-macro
Y ? ; Y M-?	calc-shift-Y-prefix-help
Z # ; Z M-#	calc-kbd-query
Z ' ; Z M-'	calc-kbd-pop
Z (; Z M-(	calc-kbd-for
Z) ; Z M-)	calc-kbd-end-for
Z / ; Z M-/	calc-kbd-break
Z : ; Z M-:	calc-kbd-else
Z < ; Z M-<	calc-kbd-repeat
Z > ; Z M->	calc-kbd-end-repeat
Z ? ; Z M-?	calc-shift-Z-prefix-help
Z C ; Z M-C	calc-user-define-composition
Z D ; Z M-D	calc-user-define
Z E ; Z M-E	calc-user-define-edit
Z F ; Z M-F	calc-user-define-formula
Z G ; Z M-G	calc-get-user-defn
Z I ; Z M-I	calc-user-define-invocation
Z K ; Z M-K	calc-user-define-kbd-macro
Z M-P ; Z P	calc-user-define-permanent
Z M-S ; Z S	calc-edit-user-syntax
Z M-T ; Z T	calc-timing
Z M-U ; Z U	calc-user-undefine
Z M-[; Z [	calc-kbd-if
Z M-] ; Z]	calc-kbd-end-if

Teclas / sequência	Comando / ação
Z M-` ; Z `	calc-kbd-push
Z M-{ ; Z {	calc-kbd-loop
Z M-| ; Z |	calc-kbd-else-if
Z M-} ; Z }	calc-kbd-end-loop
[[	calc-begin-vector
\	calc-idiv
]]	calc-end-vector
^	calc-power
`	calc-edit
a ! ; a M-!	calc-logical-not
a " ; a M-"	calc-expand-formula
a # ; a M-#	calc-not-equal-to
a % ; a M-%	calc-poly-rem
a & ; a M-&	calc-logical-and
a * ; a M-*	calc-product
a + ; a M-+	calc-summation
a - ; a M--	calc-alt-summation
a . ; a M-.	calc-remove-equal
a / ; a M-/	calc-poly-div-rem
a : ; a M-:	calc-logical-if
a < ; a M-<	calc-less-than
a = ; a M-=	calc-equal-to
a > ; a M->	calc-greater-than
a ? ; a M-?	calc-a-prefix-help
a F ; a M-F	calc-curve-fit
a I ; a M-I	calc-num-integral
a M ; a M-M	calc-map-equation
a M-N ; a N	calc-find-minimum
a M-P ; a P	calc-poly-roots
a M-R ; a R	calc-find-root
a M-S ; a S	calc-solve-for
a M-T ; a T	calc-tabulate
a M-X ; a X	calc-find-maximum
a M-[; a [	calc-less-equal
a M-\ ; a \	calc-poly-div
a M-] ; a]	calc-greater-equal
a M-_ ; a _	calc-subscript
a M-a ; a a	calc-apart
a M-b ; a b	calc-substitute
a M-c ; a c	calc-collect
a M-d ; a d	calc-derivative
a M-e ; a e	calc-simplify-extended
a M-f ; a f	calc-factor
a M-g ; a g	calc-poly-gcd
a M-i ; a i	calc-integral
a M-m ; a m	calc-match
a M-n ; a n	calc-normalize-rat
a M-p ; a p	calc-poly-interp
a M-r ; a r	calc-rewrite
a M-s ; a s	calc-simplify
a M-t ; a t	calc-taylor
a M-v ; a v	calc-alg-evaluate

Teclas / sequência	Comando / ação
a M-x ; a x	calc-expand
a M-{ ; a {	calc-in-set
a M-| ; a |	calc-logical-or
b # ; b M-#	calc-fin-nper
b % ; b M-%	calc-percent-change
b ? ; b M-?	calc-b-prefix-help
b D ; b M-D	calc-fin-ddb
b F ; b M-F	calc-fin-fv
b I ; b M-I	calc-fin-irr
b L ; b M-L	calc-lshift-arith
b M ; b M-M	calc-fin-pmt
b M-N ; b N	calc-fin-npv
b M-P ; b P	calc-fin-pv
b M-R ; b R	calc-rshift-arith
b M-S ; b S	calc-fin-sln
b M-T ; b T	calc-fin-rate
b M-Y ; b Y	calc-fin-syd
b M-a ; b a	calc-and
b M-c ; b c	calc-clip
b M-d ; b d	calc-diff
b M-l ; b l	calc-lshift-binary
b M-n ; b n	calc-not
b M-o ; b o	calc-or
b M-p ; b p	calc-pack-bits
b M-r ; b r	calc-rshift-binary
b M-t ; b t	calc-rotate-binary
b M-u ; b u	calc-unpack-bits
b M-w ; b w	calc-word-size
b M-x ; b x	calc-xor
c % ; c M-%	calc-convert-percent
c 0 ; c 1 ; c 2 ; c 3 ; c 4 ; c 5 ; c 6 ; c 7	calc-clean-num
c 8 ; c 9 ; c M-0 ; c M-1 ; c M-2 ; c M-3 ; c M-4 ; c M-5	calc-clean-num
c M-6 ; c M-7 ; c M-8 ; c M-9	calc-clean-num
c ? ; c M-?	calc-c-prefix-help
c F ; c M-F	calc-fraction
c M-c ; c c	calc-clean
c M-d ; c d	calc-to-degrees
c M-f ; c f	calc-float
c M-h ; c h	calc-to-hms
c M-p ; c p	calc-polar
c M-r ; c r	calc-to-radians
d	calc-kill
f ? ; f M-?	calc-f-prefix-help
f A ; f M-A	calc-abssqr
f B ; f M-B	calc-inc-beta
f E ; f M-E	calc-expm1
f G ; f M-G	calc-inc-gamma
f I ; f M-I	calc-ilog
f L ; f M-L	calc-lnp1
f M ; f M-M	calc-mant-part

Teclas / sequência	Comando / ação
f M-Q ; f Q	calc-isqrt
f M-S ; f S	calc-scale-float
f M-T ; f T	calc-arctan2
f M-X ; f X	calc-xpon-part
f M-[; f [	calc-decrement
f M-] ; f]	calc-increment
f M-b ; f b	calc-beta
f M-e ; f e	calc-erf
f M-g ; f g	calc-gamma
f M-h ; f h	calc-hypot
f M-i ; f i	calc-im
f M-j ; f j	calc-bessel-J
f M-n ; f n	calc-min
f M-r ; f r	calc-re
f M-s ; f s	calc-sign
f M-x ; f x	calc-max
f M-y ; f y	calc-bessel-Y
i	calc-info
m ? ; m M-?	calc-m-prefix-help
m A ; m M-A	calc-alg-simplify-mode
m B ; m M-B	calc-bin-simplify-mode
m C ; m M-C	calc-auto-recompute
m D ; m M-D	calc-default-simplify-mode
m E ; m M-E	calc-ext-simplify-mode
m F ; m M-F	calc-settings-file-name
m I ; m M-I	calc-basic-simplify-mode
m M-N ; m N	calc-num-simplify-mode
m M-O ; m O	calc-no-simplify-mode
m M-R ; m R	calc-mode-record-mode
m M-S ; m S	calc-shift-prefix
m M-U ; m U	calc-units-simplify-mode
m M-X ; m X	calc-load-everything
m M-a ; m a	calc-algebraic-mode
m M-d ; m d	calc-degrees-mode
m M-e ; m e	calc-embedded-preserve-modes
m M-f ; m f	calc-frac-mode
m M-g ; m g	calc-get-modes
m M-h ; m h	calc-hms-mode
m M-i ; m i	calc-infinite-mode
m M-m ; m m	calc-save-modes
m M-p ; m p	calc-polar-mode
m M-r ; m r	calc-radians-mode
m M-s ; m s	calc-symbolic-mode
m M-v ; m v	calc-matrix-mode
m M-w ; m w	calc-working
m M-x ; m x	calc-always-load-extensions
n	calc-change-sign
o	calc-realign
p P	calc-copy-to-buffer
p p	calc-yank
q	calc-quit

Teclas / sequência	Comando / ação
r 0 ; r 1 ; r 2 ; r 3 ; r 4 ; r 5 ; r 6 ; r 7	calc-recall-quick
r 8 ; r 9 ; r M-0 ; r M-1 ; r M-2 ; r M-3 ; r M-4 ; r M-5	calc-recall-quick
r M-6 ; r M-7 ; r M-8 ; r M-9	calc-recall-quick
r ? ; r M-?	calc-r-prefix-help
r M-i ; r i	calc-insert-register
r M-s ; r s	calc-copy-to-register
s & ; s M-&	calc-store-inv
s * ; s M-*	calc-store-times
s + ; s M-+	calc-store-plus
s - ; s M--	calc-store-minus
s / ; s M-/	calc-store-div
s 0 ; s 1 ; s 2 ; s 3 ; s 4 ; s 5 ; s 6 ; s 7	calc-store-quick
s 8 ; s 9 ; s M-0 ; s M-1 ; s M-2 ; s M-3 ; s M-4 ; s M-5	calc-store-quick
s M-6 ; s M-7 ; s M-8 ; s M-9	calc-store-quick
s : ; s M-:	calc-assign
s = ; s M-=	calc-evalto
s ? ; s M-?	calc-s-prefix-help
s A ; s M-A	calc-edit-AlgSimpRules
s D ; s M-D	calc-edit-Decls
s E ; s M-E	calc-edit-EvalRules
s F ; s M-F	calc-edit-FitRules
s G ; s M-G	calc-edit-GenCount
s H ; s M-H	calc-edit-Holidays
s I ; s M-I	calc-edit-IntegLimit
s L ; s M-L	calc-edit-LineStyles
s M-P ; s P	calc-edit-PointStyles
s M-R ; s R	calc-edit-PlotRejects
s M-T ; s T	calc-edit-TimeZone
s M-U ; s U	calc-edit-Units
s M-X ; s X	calc-edit-ExtSimpRules
s M-[; s [	calc-store-decr
s M-] ; s]	calc-store-incr
s M-^ ; s ^	calc-store-power
s M-c ; s c	calc-copy-variable
s M-d ; s d	calc-declare-variable
s M-e ; s e	calc-edit-variable
s M-i ; s i	calc-insert-variables
s M-k ; s k	calc-copy-special-constant
s M-l ; s l	calc-let
s M-m ; s m	calc-store-map
s M-n ; s n	calc-store-neg
s M-p ; s p	calc-permanent-variable
s M-r ; s r	calc-recall
s M-s ; s s	calc-store
s M-t ; s t	calc-store-into
s M-u ; s u	calc-unstore
s M-x ; s x	calc-store-exchange
s M-| ; s |	calc-store-concat
t + ; t M-+	calc-business-days-plus

Teclas / sequência	Comando / ação
t - ; t M--	calc-business-days-minus
t . ; t M-.	calc-full-trail-vectors
t 0 ; t 1 ; t 2 ; t 3 ; t 4 ; t 5 ; t 6 ; t 7	calc-store-into-quick
t 8 ; t 9 ; t M-0 ; t M-1 ; t M-2 ; t M-3 ; t M-4 ; t M-5	calc-store-into-quick
t M-6 ; t M-7 ; t M-8 ; t M-9	calc-store-into-quick
t < ; t M-<	calc-trail-scroll-left
t > ; t M->	calc-trail-scroll-right
t ? ; t M-?	calc-t-prefix-help
t C ; t M-C	calc-convert-time-zones
t D ; t M-D	calc-date
t I ; t M-I	calc-inc-month
t J ; t M-J	calc-julian
t M ; t M-M	calc-new-month
t M-N ; t N	calc-now
t M-P ; t P	calc-date-part
t M-U ; t U	calc-unix-time
t M-W ; t W	calc-new-week
t M-Y ; t Y	calc-new-year
t M-Z ; t Z	calc-time-zone
t M-[; t [	calc-trail-first
t M-] ; t]	calc-trail-last
t M-b ; t M-{ ; t b ; t {	calc-trail-backward
t M-d ; t d	calc-trail-display
t M-f ; t M-} ; t f ; t }	calc-trail-forward
t M-h ; t h	calc-trail-here
t M-i ; t i	calc-trail-in
t M-k ; t k	calc-trail-kill
t M-m ; t m	calc-trail-marker
t M-n ; t n	calc-trail-next
t M-o ; t o	calc-trail-out
t M-p ; t p	calc-trail-previous
t M-r ; t r	calc-trail-isearch-backward
t M-s ; t s	calc-trail-isearch-forward
t M-y ; t y	calc-trail-yank
w	calc-why
x	calc-execute-extended-command
z j " ; z j M-"	calc-sel-expand-formula
z j & ; z j M-&	calc-sel-invert
z j ' ; z j M-'	calc-enter-selection
z j * ; z j M-*	calc-sel-mult-both-sides
z j + ; z j M-+	calc-sel-add-both-sides
z j - ; z j M--	calc-sel-sub-both-sides
z j / ; z j M-/	calc-sel-div-both-sides
z j 0 ; z j 1 ; z j 2 ; z j 3 ; z j 4 ; z j 5 ; z j 6 ; z j 7	calc-select-part
z j 8 ; z j 9 ; z j M-0 ; z j M-1 ; z j M-2 ; z j M-3 ; z j M-4 ; z j M-5	calc-select-part
z j M-6 ; z j M-7 ; z j M-8 ; z j M-9	calc-select-part

Teclas / sequência	Comando / ação
z j ? ; z j M-?	calc-j-prefix-help
z j C ; z j M-C	calc-sel-commute
z j C-M-h ; z j C-h ; z j DEL ; z j M-DEL	calc-del-selection
z j C-M-j ; z j C-j ; z j M-RET ; z j RET	calc-copy-selection
z j D ; z j M-D	calc-sel-distribute
z j E ; z j M-E	calc-sel-jump-equals
z j I ; z j M-I	calc-sel-isolate
z j L ; z j M-L	calc-commute-left
z j M ; z j M-M	calc-sel-merge
z j M-N ; z j N	calc-sel-negate
z j M-O ; z j O	calc-select-once-maybe
z j M-R ; z j R	calc-commute-right
z j M-S ; z j S	calc-select-here-maybe
z j M-U ; z j U	calc-sel-unpack
z j M-` ; z j `	calc-edit-selection
z j M-a ; z j a	calc-select-additional
z j M-b ; z j b	calc-break-selections
z j M-c ; z j c	calc-clear-selections
z j M-d ; z j d	calc-show-selections
z j M-e ; z j e	calc-enable-selections
z j M-l ; z j l	calc-select-less
z j M-m ; z j m	calc-select-more
z j M-n ; z j n	calc-select-next
z j M-o ; z j o	calc-select-once
z j M-p ; z j p	calc-select-previous
z j M-r ; z j r	calc-rewrite-selection
z j M-s ; z j s	calc-select-here
z j M-u ; z j u	calc-unselect
z j M-v ; z j v	calc-sel-evaluate
z k ? ; z k M-?	calc-k-prefix-help
z k B ; z k M-B	calc-utpb
z k C ; z k M-C	calc-utpc
z k E ; z k M-E	calc-extended-gcd
z k F ; z k M-F	calc-utpf
z k M-N ; z k N	calc-utpn
z k M-P ; z k P	calc-utpp
z k M-T ; z k T	calc-utpt
z k M-a ; z k a	calc-random-again
z k M-b ; z k b	calc-bernoulli-number
z k M-c ; z k c	calc-choose
z k M-d ; z k d	calc-double-factorial
z k M-e ; z k e	calc-euler-number
z k M-f ; z k f	calc-prime-factors
z k M-g ; z k g	calc-gcd
z k M-h ; z k h	calc-shuffle
z k M-l ; z k l	calc-lcm
z k M-m ; z k m	calc-moebius
z k M-n ; z k n	calc-next-prime
z k M-p ; z k p	calc-prime-test
z k M-r ; z k r	calc-random

Teclas / sequência	Comando / ação
z k M-s ; z k s	calc-stirling-number
z k M-t ; z k t	calc-totient
z l * ; z l M-*	calc-lu-times
z l + ; z l M-+	calc-lu-plus
z l - ; z l M--	calc-lu-minus
z l / ; z l M-/	calc-lu-divide
z l ? ; z l M-?	calc-l-prefix-help
z l M-d ; z l d	calc-db
z l M-f ; z l f	calc-freq
z l M-m ; z l m	calc-midi
z l M-n ; z l n	calc-np
z l M-q ; z l q	calc-lu-quant
z l M-s ; z l s	calc-spn
z z ? ; z z M-?	calc-z-prefix-help
{	calc-scroll-down
|	calc-concat
}	calc-scroll-up
~	calc-num-prefix

5.67 calc-mode-map [Evil visual]

Teclas / sequência	Comando / ação
d	calc-kill-region

5.68 calendar-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
. ; <normal-state> .	calendar-goto-today
0 ... 9	digit-argument
< ; <normal-state> < ; C-x < ; S-<wheel-up>	calendar-scroll-right
<down> ; <normal-state> j ; C-n	calendar-forward-week
<left> ; <normal-state> h ; C-b	calendar-backward-day
<next> ; C-v	calendar-scroll-calendar-left
<normal-state> $; C-e	calendar-end-of-week
<normal-state> (; M-a	calendar-beginning-of-month
<normal-state>) ; M-e	calendar-end-of-month
<normal-state> 0 ; <normal-state> ^ ; C-a	calendar-beginning-of-week
<normal-state> <delete> ; <normal-state> S-SPC ; DEL ; S-SPC	scroll-other-window-down
<normal-state> > ; > ; C-x > ; S-<wheel-down>	calendar-scroll-left
<normal-state> ? ; <normal-state> g ? ; ?	calendar-goto-info-node
<normal-state> A a ; A a	appt-add

Teclas / sequência	Comando / ação
<normal-state> A d ; A d	appt-delete
<normal-state> C-b	calendar-scroll-right-three-months
<normal-state> C-f	calendar-scroll-left-three-months
<normal-state> C-j ; <normal-state> g j ; <normal-state> } ; M-} ; }	calendar-forward-month
<normal-state> C-k ; <normal-state> g k ; <normal-state> { ; M-{ ; {	calendar-backward-month
<normal-state> D ; D	diary-view-other-diary-entries
<normal-state> M-< ; M-<	calendar-beginning-of-year
<normal-state> M-= ; M-=	calendar-count-days-region
<normal-state> M-> ; M->	calendar-end-of-year
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q ; q	calendar-exit
<normal-state> [[; C-x [; M-<wheel-up>	calendar-backward-year
<normal-state>]] ; C-x] ; M-<wheel-down>	calendar-forward-year
<normal-state> a ; <normal-state> g h ; a	calendar-list-holidays
<normal-state> d ; d	diary-view-entries
<normal-state> g D ; <normal-state> o ; o	calendar-other-month
<normal-state> g c	org-calendar-goto-agenda
<normal-state> g m ; M	calendar-lunar-phases
<normal-state> g r ; C-c C-l	calendar-redraw
<normal-state> g s ; S	calendar-sunrise-sunset
<normal-state> k ; <up> ; C-p	calendar-backward-week
<normal-state> l ; <right> ; C-f	calendar-forward-day
<normal-state> m ; m	diary-mark-entries
<normal-state> r ; h	calendar-cursor-holidays
<normal-state> s ; s	diary-show-all-entries
<normal-state> u ; u	calendar-unmark
<normal-state> v ; C-@ ; C-SPC	calendar-set-mark
<normal-state> x ; x	calendar-mark-holidays
<prior> ; M-v	calendar-scroll-calendar-right
<remap> <capitalize-region> ; <remap> <copy-region-as-kill> ; <remap> <downcase-region> ; <remap> <kill-region> ; <remap> <mark-defun> ; <remap> <mark-page> ; <remap> <mark-paragraph> ; <remap> <mark-sexp>	calendar-not-implemented
<remap> <mark-whole-buffer> ; <remap> <mark-word> ; <remap> <narrow-to-region> ; <remap> <upcase-region> ; <remap> <write-region>	calendar-not-implemented
<remap> <self-insert-command>	undefined
C-l	calendar-recenter
C-x C-x	calendar-exchange-point-and-mark

Teclas / sequência	Comando / ação
H m	cal-html-cursor-month
H y	cal-html-cursor-year
SPC	scroll-other-window
[	org-journal-previous-entry
]	org-journal-next-entry
g C	calendar-chinese-goto-date
g D	calendar-goto-day-of-year
g a	calendar-astro-goto-day-number
g b	calendar-bahai-goto-date
g c	calendar-iso-goto-date
g d	calendar-goto-date
g e	calendar-ethiopic-goto-date
g f	calendar-french-goto-date
g h	calendar-hebrew-goto-date
g i	calendar-islamic-goto-date
g j	calendar-julian-goto-date
g k	calendar-coptic-goto-date
g m l	calendar-mayan-goto-long-count-date
g m n c	calendar-mayan-next-round-date
g m n h	calendar-mayan-next-haab-date
g m n t	calendar-mayan-next-tzolkin-date
g m p c	calendar-mayan-previous-round-date
g m p h	calendar-mayan-previous-haab-date
g m p t	calendar-mayan-previous-tzolkin-date
g p	calendar-persian-goto-date
g w	calendar-iso-goto-week
i B d	diary-bahai-insert-entry
i B m	diary-bahai-insert-monthly-entry
i B y	diary-bahai-insert-yearly-entry
i C a	diary-chinese-insert-anniversary-entry
i C d	diary-chinese-insert-entry
i C m	diary-chinese-insert-monthly-entry
i C y	diary-chinese-insert-yearly-entry
i a	diary-insert-anniversary-entry
i b	diary-insert-block-entry
i c	diary-insert-cyclic-entry
i d	diary-insert-entry
i h d	diary-hebrew-insert-entry
i h m	diary-hebrew-insert-monthly-entry
i h y	diary-hebrew-insert-yearly-entry
i i d	diary-islamic-insert-entry
i i m	diary-islamic-insert-monthly-entry
i i y	diary-islamic-insert-yearly-entry
i m	diary-insert-monthly-entry
i w	diary-insert-weekly-entry
i y	diary-insert-yearly-entry
j d	org-journal-display-entry
j m	org-journal-mark-entries
j n	org-journal-new-date-entry
j r	org-journal-read-entry
j s F	org-journal-search-future
j s f	org-journal-search-forever

Teclas / sequência	Comando / ação
j s m	org-journal-search-calendar-month
j s w	org-journal-search-calendar-week
j s y	org-journal-search-calendar-year
p C	calendar-chinese-print-date
p a	calendar-astro-print-day-number
p b	calendar-bahai-print-date
p c	calendar-iso-print-date
p d	calendar-print-day-of-year
p e	calendar-ethiopic-print-date
p f	calendar-french-print-date
p h	calendar-hebrew-print-date
p i	calendar-islamic-print-date
p j	calendar-julian-print-date
p k	calendar-coptic-print-date
p m	calendar-mayan-print-date
p o	calendar-print-other-dates
p p	calendar-persian-print-date
t M	cal-tex-cursor-month-landscape
t Y	cal-tex-cursor-year-landscape
t d	cal-tex-cursor-day
t f W	cal-tex-cursor-filofax-week
t f d	cal-tex-cursor-filofax-daily
t f w	cal-tex-cursor-filofax-2week
t f y	cal-tex-cursor-filofax-year
t m	cal-tex-cursor-month
t w 1	cal-tex-cursor-week
t w 2	cal-tex-cursor-week2
t w 3	cal-tex-cursor-week-iso
t w 4	cal-tex-cursor-week-monday
t w W	cal-tex-cursor-week2-summary
t y	cal-tex-cursor-year

5.69 calendar-mode-map [Evil normal]

Teclas / sequência	Comando / ação
$	calendar-end-of-week
(	calendar-beginning-of-month
)	calendar-end-of-month
.	calendar-goto-today
0 ; ^	calendar-beginning-of-week
<	calendar-scroll-right
<delete> ; S-SPC	scroll-other-window-down
>	calendar-scroll-left
? ; g ?	calendar-goto-info-node
A a	appt-add
A d	appt-delete
C-b	calendar-scroll-right-three-months
C-f	calendar-scroll-left-three-months
C-j ; g j ; }	calendar-forward-month
C-k ; g k ; {	calendar-backward-month

Teclas / sequência	Comando / ação
D	diary-view-other-diary-entries
M-<	calendar-beginning-of-year
M-=	calendar-count-days-region
M->	calendar-end-of-year
Z Q	evil-quit
Z Z ; q	calendar-exit
[[	calendar-backward-year
]]	calendar-forward-year
a ; g h	calendar-list-holidays
d	diary-view-entries
g D ; o	calendar-other-month
g c	org-calendar-goto-agenda
g m	calendar-lunar-phases
g r	calendar-redraw
g s	calendar-sunrise-sunset
h	calendar-backward-day
j	calendar-forward-week
k	calendar-backward-week
l	calendar-forward-day
m	diary-mark-entries
r	calendar-cursor-holidays
s	diary-show-all-entries
u	calendar-unmark
v	calendar-set-mark
x	calendar-mark-holidays

5.70 cdlatex-electricindex-mode-map

Teclas / sequência	Comando / ação
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	cdlatex-electricindex-digit
8 ; 9	cdlatex-electricindex-digit

5.71 cdlatex-mode-map

Teclas / sequência	Comando / ação
'	cdlatex-math-modify
C-c ?	cdlatex-command-help
C-c {	cdlatex-environment
`	cdlatex-math-symbol

5.72 cedet-menu-map

Teclas / sequência	Comando / ação
<cedet-menu-separator> ; <ede-build-forms-menu> ; <ede-find-file> ; <ede-new> ; <ede-project-options> ; <ede-speedbar> ; <ede-target-options> ; <ede>	undefined
<global-semantic-decoration-mode>	global-semantic-decoration-mode
<global-semantic-highlight-func-mode>	global-semantic-highlight-func-mode
<global-semantic-idle-completions-mode>	global-semantic-idle-completions-mode
<global-semantic-idle-scheduler-mode>	global-semantic-idle-scheduler-mode
<global-semantic-idle-summary-mode>	global-semantic-idle-summary-mode
<global-semantic-stickyfunc-mode>	global-semantic-stickyfunc-mode
<global-semanticdb-minor-mode>	global-semanticdb-minor-mode
<navigate-menu> <semantic-complete-jump-local-members>	semantic-complete-jump-local-members
<navigate-menu> <semantic-complete-jump-local>	semantic-complete-jump-local
<navigate-menu> <semantic-complete-jump>	semantic-complete-jump
<navigate-menu> <semantic-symref-symbol>	semantic-symref-symbol
<navigate-menu> <senator-go-to-up-reference>	senator-go-to-up-reference
<navigate-menu> <senator-narrow-to-defun>	senator-narrow-to-defun
<navigate-menu> <senator-next-tag>	senator-next-tag
<navigate-menu> <senator-previous-tag>	senator-previous-tag
<semantic-edit-menu> <semantic-analyze-possible-completions>	semantic-analyze-possible-completions
<semantic-edit-menu> <semantic-complete-analyze-inline>	semantic-complete-analyze-inline
<semantic-edit-menu> <senator-copy-tag-to-register>	senator-copy-tag-to-register
<semantic-edit-menu> <senator-copy-tag>	senator-copy-tag
<semantic-edit-menu> <senator-kill-tag>	senator-kill-tag
<semantic-edit-menu> <senator-transpose-tags-down>	senator-transpose-tags-down
<semantic-edit-menu> <senator-transpose-tags-up>	senator-transpose-tags-up
<semantic-edit-menu> <senator-yank-tag>	senator-yank-tag
<semantic-force-refresh>	semantic-force-refresh

5.73 change-log-mode-map

Teclas / sequência	Comando / ação
C-c C-c	change-log-goto-source
C-c C-f	change-log-find-file
C-c C-n	add-log-edit-next-comment
C-c C-p	add-log-edit-prev-comment

5.74 citar-citation-map

Teclas / sequência	Comando / ação
RET	citar-run-default-action
e	citar-open-entry
f	citar-open-files
i	citar-insert-edit
l	citar-open-links
n	citar-open-notes
o	citar-open
r	citar-copy-reference

5.75 citar-map

Teclas / sequência	Comando / ação
R	citar-insert-reference
RET	citar-run-default-action
a	citar-add-file-to-library
b	citar-insert-bibtex
c	citar-insert-citation
e	citar-open-entry
f	citar-open-files
k	citar-insert-keys
l	citar-open-links
n	citar-open-notes
o	citar-open
r	citar-copy-reference

5.76 code-review-assignee-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-assignee-visit-at-remote

5.77 code-review-assignees-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-set-assignee

5.78 code-review-author-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-utils--visit-author-at-point

5.79 code-review-binary-file-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-utils--visit-binary-file-at-point
C-c C-v	code-review-utils--visit-binary-file-at-remote

5.80 code-review-code-comment-section-map

Teclas / sequência	Comando / ação
C-c C-n	code-review-promote-comment-at-point-to-new-issue
C-c C-r	code-review-code-comment-reaction-at-point
RET	code-review-comment-add-or-edit

5.81 code-review-comment-mode-map

Herda de: markdown-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> S-<tab>	markdown-shifttab
<emacs-state> M-SPC m ' ; <insert-state> M-SPC m ' ; <motion-state> SPC m ' ; <normal-state> SPC m ' ; <visual-state> SPC m ' ; C-c '	markdown-edit-code-block
<emacs-state> M-SPC m e ; <insert-state> M-SPC m e ; <motion-state> SPC m e ; <normal-state> SPC m e ; <visual-state> SPC m e	markdown-export
<emacs-state> M-SPC m i - ; <insert-state> M-SPC m i - ; <motion-state> SPC m i - ; <normal-state> SPC m i - ; <visual-state> SPC m i - ; C-c - ; C-c C-s -	markdown-insert-hr
<emacs-state> M-SPC m i 1 ; <insert-state> M-SPC m i 1 ; <motion-state> SPC m i 1 ; <normal-state> SPC m i 1 ; <visual-state> SPC m i 1 ; C-c C-s 1 ; C-c C-t 1	markdown-insert-header-atx-1

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m i 2 ; <insert-state> M-SPC m i 2 ; <motion-state> SPC m i 2 ; <normal-state> SPC m i 2 ; <visual-state> SPC m i 2 ; C-c C-s 2 ; C-c C-t 2	markdown-insert-header-atx-2
<emacs-state> M-SPC m i 3 ; <insert-state> M-SPC m i 3 ; <motion-state> SPC m i 3 ; <normal-state> SPC m i 3 ; <visual-state> SPC m i 3 ; C-c C-s 3 ; C-c C-t 3	markdown-insert-header-atx-3
<emacs-state> M-SPC m i 4 ; <insert-state> M-SPC m i 4 ; <motion-state> SPC m i 4 ; <normal-state> SPC m i 4 ; <visual-state> SPC m i 4 ; C-c C-s 4 ; C-c C-t 4	markdown-insert-header-atx-4
<emacs-state> M-SPC m i 5 ; <insert-state> M-SPC m i 5 ; <motion-state> SPC m i 5 ; <normal-state> SPC m i 5 ; <visual-state> SPC m i 5 ; C-c C-s 5 ; C-c C-t 5	markdown-insert-header-atx-5
<emacs-state> M-SPC m i 6 ; <insert-state> M-SPC m i 6 ; <motion-state> SPC m i 6 ; <normal-state> SPC m i 6 ; <visual-state> SPC m i 6 ; C-c C-s 6 ; C-c C-t 6	markdown-insert-header-atx-6
<emacs-state> M-SPC m i C ; <insert-state> M-SPC m i C ; <motion-state> SPC m i C ; <normal-state> SPC m i C ; <visual-state> SPC m i C ; C-c C-s C	markdown-insert-gfm-code-block
<emacs-state> M-SPC m i P ; <insert-state> M-SPC m i P ; <motion-state> SPC m i P ; <normal-state> SPC m i P ; <visual-state> SPC m i P ; C-c C-s P	markdown-pre-region
<emacs-state> M-SPC m i Q ; <insert-state> M-SPC m i Q ; <motion-state> SPC m i Q ; <normal-state> SPC m i Q ; <visual-state> SPC m i Q ; C-c C-s Q	markdown-blockquote-region
<emacs-state> M-SPC m i T ; <insert-state> M-SPC m i T ; <motion-state> SPC m i T ; <normal-state> SPC m i T ; <visual-state> SPC m i T	markdown-toc-generate-toc
<emacs-state> M-SPC m i [; <insert-state> M-SPC m i [; <motion-state> SPC m i [; <normal-state> SPC m i [; <visual-state> SPC m i [; C-c C-s [	markdown-insert-gfm-checkbox

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m i b ; <insert-state> M-SPC m i b ; <motion-state> SPC m i b ; <normal-state> SPC m i b ; <visual-state> SPC m i b ; C-c C-s b	markdown-insert-bold
<emacs-state> M-SPC m i c ; <insert-state> M-SPC m i c ; <motion-state> SPC m i c ; <normal-state> SPC m i c ; <visual-state> SPC m i c ; C-c C-s c	markdown-insert-code
<emacs-state> M-SPC m i e ; <emacs-state> M-SPC m i i ; <insert-state> M-SPC m i e ; <insert-state> M-SPC m i i ; <motion-state> SPC m i e ; <motion-state> SPC m i i ; <normal-state> SPC m i e ; <normal-state> SPC m i i	markdown-insert-italic
<visual-state> SPC m i e ; <visual-state> SPC m i i ; C-c C-s e ; C-c C-s i	markdown-insert-italic
<emacs-state> M-SPC m i f ; <insert-state> M-SPC m i f ; <motion-state> SPC m i f ; <normal-state> SPC m i f ; <visual-state> SPC m i f ; C-c C-a f ; C-c C-s f	markdown-insert-footnote
<emacs-state> M-SPC m i h ; <insert-state> M-SPC m i h ; <motion-state> SPC m i h ; <normal-state> SPC m i h ; <visual-state> SPC m i h ; C-c C-s h ; C-c C-t h	markdown-insert-header-dwim
<emacs-state> M-SPC m i k ; <insert-state> M-SPC m i k ; <motion-state> SPC m i k ; <normal-state> SPC m i k ; <visual-state> SPC m i k ; C-c C-s k	markdown-insert-kbd
<emacs-state> M-SPC m i l ; <insert-state> M-SPC m i l ; <motion-state> SPC m i l ; <normal-state> SPC m i l ; <visual-state> SPC m i l ; C-c C-a L ; C-c C-a l ; C-c C-a r	markdown-insert-link
C-c C-l ; C-c C-s l	markdown-insert-link
<emacs-state> M-SPC m i p ; <insert-state> M-SPC m i p ; <motion-state> SPC m i p ; <normal-state> SPC m i p ; <visual-state> SPC m i p ; C-c C-s p	markdown-insert-pre
<emacs-state> M-SPC m i q ; <insert-state> M-SPC m i q ; <motion-state> SPC m i q ; <normal-state> SPC m i q ; <visual-state> SPC m i q ; C-c C-s q	markdown-insert-blockquote

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m i s ; <insert-state> M-SPC m i s ; <motion-state> SPC m i s ; <normal-state> SPC m i s ; <visual-state> SPC m i s ; C-c C-s s	markdown-insert-strike-through
<emacs-state> M-SPC m i t ; <insert-state> M-SPC m i t ; <motion-state> SPC m i t ; <normal-state> SPC m i t ; <visual-state> SPC m i t ; C-c C-s t	markdown-insert-table
<emacs-state> M-SPC m i w ; <insert-state> M-SPC m i w ; <motion-state> SPC m i w ; <normal-state> SPC m i w ; <visual-state> SPC m i w ; C-c C-a w ; C-c C-s w	markdown-insert-wiki-link
<emacs-state> M-SPC m o ; <insert-state> M-SPC m o ; <motion-state> SPC m o ; <normal-state> SPC m o ; <visual-state> SPC m o	markdown-open
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <visual-state> SPC m p	grip-mode
<emacs-state> M-SPC m t e ; <insert-state> M-SPC m t e ; <motion-state> SPC m t e ; <normal-state> SPC m t e ; <visual-state> SPC m t e ; C-c C-x C-e	markdown-toggle-math
<emacs-state> M-SPC m t f ; <insert-state> M-SPC m t f ; <motion-state> SPC m t f ; <normal-state> SPC m t f ; <visual-state> SPC m t f ; C-c C-x C-f	markdown-toggle-fontify-code-blocks-natively
<emacs-state> M-SPC m t i ; <insert-state> M-SPC m t i ; <motion-state> SPC m t i ; <normal-state> SPC m t i ; <visual-state> SPC m t i ; C-c C-x TAB	markdown-toggle-inline-images
<emacs-state> M-SPC m t l ; <insert-state> M-SPC m t l ; <motion-state> SPC m t l ; <normal-state> SPC m t l ; <visual-state> SPC m t l ; C-c C-x C-l	markdown-toggle-url-hiding
<emacs-state> M-SPC m t m ; <insert-state> M-SPC m t m ; <motion-state> SPC m t m ; <normal-state> SPC m t m ; <visual-state> SPC m t m ; C-c C-x RET	markdown-toggle-markup-hiding
<emacs-state> M-SPC m t w ; <insert-state> M-SPC m t w ; <motion-state> SPC m t w ; <normal-state> SPC m t w ; <visual-state> SPC m t w	markdown-toggle-wiki-links

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m t x ; <insert-state> M-SPC m t x ; <motion-state> SPC m t x ; <normal-state> SPC m t x ; <visual-state> SPC m t x ; C-c C-x C-x	markdown-toggle-gfm-checkbox
<normal-state> <return> ; <normal-state> RET ; C-c C-d	markdown-do
<normal-state> <tab> ; TAB	markdown-cycle
<normal-state> { ; <remap> <backward-paragraph>	markdown-backward-paragraph
<normal-state> } ; <remap> <forward-paragraph>	markdown-forward-paragraph
<remap> <backward-page>	markdown-backward-page
<remap> <forward-page>	markdown-forward-page
<remap> <mark-page>	markdown-mark-page
<remap> <mark-paragraph>	markdown-mark-paragraph
<remap> <move-beginning-of-line>	markdown-beginning-of-line
<remap> <move-end-of-line>	markdown-end-of-line
<remap> <narrow-to-page>	markdown-narrow-to-page
C-M-{	markdown-backward-block
C-M-}	markdown-forward-block
C-c <	markdown-outdent-region
C-c <down> ; C-c C-x d	markdown-move-down
C-c <left> ; C-c C-- ; C-c C-x l	markdown-promote
C-c <right> ; C-c C-= ; C-c C-x r	markdown-demote
C-c <up> ; C-c C-x u	markdown-move-up
C-c >	markdown-indent-region
C-c @	code-review-input-mention-user-at-point
C-c C-M-h	markdown-mark-subtree
C-c C-]	markdown-complete
C-c C-a u	markdown-insert-uri
C-c C-b	markdown-outline-previous-same-level
C-c C-c	code-review-comment-commit
C-c C-f	markdown-outline-next-same-level
C-c C-j ; C-c C-x m ; M-RET	markdown-insert-list-item
C-c C-k	code-review-comment-quit
C-c C-n	markdown-outline-next
C-c C-o	markdown-follow-thing-at-point
C-c C-p	markdown-outline-previous
C-c C-s ! ; C-c C-t ! ; C-c C-t t	markdown-insert-header-setext-1
C-c C-s @ ; C-c C-t @ ; C-c C-t s	markdown-insert-header-setext-2
C-c C-s F	markdown-insert-foldable-block
C-c C-s H ; C-c C-t H	markdown-insert-header-setext-dwim
C-c C-u	markdown-outline-up
C-c M-h	markdown-mark-block
C-c S-<down>	markdown-table-insert-row
C-c S-<left>	markdown-table-delete-column
C-c S-<right>	markdown-table-insert-column

Teclas / sequência	Comando / ação
C-c S-<up>	markdown-table-delete-row
C-c TAB	markdown-insert-image
C-x n b	markdown-narrow-to-block
C-x n s	markdown-narrow-to-subtree
DEL	markdown-outdent-or-delete
M-n	markdown-next-link
M-p	markdown-previous-link
RET	markdown-enter-key

5.82 code-review-comment-section-map

Teclas / sequência	Comando / ação
C-c C-n	code-review-promote-comment-at-point-to-new-issue
C-c C-r	code-review-conversation-reaction-at-point

5.83 code-review-commit-check-detail-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-commit-goto-check-at-remote

5.84 code-review-commit-minor-mode-map

Teclas / sequência	Comando / ação
b	code-review-commit-buffer-back

5.85 code-review-commit-section-map

Teclas / sequência	Comando / ação
RET	code-review-commit-at-point

5.86 code-review-description-section-map

Teclas / sequência	Comando / ação
C-c C-r	code-review-description-reaction-at-point

5.87 code-review-feedback-section-map

Teclas / sequência	Comando / ação
C-c C-k	code-review-delete-feedback
RET	code-review-set-feedback

5.88 code-review-labels-section-map

Teclas / sequência	Comando / ação
RET	code-review-set-label

5.89 code-review-local-comment-section-map

Teclas / sequência	Comando / ação
C-c C-k	code-review-section-delete-comment
RET	code-review-comment-add-or-edit

5.90 code-review-milestone-section-map

Teclas / sequência	Comando / ação
RET	code-review-set-milestone

5.91 code-review-mode-map

Herda de: magit-section-mode-map.

Teclas / sequência	Comando / ação
-	negative-argument
5 ... 9	digit-argument
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab>	magit-section-cycle-global
<normal-state> " ; <visual-state> "	magit-subtree
<normal-state> $; <visual-state> $	evil-end-of-line
<normal-state> ' ; <visual-state> '	magit-submodule
<normal-state> - ; <visual-state> -	magit-revert-no-commit
<normal-state> / ; <visual-state> /	evil-ex-search-forward
<normal-state> 0 ; <visual-state> 0	evil-beginning-of-line
<normal-state> : ; <normal-state> C-w : ; <visual-state> : ; <visual-state> C-w :	evil-ex
<normal-state> <tab> ; <normal-state> TAB ; <normal-state> z a ; <visual-state> z a ; TAB	magit-section-toggle
<normal-state> = ; <visual-state> =	magit-log-toggle-commit-limit
<normal-state> C-<tab> ; <normal-state> M-<tab> ; C-<tab> ; C-c TAB ; M-<tab>	magit-section-cycle

Teclas / sequência	Comando / ação
<normal-state> C-b ; <visual-state> C-b	evil-scroll-page-up
<normal-state> C-d ; <visual-state> C-d	evil-scroll-down
<normal-state> C-f ; <visual-state> C-f	evil-scroll-page-down
<normal-state> C-j ; <visual-state> C-j ; n	magit-section-forward
<normal-state> C-k ; <visual-state> C-k ; p	magit-section-backward
<normal-state> C-u ; <visual-state> C-u	evil-scroll-up
<normal-state> C-w + ; <visual-state> C-w +	evil-window-increase-height
<normal-state> C-w - ; <visual-state> C-w -	evil-window-decrease-height
<normal-state> C-w 0 ; <normal-state> C-w 1 ; <normal-state> C-w 2 ; <normal-state> C-w 3 ; <normal-state> C-w 4 ; <normal-state> C-w 5 ; <normal-state> C-w 6 ; <normal-state> C-w 7	evil-window-digit-argument
<normal-state> C-w 8 ; <normal-state> C-w 9 ; <visual-state> C-w 0 ; <visual-state> C-w 1 ; <visual-state> C-w 2 ; <visual-state> C-w 3 ; <visual-state> C-w 4 ; <visual-state> C-w 5	evil-window-digit-argument
<visual-state> C-w 6 ; <visual-state> C-w 7 ; <visual-state> C-w 8 ; <visual-state> C-w 9	evil-window-digit-argument
<normal-state> C-w < ; <visual-state> C-w <	evil-window-decrease-width
<normal-state> C-w <down> ; <normal-state> C-w C-<down> ; <normal-state> C-w C-j ; <normal-state> C-w j ; <visual-state> C-w <down> ; <visual-state> C-w C-<down> ; <visual-state> C-w C-j ; <visual-state> C-w j	evil-window-down
<normal-state> C-w <left> ; <normal-state> C-w C-<left> ; <normal-state> C-w C-h ; <normal-state> C-w h ; <visual-state> C-w <left> ; <visual-state> C-w C-<left> ; <visual-state> C-w C-h ; <visual-state> C-w h	evil-window-left
<normal-state> C-w <right> ; <normal-state> C-w C-<right> ; <normal-state> C-w C-l ; <normal-state> C-w l ; <visual-state> C-w <right> ; <visual-state> C-w C-<right> ; <visual-state> C-w C-l ; <visual-state> C-w l	evil-window-right

Teclas / sequência	Comando / ação
<normal-state> C-w <up> ; <normal-state> C-w C-<up> ; <normal-state> C-w C-k ; <normal-state> C-w k ; <visual-state> C-w <up> ; <visual-state> C-w C-<up> ; <visual-state> C-w C-k ; <visual-state> C-w k	evil-window-up
<normal-state> C-w = ; <normal-state> C-w C-= ; <visual-state> C-w = ; <visual-state> C-w C-=	balance-windows
<normal-state> C-w > ; <visual-state> C-w >	evil-window-increase-width
<normal-state> C-w C-S-h ; <visual-state> C-w C-S-h	evil-window-move-far-left
<normal-state> C-w C-S-j ; <visual-state> C-w C-S-j	evil-window-move-very-bottom
<normal-state> C-w C-S-k ; <visual-state> C-w C-S-k	evil-window-move-very-top
<normal-state> C-w C-S-l ; <visual-state> C-w C-S-l	evil-window-move-far-right
<normal-state> C-w C-S-r ; <normal-state> C-w R ; <visual-state> C-w C-S-r ; <visual-state> C-w R	evil-window-rotate-upwards
<normal-state> C-w C-S-s ; <normal-state> C-w C-s ; <normal-state> C-w s ; <visual-state> C-w C-S-s ; <visual-state> C-w C-s ; <visual-state> C-w s	evil-window-split
<normal-state> C-w C-S-w ; <visual-state> C-w C-S-w	ace-swap-window
<normal-state> C-w C-_ ; <normal-state> C-w _ ; <visual-state> C-w C-_ ; <visual-state> C-w _	evil-window-set-height
<normal-state> C-w C-b ; <normal-state> C-w b ; <visual-state> C-w C-b ; <visual-state> C-w b	evil-window-bottom-right
<normal-state> C-w C-c ; <visual-state> C-w C-c	ace-delete-window
<normal-state> C-w C-f ; <normal-state> C-w f ; <visual-state> C-w C-f ; <visual-state> C-w f	ffap-other-window
<normal-state> C-w C-n ; <normal-state> C-w n ; <visual-state> C-w C-n ; <visual-state> C-w n	evil-window-new
<normal-state> C-w C-o ; <visual-state> C-w C-o	delete-other-windows
<normal-state> C-w C-p ; <normal-state> C-w p ; <visual-state> C-w C-p ; <visual-state> C-w p	evil-window-mru

Teclas / sequência	Comando / ação
<normal-state> C-w C-q ; <normal-state> C-w q ; <visual-state> C-w C-q ; <visual-state> C-w q	evil-quit
<normal-state> C-w C-r ; <visual-state> C-w C-r	winner-redo
<normal-state> C-w C-t ; <normal-state> C-w t ; <visual-state> C-w C-t ; <visual-state> C-w t	evil-window-top-left
<normal-state> C-w C-u ; <normal-state> C-w u ; <visual-state> C-w C-u ; <visual-state> C-w u	winner-undo
<normal-state> C-w C-v ; <normal-state> C-w v ; <visual-state> C-w C-v ; <visual-state> C-w v	evil-window-vsplit
<normal-state> C-w C-w ; <visual-state> C-w C-w	other-window
<normal-state> C-w C-x ; <normal-state> C-w x ; <visual-state> C-w C-x ; <visual-state> C-w x	evil-window-exchange
<normal-state> C-w H ; <visual-state> C-w H	+evil/window-move-left
<normal-state> C-w J ; <visual-state> C-w J	+evil/window-move-down
<normal-state> C-w K ; <visual-state> C-w K	+evil/window-move-up
<normal-state> C-w L ; <visual-state> C-w L	+evil/window-move-right
<normal-state> C-w S ; <visual-state> C-w S	+evil/window-split-and-follow
<normal-state> C-w T ; <visual-state> C-w T	tear-off-window
<normal-state> C-w V ; <visual-state> C-w V	+evil/window-vsplit-and-follow
<normal-state> C-w W ; <visual-state> C-w W	evil-window-prev
<normal-state> C-w c ; <normal-state> C-w d ; <visual-state> C-w c ; <visual-state> C-w d	evil-window-delete
<normal-state> C-w g T ; <visual-state> C-w g T	tab-bar-switch-to-prev-tab
<normal-state> C-w g t ; <visual-state> C-w g t	evil-tab-next
<normal-state> C-w m m ; <visual-state> C-w m m	doom/window-maximize-buffer
<normal-state> C-w m s ; <visual-state> C-w m s	doom/window-maximize-horizontally
<normal-state> C-w m v ; <visual-state> C-w m v	doom/window-maximize-vertically
<normal-state> C-w o ; <visual-state> C-w o	doom/window-enlargen

Teclas / sequência	Comando / ação
<normal-state> C-w r ; <visual-state> C-w r	evil-window-rotate-downwards
<normal-state> C-w w ; <visual-state> C-w w	evil-window-next
<normal-state> C-w | ; <visual-state> C-w |	evil-window-set-width
<normal-state> C-z	evil-emacs-state
<normal-state> G ; <visual-state> G	evil-goto-line
<normal-state> M-j ; <normal-state>] ; <normal-state> g j ; <visual-state> M-j ; <visual-state>] ; <visual-state> g j ; M-n	magit-section-forward-sibling
<normal-state> M-k ; <normal-state> [; <normal-state> g k ; <visual-state> M-k ; <visual-state> [; <visual-state> g k ; M-p	magit-section-backward-sibling
<normal-state> N ; <visual-state> N	evil-ex-search-previous
<normal-state> O ; <visual-state> O	magit-reset
<normal-state> RET ; RET	code-review-comment-add-or-edit
<normal-state> S-DEL ; <visual-state> S-DEL	magit-diff-show-or-scroll-down
<normal-state> S-SPC ; <visual-state> S-SPC	magit-diff-show-or-scroll-up
<normal-state> V ; <visual-state> V	evil-visual-line
<normal-state> X ; <visual-state> X	magit-file-untrack
<normal-state> Z ; <visual-state> Z	magit-stash
<normal-state> _ ; <visual-state> _	magit-revert
<normal-state> ` ; <visual-state> `	magit-process-buffer
<normal-state> g R ; <visual-state> g R	magit-refresh-all
<normal-state> g d ; <visual-state> g d	magit-jump-to-diffstat-or-diff
<normal-state> g f p ; <visual-state> g f p	magit-jump-to-unpulled-from-pushremote
<normal-state> g f u ; <visual-state> g f u	magit-jump-to-unpulled-from-upstream
<normal-state> g g ; <visual-state> g g	evil-goto-first-line
<normal-state> g h ; <visual-state> g h ; ^	magit-section-up
<normal-state> g n ; <visual-state> g n	magit-jump-to-untracked
<normal-state> g p p ; <visual-state> g p p	magit-jump-to-unpushed-to-pushremote

Teclas / sequência	Comando / ação
<normal-state> g p u ; <visual-state> g p u	magit-jump-to-unpushed-to-upstream
<normal-state> g r ; <visual-state> g r	magit-refresh
<normal-state> g s ; <visual-state> g s	magit-jump-to-staged
<normal-state> g t ; <visual-state> g t	magit-jump-to-tracked
<normal-state> g u ; <visual-state> g u	magit-jump-to-unstaged
<normal-state> j ; <visual-state> j	evil-next-line
<normal-state> k ; <visual-state> k	evil-previous-line
<normal-state> n ; <visual-state> n	evil-ex-search-next
<normal-state> o ; <visual-state> o	magit-reset-quickly
<normal-state> p ; <visual-state> p	magit-push
<normal-state> q ; <visual-state> q	magit-mode-bury-buffer
<normal-state> r ; r	code-review-transient-api
<normal-state> v ; <visual-state> v	evil-visual-char
<normal-state> x ; <visual-state> x	magit-delete-thing
<normal-state> y b	magit-copy-buffer-revision
<normal-state> y r	magit-show-refs
<normal-state> y s ; <visual-state> y	magit-copy-section-value
<normal-state> y y	evil-collection-magit-yank-whole-line
<normal-state> z 1 ; <visual-state> z 1	magit-section-show-level-1-all
<normal-state> z 2 ; <visual-state> z 2	magit-section-show-level-2-all
<normal-state> z 3 ; <visual-state> z 3	magit-section-show-level-3-all
<normal-state> z 4 ; <normal-state> z r ; <visual-state> z 4 ; <visual-state> z r	magit-section-show-level-4-all
<normal-state> z C ; <visual-state> z C	magit-section-hide-children
<normal-state> z O ; <visual-state> z O	magit-section-show-children
<normal-state> z c ; <visual-state> z c	magit-section-hide
<normal-state> z o ; <visual-state> z o	magit-section-show
<normal-state> | ; <visual-state> |	magit-git-command
<normal-state> ~ ; <visual-state> ~	magit-diff-default-context
<remap> <self-insert-command>	undefined
C-c C-s	code-review-comment-code-suggestion

Teclas / sequência	Comando / ação
C-c RET	code-review-submit-single-diff-comment-at-point
G	code-review-reload

5.92 code-review-mode-map [Evil visual]

Teclas / sequência	Comando / ação
"	magit-subtree
$	evil-end-of-line
'	magit-submodule
-	magit-revert-no-commit
/	evil-ex-search-forward
0	evil-beginning-of-line
: ; C-w :	evil-ex
=	magit-log-toggle-commit-limit
C-b	evil-scroll-page-up
C-d	evil-scroll-down
C-f	evil-scroll-page-down
C-j	magit-section-forward
C-k	magit-section-backward
C-u	evil-scroll-up
C-w +	evil-window-increase-height
C-w -	evil-window-decrease-height
C-w 0 ; C-w 1 ; C-w 2 ; C-w 3 ; C-w 4 ; C-w 5 ; C-w 6 ; C-w 7	evil-window-digit-argument
C-w 8 ; C-w 9	evil-window-digit-argument
C-w <	evil-window-decrease-width
C-w <down> ; C-w C-<down> ; C-w C-j ; C-w j	evil-window-down
C-w <left> ; C-w C-<left> ; C-w C-h ; C-w h	evil-window-left
C-w <right> ; C-w C-<right> ; C-w C-l ; C-w l	evil-window-right
C-w <up> ; C-w C-<up> ; C-w C-k ; C-w k	evil-window-up
C-w = ; C-w C-=	balance-windows
C-w >	evil-window-increase-width
C-w C-S-h	evil-window-move-far-left
C-w C-S-j	evil-window-move-very-bottom
C-w C-S-k	evil-window-move-very-top
C-w C-S-l	evil-window-move-far-right
C-w C-S-r ; C-w R	evil-window-rotate-upwards
C-w C-S-s ; C-w C-s ; C-w s	evil-window-split
C-w C-S-w	ace-swap-window
C-w C-_ ; C-w _	evil-window-set-height
C-w C-b ; C-w b	evil-window-bottom-right
C-w C-c	ace-delete-window
C-w C-f ; C-w f	ffap-other-window
C-w C-n ; C-w n	evil-window-new
C-w C-o	delete-other-windows
C-w C-p ; C-w p	evil-window-mru

Teclas / sequência	Comando / ação
C-w C-q ; C-w q	evil-quit
C-w C-r	winner-redo
C-w C-t ; C-w t	evil-window-top-left
C-w C-u ; C-w u	winner-undo
C-w C-v ; C-w v	evil-window-vsplit
C-w C-w	other-window
C-w C-x ; C-w x	evil-window-exchange
C-w H	+evil/window-move-left
C-w J	+evil/window-move-down
C-w K	+evil/window-move-up
C-w L	+evil/window-move-right
C-w S	+evil/window-split-and-follow
C-w T	tear-off-window
C-w V	+evil/window-vsplit-and-follow
C-w W	evil-window-prev
C-w c ; C-w d	evil-window-delete
C-w g T	tab-bar-switch-to-prev-tab
C-w g t	evil-tab-next
C-w m m	doom/window-maximize-buffer
C-w m s	doom/window-maximize-horizontally
C-w m v	doom/window-maximize-vertically
C-w o	doom/window-enlargen
C-w r	evil-window-rotate-downwards
C-w w	evil-window-next
C-w |	evil-window-set-width
G	evil-goto-line
M-j ;] ; g j	magit-section-forward-sibling
M-k ; [; g k	magit-section-backward-sibling
N	evil-ex-search-previous
O	magit-reset
S-DEL	magit-diff-show-or-scroll-down
S-SPC	magit-diff-show-or-scroll-up
V	evil-visual-line
X	magit-file-untrack
Z	magit-stash
_	magit-revert
`	magit-process-buffer
g R	magit-refresh-all
g d	magit-jump-to-diffstat-or-diff
g f p	magit-jump-to-unpulled-from-pushremote
g f u	magit-jump-to-unpulled-from-upstream
g g	evil-goto-first-line
g h	magit-section-up
g n	magit-jump-to-untracked
g p p	magit-jump-to-unpushed-to-pushremote
g p u	magit-jump-to-unpushed-to-upstream
g r	magit-refresh
g s	magit-jump-to-staged
g t	magit-jump-to-tracked
g u	magit-jump-to-unstaged
j	evil-next-line
k	evil-previous-line

Teclas / sequência	Comando / ação
n	evil-ex-search-next
o	magit-reset-quickly
p	magit-push
q	magit-mode-bury-buffer
v	evil-visual-char
x	magit-delete-thing
y	magit-copy-section-value
z 1	magit-section-show-level-1-all
z 2	magit-section-show-level-2-all
z 3	magit-section-show-level-3-all
z 4 ; z r	magit-section-show-level-4-all
z C	magit-section-hide-children
z O	magit-section-show-children
z a	magit-section-toggle
z c	magit-section-hide
z o	magit-section-show
|	magit-git-command
~	magit-diff-default-context

5.93 code-review-outdated-comment-section-map

Teclas / sequência	Comando / ação
RET	code-review-comment-add-or-edit

5.94 code-review-reply-comment-section-map

Teclas / sequência	Comando / ação
C-c C-k	code-review-section-delete-comment
RET	code-review-comment-add-or-edit

5.95 code-review-reviewer-section-map

Teclas / sequência	Comando / ação
<follow-link>	code-review-reviewer-visit-at-remote

5.96 code-review-suggested-reviewers-section-map

Teclas / sequência	Comando / ação
<follow-link> ; RET	code-review-request-review-at-point

5.97 code-review-title-section-map

Teclas / sequência	Comando / ação
RET	code-review-set-title

5.98 comint-mode-map

Teclas / sequência	Comando / ação
<delete> ; <kp-delete>	delete-forward-char
<insert-state> <down> ; <normal-state> C-n ; C-<down> ; M-n	comint-next-input
<insert-state> <up> ; <normal-state> C-p ; C-<up> ; M-p	comint-previous-input
<insert-state> C-u ; C-c C-u	comint-kill-input
<insert-state> S-<return> ; <insert-state> S-RET ; <normal-state> S-<return> ; <normal-state> S-RET	newline
<normal-state> C-d	evil-scroll-down
<normal-state> [[; <normal-state> g k ; C-c C-p	comint-previous-prompt
<normal-state>]] ; <normal-state> g j ; C-c C-n	comint-next-prompt
C-M-l ; C-c C-r	comint-show-output
C-c .	comint-insert-previous-argument
C-c C-\	comint-quit-subjob
C-c C-a	comint-bol-or-process-mark
C-c C-c	comint-interrupt-subjob
C-c C-d	comint-send-eof
C-c C-e	comint-show-maximum-output
C-c C-l	comint-dynamic-list-input-ring
C-c C-o	comint-delete-output
C-c C-s	comint-write-output
C-c C-w	backward-kill-word
C-c C-x	comint-get-next-from-history
C-c C-z	comint-stop-subjob
C-c M-o	comint-clear-buffer
C-c M-r	comint-previous-matching-input-from-input
C-c M-s	comint-next-matching-input-from-input
C-c RET	comint-copy-old-input
C-c SPC	comint-accumulate
C-d	comint-delchar-or-maybe-eof
C-x <up>	comint-complete-input-ring
M-r	comint-history-isearch-backward-regexp
RET	comint-send-input

5.99 comint-mode-map [Evil insert]

Teclas / sequência	Comando / ação
<down>	comint-next-input
<up>	comint-previous-input
C-u	comint-kill-input

Teclas / sequência	Comando / ação
S-<return> ; S-RET	newline

5.100 comint-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-d	evil-scroll-down
C-n	comint-next-input
C-p	comint-previous-input
S-<return> ; S-RET	newline
[[; g k	comint-previous-prompt
]] ; g j	comint-next-prompt

5.101 comint-repeat-map

Teclas / sequência	Comando / ação
C-n	comint-next-prompt
C-p	comint-previous-prompt

5.102 compilation-button-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
M-<down-mouse-2> ; M-<mouse-2> ; M-RET	push-button
RET	compile-goto-error

5.103 compilation-menu-map

Teclas / sequência	Comando / ação
<compilation-first-error>	first-error
<compilation-next-error-follow-minor-mode>	next-error-follow-minor-mode
<compilation-next-error>	next-error
<compilation-previous-error>	previous-error
<compilation-skip> <compilation-skip-info> ; <compilation-skip> <compilation-skip-none> ; <compilation-skip> <compilation-skip-warning-and-info>	Função anônima (lambda)
<stop-subjob>	kill-compilation

5.104 compilation-minor-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
<normal-state> <backtab> ; <normal-state> C-k ; <normal-state> S-<tab> ; <normal-state> g k ; M-p	compilation-previous-error
<normal-state> <return> ; <normal-state> RET ; C-c C-c ; RET	compile-goto-error
<normal-state> <tab> ; <normal-state> C-j ; <normal-state> TAB ; <normal-state> g j ; M-n	compilation-next-error
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o ; C-o	compilation-display-error
<normal-state> [[; M-{	compilation-previous-file
<normal-state>]] ; M-}	compilation-next-file
<normal-state> g r ; g	recompile
C-c C-k	kill-compilation
l	recenter-current-error
n	next-error-no-select
p	previous-error-no-select

5.105 compilation-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> <backtab> ; <normal-state> C-k ; <normal-state> S-<tab> ; <normal-state> g k ; M-p	compilation-previous-error
<follow-link>	mouse-face
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; C-c C-c ; RET	compile-goto-error
<normal-state> <tab> ; <normal-state> C-j ; <normal-state> TAB ; <normal-state> g j ; M-n ; TAB	compilation-next-error
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o ; C-o	compilation-display-error
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; M-{	compilation-previous-file
<normal-state>]] ; M-}	compilation-next-file
<normal-state> g r ; g	recompile
C-c C-f	next-error-follow-minor-mode
C-c C-k	kill-compilation
n	next-error-no-select
p	previous-error-no-select

5.106 compilation-mode-tool-bar-map

Teclas / sequência	Comando / ação
<copy>	kill-ring-save
<cut>	kill-region
<isearch-forward>	isearch-forward
<kill-buffer>	kill-this-buffer
<kill-compilation>	kill-compilation
<new-file>	find-file

Teclas / sequência	Comando / ação
<next-error-no-select>	next-error-no-select
<open-directory>	dired-from-menubar
<open-file>	menu-find-file-existing
<paste>	yank
<previous-error-no-select>	previous-error-no-select
<recompile>	recompile
<save-buffer>	save-buffer

5.107 compilation-shell-minor-mode-map

Teclas / sequência	Comando / ação
C-M-n	compilation-next-error
C-M-p	compilation-previous-error
M-RET	compile-goto-error
M-{	compilation-previous-file
M-}	compilation-next-file

5.108 completion-in-region-mode-map

Teclas / sequência	Comando / ação
M-<down>	minibuffer-next-completion
M-<up>	minibuffer-previous-completion
M-?	completion-help-at-point
M-RET ; RET	minibuffer-choose-completion
TAB	completion-at-point

5.109 completion-list-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; p	previous-completion
<down>	next-line-completion
<follow-link>	mouse-face
<left>	previous-column-completion
<remap> <keyboard-quit> ; ESC ESC	delete-completion-window
<right>	next-column-completion
<up>	previous-line-completion
M-<down>	minibuffer-next-completion
M-<up>	minibuffer-previous-completion
M-RET	minibuffer-choose-completion
M-g M-c	switch-to-minibuffer
RET	choose-completion
TAB ; n	next-completion
z	kill-current-buffer

5.110 consult-async-map

Teclas / sequência	Comando / ação
<remap> <minibuffer-complete-defaults>	ignore
<remap> <minibuffer-complete-history>	consult-history
<remap> <minibuffer-complete-word>	self-insert-command
<remap> <vertico-insert>	vertico-next-group

5.111 consult-isearch-history-map

Teclas / sequência	Comando / ação
<remap> <isearch-backward>	consult-isearch-backward
<remap> <isearch-forward>	consult-isearch-forward

5.112 context-menu-mode-map

Teclas / sequência	Comando / ação
<menu>	context-menu-open

5.113 copilot-completion-map

Teclas / sequência	Comando / ação
<tab> ; TAB	copilot-accept-completion
C-<tab> ; C-TAB	copilot-accept-completion-by-word
M-n	copilot-next-completion
M-p	copilot-previous-completion

5.114 copilot-panel-mode-map

Teclas / sequência	Comando / ação
C-c C-c ; RET	copilot-panel-accept-completion

5.115 corfu-map

Teclas / sequência	Comando / ação
<backspace> ; <remap> <keyboard-escape-quit> ; DEL	corfu-reset
<backtab> ; <insert-state> <up> ; <insert-state> C-k ; <insert-state> C-p ; <insert-state> M-k ; <remap> <previous-line> ; <up> ; C-k	corfu-previous

Teclas / sequência	Comando / ação
C-p ; M-p ; S-TAB	corfu-previous
<down> ; <insert-state> <down> ; <insert-state> <tab> ; <insert-state> C-j ; <insert-state> C-n ; <insert-state> M-j ; <insert-state> TAB ; <remap> <next-line>	corfu-next
<tab> ; C-j ; C-n ; M-n ; TAB	corfu-next
<insert-state> <return> ; <insert-state> RET ; <return> ; RET	corfu-insert
<insert-state> C-SPC ; M-SPC	corfu-insert-separator
<insert-state> C-d ; <remap> <scroll-up-command>	corfu-scroll-up
<insert-state> C-u ; <remap> <scroll-down-command>	corfu-scroll-down
<remap> <beginning-of-buffer>	corfu-first
<remap> <completion-at-point>	corfu-complete
<remap> <corfu-insert-separator>	+corfu/smart-sep-toggle-escape
<remap> <end-of-buffer>	corfu-last
<remap> <move-beginning-of-line>	corfu-prompt-beginning
<remap> <move-end-of-line>	corfu-prompt-end
C-M-i	corfu-expand
C-S-s	+corfu/move-to-minibuffer
C-d ; C-u	Função anônima (lambda)
C-g	corfu-quit
M-g	corfu-info-location
M-h	corfu-info-documentation

5.116 corfu-map [Evil insert]

Teclas / sequência	Comando / ação
<down> ; <tab> ; C-j ; C-n ; M-j ; TAB	corfu-next
<return> ; RET	corfu-insert
<up> ; C-k ; C-p ; M-k	corfu-previous
C-SPC	corfu-insert-separator
C-d	corfu-scroll-up
C-u	corfu-scroll-down

5.117 corfu-mode-map

Teclas / sequência	Comando / ação
<insert-state> C-@ ; <insert-state> C-SPC	completion-at-point
<insert-state> C-n	+corfu/dabbrev-or-next
<insert-state> C-p	+corfu/dabbrev-or-last

Teclas / sequência	Comando / ação
<normal-state> C-SPC ; <visual -state> C-SPC	Função anônima (lambda)

5.118 corfu-mode-map [Evil insert]

Teclas / sequência	Comando / ação
C-@ ; C-SPC	completion-at-point
C-n	+corfu/dabbrev-or-next
C-p	+corfu/dabbrev-or-last

5.119 corfu-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-SPC	Função anônima (lambda)

5.120 corfu-mode-map [Evil visual]

Teclas / sequência	Comando / ação
C-SPC	Função anônima (lambda)

5.121 crm-local-completion-map

Herda de: minibuffer-local-completion-map.

Teclas / sequência	Comando / ação
<remap> <minibuffer-complete-w ord>	crm-complete-word
<remap> <minibuffer-complete>	crm-complete
<remap> <minibuffer-completion -help>	crm-completion-help

5.122 crm-local-must-match-map

Herda de: minibuffer-local-must-match-map.

Teclas / sequência	Comando / ação
<remap> <minibuffer-complete-a nd-exit>	crm-complete-and-exit
<remap> <minibuffer-complete-w ord>	crm-complete-word
<remap> <minibuffer-complete>	crm-complete
<remap> <minibuffer-completion -help>	crm-completion-help

5.123 ctl-x-4-map

Teclas / sequência	Comando / ação
.	xref-find-definitions-other-window
0	kill-buffer-and-window
1	same-window-prefix
4	other-window-prefix
C-f ; f	find-file-other-window
C-j	dired-jump-other-window
C-o	display-buffer
a	add-change-log-entry-other-window
b	switch-to-buffer-other-window
c	clone-indirect-buffer-other-window
d	dired-other-window
m	compose-mail-other-window
p	project-other-window-command
r	find-file-read-only-other-window

5.124 ctl-x-5-map

Teclas / sequência	Comando / ação
.	xref-find-definitions-other-frame
0	delete-frame
1	delete-other-frames
2	make-frame-command
5	other-frame-prefix
C-f ; f	find-file-other-frame
C-o	display-buffer-other-frame
b	switch-to-buffer-other-frame
c	clone-frame
d	dired-other-frame
m	compose-mail-other-frame
o	other-frame
p	project-other-frame-command
r	find-file-read-only-other-frame
u	undelete-frame

5.125 ctl-x-map

Teclas / sequência	Comando / ação
#	server-edit
$	set-selective-display
'	expand-abbrev
(; C-k C-s ; C-k s	kmacro-start-macro
)	kmacro-end-macro
*	calc-dispatch
+	balance-windows
-	shrink-window-if-larger-than-buffer
.	set-fill-prefix
0	delete-window

Teclas / sequência	Comando / ação
1	delete-other-windows
2	split-window-below
3	split-window-right
4 .	xref-find-definitions-other-window
4 0	kill-buffer-and-window
4 1	same-window-prefix
4 4	other-window-prefix
4 C-f ; 4 f	find-file-other-window
4 C-j	dired-jump-other-window
4 C-o	display-buffer
4 a	add-change-log-entry-other-window
4 b	switch-to-buffer-other-window
4 c	clone-indirect-buffer-other-window
4 d	dired-other-window
4 m	compose-mail-other-window
4 p	project-other-window-command
4 r	find-file-read-only-other-window
5 .	xref-find-definitions-other-frame
5 0	delete-frame
5 1	delete-other-frames
5 2	make-frame-command
5 5	other-frame-prefix
5 C-f ; 5 f	find-file-other-frame
5 C-o	display-buffer-other-frame
5 b	switch-to-buffer-other-frame
5 c	clone-frame
5 d	dired-other-frame
5 m	compose-mail-other-frame
5 o	other-frame
5 p	project-other-frame-command
5 r	find-file-read-only-other-frame
5 u	undelete-frame
6 2 ; 6 <f2>	2C-two-columns
6 b	2C-associate-buffer
6 s	2C-split
8 RET	insert-char
8 e +	emoji-zoom-increase
8 e -	emoji-zoom-decrease
8 e 0	emoji-zoom-reset
8 e d	emoji-describe
8 e e ; 8 e i	emoji-insert
8 e l	emoji-list
8 e r	emoji-recent
8 e s	emoji-search
;	comment-set-column
<	scroll-left
<left> ; C-<left>	previous-buffer
<right> ; C-<right>	next-buffer
=	what-cursor-position
>	scroll-right
C-+ ; C-- ; C-0 ; C-=	text-scale-adjust
C-;	comment-line

Teclas / sequência	Comando / ação
C-@ ; C-SPC	pop-global-mark
C-M-+ ; C-M-- ; C-M-0 ; C-M-=	global-text-scale-adjust
C-a	**Mapa:** gud-global-map
C-b	list-buffers
C-c	save-buffers-kill-terminal
C-d	list-directory
C-e	eval-last-sexp
C-f	find-file
C-j	dired-jump
C-k C-a	kmacro-add-counter
C-k C-c	kmacro-set-counter
C-k C-d	kmacro-delete-ring-head
C-k C-e	kmacro-edit-macro-repeat
C-k C-f	kmacro-set-format
C-k C-k	kmacro-end-or-call-macro-repeat
C-k C-l	kmacro-call-ring-2nd-repeat
C-k C-n	kmacro-cycle-ring-next
C-k C-p	kmacro-cycle-ring-previous
C-k C-q <	kmacro-quit-counter-less
C-k C-q =	kmacro-quit-counter-equal
C-k C-q >	kmacro-quit-counter-greater
C-k C-r a <	kmacro-reg-add-counter-less
C-k C-r a =	kmacro-reg-add-counter-equal
C-k C-r a >	kmacro-reg-add-counter-greater
C-k C-r l	kmacro-reg-load-counter
C-k C-r s	kmacro-reg-save-counter
C-k C-t	kmacro-swap-ring
C-k C-v	kmacro-view-macro-repeat
C-k RET	kmacro-edit-macro
C-k SPC	kmacro-step-edit-macro
C-k TAB	kmacro-insert-counter
C-k b	kmacro-bind-to-key
C-k d	kmacro-redisplay
C-k e	edit-kbd-macro
C-k l	kmacro-edit-lossage
C-k n	kmacro-name-last-macro
C-k q ; q	kbd-macro-query
C-k r	apply-macro-to-region-lines
C-k x	kmacro-to-register
C-l	downcase-region
C-n	set-goal-column
C-o	delete-blank-lines
C-p	mark-page
C-q	read-only-mode
C-r	find-file-read-only
C-s	save-buffer
C-t	transpose-lines
C-u	upcase-region
C-v	find-alternate-file
C-w	write-file
C-x	exchange-point-and-mark
C-z	suspend-frame

Teclas / sequência	Comando / ação
DEL	backward-kill-sentence
ESC ESC ; M-:	repeat-complex-command
M-g	magit-dispatch
O	other-window-backward
RET	**Mapa:** mule-keymap
SPC	rectangle-mark-mode
TAB	indent-rigidly
X	**Mapa:** edebug-global-map
[	backward-page
\	activate-transient-input-method
]	forward-page
^	enlarge-window
`	next-error
a	**Mapa:** abbrev-map
b	switch-to-buffer
d	dired
e	kmacro-end-and-call-macro
f	set-fill-column
g	magit-status
h	mark-whole-buffer
i	insert-file
k	kill-buffer
l	count-lines-page
m	compose-mail
n	**Mapa:** narrow-map
o	other-window
p	+popup/other
r	**Mapa:** ctl-x-r-map
s	save-some-buffers
t	**Mapa:** tab-prefix-map
u	undo
v	**Mapa:** vc-prefix-map
w	**Mapa:** window-prefix-map
x	**Mapa:** ctl-x-x-map
z	repeat
{	shrink-window-horizontally
}	enlarge-window-horizontally

5.126 ctl-x-r-map

Teclas / sequência	Comando / ação
+	increment-register
B	buffer-to-register
C-@ ; C-SPC ; SPC	point-to-register
F	file-to-register
M	bookmark-set-no-overwrite
M-w	copy-rectangle-as-kill
N	rectangle-number-lines
b	bookmark-jump
c	clear-rectangle

Teclas / sequência	Comando / ação
d	delete-rectangle
f	frameset-to-register
g ; i	insert-register
j	jump-to-register
k	kill-rectangle
l	bookmark-bmenu-list
m	bookmark-set
n	number-to-register
o	open-rectangle
r	copy-rectangle-to-register
s ; x	copy-to-register
t	string-rectangle
w	window-configuration-to-register
y	yank-rectangle

5.127 ctl-x-x-map

Teclas / sequência	Comando / ação
@	tramp-revert-buffer-with-sudo
f	font-lock-update
g	revert-buffer-quick
i	insert-buffer
n	clone-buffer
r	rename-buffer
t	toggle-truncate-lines
u	rename-uniquely

5.128 cua-global-keymap

Teclas / sequência	Comando / ação
<remap> <clipboard-yank> ; <remap> <x-clipboard-yank> ; <remap> <yank>	cua-paste
<remap> <exchange-point-and-mark>	cua-exchange-point-and-mark
<remap> <scroll-down-command> ; <remap> <scroll-down>	cua-scroll-down
<remap> <scroll-up-command> ; <remap> <scroll-up>	cua-scroll-up
<remap> <set-mark-command>	cua-set-mark
<remap> <yank-pop>	cua-paste-pop
C-<return>	cua-set-rectangle-mark
C-S-SPC	cua-toggle-global-mark

5.129 custom-dirlocals-field-map

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	widget-backward
C-M-i	widget-complete
C-c C-c	Custom-set
C-e	widget-end-of-line
C-k	widget-kill-line
C-x C-s	Custom-dirlocals-save
RET	widget-field-activate
TAB	widget-forward

5.130 Custom-dirlocals-mode-map

Herda de: widget-keymap.

Teclas / sequência	Comando / ação
C-x C-s	Custom-dirlocals-save
DEL ; S-SPC	scroll-down-command
SPC	scroll-up-command
n	widget-forward
p	widget-backward
q	Custom-buffer-done

5.131 custom-field-keymap

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	widget-backward
C-M-i	widget-complete
C-c C-c	Custom-set
C-e	widget-end-of-line
C-k	widget-kill-line
C-x C-s	Custom-save
RET	widget-field-activate
TAB	widget-forward

5.132 custom-mode-link-map [Evil normal]

Teclas / sequência	Comando / ação
< ; C-o ; ^	Custom-goto-parent
<backtab> ; S-<tab>	widget-backward
<delete> ; S-<space> ; S-SPC	scroll-down-command
<return> ; RET	Custom-newline
<tab> ; TAB	widget-forward
Z Q	evil-quit
Z Z ; q	Custom-buffer-done

5.133 custom-mode-map

Herda de: widget-keymap.

Teclas / sequência	Comando / ação
<normal-state> < ; <normal-state> C-o ; <normal-state> ^ ; u	Custom-goto-parent
<normal-state> <backtab> ; <normal-state> S-<tab> ; p	widget-backward
<normal-state> <delete> ; <normal-state> S-<space> ; <normal-state> S-SPC ; DEL ; S-SPC	scroll-down-command
<normal-state> <return> ; <normal-state> RET ; RET	Custom-newline
<normal-state> <tab> ; <normal-state> TAB ; n	widget-forward
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q ; q	Custom-buffer-done
<remap> <self-insert-command>	Custom-no-edit
C-c C-c	Custom-set
C-c C-k	Custom-reset-standard
C-c TAB	Custom-goto-first-choice
C-x C-s	Custom-save
H	custom-toggle-hide-all-widgets
SPC	scroll-up-command

5.134 debugger-mode-map

Herda de: backtrace-mode-map.

Teclas / sequência	Comando / ação
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <f5> ; <normal-state> c ; c	debugger-continue
<normal-state> <return> ; <normal-state> RET	debug-help-follow
<normal-state> <tab> ; <normal-state> TAB	forward-button
<normal-state> E ; <normal-state> e ; <normal-state> x ; e	debugger-eval-expression
<normal-state> J ; j	debugger-jump
<normal-state> L ; <normal-state> p	debugger-toggle-locals
<normal-state> R ; R	debugger-record-expression
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	top-level
<normal-state> d ; d	debugger-step-through
<normal-state> g b ; b	debugger-frame
<normal-state> g l ; l	debugger-list-functions
<normal-state> r ; r	debugger-return-value
<normal-state> u ; u	debugger-frame-clear
<normal-state> z c	backtrace-single-line
<normal-state> z o	backtrace-multi-line
q	debugger-quit

5.135 describe-chinese-environment-map

Teclas / sequência	Comando / ação
<Chinese-BIG5> ; <Chinese-CNS> ; <Chinese-EUC-TW> ; <Chinese-GB18030> ; <Chinese-GB> ; <Chinese-GBK>	describe-specified-language-support

5.136 describe-cyrillic-environment-map

Teclas / sequência	Comando / ação
<Belarusian> ; <Bulgarian> ; <Cyrillic-ALT> ; <Cyrillic-ISO> ; <Cyrillic-KOI8> ; <Mongolian-cyrillic> ; <Russian> ; <Tajik>	describe-specified-language-support
<Ukrainian>	describe-specified-language-support

5.137 describe-european-environment-map

Teclas / sequência	Comando / ação
<Brazilian Portuguese> ; <Catalan> ; <Croatian> ; <Czech> ; <Dutch> ; <Esperanto> ; <French> ; <Georgian>	describe-specified-language-support
<German> ; <Italian> ; <Latin-1> ; <Latin-2> ; <Latin-3> ; <Latin-4> ; <Latin-5> ; <Latin-6>	describe-specified-language-support
<Latin-7> ; <Latin-8> ; <Latin-9> ; <Latvian> ; <Lithuanian> ; <Polish> ; <Romanian> ; <Slovak>	describe-specified-language-support
<Slovenian> ; <Spanish> ; <Swedish> ; <Welsh>	describe-specified-language-support

5.138 describe-indian-environment-map

Teclas / sequência	Comando / ação
<Bengali> ; <Brahmi> ; <Devanagari> ; <Grantha> ; <Gujarati> ; <Gurmukhi> ; <Kaithi> ; <Kannada>	describe-specified-language-support
<Kharoshthi> ; <Lepcha> ; <Limbu> ; <Malayalam> ; <Meetei Mayek> ; <Modi> ; <Odia> ; <Oriya>	describe-specified-language-support

Teclas / sequência	Comando / ação
<Sharada> ; <Siddham> ; <Sylot i Nagri> ; <Tamil> ; <Telugu> ; <Tirhuta> ; <Toto> ; <Wancho >	describe-specified-language-support

5.139 describe-indonesian-environment-map

Teclas / sequência	Comando / ação
<Balinese> ; <Batak> ; <Bugine se> ; <Javanese> ; <Makasar> ; <Rejang> ; <Sundanese>	describe-specified-language-support

5.140 describe-language-environment-map

Teclas / sequência	Comando / ação
<ASCII> ; <Arabic> ; <Burmese> ; <Cham> ; <Chinese> <Chinese-BIG5> ; <Chinese> <Chinese-CNS > ; <Chinese> <Chinese-EUC-TW> ; <Chinese> <Chinese-GB18030>	describe-specified-language-support
<Chinese> <Chinese-GB> ; <Chin ese> <Chinese-GBK> ; <Cyrillic > <Belarusian> ; <Cyrillic> <B ulgarian> ; <Cyrillic> <Cyrill ic-ALT> ; <Cyrillic> <Cyrillic -ISO> ; <Cyrillic> <Cyrillic-K OI8> ; <Cyrillic> <Mongolian-c yrillic>	describe-specified-language-support
<Cyrillic> <Russian> ; <Cyrill ic> <Tajik> ; <Cyrillic> <Ukra inian> ; <Default> ; <English> ; <Ethiopic> ; <European> <Bra zilian Portuguese> ; <European > <Catalan>	describe-specified-language-support
<European> <Croatian> ; <Europ ean> <Czech> ; <European> <Dut ch> ; <European> <Esperanto> ; <European> <French> ; <Europea n> <Georgian> ; <European> <Ge rman> ; <European> <Italian>	describe-specified-language-support
<European> <Latin-1> ; <Europe an> <Latin-2> ; <European> <La tin-3> ; <European> <Latin-4> ; <European> <Latin-5> ; <Euro pean> <Latin-6> ; <European> < Latin-7> ; <European> <Latin-8 >	describe-specified-language-support

Teclas / sequência	Comando / ação
<European> <Latin-9> ; <European> <Latvian> ; <European> <Lithuanian> ; <European> <Polish> ; <European> <Romanian> ; <European> <Slovak> ; <European> <Slovenian> ; <European> <Spanish>	describe-specified-language-support
<European> <Swedish> ; <European> <Welsh> ; <Greek> ; <Hebrew> ; <IPA> ; <Indian> <Bengali> ; <Indian> <Brahmi> ; <Indian> <Devanagari>	describe-specified-language-support
<Indian> <Grantha> ; <Indian> <Gujarati> ; <Indian> <Gurmukhi> ; <Indian> <Kaithi> ; <Indian> <Kannada> ; <Indian> <Kharoshthi> ; <Indian> <Lepcha> ; <Indian> <Limbu>	describe-specified-language-support
<Indian> <Malayalam> ; <Indian> <Meetei Mayek> ; <Indian> <Modi> ; <Indian> <Odia> ; <Indian> <Oriya> ; <Indian> <Sharada> ; <Indian> <Siddham> ; <Indian> <Syloti Nagri>	describe-specified-language-support
<Indian> <Tamil> ; <Indian> <Telugu> ; <Indian> <Tirhuta> ; <Indian> <Toto> ; <Indian> <Wancho> ; <Indonesian> <Balinese> ; <Indonesian> <Batak> ; <Indonesian> <Buginese>	describe-specified-language-support
<Indonesian> <Javanese> ; <Indonesian> <Makasar> ; <Indonesian> <Rejang> ; <Indonesian> <Sundanese> ; <Japanese> ; <Khmer> ; <Korean> ; <Lao>	describe-specified-language-support
<Misc> <Adlam> ; <Misc> <Coptic> ; <Misc> <Gothic> ; <Misc> <Hanifi Rohingya> ; <Misc> <Mende Kikakui> ; <Misc> <Mongolian-traditional> ; <Misc> <Tifinagh> ; <Northern Thai>	describe-specified-language-support
<Persian> ; <Philippine> <Buhid> ; <Philippine> <Hanunoo> ; <Philippine> <Tagalog> ; <Philippine> <Tagbanwa> ; <Sinhala> ; <Syriac> ; <TaiViet>	describe-specified-language-support
<Thai> ; <Tibetan> ; <Turkish> ; <UTF-8> ; <Vietnamese> ; <Windows-1255>	describe-specified-language-support

5.141 describe-misc-environment-map

Teclas / sequência	Comando / ação
<Adlam> ; <Coptic> ; <Gothic> ; <Hanifi Rohingya> ; <Mende Kikakui> ; <Mongolian-traditional> ; <Tifinagh>	describe-specified-language-support

5.142 describe-philippine-environment-map

Teclas / sequência	Comando / ação
<Buhid> ; <Hanunoo> ; <Tagalog> ; <Tagbanwa>	describe-specified-language-support

5.143 diff-minor-mode-map

Teclas / sequência	Comando / ação
C-c =	**Mapa:** diff-mode-shared-map

5.144 diff-mode-map

Teclas / sequência	Comando / ação
C-c C-a	diff-apply-hunk
C-c C-b	diff-refine-hunk
C-c C-c	diff-goto-source
C-c C-d	diff-unified->context
C-c C-e	diff-ediff-patch
C-c C-f	next-error-follow-minor-mode
C-c C-l	diff-refresh-hunk
C-c C-n	diff-restrict-view
C-c C-r	diff-reverse-direction
C-c C-s	diff-split-hunk
C-c C-t	diff-test-hunk
C-c C-u	diff-context->unified
C-c C-w	diff-ignore-whitespace-hunk
C-c M-u	diff-revert-and-kill-hunk
C-c RET a	diff-apply-buffer
C-c RET n	diff-delete-other-hunks
C-x 4 A	diff-add-change-log-entries-other-window
ESC	**Mapa:** diff-mode-shared-map

5.145 diff-mode-read-only-map

Herda de: diff-mode-shared-map.

Teclas / sequência	Comando / ação
@ ; u	diff-revert-and-kill-hunk
A	diff-ediff-patch
R	diff-reverse-direction

Teclas / sequência	Comando / ação
W	widen
r	diff-restrict-view
s	diff-split-hunk
v	vc-next-action
w	diff-kill-ring-save

5.146 diff-mode-shared-map

Teclas / sequência	Comando / ação
<backtab> ; p	diff-hunk-prev
<remap> <undo>	undo-ignore-read-only
K	diff-file-kill
N ; }	diff-file-next
P ; {	diff-file-prev
RET ; o	diff-goto-source
TAB ; n	diff-hunk-next
k	diff-hunk-kill

5.147 dired-jump-map

Teclas / sequência	Comando / ação
C-j ; j	dired-jump

5.148 dired-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
! ; <normal-state> ! ; <normal -state> X ; X	dired-do-shell-command
# ; <normal-state> #	dired-flag-auto-save-files
$; <normal-state> g $	dired-hide-subdir
% & ; <normal-state> % &	dired-flag-garbage-files
% C ; <normal-state> % C	dired-do-copy-regexp
% H ; <normal-state> % H	dired-do-hardlink-regexp
% R ; % r ; <normal-state> % R ; <normal-state> % r	dired-do-rename-regexp
% S ; <normal-state> % S	dired-do-symlink-regexp
% Y	dired-do-relsymlink-regexp
% d ; <normal-state> % d	dired-flag-files-regexp
% g ; <normal-state> % g	dired-mark-files-containing-regexp
% l ; <normal-state> % l	dired-downcase
% m ; * % ; <normal-state> % m ; <normal-state> * %	dired-mark-files-regexp
% u ; <normal-state> % u	dired-upcase
& ; <normal-state> &	dired-do-async-shell-command
(; <normal-state> (	dired-hide-details-mode

Teclas / sequência	Comando / ação
* ! ; <normal-state> * ! ; <normal-state> U ; U	dired-unmark-all-marks
* (; <normal-state> * (; M-(	dired-mark-sexp
* * ; <normal-state> * *	dired-mark-executables
* . ; <normal-state> * .	dired-mark-extension
* / ; <normal-state> * /	dired-mark-directories
* ? ; <normal-state> * ? ; <normal-state> C-M-? ; M-DEL	dired-unmark-all-files
* @ ; <normal-state> * @	dired-mark-symlinks
* C-n ; <normal-state> * C-n ; <normal-state> M-} ; M-}	dired-next-marked-file
* C-p ; <normal-state> * C-p ; <normal-state> M-{ ; M-{	dired-prev-marked-file
* DEL ; <normal-state> * <delete> ; <normal-state> <delete> ; DEL	dired-unmark-backward
* N	dired-number-of-marked-files
* O ; <normal-state> * O	dired-mark-omitted
* c ; <normal-state> * c	dired-change-marks
* m ; <normal-state> * m ; <normal-state> m ; m	dired-mark
* s ; <normal-state> * s	dired-mark-subdir-files
* t ; <normal-state> * t ; <normal-state> t ; <normal-state> ~ ; t	dired-toggle-marks
* u ; <normal-state> * u ; <normal-state> u ; u	dired-unmark
+ ; <normal-state> +	dired-create-directory
. ; <normal-state> .	dired-clean-directory
: d ; <normal-state> ; d	epa-dired-do-decrypt
: e ; <normal-state> ; e	epa-dired-do-encrypt
: s ; <normal-state> ; s	epa-dired-do-sign
: v ; <normal-state> ; v	epa-dired-do-verify
< ; <normal-state> < ; <normal-state> [[; <normal-state> g k	dired-prev-dirline
<emacs-state> M-SPC m h ; <insert-state> M-SPC m h ; <motion-state> SPC m h ; <normal-state> SPC m h ; <visual-state> SPC m h ; C-x M-o	dired-omit-mode
<follow-link> ; <normal-state> <follow-link>	mouse-face
<normal-state> - ; <normal-state> ^ ; ^	dired-up-directory
<normal-state> <remap> <advertised-undo> ; <normal-state> <remap> <undo> ; <remap> <undo>	dired-undo
<normal-state> <remap> <next-line> ; <normal-state> j ; <remap> <next-line> ; SPC ; n	dired-next-line
<normal-state> <remap> <previous-line> ; <normal-state> S-SPC ; <normal-state> k ; <remap> <previous-line> ; S-SPC ; p	dired-previous-line

Teclas / sequência	Comando / ação
<normal-state> <remap> <read-only-mode> ; <normal-state> <remap> <toggle-read-only> ; <normal-state> i ; <remap> <read-only-mode>	dired-toggle-read-only
<normal-state> <return> ; <normal-state> RET ; RET ; e ... f	dired-find-file
<normal-state> = ; =	dired-diff
<normal-state> > ; <normal-state>]] ; <normal-state> g j ; >	dired-next-dirline
<normal-state> A ; A	dired-do-find-regexp
<normal-state> B ; B	dired-do-byte-compile
<normal-state> C ; C	dired-do-copy
<normal-state> C-M-d ; C-M-d	dired-tree-down
<normal-state> C-M-n ; C-M-n	dired-next-subdir
<normal-state> C-M-p ; C-M-p	dired-prev-subdir
<normal-state> C-M-u ; C-M-u	dired-tree-up
<normal-state> C-t . ; C-t .	image-dired-display-thumb
<normal-state> C-t C-t ; C-t C-t	image-dired-dired-toggle-marked-thumbs
<normal-state> C-t a ; C-t a	image-dired-display-thumbs-append
<normal-state> C-t c ; C-t c	image-dired-dired-comment-files
<normal-state> C-t d ; C-t d	image-dired-display-thumbs
<normal-state> C-t e ; C-t e	image-dired-dired-edit-comment-and-tags
<normal-state> C-t f ; C-t f	image-dired-mark-tagged-files
<normal-state> C-t i ; C-t i	image-dired-dired-display-image
<normal-state> C-t j ; C-t j	image-dired-jump-thumbnail-buffer
<normal-state> C-t r ; C-t r	image-dired-delete-tag
<normal-state> C-t t ; C-t t	image-dired-tag-files
<normal-state> C-t x ; C-t x	image-dired-dired-display-external
<normal-state> D ; D	dired-do-delete
<normal-state> E ; E	dired-do-open
<normal-state> H ; H	dired-do-hardlink
<normal-state> I ; i	dired-maybe-insert-subdir
<normal-state> J ; j	dired-goto-file
<normal-state> L ; L	dired-do-load
<normal-state> M ; M	dired-do-chmod
<normal-state> M-$; M-$	dired-hide-all
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; v	dired-view-file
<normal-state> M-s a C-M-s ; M-s a C-M-s	dired-do-isearch-regexp
<normal-state> M-s a C-s ; M-s a C-s	dired-do-isearch
<normal-state> M-s f C-M-s ; M-s f C-M-s	dired-isearch-filenames-regexp
<normal-state> M-s f C-s ; M-s f C-s	dired-isearch-filenames
<normal-state> O ; O	dired-do-chown
<normal-state> P ; P	dired-do-print
<normal-state> Q ; Q	dired-do-find-regexp-and-replace
<normal-state> R ; R	dired-do-rename

Teclas / sequência	Comando / ação
<normal-state> S ; S	dired-do-symlink
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; o	dired-find-file-other-window
<normal-state> T ; T	dired-do-touch
<normal-state> Y ; w	dired-copy-filename-as-kill
<normal-state> Z ; Z	dired-do-compress
<normal-state> a ; a	dired-find-alternate-file
<normal-state> c ; c	dired-do-compress-to
<normal-state> d ; d	dired-flag-file-deletion
<normal-state> g ? ; ?	dired-summary
<normal-state> g G ; G	dired-do-chgrp
<normal-state> g r ; g	revert-buffer
<normal-state> g x ; W	browse-url-of-dired-file
<normal-state> g y ; y	dired-show-file-type
<normal-state> o ; s	dired-sort-toggle-or-edit
<normal-state> q	quit-window
<normal-state> r ; l	dired-do-redisplay
<normal-state> s ; k	dired-do-kill-lines
<normal-state> x ; x	dired-do-flagged-delete
<remap> <vc-next-action>	dired-vc-next-action
@	tramp-dired-find-file-with-sudo
C-c C-e	wdired-change-to-wdired-mode
C-c C-r	dirvish-rsync
C-o	dired-display-file
F	dired-do-find-marked-files
I	dired-do-info
M-!	dired-smart-shell-command
M-G	dired-goto-subdir
N	dired-do-man
V	dired-do-run-mail
Y	dired-do-relsymlink
~	dired-flag-backup-files

5.149 dired-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m h	dired-omit-mode

5.150 dired-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m h	dired-omit-mode

5.151 dired-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m h	dired-omit-mode

5.152 dired-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m h	dired-omit-mode

5.153 dired-mouse-drag-files-map

Teclas / sequência	Comando / ação
C-<down-mouse-1> ; M-<down-mouse-1> ; S-<down-mouse-1>	dired-mouse-drag

5.154 doom-leader-debugger-map

Teclas / sequência	Comando / ação
<	dape-stack-select-up
>	dape-stack-select-down
B	dape-breakpoint-remove-all
D	dape-disconnect-quit
M	dape-disassemble
R	dape-repl
S	dape-select-stack
b	dape-breakpoint-toggle
c	dape-continue
d	dape
e	dape-breakpoint-expression
h	dape-breakpoint-hits
i	dape-info
l	dape-breakpoint-log
m	dape-memory
n	dape-next
o	dape-step-out
p	dape-pause
q	dape-quit
r	dape-restart
s	dape-step-in
t	dape-select-thread
w	dape-watch-dwim
x	dape-evaluate-expression

5.155 doom-leader-insert-map

Teclas / sequência	Comando / ação
F ; p	Função anônima (lambda)

Teclas / sequência	Comando / ação
e	emojify-insert-emoji
f	+default/insert-file-path
r	evil-show-registers
s	yas-insert-snippet
u	insert-char
y	+default/yank-pop

5.156 doom-leader-notes-map

Teclas / sequência	Comando / ação
*	+default/search-notes-for-symbol-at-point
C	org-clock-cancel
F	+default/browse-notes
N	org-capture-goto-target
S	+default/org-notes-headlines
Y	+org/export-to-clipboard-as-rich-text
a	org-agenda
c	+org/toggle-last-clock
f	+default/find-in-notes
j J	org-journal-new-scheduled-entry
j j	org-journal-new-entry
j s	org-journal-search-forever
l	org-store-link
m	org-tags-view
n	org-capture
o	org-clock-goto
s	+default/org-notes-search
t	org-todo-list
v	org-search-view
y	+org/export-to-clipboard

5.157 doom-leader-quit/session-map

Teclas / sequência	Comando / ação
F	doom/kill-all-buffers
K	save-buffers-kill-emacs
L	doom/load-session
Q	evil-quit-all-with-error-code
S	doom/save-session
d	+default/restart-server
f	delete-frame
l	doom/quickload-session
q	save-buffers-kill-terminal
r	doom/restart
s	doom/quicksave-session

5.158 doom-leader-remote-map

Teclas / sequência	Comando / ação
`. ; B`	`ssh-deploy-browse-remote-handler`
`>`	`ssh-deploy-remote-changes-handler`
`D`	`ssh-deploy-delete-handler`
`E`	`ssh-deploy-remote-terminal-eshell-handler`
`U`	`ssh-deploy-upload-handler-forced`
`b`	`ssh-deploy-browse-remote-base-handler`
`d`	`ssh-deploy-download-handler`
`e`	`ssh-deploy-remote-terminal-eshell-base-handler`
`m`	`ssh-deploy-rename-handler`
`o`	`ssh-deploy-open-remote-file-handler`
`s`	`ssh-deploy-run-deploy-script-handler`
`u`	`ssh-deploy-upload-handler`
`x`	`ssh-deploy-diff-handler`

5.159 dumb-jump-mode-map

Teclas / sequência	Comando / ação
`C-M-g`	`dumb-jump-go`
`C-M-p`	`dumb-jump-back`
`C-M-q`	`dumb-jump-quick-look`

5.160 edebug-backtrace-mode-map

Teclas / sequência	Comando / ação
`s`	`backtrace-goto-source`

5.161 edebug-eval-mode-map

Herda de: lisp-interaction-mode-map.

Teclas / sequência	Comando / ação
`C-c C-d`	`edebug-delete-eval-item`
`C-c C-u`	`edebug-update-eval-list`
`C-c C-w`	`edebug-where`
`C-j`	`edebug-eval-print-last-sexp`
`C-x C-e`	`edebug-eval-last-sexp`

5.162 edebug-eval-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
`M-SPC m b`	`+emacs-lisp/change-working-buffer`
`M-SPC m d F`	`+emacs-lisp/edebug-instrument-defun-off`
`M-SPC m d f`	`+emacs-lisp/edebug-instrument-defun-on`
`M-SPC m e b`	`eval-buffer`
`M-SPC m e d`	`eval-defun`
`M-SPC m e e`	`eval-last-sexp`

Teclas / sequência	Comando / ação
M-SPC m e l	load-library
M-SPC m e r	eval-region
M-SPC m g f	find-function
M-SPC m g l	find-library
M-SPC m g v	find-variable
M-SPC m m	macrostep-expand

5.163 edebug-eval-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m b	+emacs-lisp/change-working-buffer
M-SPC m d F	+emacs-lisp/edebug-instrument-defun-off
M-SPC m d f	+emacs-lisp/edebug-instrument-defun-on
M-SPC m e b	eval-buffer
M-SPC m e d	eval-defun
M-SPC m e e	eval-last-sexp
M-SPC m e l	load-library
M-SPC m e r	eval-region
M-SPC m g f	find-function
M-SPC m g l	find-library
M-SPC m g v	find-variable
M-SPC m m	macrostep-expand

5.164 edebug-eval-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer
SPC m e d	eval-defun
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.165 edebug-eval-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer
SPC m e d	eval-defun

Teclas / sequência	Comando / ação
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.166 edebug-eval-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer
SPC m e d	eval-defun
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.167 edebug-global-map

Teclas / sequência	Comando / ação
=	edebug-display-freq-count
C	edebug-Continue-fast-mode
D	edebug-toggle-disable-breakpoint
G	edebug-Go-nonstop-mode
Q	edebug-top-level-nonstop
SPC	edebug-step-mode
T	edebug-Trace-fast-mode
U	edebug-unset-breakpoints
W	edebug-toggle-save-windows
X	edebug-set-global-break-condition
a	abort-recursive-edit
b	edebug-set-breakpoint
c	edebug-continue-mode
g	edebug-go-mode
q	top-level
t	edebug-trace-mode
u	edebug-unset-breakpoint
w	edebug-where
x	edebug-set-conditional-breakpoint

5.168 edebug-mode-map

Herda de: emacs-lisp-mode-map.

Teclas / sequência	Comando / ação
- ; <normal-state> -	negative-argument
<intercept-state>	all
<normal-state> <f10> ; <normal-state> C-c C-n ; <normal-state> n ; C-c C-n ; n	edebug-next-mode
<normal-state> <f11> ; <normal-state> i ; <normal-state> s ; i	edebug-step-in
<normal-state> <f5> ; <normal-state> c ; c	edebug-continue-mode
<normal-state> <f9> ; <normal-state> C-x SPC ; <normal-state> b ; C-x SPC ; b	edebug-set-breakpoint
<normal-state> = ; =	edebug-temp-display-freq-count
<normal-state> B ; B	edebug-next-breakpoint
<normal-state> C ; C	edebug-Continue-fast-mode
<normal-state> C-c C-c ; <normal-state> g o ; C-c C-c ; g	edebug-go-mode
<normal-state> C-c C-d ; <normal-state> u ; C-c C-d ; u	edebug-unset-breakpoint
<normal-state> C-c C-l ; <normal-state> W W ; C-c C-l ; w	edebug-where
<normal-state> C-c C-s ; <normal-state> g s ; C-c C-s ; SPC	edebug-step-mode
<normal-state> C-c C-t ; C-c C-t	Função compilada anônima
<normal-state> C-x C-e ; C-x C-e	edebug-eval-last-sexp
<normal-state> E L ; E	edebug-visit-eval-list
<normal-state> H	edebug-goto-here
<normal-state> I ; I	edebug-instrument-callee
<normal-state> P ; v	edebug-view-outside
<normal-state> Q ; Q	edebug-top-level-nonstop
<normal-state> S ; S	edebug-stop
<normal-state> S-<f11> ; <normal-state> o ; o	edebug-step-out
<normal-state> T ; T	edebug-Trace-fast-mode
<normal-state> W S ; W	edebug-toggle-save-windows
<normal-state> X ; X	edebug-set-global-break-condition
<normal-state> a ; a	abort-recursive-edit
<normal-state> d	edebug-backtrace
<normal-state> e ; e	edebug-eval-expression
<normal-state> f ; f	edebug-forward-sexp
<normal-state> g ? ; ?	edebug-help
<normal-state> g O	edebug-Go-nonstop-mode
<normal-state> p ; p	edebug-bounce-point
<normal-state> q ; q	top-level
<normal-state> r ; r	edebug-previous-result
<normal-state> t ; t	edebug-trace-mode
<normal-state> x ; x	edebug-set-conditional-breakpoint
D	edebug-toggle-disable-breakpoint

Teclas / sequência	Comando / ação
P	edebug-bounce-to-previous-value
U	edebug-unset-breakpoints
d	edebug-pop-to-backtrace

5.169 edebug-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m b	+emacs-lisp/change-working-buffer
M-SPC m d F	+emacs-lisp/edebug-instrument-defun-off
M-SPC m d f	+emacs-lisp/edebug-instrument-defun-on
M-SPC m e b	eval-buffer
M-SPC m e d	eval-defun
M-SPC m e e	eval-last-sexp
M-SPC m e l	load-library
M-SPC m e r	eval-region
M-SPC m g f	find-function
M-SPC m g l	find-library
M-SPC m g v	find-variable
M-SPC m m	macrostep-expand

5.170 edebug-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m b	+emacs-lisp/change-working-buffer
M-SPC m d F	+emacs-lisp/edebug-instrument-defun-off
M-SPC m d f	+emacs-lisp/edebug-instrument-defun-on
M-SPC m e b	eval-buffer
M-SPC m e d	eval-defun
M-SPC m e e	eval-last-sexp
M-SPC m e l	load-library
M-SPC m e r	eval-region
M-SPC m g f	find-function
M-SPC m g l	find-library
M-SPC m g v	find-variable
M-SPC m m	macrostep-expand

5.171 edebug-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer
SPC m e d	eval-defun
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region

Teclas / sequência	Comando / ação
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.172 edebug-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer
SPC m e d	eval-defun
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.173 ediff-dir-diffs-buffer-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
<backspace> ; <delete> ; DEL ; p	previous-line
<remap> <self-insert-command>	undefined
C	ediff-dir-diff-copy-file
SPC ; n	next-line
q	ediff-bury-dir-diffs-buffer

5.174 edit-abbrevs-map

Teclas / sequência	Comando / ação
C-c C-c	edit-abbrevs-redefine
C-x C-s	abbrev-edit-save-buffer
C-x C-w	abbrev-edit-save-to-file

5.175 edit-indirect-mode-map

Teclas / sequência	Comando / ação
<remap> <save-buffer>	edit-indirect-save

Teclas / sequência	Comando / ação
C-c ' ; C-c C-c	edit-indirect-commit
C-c C-k	edit-indirect-abort

5.176 edit-indirect-overlay-map

Teclas / sequência	Comando / ação
RET	edit-indirect-display-active-buffer

5.177 edit-tab-stops-map

Teclas / sequência	Comando / ação
C-c C-c ; C-x C-s	edit-tab-stops-note-changes

5.178 edmacro-mode-map

Teclas / sequência	Comando / ação
C-c C-c	edmacro-finish-edit
C-c C-q	edmacro-insert-key
C-c C-r	edmacro-set-macro-to-region-lines

5.179 eglot-list-connections-mode-map

Teclas / sequência	Comando / ação
RET	eglot-describe-listed-connection
e	eglot-events-buffer-of-listed-connection
k	eglot-shutdown-listed-connection
r	eglot-reconnect-listed-connection
w	eglot-show-workspace-configuration-of-listed-connection

5.180 eglot-mode-map

Teclas / sequência	Comando / ação
<remap> <display-local-help>	eldoc-doc-buffer
<remap> <xref-find-apropos>	consult-eglot-symbols

5.181 ehelp-map

Teclas / sequência	Comando / ação
'	doom/describe-char
.	display-local-help
4 i	info-other-window

Teclas / sequência	Comando / ação
4 s	help-find-source
<f1> ; <help> ; ?	help-for-help
A	apropos-documentation
C ; C-c	describe-coding-system
C-\ ; I	describe-input-method
C-a	about-emacs
C-d	view-emacs-debugging
C-e	view-external-packages
C-f	view-emacs-FAQ
C-k ; c	describe-key-briefly
C-l ; L	describe-language-environment
C-n	view-emacs-news
C-o	describe-distribution
C-p	view-emacs-problems
C-q	help-quick-toggle
C-s	search-forward-help-for-help
C-t	view-emacs-todo
C-w	describe-no-warranty
E ; d x	doom/sandbox
F	describe-face
H ; d h	doom/docs
K	Info-goto-emacs-key-command-node
M	doom/describe-active-minor-mode
O	+lookup/online
P	find-library
R	info-display-manual
RET	info-emacs-manual
S	info-lookup-symbol
T ; d t	doom/toggle-profiler
V	doom/describe-option
W	+default/man-or-woman
a	electric-apropos
b b	electric-describe-bindings
b f	which-key-show-full-keymap
b i	which-key-show-minor-mode-keymap
b k	which-key-show-keymap
b m	which-key-show-major-mode
b t	which-key-show-top-level
d L	doom/help-search-loaded-files
d M	doom/docs-module
d S	doom/docs-search
d a ; u	doom/describe-autodef
d b	doom/report-bug
d c	doom/open-private-config
d d	doom-debug-mode
d f	doom/docs-find-file
d i	doom/info
d l	doom/help-search-load-path
d m	doom/describe-module
d n	doom/docs-news
d p c	doom/help-package-config
d p h	doom/help-package-homepage

Teclas / sequência	Comando / ação
d p p ; p	doom/describe-package
d s	doom/docs-headings
d v	doom/version
e	view-echo-area-messages
f	electric-describe-function
g	describe-gnu-project
h	doom/help
i	info
k	electric-describe-key
l	electric-view-lossage
m	electric-describe-mode
n	doom/help-news
o	describe-symbol
q	help-quit
r d	doom/reload-docs
r e	doom/reload-env
r f	doom/reload-font
r p	doom/reload-packages
r r	doom/reload
r t	doom/reload-theme
s	electric-describe-syntax
t	load-theme
v	electric-describe-variable
w	where-is
x	describe-command

5.182 electric-help-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
-	negative-argument
. ; <	beginning-of-buffer
0 ... 9	digit-argument
<remap> <self-insert-command>	undefined
>	end-of-buffer
? ; C-h	electric-help-help
C-0 ; C-1 ; C-2 ; C-3 ; C-4 ; C-5 ; C-6 ; C-7	electric-help-undefined
C-8 ; C-9 ; C-u	electric-help-undefined
C-x	electric-help-ctrl-x-prefix
DEL ; S-SPC	scroll-down
M-x	electric-help-execute-extended
Q ; q	electric-help-exit
R ; r	electric-help-retain
SPC	scroll-up

5.183 elisp-refs-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab> ; <normal-state> [[; <normal-state> g k ; p	elisp-refs-prev-match
<normal-state> <return> ; <normal-state> RET ; RET	elisp-refs-visit-match
<normal-state> <tab> ; <normal-state> TAB ; <normal-state>]] ; <normal-state> g j ; <tab> ; n	elisp-refs-next-match
<normal-state> q	kill-current-buffer

5.184 emacs-lisp-compilation-mode-map

Herda de: compilation-mode-map.

Teclas / sequência	Comando / ação
g	emacs-lisp-compilation-recompile

5.185 emacs-lisp-mode-map

Herda de: lisp-mode-shared-map.

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m b ; <insert-state> M-SPC m b ; <motion-state> SPC m b ; <normal-state> SPC m b ; <visual-state> SPC m b	+emacs-lisp/change-working-buffer
<emacs-state> M-SPC m d F ; <insert-state> M-SPC m d F ; <motion-state> SPC m d F ; <normal-state> SPC m d F ; <visual-state> SPC m d F	+emacs-lisp/edebug-instrument-defun-off
<emacs-state> M-SPC m d f ; <insert-state> M-SPC m d f ; <motion-state> SPC m d f ; <normal-state> SPC m d f ; <visual-state> SPC m d f	+emacs-lisp/edebug-instrument-defun-on
<emacs-state> M-SPC m e b ; <insert-state> M-SPC m e b ; <motion-state> SPC m e b ; <normal-state> SPC m e b ; <visual-state> SPC m e b	eval-buffer
<emacs-state> M-SPC m e d ; <insert-state> M-SPC m e d ; <motion-state> SPC m e d ; <normal-state> SPC m e d ; <visual-state> SPC m e d ; C-M-x	eval-defun

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e e ; <insert-state> M-SPC m e e ; <motion-state> SPC m e e ; <normal-state> SPC m e e ; <visual-state> SPC m e e	eval-last-sexp
<emacs-state> M-SPC m e l ; <insert-state> M-SPC m e l ; <motion-state> SPC m e l ; <normal-state> SPC m e l ; <visual-state> SPC m e l	load-library
<emacs-state> M-SPC m e r ; <insert-state> M-SPC m e r ; <motion-state> SPC m e r ; <normal-state> SPC m e r ; <visual-state> SPC m e r	eval-region
<emacs-state> M-SPC m g f ; <insert-state> M-SPC m g f ; <motion-state> SPC m g f ; <normal-state> SPC m g f ; <visual-state> SPC m g f	find-function
<emacs-state> M-SPC m g l ; <insert-state> M-SPC m g l ; <motion-state> SPC m g l ; <normal-state> SPC m g l ; <visual-state> SPC m g l	find-library
<emacs-state> M-SPC m g v ; <insert-state> M-SPC m g v ; <motion-state> SPC m g v ; <normal-state> SPC m g v ; <visual-state> SPC m g v	find-variable
<emacs-state> M-SPC m m ; <insert-state> M-SPC m m ; <motion-state> SPC m m ; <normal-state> SPC m m ; <visual-state> SPC m m	macrostep-expand
C-M-i	completion-at-point
C-M-q	indent-pp-sexp
C-c C-b	elisp-byte-compile-buffer
C-c C-e	elisp-eval-region-or-buffer
C-c C-f	elisp-byte-compile-file
C-x C-a C-c	edebug-go-mode
C-x C-a C-l	edebug-where
C-x C-a C-n	edebug-next-mode
C-x C-a C-s	edebug-step-mode
C-x C-a RET	edebug-set-initial-mode

5.186 emacs-lisp-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m b	+emacs-lisp/change-working-buffer
SPC m d F	+emacs-lisp/edebug-instrument-defun-off
SPC m d f	+emacs-lisp/edebug-instrument-defun-on
SPC m e b	eval-buffer

Teclas / sequência	Comando / ação
SPC m e d	eval-defun
SPC m e e	eval-last-sexp
SPC m e l	load-library
SPC m e r	eval-region
SPC m g f	find-function
SPC m g l	find-library
SPC m g v	find-variable
SPC m m	macrostep-expand

5.187 embark-become-file+buffer-map

Herda de: embark-meta-map.

Teclas / sequência	Comando / ação
.	find-file-at-point
4 b	switch-to-buffer-other-window
4 f	find-file-other-window
C 4 b	consult-buffer-other-window
C b	consult-buffer
L	find-library
b	switch-to-buffer
f	find-file
l	locate
p	project-find-file
r	recentf-open-files
v	vc-dir

5.188 embark-become-help-map

Herda de: embark-meta-map.

Teclas / sequência	Comando / ação
C	apropos-command
F	describe-face
U	apropos-user-option
V	apropos-variable
f	describe-function
i	describe-input-method
p	describe-package
s	describe-symbol
v	describe-variable

5.189 embark-become-match-map

Herda de: embark-meta-map.

Teclas / sequência	Comando / ação
C I	consult-imenu-multi
C L	consult-line-multi

Teclas / sequência	Comando / ação
C i	consult-imenu
C l	consult-line
C o	consult-outline
c	count-matches
f	flush-lines
k	keep-lines
o	occur

5.190 embark-become-shell-command-map

Herda de: embark-meta-map.

Teclas / sequência	Comando / ação
!	shell-command
&	async-shell-command
c	comint-run
t	term

5.191 embark-bookmark-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	eshell
<	bookmark-insert
R	bookmark-relocate
RET ; b	bookmark-jump
a	bookmark-show-annotation
d	bookmark-delete
e	bookmark-edit-annotation
f	bookmark-jump-other-frame
j	embark-dired-jump
l	bookmark-locate
o	bookmark-jump-other-window
r	bookmark-rename
s	bookmark-set
x	embark-open-externally

5.192 embark-buffer-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	eshell
<	insert-buffer
=	ediff-buffers
K	embark-kill-buffer-and-window
RET ; b	switch-to-buffer
j	embark-dired-jump

Teclas / sequência	Comando / ação
k	kill-buffer
o	switch-to-buffer-other-window
r	embark-rename-buffer
x	embark-open-externally
z	embark-bury-buffer
|	embark-shell-command-on-buffer

5.193 embark-collect-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
<normal-state> A ; A	embark-act-all
<normal-state> E ; E	embark-export
<normal-state> M-a ; M-a	embark-collect-direct-action-minor-mode
<normal-state> a ; a	embark-act
<normal-state> g r	revert-buffer
<normal-state> m	embark-select
<remap> <backward-paragraph> ; {	outline-previous-heading
<remap> <forward-paragraph> ; }	outline-next-heading
<remap> <revert-buffer>	embark-rerun-collect-or-export
n	forward-button
p	backward-button
s	isearch-forward

5.194 embark-command-map

Herda de: embark-function-map.

Teclas / sequência	Comando / ação
I	Info-goto-emacs-command-node
b	where-is
g	global-set-key
l	local-set-key
x	execute-extended-command

5.195 embark-consult-async-search-map

Teclas / sequência	Comando / ação
F	consult-locate
G	consult-git-grep
d	consult-fd
f	consult-find
g	consult-grep
r	consult-ripgrep

5.196 embark-consult-rerun-map

Teclas / sequência	Comando / ação
g	embark-rerun-collect-or-export

5.197 embark-consult-search-map

Teclas / sequência	Comando / ação
F	consult-locate
G	consult-git-grep
I	consult-imenu-multi
L	consult-line-multi
d	consult-fd
f	consult-find
g	consult-grep
i	consult-imenu
l	consult-line
o	consult-outline
r	consult-ripgrep

5.198 embark-consult-sync-search-map

Teclas / sequência	Comando / ação
I	consult-imenu-multi
L	consult-line-multi
i	consult-imenu
l	consult-line
o	consult-outline

5.199 embark-defun-map

Herda de: embark-expression-map.

Teclas / sequência	Comando / ação
D	edebug-defun
N	narrow-to-defun
RET ; e	embark-pp-eval-defun
c	compile-defun
o	checkdoc-defun

5.200 embark-email-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET ; c	embark-compose-mail

5.201 embark-encode-map

Teclas / sequência	Comando / ação
-	unmorse-region
.	morse-region
1	embark-hash-sha1
2	embark-hash-sha256
3	embark-hash-sha384
4	embark-hash-sha224
5	embark-hash-sha512
B	base64-decode-region
C	embark-epa-decrypt-region
F	format-decode-region
N	denato-region
U	embark-decode-url
b	base64-encode-region
c	epa-encrypt-region
f	format-encode-region
m	embark-hash-md5
n	nato-region
o a	org-ascii-convert-region-to-ascii
o h	org-html-convert-region-to-html
o l	org-latex-convert-region-to-latex
o m	org-md-convert-region-to-md
r	rot13-region
s	studlify-region
u	embark-encode-url

5.202 embark-expression-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
;	comment-dwim
<	embark-eval-replace
RET ; e	pp-eval-expression
TAB	indent-region
k	kill-region
m	pp-macroexpand-expression
n	forward-list
p	backward-list
r	raise-sexp
t	transpose-sexps
u	backward-up-list

5.203 embark-face-map

Herda de: embark-symbol-map.

Teclas / sequência	Comando / ação
!	invert-face

Teclas / sequência	Comando / ação
+	make-face-bold
-	make-face-unbold
/	make-face-italic
b	set-face-background
c	customize-face
f	set-face-foreground
h	describe-face
|	make-face-unitalic

5.204 embark-file-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
!	shell-command
$	eshell
&	async-shell-command
+	make-directory
<	insert-file
<tab> ; TAB	+vertico/embark-open-in-new-workspace
=	ediff-files
D	delete-directory
F	find-file-literally
I	embark-insert-relative-path
R	byte-recompile-directory
RET ; f	find-file
S	doom/sudo-find-file
W	embark-save-relative-path
\	embark-recentf-remove
b	byte-compile-file
c	copy-file
d	delete-file
e	eww-open-file
g	+vertico/embark-magit-status
j	embark-dired-jump
l	load-file
m	chmod
o	find-file-other-window
r	rename-file
s	make-symbolic-link
v d	vc-delete-file
v i	vc-ignore
v r	vc-rename-file
x	embark-open-externally

5.205 embark-flymake-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET	flymake-show-buffer-diagnostics
n	flymake-goto-next-error
p	flymake-goto-prev-error

5.206 embark-function-map

Herda de: embark-symbol-map.

Teclas / sequência	Comando / ação
K	cancel-debug-on-entry
M	elp-restore-function
T	untrace-function
k	debug-on-entry
m	elp-instrument-function
t	trace-function

5.207 embark-general-map

Herda de: embark-meta-map.

Teclas / sequência	Comando / ação
A	embark-act-all
B	embark-become
C F	consult-locate
C G	consult-git-grep
C I	consult-imenu-multi
C L	consult-line-multi
C d	consult-fd
C f	consult-find
C g	consult-grep
C i	consult-imenu
C l	consult-line
C o	consult-outline
C r	consult-ripgrep
C-SPC	mark
C-r	embark-isearch-backward
C-s	embark-isearch-forward
DEL	delete-region
E	embark-export
L	embark-live
S	embark-collect
SPC	embark-select
i	embark-insert
q	embark-toggle-quit
w	embark-copy-as-kill

5.208 embark-heading-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
+ ; RET	outline-show-subtree
-	outline-hide-subtree
<	outline-promote
>	outline-demote
C-SPC	outline-mark-subtree
TAB	outline-cycle
^	outline-move-subtree-up
b	outline-backward-same-level
f	outline-forward-same-level
n	outline-next-visible-heading
p	outline-previous-visible-heading
u	outline-up-heading
v	outline-move-subtree-down

5.209 embark-identifier-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	ispell-word
'	expand-abbrev
H	embark-toggle-highlight
RET ; d	xref-find-definitions
a	xref-find-apropos
h	display-local-help
n	embark-next-symbol
o	occur
p	embark-previous-symbol
r	xref-find-references
s	info-lookup-symbol

5.210 embark-kill-ring-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
\	embark-kill-ring-remove

5.211 embark-library-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	eshell
L	locate-library
RET ; f	find-library
a	apropos-library
h	finder-commentary
j	embark-dired-jump

Teclas / sequência	Comando / ação
l	load-library
m	info-display-manual
x	embark-open-externally

5.212 embark-meta-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument

5.213 embark-org-babel-call-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET	org-babel-lob-execute-maybe
k	org-babel-remove-result

5.214 embark-org-export-in-place-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
a	org-ascii-convert-region-to-ascii
h	org-html-convert-region-to-html
l	org-latex-convert-region-to-latex
m	org-md-convert-region-to-md

5.215 embark-org-heading-map

Herda de: embark-heading-map.

Teclas / sequência	Comando / ação
,	org-priority
:	org-set-tags-command
<left>	org-do-promote
<right>	org-do-demote
D	org-delete-property
H	org-insert-todo-heading-respect-content
I	org-clock-in
N	org-narrow-to-subtree
O	org-clock-out
P	org-set-property
R	embark-org-refile-here
RET ; t	org-todo
T	org-tree-to-indirect-buffer

Teclas / sequência	Comando / ação
TAB	org-cycle
a	org-archive-subtree-default-with-confirmation
d	org-deadline
h	org-insert-heading-respect-content
j	embark-org-insert-link-to
k	org-cut-subtree
l	org-store-link
o	org-sort
r	org-refile
s	org-schedule

5.216 embark-org-inline-src-block-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
'	org-edit-inline-src-code
RET	org-babel-execute-src-block
k	org-babel-remove-inline-result

5.217 embark-org-item-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
<	org-outdent-item-tree
<down>	org-move-item-down
<left>	org-outdent-item
<right>	org-indent-item
<up>	org-move-item-up
>	org-indent-item-tree
RET ; c	org-toggle-checkbox
n	org-next-item
p	org-previous-item
t	org-toggle-item

5.218 embark-org-link-copy-map

Teclas / sequência	Comando / ação
d	embark-org-copy-link-description
f	embark-org-copy-link-in-full
i ; w	embark-org-copy-link-inner-target
m	embark-org-copy-as-markdown
t	embark-org-copy-link-target

5.219 embark-org-link-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
'	org-insert-link
RET	org-open-at-point-global
n	org-next-link
p	org-previous-link
w d	embark-org-copy-link-description
w f	embark-org-copy-link-in-full
w i ; w w	embark-org-copy-link-inner-target
w m	embark-org-copy-as-markdown
w t	embark-org-copy-link-target

5.220 embark-org-plain-list-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET ; r	org-list-repair
b	org-cycle-list-bullet
c	org-toggle-checkbox
h	org-toggle-heading
s	org-sort-list
t	org-list-make-subtree

5.221 embark-org-src-block-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
'	org-edit-special
/	org-babel-demarcate-block
C-SPC	org-babel-mark-block
N	org-narrow-to-block
RET	org-babel-execute-src-block
TAB	org-indent-block
c	embark-org-copy-block-contents
h	org-babel-check-src-block
k	org-babel-remove-result-one-or-many
l	org-babel-load-in-session
n	org-babel-next-src-block
p	org-babel-previous-src-block
s	org-babel-switch-to-session
t	org-babel-tangle

5.222 embark-org-table-cell-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
<	org-table-move-column-left
<down>	org-table-move-cell-down
<left>	org-table-move-cell-left
<right>	org-table-move-cell-right
<up>	org-table-move-cell-up
=	org-table-eval-formula
>	org-table-move-column-right
D	org-table-delete-column
O	org-table-insert-column
RET	org-table-align
^	org-table-move-row-up
c	org-table-copy-down
d	org-table-kill-row
e	org-table-edit-field
g	org-table-recalculate
h	org-table-insert-hline
o	org-table-insert-row
v	org-table-move-row-down

5.223 embark-org-table-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
=	org-table-edit-formulas
RET	org-table-align
c	org-table-convert
d	org-table-toggle-formula-debugger
e	org-table-export
f	org-table-follow-field-mode
g	org-table-iterate
o	org-table-toggle-coordinate-overlays
s	org-table-sort-lines
t	org-table-transpose-table-at-point
y	org-table-paste-rectangle

5.224 embark-package-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
I	embark-insert
M	elp-restore-package
RET ; h	describe-package
W	embark-save-package-url
a	package-autoremove
d	package-delete
g	package-refresh-contents
i	package-install
m	elp-instrument-package

Teclas / sequência	Comando / ação
r	package-reinstall
u	embark-browse-package-url

5.225 embark-paragraph-map

Herda de: embark-prose-map.

Teclas / sequência	Comando / ação
R	repunctuate-sentences
n	forward-paragraph
p	backward-paragraph
t	transpose-paragraphs

5.226 embark-prose-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	ispell-region
=	count-words-region
F	whitespace-cleanup-region
c	capitalize-region
f	fill-region
l	downcase-region
u	upcase-region

5.227 embark-region-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
$	ispell-region
'	expand-region-abbrevs
*	calc-grab-region
+	append-to-file
:	calc-grab-sum-down
;	comment-or-uncomment-region
<	embark-eval-replace
<left> ; <right>	indent-rigidly
=	count-words-region
> -	unmorse-region
> .	morse-region
> 1	embark-hash-sha1
> 2	embark-hash-sha256
> 3	embark-hash-sha384
> 4	embark-hash-sha224
> 5	embark-hash-sha512
> B	base64-decode-region
> C	embark-epa-decrypt-region

Teclas / sequência	Comando / ação
> F	format-decode-region
> N	denato-region
> U	embark-decode-url
> b	base64-encode-region
> c	epa-encrypt-region
> f	format-encode-region
> m	embark-hash-md5
> n	nato-region
> o a	org-ascii-convert-region-to-ascii
> o h	org-html-convert-region-to-html
> o l	org-latex-convert-region-to-latex
> o m	org-md-convert-region-to-md
> r	rot13-region
> s	studlify-region
> u	embark-encode-url
A	align-regexp
F	whitespace-cleanup-region
M	embark-org-copy-as-markdown
R	repunctuate-sentences
TAB	indent-region
W	write-region
_	calc-grab-sum-across
a	align
b	browse-url-of-region
c	capitalize-region
d	delete-duplicate-lines
e	eval-region
f	fill-region
h	shr-render-region
l	downcase-region
m	apply-macro-to-region-lines
n	narrow-to-region
o	org-table-convert-region
p	fill-region-as-paragraph
r	reverse-region
s P	sort-pages
s c	sort-columns
s f	sort-fields
s l	sort-lines
s n	sort-numeric-fields
s p	sort-paragraphs
s r	sort-regexp-fields
t	transpose-regions
u	upcase-region
v	vc-region-history
|	shell-command-on-region

5.228 embark-sentence-map

Herda de: embark-prose-map.

Teclas / sequência	Comando / ação
n	forward-sentence
p	backward-sentence
t	transpose-sentences

5.229 embark-sort-map

Teclas / sequência	Comando / ação
P	sort-pages
c	sort-columns
f	sort-fields
l	sort-lines
n	sort-numeric-fields
p	sort-paragraphs
r	sort-regexp-fields

5.230 embark-symbol-map

Herda de: embark-identifier-map.

Teclas / sequência	Comando / ação
RET ; d	embark-find-definition
\	embark-history-remove
a	apropos
e	pp-eval-expression
h	describe-symbol
s	embark-info-lookup-symbol

5.231 embark-tab-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET ; s	tab-bar-select-tab-by-name
k	tab-bar-close-tab-by-name
r	tab-bar-rename-tab-by-name

5.232 embark-unicode-name-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
I ; RET	insert-char
W	embark-save-unicode-character

5.233 embark-url-map

Herda de: embark-general-map.

Teclas / sequência	Comando / ação
RET ; b	browse-url
d	embark-download-url
e	eww
x	embark-open-externally

5.234 embark-variable-map

Herda de: embark-symbol-map.

Teclas / sequência	Comando / ação
<	embark-insert-variable-value
=	set-variable
c	customize-set-variable
t	embark-toggle-variable
u	customize-variable
v	embark-save-variable-value

5.235 embark-vc-file-map

Teclas / sequência	Comando / ação
d	vc-delete-file
i	vc-ignore
r	vc-rename-file

5.236 emojify-apropos-mode-map

Herda de: emojify-common-mode-map.

Teclas / sequência	Comando / ação
RET ; d	emojify-apropos-describe-emoji
c ; w	emojify-apropos-copy-emoji
g	emojify-apropos-emoji

5.237 emojify-common-mode-map

Teclas / sequência	Comando / ação
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
<	beginning-of-buffer
>	end-of-buffer
? ; H ; h	describe-mode
n	next-line
p	previous-line

Teclas / sequência	Comando / ação
q	emojify-quit-buffer
r	isearch-backward
s	isearch-forward

5.238 emojify-description-mode-map

Herda de: emojify-common-mode-map.

Teclas / sequência	Comando / ação
c ; w	emojify-description-copy-emoji

5.239 emojify-emoji-keymap

Teclas / sequência	Comando / ação
<remap> <backward-delete-char-untabify> ; <remap> <backward-delete-char> ; <remap> <delete-backward-char> ; <remap> <org-delete-backward-char>	emojify-delete-emoji-backward
<remap> <delete-char> ; <remap> <delete-forward-char>	emojify-delete-emoji-forward

5.240 emojify-list-mode-map

Herda de: emojify-common-mode-map.

Teclas / sequência	Comando / ação
RET ; d	emojify-list-describe-emoji
c ; w	emojify-list-copy-emoji
g	emojify-list-force-refresh

5.241 epa-info-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q	evil-quit
<normal-state> Z Z	quit-window
<normal-state> q	delete-window

5.242 epa-info-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q	evil-quit
Z Z	quit-window
q	delete-window

5.243 epa-key-list-mode-map

Teclas / sequência	Comando / ação
<backtab>	backward-button
<delete> ; S-SPC	scroll-down-command
<normal-state> <backtab> ; <normal-state> S-<tab>	widget-backward
<normal-state> <tab> ; <normal-state> TAB	widget-forward
<normal-state> E ; d	epa-decrypt-file
<normal-state> V ; v	epa-verify-file
<normal-state> Z Q	evil-quit
<normal-state> Z Z	quit-window
<normal-state> d ; r	epa-delete-keys
<normal-state> e ; e	epa-encrypt-file
<normal-state> g r ; g	revert-buffer
<normal-state> i ; i	epa-import-keys
<normal-state> m ; m	epa-mark-key
<normal-state> o ; o	epa-export-keys
<normal-state> q ; q	epa-exit-buffer
<normal-state> s ; s	epa-sign-file
<normal-state> u ; u	epa-unmark-key
RET	epa-show-key
SPC	scroll-up-command
TAB	forward-button
n	next-line
p	previous-line

5.244 epa-key-list-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	widget-backward
<tab> ; TAB	widget-forward
E	epa-decrypt-file
V	epa-verify-file
Z Q	evil-quit
Z Z	quit-window
d	epa-delete-keys
e	epa-encrypt-file
g r	revert-buffer
i	epa-import-keys
m	epa-mark-key
o	epa-export-keys
q	epa-exit-buffer
s	epa-sign-file
u	epa-unmark-key

5.245 epa-key-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q	evil-quit
<normal-state> Z Z	quit-window
<normal-state> q ; q	epa-exit-buffer

5.246 epa-key-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q	evil-quit
Z Z	quit-window
q	epa-exit-buffer

5.247 ert-results-mode-map

Teclas / sequência	Comando / ação
.	ert-results-find-test-at-point-other-window
<backtab>	backward-button
D	ert-delete-test
L	ert-results-toggle-printer-limits-for-test-at-point
R	ert-results-rerun-all-tests
T	ert-results-pop-to-timings
TAB	forward-button
b	ert-results-pop-to-backtrace-for-test-at-point
d	ert-results-rerun-test-at-point-debugging-errors
e	ert-results-pop-to-erts-file-tests-for-test-at-point
h	ert-results-describe-test-at-point
j	ert-results-jump-between-summary-and-result
l	ert-results-pop-to-should-forms-for-test-at-point
m	ert-results-pop-to-messages-for-test-at-point
n	ert-results-next-test
p	ert-results-previous-test
r	ert-results-rerun-test-at-point

5.248 esc-map

Teclas / sequência	Comando / ação
!	shell-command
$	ispell-word
%	query-replace
&	async-shell-command
'	abbrev-prefix-mark
(	insert-parentheses
)	move-past-close-and-reindent
,	xref-go-back
- ; C--	negative-argument
.	xref-find-definitions
/	dabbrev-expand
0	+workspace/switch-to-final

Teclas / sequência	Comando / ação
1	+workspace/switch-to-0
2	+workspace/switch-to-1
3	+workspace/switch-to-2
4	+workspace/switch-to-3
5	+workspace/switch-to-4
6	+workspace/switch-to-5
7	+workspace/switch-to-6
8	+workspace/switch-to-7
9	+workspace/switch-to-8
: ; M-:	eval-expression
;	comment-dwim
<	beginning-of-buffer
<begin> ; <home>	beginning-of-buffer-other-window
<end>	end-of-buffer-other-window
<f10>	toggle-frame-maximized
<left> ; b	backward-word
<next> ; C-v	scroll-other-window
<prior> ; C-S-v	scroll-other-window-down
<right> ; f	forward-word
=	count-words-region
>	end-of-buffer
?	xref-find-references
@	mark-word
C-%	query-replace-regexp
C-,	xref-go-forward
C-.	xref-find-apropos
C-/	dabbrev-completion
C-0 ; C-1 ; C-2 ; C-3 ; C-4 ; C-5 ; C-6 ; C-7	digit-argument
C-8 ; C-9	digit-argument
C-<backspace> ; C-<delete>	backward-kill-sexp
C-<down> ; C-d	down-list
C-<end> ; C-e	end-of-defun
C-<home> ; C-a	beginning-of-defun
C-<left> ; C-b	backward-sexp
C-<right> ; C-f	forward-sexp
C-<up> ; C-u	backward-up-list
C-@ ; C-SPC	mark-sexp
C-S-l	recenter-other-window
C-\	indent-region
C-_	undo-redo
C-c	exit-recursive-edit
C-h	mark-defun
C-j ; j	default-indent-new-line
C-k	kill-sexp
C-l	reposition-window
C-n	forward-list
C-o	split-line
C-p	backward-list
C-r	isearch-backward-regexp
C-s	isearch-forward-regexp
C-t	transpose-sexps

Teclas / sequência	Comando / ação
C-w	append-next-kill
DEL	backward-kill-word
ESC ESC	keyboard-escape-quit
SPC	cycle-spacing
TAB	complete-symbol
X	execute-extended-command-for-buffer
\	delete-horizontal-space
^	delete-indentation
`	tmm-menubar
a	backward-sentence
c	capitalize-word
d	kill-word
e	forward-sentence
g	**Mapa:** goto-map
h	mark-paragraph
i	tab-to-tab-stop
k	kill-sentence
l	downcase-word
m	back-to-indentation
q	fill-paragraph
r	+eval/buffer
s	**Mapa:** search-map
t	transpose-words
u	upcase-word
v	scroll-down-command
w	kill-ring-save
x	execute-extended-command
y	yank-pop
z	zap-to-char
{	backward-paragraph
|	shell-command-on-region
}	forward-paragraph
~	not-modified

5.249 eshell-arg-mode-map

Teclas / sequência	Comando / ação
C-c M-b	eshell-insert-buffer-name

5.250 eshell-command-map

Teclas / sequência	Comando / ação
C-a	move-beginning-of-line
C-b	eshell-backward-argument
C-e	eshell-show-maximum-output
C-f	eshell-forward-argument
C-o	eshell-delete-output
C-r	eshell-show-output
C-t	eshell-truncate-buffer

Teclas / sequência	Comando / ação
C-u	eshell-kill-input
C-w	backward-kill-word
C-y	eshell-repeat-argument
M-d	eshell-toggle-direct-send
M-o	eshell-mark-output
RET	eshell-copy-old-input

5.251 eshell-command-mode-map

Teclas / sequência	Comando / ação
C-g	abort-recursive-edit
C-j ; M-RET ; RET	eshell-command-mode-exit

5.252 eshell-command-repeat-map

Teclas / sequência	Comando / ação
C-b	eshell-backward-argument
C-f	eshell-forward-argument

5.253 eshell-mode-map

Teclas / sequência	Comando / ação
C-M-l	eshell-show-output
C-c	**Mapa:** eshell-command-map
M-RET	eshell-queue-input
RET	eshell-send-input

5.254 eshell-proc-mode-map

Teclas / sequência	Comando / ação
C-c C-\	eshell-quit-process
C-c C-c	eshell-interrupt-process
C-c C-d	eshell-send-eof-to-process
C-c C-k	eshell-kill-process
C-c C-s	list-processes
C-c M-i	eshell-insert-process

5.255 eshell-prompt-mode-map

Teclas / sequência	Comando / ação
<remap> <backward-paragraph>	eshell-backward-paragraph
<remap> <forward-paragraph>	eshell-forward-paragraph
C-c C-n	eshell-next-prompt

Teclas / sequência	Comando / ação
C-c C-p	eshell-previous-prompt

5.256 eshell-prompt-repeat-map

Teclas / sequência	Comando / ação
C-n	eshell-next-prompt
C-p	eshell-previous-prompt

5.257 eshell-var-mode-map

Teclas / sequência	Comando / ação
C-c M-v	eshell-insert-envvar

5.258 evil-collection-diff-mode-map

Teclas / sequência	Comando / ação
<normal-state> <return> ; <normal-state> RET	diff-goto-source
<normal-state> C-j ; <normal-state> g j	diff-hunk-next
<normal-state> C-k ; <normal-state> g k	diff-hunk-prev
<normal-state> [[	diff-file-prev
<normal-state> \	read-only-mode
<normal-state>]]	diff-file-next
<normal-state> g #	diff-ignore-whitespace-hunk
<normal-state> g %	evil-collection-diff-toggle-context-unified
<normal-state> g *	diff-refine-hunk
<normal-state> g A	diff-add-change-log-entries-other-window
<normal-state> g X	diff-file-kill
<normal-state> g a	diff-apply-hunk
<normal-state> g c	diff-test-hunk
<normal-state> g e	diff-ediff-patch
<normal-state> g i	next-error-follow-minor-mode
<normal-state> g o	evil-collection-diff-toggle-restrict-view
<normal-state> g s	diff-split-hunk
<normal-state> g x	diff-hunk-kill
<normal-state> g ~	diff-reverse-direction
<normal-state> q	quit-window

5.259 evil-collection-eldoc-doc-buffer-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q	evil-quit

Teclas / sequência	Comando / ação
<normal-state> Z Z ; <normal-state> q	quit-window

5.260 evil-collection-magit-toggle-text-minor-mode-map

Teclas / sequência	Comando / ação
<normal-state> C-t ; <normal-state> \	evil-collection-magit-toggle-text-mode

5.261 evil-command-line-map

Teclas / sequência	Comando / ação
<down>	next-complete-history-element
<escape> ; C-c	abort-recursive-edit
<next> ; C-n	next-history-element
<prior> ; C-p	previous-history-element
<return> ; RET	exit-minibuffer
<tab> ; C-a ; C-d ; C-l ; TAB	completion-at-point
<up>	previous-complete-history-element
C-b	move-beginning-of-line
C-f	evil-command-window
C-g	abort-minibuffers
C-k	evil-insert-digraph
C-r	evil-paste-from-register
C-u	evil-delete-whole-line
C-v	quoted-insert
C-w	evil-delete-backward-word
DEL	evil-ex-delete-backward-char
S-<left>	backward-word
S-<right>	forward-word

5.262 evil-command-window-mode-map

Teclas / sequência	Comando / ação
<insert-state> RET ; <normal-state> RET	evil-command-window-execute

5.263 evil-emacs-state-map

Teclas / sequência	Comando / ação
C-z	evil-exit-emacs-state

5.264 evil-eval-map

Teclas / sequência	Comando / ação
<down> ; C-n	next-complete-history-element
<escape> ; C-c ; C-g	abort-recursive-edit
<next>	next-history-element
<prior>	previous-history-element
<return> ; RET	exit-minibuffer
<up> ; C-p	previous-complete-history-element
C-b	move-beginning-of-line
C-k	evil-insert-digraph
C-r	evil-paste-from-register
C-u	evil-delete-whole-line
C-v	quoted-insert
C-w	evil-delete-backward-word
S-<left>	backward-word
S-<right>	forward-word

5.265 evil-ex-completion-map

Herda de: evil-command-line-map.

Teclas / sequência	Comando / ação
<insert-state> C-j ; C-j	next-complete-history-element
<insert-state> C-k ; C-k	previous-complete-history-element
C-a	evil-beginning-of-line
C-b	evil-backward-char
C-f	evil-forward-char
C-s	consult-history

5.266 evil-ex-search-keymap

Herda de: evil-command-line-map.

Teclas / sequência	Comando / ação
<insert-state> C-j ; C-j	next-complete-history-element
<insert-state> C-k ; C-k	previous-complete-history-element
C-a	evil-beginning-of-line
C-b	evil-backward-char
C-f	evil-forward-char

5.267 evil-inner-text-objects-map

Teclas / sequência	Comando / ação
"	evil-inner-double-quote
'	evil-inner-single-quote
(;) ; b	evil-inner-paren
< ; >	evil-inner-angle
B	evil-textobj-anyblock-inner-block
W	evil-inner-WORD
[;]	evil-inner-bracket

Teclas / sequência	Comando / ação
`	evil-inner-back-quote
a	evil-inner-arg
c	evilnc-inner-comment
f	+evil:defun-txtobj
g	+evil:whole-buffer-txtobj
i	evil-indent-plus-i-indent
j	evil-indent-plus-i-indent-up-down
k	evil-indent-plus-i-indent-up
o	evil-inner-symbol
p	evil-inner-paragraph
q	+evil:inner-any-quote
s	evil-inner-sentence
t	evil-inner-tag
u	+evil:inner-url-txtobj
w	evil-inner-word
x	evil-inner-xml-attr
{ ; }	evil-inner-curly

5.268 evil-list-view-mode-map

Teclas / sequência	Comando / ação
<return>	evil-list-view-goto-entry
q	evil-list-view-quit

5.269 evil-operator-state-map

Teclas / sequência	Comando / ação
C-g	evil-escape
S	evil-Surround-edit
a	**Mapa:** evil-outer-text-objects-map
i	**Mapa:** evil-inner-text-objects-map
s	evil-surround-edit

5.270 evil-org-agenda-mode-map

Teclas / sequência	Comando / ação
<motion-state> %	org-agenda-bulk-mark-regexp
<motion-state> *	org-agenda-bulk-mark-all
<motion-state> +	org-agenda-manipulate-query-add
<motion-state> -	org-agenda-manipulate-query-subtract
<motion-state> .	org-agenda-goto-today
<motion-state> 0	evil-org-agenda-digit-argument-or-evil-beginning-of-line
<motion-state> <backspace> ; <motion-state> <delete>	org-agenda-show-scroll-down
<motion-state> <return> ; <motion-state> RET	org-agenda-switch-to

Teclas / sequência	Comando / ação
<motion-state> <tab> ; <motion-state> S-<return> ; <motion-state> S-RET ; <motion-state> TAB ; <motion-state> g TAB	org-agenda-goto
<motion-state> A	org-agenda-append-agenda
<motion-state> C	org-agenda-capture
<motion-state> C-S-h	org-agenda-todo-previousset
<motion-state> C-S-l	org-agenda-todo-nextset
<motion-state> C-j ; <motion-state> g j	org-agenda-next-item
<motion-state> C-k ; <motion-state> g k	org-agenda-previous-item
<motion-state> H	org-agenda-do-date-earlier
<motion-state> I	org-agenda-clock-in
<motion-state> J	org-agenda-priority-down
<motion-state> K	org-agenda-priority-up
<motion-state> L	org-agenda-do-date-later
<motion-state> M	org-agenda-bulk-unmark-all
<motion-state> M-<return> ; <motion-state> M-RET	org-agenda-recenter
<motion-state> M-j	org-agenda-drag-line-forward
<motion-state> M-k	org-agenda-drag-line-backward
<motion-state> O	org-agenda-clock-out
<motion-state> P	org-agenda-show-the-flagging-note
<motion-state> S	org-agenda-filter-remove-all
<motion-state> Z D	org-agenda-dim-blocked-tasks
<motion-state> Z Q	org-agenda-exit
<motion-state> Z Z	org-agenda-quit
<motion-state> [	org-agenda-earlier
<motion-state>]	org-agenda-later
<motion-state> a	org-agenda-add-note
<motion-state> c T	org-timer-set-timer
<motion-state> c c	org-agenda-clock-cancel
<motion-state> c e	org-agenda-set-effort
<motion-state> c g	org-agenda-clock-goto
<motion-state> c r	org-agenda-clockreport-mode
<motion-state> c t	org-agenda-set-tags
<motion-state> d A	org-agenda-archive
<motion-state> d a	org-agenda-archive-default-with-confirmation
<motion-state> d d	org-agenda-kill
<motion-state> g C	org-agenda-convert-date
<motion-state> g D	org-agenda-view-mode-dispatch
<motion-state> g H	evil-window-top
<motion-state> g L	evil-window-bottom
<motion-state> g M	evil-window-middle
<motion-state> g R	org-agenda-redo-all
<motion-state> g c	org-agenda-goto-calendar
<motion-state> g d	org-agenda-goto-date
<motion-state> g h	org-agenda-holidays
<motion-state> g m	org-agenda-phases-of-moon
<motion-state> g r	org-agenda-redo
<motion-state> g s	org-agenda-sunrise-sunset
<motion-state> g t	org-agenda-show-tags

Teclas / sequência	Comando / ação
`<motion-state> i`	`org-agenda-diary-entry`
`<motion-state> j`	`org-agenda-next-line`
`<motion-state> k`	`org-agenda-previous-line`
`<motion-state> m`	`org-agenda-bulk-toggle`
`<motion-state> p`	`org-agenda-date-prompt`
`<motion-state> s ^`	`org-agenda-filter-by-top-headline`
`<motion-state> s c`	`org-agenda-filter-by-category`
`<motion-state> s e`	`org-agenda-filter-by-effort`
`<motion-state> s r`	`org-agenda-filter-by-regexp`
`<motion-state> s s`	`org-agenda-limit-interactively`
`<motion-state> s t`	`org-agenda-filter-by-tag`
`<motion-state> t`	`org-agenda-todo`
`<motion-state> u`	`org-agenda-undo`
`<motion-state> x`	`org-agenda-bulk-action`
`<motion-state> ~`	`org-agenda-bulk-toggle-all`

5.271 evil-org-mode-map

Teclas / sequência	Comando / ação
`<insert-state> C-<return> ; <normal-state> C-<return>`	`+org/insert-item-below`
`<insert-state> C-S-<return> ; <normal-state> C-S-<return>`	`+org/insert-item-above`
`<insert-state> C-S-h ; <normal-state> C-S-h`	`org-shiftleft`
`<insert-state> C-S-j ; <normal-state> C-S-j`	`org-shiftdown`
`<insert-state> C-S-k ; <normal-state> C-S-k`	`org-shiftup`
`<insert-state> C-S-l ; <normal-state> C-S-l`	`org-shiftright`
`<insert-state> C-d ; <insert-state> M-h ; <normal-state> M-h ; <visual-state> M-h`	`org-metaleft`
`<insert-state> C-t ; <insert-state> M-l ; <normal-state> M-l ; <visual-state> M-l`	`org-metaright`
`<insert-state> M-H ; <normal-state> M-H ; <visual-state> M-H`	`org-shiftmetaleft`
`<insert-state> M-J ; <normal-state> M-J ; <visual-state> M-J`	`org-shiftmetadown`
`<insert-state> M-K ; <normal-state> M-K ; <visual-state> M-K`	`org-shiftmetaup`
`<insert-state> M-L ; <normal-state> M-L ; <visual-state> M-L`	`org-shiftmetaright`
`<insert-state> M-j ; <normal-state> M-j ; <visual-state> M-j`	`org-metadown`
`<insert-state> M-k ; <normal-state> M-k ; <visual-state> M-k`	`org-metaup`
`<insert-state> RET`	`+org/return`
`<insert-state> S-<return> ; <insert-state> S-RET`	`+org/shift-return`

Teclas / sequência	Comando / ação
<motion-state> $	evil-org-end-of-line
<motion-state> (	evil-org-backward-sentence
<motion-state>)	evil-org-forward-sentence
<motion-state> 0	evil-org-beginning-of-line
<motion-state> RET	+org/dwim-at-point
<motion-state> [c	org-babel-previous-src-block
<motion-state> [h	org-backward-heading-same-level
<motion-state> [l	org-previous-link
<motion-state>] c	org-babel-next-src-block
<motion-state>] h	org-forward-heading-same-level
<motion-state>] l	org-next-link
<motion-state> g H ; <normal-state> g H ; <visual-state> g H	evil-org-top
<motion-state> g h ; <normal-state> g h ; <visual-state> g h	org-up-element
<motion-state> g j ; <normal-state> g j ; <visual-state> g j	org-forward-element
<motion-state> g k ; <normal-state> g k ; <visual-state> g k	org-backward-element
<motion-state> g l ; <normal-state> g l ; <visual-state> g l	org-down-element
<motion-state> g s h	+org/goto-visible
<motion-state> {	org-backward-paragraph
<motion-state> }	org-forward-paragraph
<normal-state> < ; <visual-state> <	evil-org-<
<normal-state> <backtab> ; <normal-state> z A ; <visual-state> <backtab>	org-shifttab
<normal-state> <tab> ; <normal-state> TAB ; <normal-state> g TAB ; <visual-state> <tab> ; <visual-state> TAB ; <visual-state> g TAB	org-cycle
<normal-state> > ; <visual-state> >	evil-org->
<normal-state> A	evil-org-append-line
<normal-state> I	evil-org-insert-line
<normal-state> O	evil-org-open-above
<normal-state> X	evil-org-delete-backward-char
<normal-state> d	evil-org-delete
<normal-state> g Q	+org/reformat-at-point
<normal-state> o	evil-org-open-below
<normal-state> x	evil-org-delete-char
<normal-state> z C	outline-hide-subtree
<normal-state> z M	+org/close-all-folds
<normal-state> z O	outline-show-subtree
<normal-state> z R	+org/open-all-folds
<normal-state> z a	+org/toggle-fold
<normal-state> z c	+org/close-fold
<normal-state> z i	org-toggle-inline-images
<normal-state> z m	+org/hide-next-fold-level
<normal-state> z n	org-tree-to-indirect-buffer
<normal-state> z o	+org/open-fold

Teclas / sequência	Comando / ação
<normal-state> z r	+org/show-next-fold-level
<operator-state> a E ; <visual -state> a E	evil-org-an-element
<operator-state> a R ; <visual -state> a R	evil-org-a-subtree
<operator-state> a e ; <visual -state> a e	evil-org-an-object
<operator-state> a r ; <visual -state> a r	evil-org-a-greater-element
<operator-state> i E ; <visual -state> i E	evil-org-inner-element
<operator-state> i R ; <visual -state> i R	evil-org-inner-subtree
<operator-state> i e ; <visual -state> i e	evil-org-inner-object
<operator-state> i r ; <visual -state> i r	evil-org-inner-greater-element
<visual-state> C-S-h	org-shiftcontrolleft
<visual-state> C-S-j	org-shiftcontroldown
<visual-state> C-S-k	org-shiftcontrolup
<visual-state> C-S-l	org-shiftcontrolright

5.272 evil-outer-text-objects-map

Teclas / sequência	Comando / ação
"	evil-a-double-quote
'	evil-a-single-quote
(;) ; b	evil-a-paren
< ; >	evil-an-angle
B	evil-textobj-anyblock-a-block
W	evil-a-WORD
[;]	evil-a-bracket
`	evil-a-back-quote
a	evil-outer-arg
c	evilnc-outer-commenter
f	+evil:defun-txtobj
g	+evil:whole-buffer-txtobj
i	evil-indent-plus-a-indent
j	evil-indent-plus-a-indent-up-down
k	evil-indent-plus-a-indent-up
o	evil-a-symbol
p	evil-a-paragraph
q	+evil:outer-any-quote
s	evil-a-sentence
t	evil-a-tag
u	+evil:outer-url-txtobj
w	evil-a-word
x	evil-outer-xml-attr
{ ; }	evil-a-curly

5.273 evil-read-key-map

Teclas / sequência	Comando / ação
C-] ; C-g ; ESC	keyboard-quit
C-k	evil-read-digraph-char
C-q ; C-v	evil-read-quoted-char
RET	Macro: C-j

5.274 evil-replace-state-map

Teclas / sequência	Comando / ação
<escape>	evil-normal-state
<insert>	evil-append
<remap> <delete-backward-char>	evil-delete-backward-char-and-join
C-@	evil-paste-last-insertion-and-stop-insert
C-a	evil-paste-last-insertion
C-d	evil-shift-left-line
C-e	evil-copy-from-below
C-g	evil-escape
C-k	evil-insert-digraph
C-n	evil-complete-next
C-o	evil-execute-in-normal-state
C-p	evil-complete-previous
C-q ; C-v	evil-quoted-insert
C-r	evil-paste-from-register
C-t	evil-shift-right-line
C-u	evil-delete-back-to-indentation
C-w	evil-delete-backward-word
C-x C-n	evil-complete-next-line
C-x C-p	evil-complete-previous-line
C-y	evil-copy-from-above
DEL	evil-replace-backspace
S-<left>	evil-backward-word-begin
S-<right>	evil-forward-word-begin

5.275 evil-snipe-local-mode-map

Teclas / sequência	Comando / ação
<motion-state> S ; <normal-state> S ; <operator-state> Z	evil-snipe-S
<motion-state> s ; <normal-state> s ; <operator-state> z	evil-snipe-s
<operator-state> X	evil-snipe-X
<operator-state> x	evil-snipe-x

5.276 evil-snipe-override-local-mode-map

Teclas / sequência	Comando / ação
<motion-state> ,	evil-snipe-repeat-reverse
<motion-state> ;	evil-snipe-repeat
<motion-state> F	evil-snipe-F
<motion-state> T	evil-snipe-T
<motion-state> f	evil-snipe-f
<motion-state> t	evil-snipe-t

5.277 evil-snipe-parent-transient-map

Teclas / sequência	Comando / ação
,	evil-snipe-repeat-reverse
;	evil-snipe-repeat
C-;	Função anônima (lambda)

5.278 evil-suppress-map

Teclas / sequência	Comando / ação
<remap> <self-insert-command>	undefined

5.279 evil-surround-mode-map

Teclas / sequência	Comando / ação
<operator-state> S	evil-Surround-edit
<operator-state> s	evil-surround-edit
<visual-state> S	evil-surround-region
<visual-state> g S	evil-Surround-region

5.280 evil-surround-read-tag-map

Teclas / sequência	Comando / ação
<XF86Back> ; <prior> ; M-p	previous-history-element
<XF86Forward> ; <next> ; M-n	next-history-element
<down>	next-line-or-history-element
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
<up>	previous-line-or-history-element
>	Função compilada anônima
C-;	embark-act
C-<tab>	file-cache-minibuffer-complete
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-c C-;	embark-export
C-c C-e	+vertico/embark-export-write

Teclas / sequência	Comando / ação
C-c C-l	embark-collect
C-g	minibuffer-keyboard-quit
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-x <down>	minibuffer-complete-defaults
C-x <up>	minibuffer-complete-history
C-z	Função anônima (lambda)
M-<	minibuffer-beginning-of-buffer
M-A	marginalia-cycle
M-r	previous-matching-history-element
M-s	next-matching-history-element
RET	exit-minibuffer
TAB	self-insert-command

5.281 evil-window-map

Teclas / sequência	Comando / ação
+	evil-window-increase-height
-	evil-window-decrease-height
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	evil-window-digit-argument
8 ; 9	evil-window-digit-argument
:	evil-ex
<	evil-window-decrease-width
<down> ; C-<down> ; C-j ; j	evil-window-down
<left> ; C-<left> ; C-h ; h	evil-window-left
<right> ; C-<right> ; C-l ; l	evil-window-right
<up> ; C-<up> ; C-k ; k	evil-window-up
= ; C-=	balance-windows
>	evil-window-increase-width
C-S-h	evil-window-move-far-left
C-S-j	evil-window-move-very-bottom
C-S-k	evil-window-move-very-top
C-S-l	evil-window-move-far-right
C-S-r ; R	evil-window-rotate-upwards
C-S-s ; C-s ; s	evil-window-split
C-S-w	ace-swap-window
C-_ ; _	evil-window-set-height
C-b ; b	evil-window-bottom-right
C-c	ace-delete-window
C-f ; f	ffap-other-window
C-n ; n	evil-window-new
C-o	delete-other-windows
C-p ; p	evil-window-mru
C-q ; q	evil-quit
C-r	winner-redo
C-t ; t	evil-window-top-left
C-u ; u	winner-undo
C-v ; v	evil-window-vsplit

Teclas / sequência	Comando / ação
C-w	other-window
C-x ; x	evil-window-exchange
H	+evil/window-move-left
J	+evil/window-move-down
K	+evil/window-move-up
L	+evil/window-move-right
S	+evil/window-split-and-follow
T	tear-off-window
V	+evil/window-vsplit-and-follow
W	evil-window-prev
c ; d	evil-window-delete
g T	tab-bar-switch-to-prev-tab
g t	evil-tab-next
m m	doom/window-maximize-buffer
m s	doom/window-maximize-horizontally
m v	doom/window-maximize-vertically
o	doom/window-enlargen
r	evil-window-rotate-downwards
w	evil-window-next
|	evil-window-set-width

5.282 evilem-map

Teclas / sequência	Comando / ação
#	evilem-motion-search-word-backward
(	evilem-motion-backward-sentence-begin
)	evilem-motion-forward-sentence-begin
*	evilem-motion-search-word-forward
+	evilem-motion-next-line-first-non-blank
-	evilem-motion-previous-line-first-non-blank
/	evil-avy-goto-char-timer
A	evilem--motion-function-evil-backward-arg
B	evilem-motion-backward-WORD-begin
E	evilem-motion-forward-WORD-end
F	evilem-motion-find-char-backward
N	evilem-motion-search-previous
SPC	Função anônima (lambda)
T	evilem-motion-find-char-to-backward
W	evilem-motion-forward-WORD-begin
[[	evilem-motion-backward-section-begin
[ ]	evilem-motion-backward-section-end
] [	evilem-motion-forward-section-end
]]	evilem-motion-forward-section-begin
a	evilem--motion-function-evil-forward-arg
b	evilem-motion-backward-word-begin
e	evilem-motion-forward-word-end
f	evilem-motion-find-char
g E	evilem-motion-backward-WORD-end
g e	evilem-motion-backward-word-end
g j	evilem-motion-next-visual-line

Teclas / sequência	Comando / ação
g k	evilem-motion-previous-visual-line
j	evilem-motion-next-line
k	evilem-motion-previous-line
n	evilem-motion-search-next
s	evil-avy-goto-char-2
t	evilem-motion-find-char-to
w	evilem-motion-forward-word-begin

5.283 eww-bookmark-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	eww-bookmark-browse
<normal-state> P ; C-y	eww-bookmark-yank
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> d ; C-k	eww-bookmark-kill
<normal-state> g r	revert-buffer

5.284 eww-bookmark-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	eww-bookmark-browse
P	eww-bookmark-yank
Z Q	evil-quit
Z Z ; q	quit-window
d	eww-bookmark-kill
g r	revert-buffer

5.285 eww-buffers-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	eww-buffer-select
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k ; p	eww-buffer-show-previous
<normal-state>]] ; <normal-state> g j ; n	eww-buffer-show-next
<normal-state> d ; C-k	eww-buffer-kill
<normal-state> g r	revert-buffer

5.286 eww-buffers-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	eww-buffer-select
Z Q	evil-quit
Z Z ; q	quit-window
[[; g k	eww-buffer-show-previous
]] ; g j	eww-buffer-show-next
d	eww-buffer-kill
g r	revert-buffer

5.287 eww-checkbox-map

Teclas / sequência	Comando / ação
C-c C-c	eww-submit
RET ; SPC	eww-toggle-checkbox

5.288 eww-history-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	eww-history-browse
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> g r	revert-buffer
n	next-line
p	previous-line

5.289 eww-history-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	eww-history-browse
Z Q	evil-quit
Z Z ; q	quit-window
g r	revert-buffer

5.290 eww-image-link-keymap

Herda de: `shr-image-map`.

Teclas / sequência	Comando / ação
RET	eww-follow-link

5.291 eww-link-keymap

Herda de: shr-map.

Teclas / sequência	Comando / ação
RET	eww-follow-link

5.292 eww-minibuffer-url-keymap

Herda de: minibuffer-local-completion-map.

Teclas / sequência	Comando / ação
? ; SPC	self-insert-command

5.293 eww-mode-map

Teclas / sequência	Comando / ação
& ; <emacs-state> M-SPC m e ; <insert-state> M-SPC m e ; <motion-state> SPC m e ; <normal-state> & ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> SPC m e	eww-browse-with-external-browser
<normal-state> g o ; <normal-state> g x ; <visual-state> SPC m e	eww-browse-with-external-browser
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab> ; C-M-i	shr-previous-link
<delete> ; <normal-state> S-<space> ; <normal-state> S-SPC	scroll-down-command
<emacs-state> M-SPC m b ; <insert-state> M-SPC m b ; <motion-state> SPC m b ; <normal-state> SPC m b ; <visual-state> SPC m b ; s	eww-switch-to-buffer
<emacs-state> M-SPC m l ; <insert-state> M-SPC m l ; <motion-state> SPC m l ; <normal-state> SPC m l ; <visual-state> SPC m l	+eww/jump-to-url-on-page
<emacs-state> M-SPC m t c ; <insert-state> M-SPC m t c ; <motion-state> SPC m t c ; <normal-state> SPC m t c ; <visual-state> SPC m t c ; M-C	eww-toggle-colors

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m t f ; <insert-state> M-SPC m t f ; <motion-state> SPC m t f ; <normal-state> SPC m t f ; <normal-state> z f ; <visual-state> SPC m t f ; F	eww-toggle-fonts
<emacs-state> M-SPC m t i ; <insert-state> M-SPC m t i ; <motion-state> SPC m t i ; <normal-state> SPC m t i ; <visual-state> SPC m t i ; M-I	eww-toggle-images
<emacs-state> M-SPC m t r ; <insert-state> M-SPC m t r ; <motion-state> SPC m t r ; <normal-state> R ; <normal-state> SPC m t r ; <normal-state> r ; <visual-state> SPC m t r ; R	eww-readable
<emacs-state> M-SPC m y o ; <insert-state> M-SPC m y o ; <motion-state> SPC m y o ; <normal-state> SPC m y o ; <visual-state> SPC m y o	org-eww-copy-for-org-mode
<emacs-state> M-SPC m y y ; <insert-state> M-SPC m y y ; <motion-state> SPC m y y ; <normal-state> SPC m y y ; <normal-state> y y ; <visual-state> SPC m y y	+eww/copy-current-url
<insert-state> C-<return> ; <normal-state> C-<return>	+eww/open-in-other-window
<normal-state> <tab> ; <normal-state> TAB ; TAB	shr-next-link
<normal-state> DEL ; <normal-state> H ; l	eww-back-url
<normal-state> L ; r	eww-forward-url
<normal-state> U ; t	eww-top-url
<normal-state> Z Q ; <normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k ; p	eww-previous-url
<normal-state>]] ; <normal-state> g j ; n	eww-next-url
<normal-state> ^ ; <normal-state> u ; u	eww-up-url
<normal-state> d ; d	eww-download
<normal-state> g b ; B	eww-list-bookmarks
<normal-state> g c ; C	url-cookie-list
<normal-state> g h ; H	eww-list-histories
<normal-state> g r ; g	eww-reload
<normal-state> g t ; S	eww-list-buffers
<normal-state> m ; b	eww-add-bookmark
<normal-state> o ; G	eww
<normal-state> z d ; D	eww-toggle-paragraph-direction
<normal-state> z e ; E	eww-set-character-encoding
<normal-state> z j	text-scale-decrease

Teclas / sequência	Comando / ação
<normal-state> z k	text-scale-increase
<remap> <imenu>	+eww/jump-to-heading-on-page
<remap> <quit-window>	+eww/quit
<remap> <text-scale-decrease>	+eww/decrease-font-size
<remap> <text-scale-increase>	+eww/increase-font-size
A	eww-copy-alternate-url
M-RET	eww-open-in-new-buffer
M-n	eww-next-bookmark
M-p	eww-previous-bookmark
v	eww-view-source
w	eww-copy-page-url

5.294 eww-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m b	eww-switch-to-buffer
M-SPC m e	eww-browse-with-external-browser
M-SPC m l	+eww/jump-to-url-on-page
M-SPC m t c	eww-toggle-colors
M-SPC m t f	eww-toggle-fonts
M-SPC m t i	eww-toggle-images
M-SPC m t r	eww-readable
M-SPC m y o	org-eww-copy-for-org-mode
M-SPC m y y	+eww/copy-current-url

5.295 eww-mode-map [Evil insert]

Teclas / sequência	Comando / ação
C-<return>	+eww/open-in-other-window
M-SPC m b	eww-switch-to-buffer
M-SPC m e	eww-browse-with-external-browser
M-SPC m l	+eww/jump-to-url-on-page
M-SPC m t c	eww-toggle-colors
M-SPC m t f	eww-toggle-fonts
M-SPC m t i	eww-toggle-images
M-SPC m t r	eww-readable
M-SPC m y o	org-eww-copy-for-org-mode
M-SPC m y y	+eww/copy-current-url

5.296 eww-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m b	eww-switch-to-buffer
SPC m e	eww-browse-with-external-browser
SPC m l	+eww/jump-to-url-on-page
SPC m t c	eww-toggle-colors
SPC m t f	eww-toggle-fonts

Teclas / sequência	Comando / ação
SPC m t i	eww-toggle-images
SPC m t r	eww-readable
SPC m y o	org-eww-copy-for-org-mode
SPC m y y	+eww/copy-current-url

5.297 eww-mode-map [Evil normal]

Teclas / sequência	Comando / ação
& ; S-<return> ; S-RET ; SPC m e ; g o ; g x	eww-browse-with-external-browser
<backtab> ; S-<tab>	shr-previous-link
<tab> ; TAB	shr-next-link
C-<return>	+eww/open-in-other-window
DEL ; H	eww-back-url
L	eww-forward-url
R ; SPC m t r ; r	eww-readable
S-<space> ; S-SPC	scroll-down-command
SPC m b	eww-switch-to-buffer
SPC m l	+eww/jump-to-url-on-page
SPC m t c	eww-toggle-colors
SPC m t f ; z f	eww-toggle-fonts
SPC m t i	eww-toggle-images
SPC m y o	org-eww-copy-for-org-mode
SPC m y y ; y y	+eww/copy-current-url
U	eww-top-url
Z Q ; Z Z ; q	quit-window
[[; g k	eww-previous-url
]] ; g j	eww-next-url
^ ; u	eww-up-url
d	eww-download
g b	eww-list-bookmarks
g c	url-cookie-list
g h	eww-list-histories
g r	eww-reload
g t	eww-list-buffers
m	eww-add-bookmark
o	eww
z d	eww-toggle-paragraph-direction
z e	eww-set-character-encoding
z j	text-scale-decrease
z k	text-scale-increase

5.298 eww-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m b	eww-switch-to-buffer
SPC m e	eww-browse-with-external-browser
SPC m l	+eww/jump-to-url-on-page
SPC m t c	eww-toggle-colors

Teclas / sequência	Comando / ação
SPC m t f	eww-toggle-fonts
SPC m t i	eww-toggle-images
SPC m t r	eww-readable
SPC m y o	org-eww-copy-for-org-mode
SPC m y y	+eww/copy-current-url

5.299 eww-select-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
C-c C-c	eww-submit
RET	eww-change-select

5.300 eww-submit-map

Teclas / sequência	Comando / ação
C-c C-c ; RET	eww-submit

5.301 eww-text-map

Herda de: text-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; C-M-i	shr-previous-link
C-a	eww-beginning-of-text
C-c C-c ; RET	eww-submit
C-e	eww-end-of-text
TAB	shr-next-link

5.302 eww-textarea-map

Herda de: text-mode-map.

Teclas / sequência	Comando / ação
<backtab> ; C-M-i	shr-previous-link
C-c C-c	eww-submit
RET	forward-line
TAB	shr-next-link

5.303 eww-tool-bar-map

Teclas / sequência	Comando / ação
<Add bookmark>	eww-add-bookmark
<Back to previous page>	eww-back-url
<Close browser>	quit-window

Teclas / sequência	Comando / ação
<Copy page URL>	eww-copy-page-url
<Forward to next page>	eww-forward-url
<Reload>	eww-reload
<View page source>	eww-view-source

5.304 facemenu-keymap

Teclas / sequência	Comando / ação
M-o	font-lock-fontify-block
b	facemenu-set-bold
d	facemenu-set-default
i	facemenu-set-italic
l	facemenu-set-bold-italic
o	facemenu-set-face
u	facemenu-set-underline

5.305 find-function-mode-map

Teclas / sequência	Comando / ação
C-x 4 F	find-function-other-window
C-x 4 K	find-function-on-key-other-window
C-x 4 L	find-library-other-window
C-x 4 V	find-variable-other-window
C-x 5 F	find-function-other-frame
C-x 5 K	find-function-on-key-other-frame
C-x 5 L	find-library-other-frame
C-x 5 V	find-variable-other-frame
C-x F	find-function
C-x K	find-function-on-key
C-x L	find-library
C-x V	find-variable

5.306 finder-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
<normal-state> <return> ; <normal-state> RET ; RET ; SPC ; f	finder-select
<normal-state> d ; d	finder-list-keywords
<normal-state> q ; q	finder-exit
<normal-state> s ; ?	finder-summary
n	next-line
p	previous-line

5.307 flycheck-command-map

Teclas / sequência	Comando / ação
?	flycheck-describe-checker
C	flycheck-clear
C-c	flycheck-compile
C-w	flycheck-copy-errors-as-kill
F	flycheck-fix-all-errors
H	display-local-help
V	flycheck-version
c	flycheck-buffer
e	flycheck-explain-error-at-point
f	flycheck-fix-error-at-point
h	flycheck-display-error-at-point
i	flycheck-manual
j	flycheck-visit-related-location
l	flycheck-list-errors
n	flycheck-next-error
p	flycheck-previous-error
s	flycheck-select-checker
v	flycheck-verify-setup
x	flycheck-disable-checker

5.308 flycheck-error-list-mode-map

Teclas / sequência	Comando / ação
/	flycheck-error-list-set-message-filter
<normal-state> <return> ; <normal-state> RET ; RET	flycheck-error-list-goto-error
<normal-state> C-n ; <normal-state>]] ; <normal-state> g j ; <normal-state> j ; n	flycheck-error-list-next-error
<normal-state> C-p ; <normal-state> [[; <normal-state> g k ; <normal-state> k ; p	flycheck-error-list-previous-error
<normal-state> S ; F	flycheck-error-list-reset-filter
<normal-state> g r ; g	flycheck-error-list-check-source
<normal-state> q	quit-window
<normal-state> s ; f	flycheck-error-list-set-filter
<normal-state> x ; e	flycheck-error-list-explain-error
M-1	flycheck-error-list-group-by-none
M-2	flycheck-error-list-group-by-file
M-3	flycheck-error-list-group-by-checker
M-4	flycheck-error-list-group-by-level
P	flycheck-error-list-toggle-scope
TAB	flycheck-error-list-toggle-group-at-point
X	flycheck-error-list-fix-all
c	flycheck-error-list-set-checker-filter
j	flycheck-error-list-visit-related-location
x	flycheck-error-list-apply-fix

5.309 flycheck-error-list-mode-map [Evil normal]

Teclas / sequência	Comando / ação
`<return> ; RET`	`flycheck-error-list-goto-error`
`C-n ; ] ] ; g j ; j`	`flycheck-error-list-next-error`
`C-p ; [ [ ; g k ; k`	`flycheck-error-list-previous-error`
`S`	`flycheck-error-list-reset-filter`
`g r`	`flycheck-error-list-check-source`
`q`	`quit-window`
`s`	`flycheck-error-list-set-filter`
`x`	`flycheck-error-list-explain-error`

5.310 flycheck-mode-map

Teclas / sequência	Comando / ação
`C-c !`	**Mapa:** flycheck-command-map

5.311 flycheck-mode-menu-map

Teclas / sequência	Comando / ação
`<Apply all fixes in buffer>`	`flycheck-fix-all-errors`
`<Apply fix at point>`	`flycheck-fix-error-at-point`
`<Check current buffer>`	`flycheck-buffer`
`<Clear errors in buffer>`	`flycheck-clear`
`<Copy messages at point>`	`flycheck-copy-errors-as-kill`
`<Describe syntax checker>`	`flycheck-describe-checker`
`<Disable syntax checker>`	`flycheck-disable-checker`
`<Enable on-the-fly syntax chec king>`	`flycheck-mode`
`<Explain error at point>`	`flycheck-explain-error-at-point`
`<Flycheck quick help>`	`flycheck-quick-help`
`<Go to next error>`	`flycheck-next-error`
`<Go to previous error>`	`flycheck-previous-error`
`<Read the Flycheck manual>`	`flycheck-manual`
`<Run checker as compile comman d>`	`flycheck-compile`
`<Select syntax checker>`	`flycheck-select-checker`
`<Set executable of syntax chec ker>`	`flycheck-set-checker-executable`
`<Show Flycheck version>`	`flycheck-version`
`<Show all errors>`	`flycheck-list-errors`
`<Show messages inline>`	`flycheck-annotate-mode`
`<Verify setup>`	`flycheck-verify-setup`
`<Visit related location>`	`flycheck-visit-related-location`

5.312 flycheck-related-location-repeat-map

Teclas / sequência	Comando / ação
n	flycheck-next-related-location
p	flycheck-previous-related-location

5.313 flymake-diagnostics-buffer-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	flymake-goto-diagnostic
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o ; C-o ; SPC	flymake-show-diagnostic
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k	flymake-goto-prev-error
<normal-state>]] ; <normal-state> g j	flymake-goto-next-error

Teclas / sequência	Comando / ação
n	next-error-this-buffer-no-select
p	previous-error-this-buffer-no-select

5.314 flymake-diagnostics-buffer-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	flymake-goto-diagnostic
M-<return> ; M-RET ; S-<return> ; S-RET ; g O ; g o	flymake-show-diagnostic
Z Q	evil-quit
Z Z ; q	quit-window
[[; g k	flymake-goto-prev-error
]] ; g j	flymake-goto-next-error

5.315 flymake-project-diagnostics-mode-map

Herda de: flymake-diagnostics-buffer-mode-map.

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET	flymake-goto-diagnostic
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o	flymake-show-diagnostic
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k	flymake-goto-prev-error
<normal-state>]] ; <normal-state> g j	flymake-goto-next-error

5.316 flyspell-mode-map

Teclas / sequência	Comando / ação
C-,	flyspell-goto-next-error
C-. ; C-M-i	flyspell-auto-correct-word
C-;	flyspell-auto-correct-previous-word

Teclas / sequência	Comando / ação
C-c $	flyspell-correct-word-before-point

5.317 forge-common-map

Teclas / sequência	Comando / ação
C-<return> ; C-c RET	forge--item-menu
C-c C-c	forge--list-menu

5.318 forge-discussion-mode-map [Evil visual]

Teclas / sequência	Comando / ação
"	magit-subtree
$	evil-end-of-line
'	magit-submodule
*	magit-worktree
-	magit-revert-no-commit
/	evil-ex-search-forward
0	evil-beginning-of-line
: ; C-w :	evil-ex
=	magit-diff-less-context
@	forge-dispatch
C-b	evil-scroll-page-up
C-d	evil-scroll-down
C-f	evil-scroll-page-down
C-j	magit-section-forward
C-k	magit-section-backward
C-u	evil-scroll-up
C-w +	evil-window-increase-height
C-w -	evil-window-decrease-height
C-w 0 ; C-w 1 ; C-w 2 ; C-w 3 ; C-w 4 ; C-w 5 ; C-w 6 ; C-w 7	evil-window-digit-argument
C-w 8 ; C-w 9	evil-window-digit-argument
C-w <	evil-window-decrease-width
C-w <down> ; C-w C-<down> ; C-w C-j ; C-w j	evil-window-down
C-w <left> ; C-w C-<left> ; C-w C-h ; C-w h	evil-window-left
C-w <right> ; C-w C-<right> ; C-w C-l ; C-w l	evil-window-right
C-w <up> ; C-w C-<up> ; C-w C-k ; C-w k	evil-window-up
C-w = ; C-w C-=	balance-windows
C-w >	evil-window-increase-width
C-w C-S-h	evil-window-move-far-left
C-w C-S-j	evil-window-move-very-bottom
C-w C-S-k	evil-window-move-very-top
C-w C-S-l	evil-window-move-far-right
C-w C-S-r ; C-w R	evil-window-rotate-upwards

Teclas / sequência	Comando / ação
C-w C-S-s ; C-w C-s ; C-w s	evil-window-split
C-w C-S-w	ace-swap-window
C-w C-_ ; C-w _	evil-window-set-height
C-w C-b ; C-w b	evil-window-bottom-right
C-w C-c	ace-delete-window
C-w C-f ; C-w f	ffap-other-window
C-w C-n ; C-w n	evil-window-new
C-w C-o	delete-other-windows
C-w C-p ; C-w p	evil-window-mru
C-w C-q ; C-w q	evil-quit
C-w C-r	winner-redo
C-w C-t ; C-w t	evil-window-top-left
C-w C-u ; C-w u	winner-undo
C-w C-v ; C-w v	evil-window-vsplit
C-w C-w	other-window
C-w C-x ; C-w x	evil-window-exchange
C-w H	+evil/window-move-left
C-w J	+evil/window-move-down
C-w K	+evil/window-move-up
C-w L	+evil/window-move-right
C-w S	+evil/window-split-and-follow
C-w T	tear-off-window
C-w V	+evil/window-vsplit-and-follow
C-w W	evil-window-prev
C-w c ; C-w d	evil-window-delete
C-w g T	tab-bar-switch-to-prev-tab
C-w g t	evil-tab-next
C-w m m	doom/window-maximize-buffer
C-w m s	doom/window-maximize-horizontally
C-w m v	doom/window-maximize-vertically
C-w o	doom/window-enlargen
C-w r	evil-window-rotate-downwards
C-w w	evil-window-next
C-w |	evil-window-set-width
G	evil-goto-line
M-j ;] ; g j	magit-section-forward-sibling
M-k ; [; g k	magit-section-backward-sibling
N	evil-ex-search-previous
O	magit-reset
Q	+magit/quit-all
S-DEL	magit-diff-show-or-scroll-down
S-SPC	magit-diff-show-or-scroll-up
V	evil-visual-line
X	magit-file-untrack
Z	magit-stash
_	magit-revert
`	magit-process-buffer
g = ; ~	magit-diff-default-context
g R	magit-refresh-all
g g	evil-goto-first-line
g i	forge-jump-to-issues
g m	forge-jump-to-pullreqs

Teclas / sequência	Comando / ação
g r	magit-refresh
j	evil-next-line
k	evil-previous-line
n	evil-ex-search-next
o	magit-reset-quickly
p	magit-push
q	+magit/quit
v	evil-visual-char
x	magit-delete-thing
y	magit-copy-section-value
z 1	magit-section-show-level-1-all
z 2	magit-section-show-level-2-all
z 3	magit-section-show-level-3-all
z 4 ; z r	magit-section-show-level-4-all
z C	magit-section-hide-children
z O	magit-section-show-children
z a	magit-section-toggle
z b	evil-scroll-line-to-bottom
z c	magit-section-hide
z o	magit-section-show
z t	evil-scroll-line-to-top
z z	evil-scroll-line-to-center
|	magit-git-command

5.319 forge-discussion-section-map

Herda de: forge-common-map.

Teclas / sequência	Comando / ação
<remap> <forge--item-menu>	forge-topic-menu
<remap> <forge--list-menu>	forge-topics-menu
<remap> <magit-visit-thing>	forge-visit-this-topic

5.320 forge-discussions-section-map

Teclas / sequência	Comando / ação
<remap> <forge--item-menu>	forge-topic-menu
<remap> <forge--list-menu>	forge-topics-menu
<remap> <magit-browse-thing>	forge-browse-discussions
<remap> <magit-visit-thing>	forge-list-discussions
C-c C-n	forge-create-discussion

5.321 forge-forge-repo-section-map

Teclas / sequência	Comando / ação
<remap> <magit-browse-thing>	forge-browse-this-repository
<remap> <magit-visit-thing>	forge-visit-this-repository

5.322 forge-issue-section-map

Herda de: forge-common-map.

Teclas / sequência	Comando / ação
`<remap> <forge--item-menu>`	`forge-topic-menu`
`<remap> <forge--list-menu>`	`forge-topics-menu`
`<remap> <magit-visit-thing>`	`forge-visit-this-topic`

5.323 forge-issues-section-map

Herda de: forge-common-map.

Teclas / sequência	Comando / ação
`<remap> <forge--item-menu>`	`forge-topic-menu`
`<remap> <forge--list-menu>`	`forge-topics-menu`
`<remap> <magit-browse-thing>`	`forge-browse-issues`
`<remap> <magit-visit-thing>`	`forge-list-issues`
`C-c C-n`	`forge-create-issue`

5.324 forge-note-section-map

Teclas / sequência	Comando / ação
`<remap> <magit-edit-thing>`	`forge-edit-topic-note`

5.325 forge-notifications-mode-map

Teclas / sequência	Comando / ação
`<remap> <forge--list-menu>`	`forge-notifications-menu`
`<remap> <magit-refresh>`	`magit-refresh-buffer`

5.326 forge-post-mode-map

Teclas / sequência	Comando / ação
`<remap> <evil-quit> ; <remap> <ido-kill-buffer> ; <remap> <i switchb-kill-buffer> ; <remap> <kill-buffer> ; C-c C-k`	`forge-post-cancel`
`<remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; C-c C-c`	`forge-post-submit`
`<remap> <forge--item-menu> ; C-c C-e`	`forge-post-menu`

5.327 forge-post-section-map

Teclas / sequência	Comando / ação
`<remap> <magit-edit-thing>`	`forge-edit-post`
`C-c C-k`	`forge-delete-comment`

5.328 forge-pullreq-section-map

Herda de: forge-common-map.

Teclas / sequência	Comando / ação
`<remap> <forge--item-menu>`	`forge-topic-menu`
`<remap> <forge--list-menu>`	`forge-topics-menu`
`<remap> <magit-visit-thing>`	`forge-visit-this-topic`

5.329 forge-pullreqs-section-map

Herda de: forge-common-map.

Teclas / sequência	Comando / ação
`<remap> <forge--item-menu>`	`forge-topic-menu`
`<remap> <forge--list-menu>`	`forge-topics-menu`
`<remap> <magit-browse-thing>`	`forge-browse-pullreqs`
`<remap> <magit-visit-thing>`	`forge-list-pullreqs`
`C-c C-n`	`forge-create-pullreq`

5.330 forge-read-topic-minibuffer-map

Teclas / sequência	Comando / ação
`+`	`forge-read-topic-lift-limit`

5.331 forge-repository-list-mode-map

Teclas / sequência	Comando / ação
`<remap> <forge--list-menu>`	`forge-repositories-menu`
`<return> ; RET`	`forge-visit-this-repository`
`n`	`forge-dispatch`
`o`	`forge-browse-this-repository`

5.332 forge-topic-assignees-section-map

Teclas / sequência	Comando / ação
`<remap> <magit-edit-thing>`	`forge-topic-set-assignees`

5.333 forge-topic-category-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-set-category

5.334 forge-topic-draft-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-toggle-draft

5.335 forge-topic-labels-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-set-labels

5.336 forge-topic-marks-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-set-marks

5.337 forge-topic-milestone-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-set-milestone

5.338 forge-topic-mode-map

Teclas / sequência	Comando / ação
<remap> <forge--item-menu> ; <remap> <forge--list-menu>	forge-topic-menu
<remap> <magit-visit-thing>	markdown-follow-link-at-point
C-c C-n ; C-c C-r	forge-create-post
G	forge-pull-this-topic

5.339 forge-topic-review-requests-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-set-review-requests

5.340 forge-topic-saved-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-toggle-saved

5.341 forge-topic-state-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-state-menu

5.342 forge-topic-status-section-map

Teclas / sequência	Comando / ação
<remap> <magit-edit-thing>	forge-topic-status-menu

5.343 forge-topics-mode-map

Teclas / sequência	Comando / ação
<remap> <forge--item-menu>	forge-topic-menu
<remap> <forge--list-menu>	forge-topics-menu
<remap> <magit-refresh>	forge-refresh-buffer
<return> ; RET	forge-visit-this-topic
o	forge-browse-this-topic

5.344 general-override-mode-map

Teclas / sequência	Comando / ação
<emacs-state> <intercept-state>	emacs
<emacs-state> M-SPC ' ; <insert-state> M-SPC ' ; <motion-state> SPC ' ; <normal-state> SPC ' ; <visual-state> SPC '	vertico-repeat
<emacs-state> M-SPC * ; <insert-state> M-SPC * ; <motion-state> SPC * ; <normal-state> SPC * ; <visual-state> SPC *	+default/search-project-for-symbol-at-point
<emacs-state> M-SPC , ; <insert-state> M-SPC , ; <motion-state> SPC , ; <normal-state> SPC , ; <visual-state> SPC ,	persp-switch-to-buffer
<emacs-state> M-SPC . ; <insert-state> M-SPC . ; <motion-state> SPC . ; <normal-state> SPC . ; <visual-state> SPC .	find-file
<emacs-state> M-SPC / ; <insert-state> M-SPC / ; <motion-state> SPC / ; <normal-state> SPC / ; <visual-state> SPC /	+default/search-project

Teclas / sequência	Comando / ação
<emacs-state> M-SPC : ; <insert-state> M-SPC : ; <motion-state> SPC : ; <normal-state> SPC : ; <visual-state> SPC : ; A-x ; M-x	execute-extended-command
<emacs-state> M-SPC ; ; <insert-state> M-SPC ; ; <motion-state> SPC ; ; <normal-state> SPC ; ; <visual-state> SPC ;	pp-eval-expression
<emacs-state> M-SPC < ; <insert-state> M-SPC < ; <motion-state> SPC < ; <normal-state> SPC < ; <visual-state> SPC <	switch-to-buffer
<emacs-state> M-SPC RET ; <insert-state> M-SPC RET ; <motion-state> SPC RET ; <normal-state> SPC RET ; <visual-state> SPC RET	bookmark-jump
<emacs-state> M-SPC S ; <insert-state> M-SPC S ; <motion-state> SPC S ; <normal-state> SPC S ; <visual-state> SPC S	ispell-buffer
<emacs-state> M-SPC SPC ; <insert-state> M-SPC SPC ; <motion-state> SPC SPC ; <normal-state> SPC SPC ; <visual-state> SPC SPC	projectile-find-file
<emacs-state> M-SPC TAB ; <insert-state> M-SPC TAB ; <motion-state> SPC TAB ; <normal-state> SPC TAB ; <visual-state> SPC TAB	**Mapa:** doom-leader-workspace-map
<emacs-state> M-SPC X ; <insert-state> M-SPC X ; <motion-state> SPC X ; <normal-state> SPC X ; <visual-state> SPC X	org-capture
<emacs-state> M-SPC ` ; <insert-state> M-SPC ` ; <motion-state> SPC ` ; <normal-state> SPC ` ; <visual-state> SPC `	evil-switch-to-windows-last-buffer
<emacs-state> M-SPC a ; <insert-state> M-SPC a ; <motion-state> SPC a ; <normal-state> SPC a ; <visual-state> SPC a	embark-act
<emacs-state> M-SPC b ; <insert-state> M-SPC b ; <motion-state> SPC b ; <normal-state> SPC b ; <visual-state> SPC b	TeX-command-master
<emacs-state> M-SPC c ; <insert-state> M-SPC c ; <motion-state> SPC c ; <normal-state> SPC c ; <visual-state> SPC c	**Mapa:** doom-leader-code-map
<emacs-state> M-SPC d ; <insert-state> M-SPC d ; <motion-state> SPC d ; <normal-state> SPC d ; <visual-state> SPC d	**Mapa:** doom-leader-debugger-map

Teclas / sequência	Comando / ação
`<emacs-state> M-SPC e ; <insert-state> M-SPC e ; <motion-state> SPC e ; <normal-state> SPC e ; <visual-state> SPC e`	`LaTeX-environment`
`<emacs-state> M-SPC f b ; <insert-state> M-SPC f b ; <motion-state> SPC f b ; <normal-state> SPC f b ; <visual-state> SPC f b`	`TeX-fold-buffer`
`<emacs-state> M-SPC f c ; <insert-state> M-SPC f c ; <motion-state> SPC f c ; <normal-state> SPC f c ; <visual-state> SPC f c`	`TeX-fold-clearout-buffer`
`<emacs-state> M-SPC f f ; <insert-state> M-SPC f f ; <motion-state> SPC f f ; <normal-state> SPC f f ; <visual-state> SPC f f`	`TeX-fold-dwim`
`<emacs-state> M-SPC f h ; <insert-state> M-SPC f h ; <motion-state> SPC f h ; <normal-state> SPC f h ; <visual-state> SPC f h`	`my/find-file-horizontally`
`<emacs-state> M-SPC f v ; <insert-state> M-SPC f v ; <motion-state> SPC f v ; <normal-state> SPC f v ; <visual-state> SPC f v`	`my/find-file-vertically`
`<emacs-state> M-SPC g ; <insert-state> M-SPC g ; <motion-state> SPC g ; <normal-state> SPC g ; <visual-state> SPC g`	**Mapa:** doom-leader-git-map
`<emacs-state> M-SPC h ; <insert-state> M-SPC h ; <motion-state> SPC h ; <normal-state> SPC h ; <visual-state> SPC h`	**Mapa:** help-map
`<emacs-state> M-SPC i ; <insert-state> M-SPC i ; <motion-state> SPC i ; <normal-state> SPC i ; <visual-state> SPC i`	**Mapa:** doom-leader-insert-map
`<emacs-state> M-SPC k ; <insert-state> M-SPC k ; <motion-state> SPC k ; <normal-state> SPC k ; <visual-state> SPC k`	`TeX-kill-job`
`<emacs-state> M-SPC l ; <insert-state> M-SPC l ; <motion-state> SPC l ; <normal-state> SPC l ; <visual-state> SPC l`	`TeX-recenter-output-buffer`
`<emacs-state> M-SPC m ; <insert-state> M-SPC m ; <motion-state> SPC m ; <normal-state> SPC m ; <visual-state> SPC m`	`TeX-insert-macro`
`<emacs-state> M-SPC n ; <insert-state> M-SPC n ; <motion-state> SPC n ; <normal-state> SPC n ; <visual-state> SPC n`	**Mapa:** doom-leader-notes-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC o ; <insert-state> M-SPC o ; <motion-state> SPC o ; <normal-state> SPC o ; <visual-state> SPC o	**Mapa:** doom-leader-open-map
<emacs-state> M-SPC p ; <insert-state> M-SPC p ; <motion-state> SPC p ; <normal-state> SPC p ; <visual-state> SPC p	**Mapa:** doom-leader-project-map
<emacs-state> M-SPC q ; <insert-state> M-SPC q ; <motion-state> SPC q ; <normal-state> SPC q ; <visual-state> SPC q	**Mapa:** doom-leader-quit/session-map
<emacs-state> M-SPC r ; <insert-state> M-SPC r ; <motion-state> SPC r ; <normal-state> SPC r ; <visual-state> SPC r	citar-insert-citation
<emacs-state> M-SPC s ; <insert-state> M-SPC s ; <motion-state> SPC s ; <normal-state> SPC s ; <visual-state> SPC s	LaTeX-section
<emacs-state> M-SPC t ; <insert-state> M-SPC t ; <motion-state> SPC t ; <normal-state> SPC t ; <visual-state> SPC t	**Mapa:** doom-leader-toggle-map
<emacs-state> M-SPC u ; <insert-state> M-SPC u ; <motion-state> SPC u ; <normal-state> SPC u ; <visual-state> SPC u	universal-argument
<emacs-state> M-SPC v ; <insert-state> M-SPC v ; <motion-state> SPC v ; <normal-state> SPC v ; <visual-state> SPC v	TeX-view
<emacs-state> M-SPC w + ; <insert-state> M-SPC w + ; <motion-state> SPC w + ; <normal-state> SPC w + ; <visual-state> SPC w +	evil-window-increase-height
<emacs-state> M-SPC w - ; <insert-state> M-SPC w - ; <motion-state> SPC w - ; <normal-state> SPC w - ; <visual-state> SPC w -	evil-window-decrease-height
<emacs-state> M-SPC w 0 ; <emacs-state> M-SPC w 1 ; <emacs-state> M-SPC w 2 ; <emacs-state> M-SPC w 3 ; <emacs-state> M-SPC w 4 ; <emacs-state> M-SPC w 5 ; <emacs-state> M-SPC w 6 ; <emacs-state> M-SPC w 7	evil-window-digit-argument
<emacs-state> M-SPC w 8 ; <emacs-state> M-SPC w 9 ; <insert-state> M-SPC w 0 ; <insert-state> M-SPC w 1 ; <insert-state> M-SPC w 2 ; <insert-state> M-SPC w 3 ; <insert-state> M-SPC w 4 ; <insert-state> M-SPC w 5	evil-window-digit-argument

Teclas / sequência	Comando / ação
<insert-state> M-SPC w 6 ; <insert-state> M-SPC w 7 ; <insert-state> M-SPC w 8 ; <insert-state> M-SPC w 9 ; <motion-state> SPC w 0 ; <motion-state> SPC w 1 ; <motion-state> SPC w 2 ; <motion-state> SPC w 3	evil-window-digit-argument
<motion-state> SPC w 4 ; <motion-state> SPC w 5 ; <motion-state> SPC w 6 ; <motion-state> SPC w 7 ; <motion-state> SPC w 8 ; <motion-state> SPC w 9 ; <normal-state> SPC w 0 ; <normal-state> SPC w 1	evil-window-digit-argument
<normal-state> SPC w 2 ; <normal-state> SPC w 3 ; <normal-state> SPC w 4 ; <normal-state> SPC w 5 ; <normal-state> SPC w 6 ; <normal-state> SPC w 7 ; <normal-state> SPC w 8 ; <normal-state> SPC w 9	evil-window-digit-argument
<visual-state> SPC w 0 ; <visual-state> SPC w 1 ; <visual-state> SPC w 2 ; <visual-state> SPC w 3 ; <visual-state> SPC w 4 ; <visual-state> SPC w 5 ; <visual-state> SPC w 6 ; <visual-state> SPC w 7	evil-window-digit-argument
<visual-state> SPC w 8 ; <visual-state> SPC w 9	evil-window-digit-argument
<emacs-state> M-SPC w : ; <insert-state> M-SPC w : ; <motion-state> SPC w : ; <normal-state> SPC w : ; <visual-state> SPC w :	evil-ex
<emacs-state> M-SPC w < ; <insert-state> M-SPC w < ; <motion-state> SPC w < ; <normal-state> SPC w < ; <visual-state> SPC w <	evil-window-decrease-width
<emacs-state> M-SPC w <down> ; <emacs-state> M-SPC w C-<down> ; <emacs-state> M-SPC w C-j ; <emacs-state> M-SPC w j ; <insert-state> M-SPC w <down> ; <insert-state> M-SPC w C-<down> ; <insert-state> M-SPC w C-j ; <insert-state> M-SPC w j	evil-window-down
<motion-state> SPC w <down> ; <motion-state> SPC w C-<down> ; <motion-state> SPC w C-j ; <motion-state> SPC w j ; <normal-state> SPC w <down> ; <normal-state> SPC w C-<down> ; <normal-state> SPC w C-j ; <normal-state> SPC w j	evil-window-down

Teclas / sequência	Comando / ação
<visual-state> SPC w <down> ; <visual-state> SPC w C-<down> ; <visual-state> SPC w C-j ; <visual-state> SPC w j	evil-window-down
<emacs-state> M-SPC w <left> ; <emacs-state> M-SPC w C-<left> ; <emacs-state> M-SPC w C-h ; <emacs-state> M-SPC w h ; <insert-state> M-SPC w <left> ; <insert-state> M-SPC w C-<left> ; <insert-state> M-SPC w C-h ; <insert-state> M-SPC w h	evil-window-left
<motion-state> SPC w <left> ; <motion-state> SPC w C-<left> ; <motion-state> SPC w C-h ; <motion-state> SPC w h ; <normal-state> SPC w <left> ; <normal-state> SPC w C-<left> ; <normal-state> SPC w C-h ; <normal-state> SPC w h	evil-window-left
<visual-state> SPC w <left> ; <visual-state> SPC w C-<left> ; <visual-state> SPC w C-h ; <visual-state> SPC w h	evil-window-left
<emacs-state> M-SPC w <right> ; <emacs-state> M-SPC w C-<right> ; <emacs-state> M-SPC w C-l ; <emacs-state> M-SPC w l ; <insert-state> M-SPC w <right> ; <insert-state> M-SPC w C-<right> ; <insert-state> M-SPC w C-l ; <insert-state> M-SPC w l	evil-window-right
<motion-state> SPC w <right> ; <motion-state> SPC w C-<right> ; <motion-state> SPC w C-l ; <motion-state> SPC w l ; <normal-state> SPC w <right> ; <normal-state> SPC w C-<right> ; <normal-state> SPC w C-l ; <normal-state> SPC w l	evil-window-right
<visual-state> SPC w <right> ; <visual-state> SPC w C-<right> ; <visual-state> SPC w C-l ; <visual-state> SPC w l	evil-window-right
<emacs-state> M-SPC w <up> ; <emacs-state> M-SPC w C-<up> ; <emacs-state> M-SPC w C-k ; <emacs-state> M-SPC w k ; <insert-state> M-SPC w <up> ; <insert-state> M-SPC w C-<up> ; <insert-state> M-SPC w C-k ; <insert-state> M-SPC w k	evil-window-up

Teclas / sequência	Comando / ação
<motion-state> SPC w <up> ; <motion-state> SPC w C-<up> ; <motion-state> SPC w C-k ; <motion-state> SPC w k ; <normal-state> SPC w <up> ; <normal-state> SPC w C-<up> ; <normal-state> SPC w C-k ; <normal-state> SPC w k	evil-window-up
<visual-state> SPC w <up> ; <visual-state> SPC w C-<up> ; <visual-state> SPC w C-k ; <visual-state> SPC w k	evil-window-up
<emacs-state> M-SPC w = ; <emacs-state> M-SPC w C-= ; <insert-state> M-SPC w = ; <insert-state> M-SPC w C-= ; <motion-state> SPC w = ; <motion-state> SPC w C-= ; <normal-state> SPC w = ; <normal-state> SPC w C-=	balance-windows
<visual-state> SPC w = ; <visual-state> SPC w C-=	balance-windows
<emacs-state> M-SPC w > ; <insert-state> M-SPC w > ; <motion-state> SPC w > ; <normal-state> SPC w > ; <visual-state> SPC w >	evil-window-increase-width
<emacs-state> M-SPC w C-S-h ; <insert-state> M-SPC w C-S-h ; <motion-state> SPC w C-S-h ; <normal-state> SPC w C-S-h ; <visual-state> SPC w C-S-h	evil-window-move-far-left
<emacs-state> M-SPC w C-S-j ; <insert-state> M-SPC w C-S-j ; <motion-state> SPC w C-S-j ; <normal-state> SPC w C-S-j ; <visual-state> SPC w C-S-j	evil-window-move-very-bottom
<emacs-state> M-SPC w C-S-k ; <insert-state> M-SPC w C-S-k ; <motion-state> SPC w C-S-k ; <normal-state> SPC w C-S-k ; <visual-state> SPC w C-S-k	evil-window-move-very-top
<emacs-state> M-SPC w C-S-l ; <insert-state> M-SPC w C-S-l ; <motion-state> SPC w C-S-l ; <normal-state> SPC w C-S-l ; <visual-state> SPC w C-S-l	evil-window-move-far-right
<emacs-state> M-SPC w C-S-r ; <emacs-state> M-SPC w R ; <insert-state> M-SPC w C-S-r ; <insert-state> M-SPC w R ; <motion-state> SPC w C-S-r ; <motion-state> SPC w R ; <normal-state> SPC w C-S-r ; <normal-state> SPC w R	evil-window-rotate-upwards
<visual-state> SPC w C-S-r ; <visual-state> SPC w R	evil-window-rotate-upwards

Teclas / sequência	Comando / ação
<emacs-state> M-SPC w C-S-s ; <emacs-state> M-SPC w C-s ; <emacs-state> M-SPC w s ; <insert-state> M-SPC w C-S-s ; <insert-state> M-SPC w C-s ; <insert-state> M-SPC w s ; <motion-state> SPC w C-S-s ; <motion-state> SPC w C-s	evil-window-split
<motion-state> SPC w s ; <normal-state> SPC w C-S-s ; <normal-state> SPC w C-s ; <normal-state> SPC w s ; <visual-state> SPC w C-S-s ; <visual-state> SPC w C-s ; <visual-state> SPC w s	evil-window-split
<emacs-state> M-SPC w C-S-w ; <insert-state> M-SPC w C-S-w ; <motion-state> SPC w C-S-w ; <normal-state> SPC w C-S-w ; <visual-state> SPC w C-S-w	ace-swap-window
<emacs-state> M-SPC w C-_ ; <emacs-state> M-SPC w _ ; <insert-state> M-SPC w C-_ ; <insert-state> M-SPC w _ ; <motion-state> SPC w C-_ ; <motion-state> SPC w _ ; <normal-state> SPC w C-_ ; <normal-state> SPC w _	evil-window-set-height
<visual-state> SPC w C-_ ; <visual-state> SPC w _	evil-window-set-height
<emacs-state> M-SPC w C-b ; <emacs-state> M-SPC w b ; <insert-state> M-SPC w C-b ; <insert-state> M-SPC w b ; <motion-state> SPC w C-b ; <motion-state> SPC w b ; <normal-state> SPC w C-b ; <normal-state> SPC w b	evil-window-bottom-right
<visual-state> SPC w C-b ; <visual-state> SPC w b	evil-window-bottom-right
<emacs-state> M-SPC w C-c ; <insert-state> M-SPC w C-c ; <motion-state> SPC w C-c ; <normal-state> SPC w C-c ; <visual-state> SPC w C-c	ace-delete-window
<emacs-state> M-SPC w C-f ; <emacs-state> M-SPC w f ; <insert-state> M-SPC w C-f ; <insert-state> M-SPC w f ; <motion-state> SPC w C-f ; <motion-state> SPC w f ; <normal-state> SPC w C-f ; <normal-state> SPC w f	ffap-other-window
<visual-state> SPC w C-f ; <visual-state> SPC w f	ffap-other-window

Teclas / sequência	Comando / ação
<emacs-state> M-SPC w C-n ; <emacs-state> M-SPC w n ; <insert-state> M-SPC w C-n ; <insert-state> M-SPC w n ; <motion-state> SPC w C-n ; <motion-state> SPC w n ; <normal-state> SPC w C-n ; <normal-state> SPC w n	evil-window-new
<visual-state> SPC w C-n ; <visual-state> SPC w n	evil-window-new
<emacs-state> M-SPC w C-o ; <insert-state> M-SPC w C-o ; <motion-state> SPC w C-o ; <normal-state> SPC w C-o ; <visual-state> SPC w C-o	delete-other-windows
<emacs-state> M-SPC w C-p ; <emacs-state> M-SPC w p ; <insert-state> M-SPC w C-p ; <insert-state> M-SPC w p ; <motion-state> SPC w C-p ; <motion-state> SPC w p ; <normal-state> SPC w C-p ; <normal-state> SPC w p	evil-window-mru
<visual-state> SPC w C-p ; <visual-state> SPC w p	evil-window-mru
<emacs-state> M-SPC w C-q ; <emacs-state> M-SPC w q ; <insert-state> M-SPC w C-q ; <insert-state> M-SPC w q ; <motion-state> SPC w C-q ; <motion-state> SPC w q ; <normal-state> SPC w C-q ; <normal-state> SPC w q	evil-quit
<visual-state> SPC w C-q ; <visual-state> SPC w q	evil-quit
<emacs-state> M-SPC w C-r ; <insert-state> M-SPC w C-r ; <motion-state> SPC w C-r ; <normal-state> SPC w C-r ; <visual-state> SPC w C-r	winner-redo
<emacs-state> M-SPC w C-t ; <emacs-state> M-SPC w t ; <insert-state> M-SPC w C-t ; <insert-state> M-SPC w t ; <motion-state> SPC w C-t ; <motion-state> SPC w t ; <normal-state> SPC w C-t ; <normal-state> SPC w t	evil-window-top-left
<visual-state> SPC w C-t ; <visual-state> SPC w t	evil-window-top-left
<emacs-state> M-SPC w C-u ; <emacs-state> M-SPC w u ; <insert-state> M-SPC w C-u ; <insert-state> M-SPC w u ; <motion-state> SPC w C-u ; <motion-state> SPC w u ; <normal-state> SPC w C-u ; <normal-state> SPC w u	winner-undo
<visual-state> SPC w C-u ; <visual-state> SPC w u	winner-undo

Teclas / sequência	Comando / ação
<emacs-state> M-SPC w C-v ; <emacs-state> M-SPC w v ; <insert-state> M-SPC w C-v ; <insert-state> M-SPC w v ; <motion-state> SPC w C-v ; <motion-state> SPC w v ; <normal-state> SPC w C-v ; <normal-state> SPC w v	evil-window-vsplit
<visual-state> SPC w C-v ; <visual-state> SPC w v	evil-window-vsplit
<emacs-state> M-SPC w C-w ; <insert-state> M-SPC w C-w ; <motion-state> SPC w C-w ; <normal-state> SPC w C-w ; <visual-state> SPC w C-w	other-window
<emacs-state> M-SPC w C-x ; <emacs-state> M-SPC w x ; <insert-state> M-SPC w C-x ; <insert-state> M-SPC w x ; <motion-state> SPC w C-x ; <motion-state> SPC w x ; <normal-state> SPC w C-x ; <normal-state> SPC w x	evil-window-exchange
<visual-state> SPC w C-x ; <visual-state> SPC w x	evil-window-exchange
<emacs-state> M-SPC w H ; <insert-state> M-SPC w H ; <motion-state> SPC w H ; <normal-state> SPC w H ; <visual-state> SPC w H	+evil/window-move-left
<emacs-state> M-SPC w J ; <insert-state> M-SPC w J ; <motion-state> SPC w J ; <normal-state> SPC w J ; <visual-state> SPC w J	+evil/window-move-down
<emacs-state> M-SPC w K ; <insert-state> M-SPC w K ; <motion-state> SPC w K ; <normal-state> SPC w K ; <visual-state> SPC w K	+evil/window-move-up
<emacs-state> M-SPC w L ; <insert-state> M-SPC w L ; <motion-state> SPC w L ; <normal-state> SPC w L ; <visual-state> SPC w L	+evil/window-move-right
<emacs-state> M-SPC w S ; <insert-state> M-SPC w S ; <motion-state> SPC w S ; <normal-state> SPC w S ; <visual-state> SPC w S	+evil/window-split-and-follow
<emacs-state> M-SPC w T ; <insert-state> M-SPC w T ; <motion-state> SPC w T ; <normal-state> SPC w T ; <visual-state> SPC w T	tear-off-window

Teclas / sequência	Comando / ação
<emacs-state> M-SPC w V ; <insert-state> M-SPC w V ; <motion-state> SPC w V ; <normal-state> SPC w V ; <visual-state> SPC w V	+evil/window-vsplit-and-follow
<emacs-state> M-SPC w W ; <insert-state> M-SPC w W ; <motion-state> SPC w W ; <normal-state> SPC w W ; <visual-state> SPC w W	evil-window-prev
<emacs-state> M-SPC w c ; <emacs-state> M-SPC w d ; <insert-state> M-SPC w c ; <insert-state> M-SPC w d ; <motion-state> SPC w c ; <motion-state> SPC w d ; <normal-state> SPC w c ; <normal-state> SPC w d	evil-window-delete
<visual-state> SPC w c ; <visual-state> SPC w d	evil-window-delete
<emacs-state> M-SPC w g T ; <insert-state> M-SPC w g T ; <motion-state> SPC w g T ; <normal-state> SPC w g T ; <visual-state> SPC w g T	tab-bar-switch-to-prev-tab
<emacs-state> M-SPC w g t ; <insert-state> M-SPC w g t ; <motion-state> SPC w g t ; <normal-state> SPC w g t ; <visual-state> SPC w g t	evil-tab-next
<emacs-state> M-SPC w m m ; <insert-state> M-SPC w m m ; <motion-state> SPC w m m ; <normal-state> SPC w m m ; <visual-state> SPC w m m	doom/window-maximize-buffer
<emacs-state> M-SPC w m s ; <insert-state> M-SPC w m s ; <motion-state> SPC w m s ; <normal-state> SPC w m s ; <visual-state> SPC w m s	doom/window-maximize-horizontally
<emacs-state> M-SPC w m v ; <insert-state> M-SPC w m v ; <motion-state> SPC w m v ; <normal-state> SPC w m v ; <visual-state> SPC w m v	doom/window-maximize-vertically
<emacs-state> M-SPC w o ; <insert-state> M-SPC w o ; <motion-state> SPC w o ; <normal-state> SPC w o ; <visual-state> SPC w o	doom/window-enlargen
<emacs-state> M-SPC w r ; <insert-state> M-SPC w r ; <motion-state> SPC w r ; <normal-state> SPC w r ; <visual-state> SPC w r	evil-window-rotate-downwards

Teclas / sequência	Comando / ação
<emacs-state> M-SPC w w ; <insert-state> M-SPC w w ; <motion-state> SPC w w ; <normal-state> SPC w w ; <visual-state> SPC w w	evil-window-next
<emacs-state> M-SPC w | ; <insert-state> M-SPC w | ; <motion-state> SPC w | ; <normal-state> SPC w | ; <visual-state> SPC w |	evil-window-set-width
<emacs-state> M-SPC x ; <insert-state> M-SPC x ; <motion-state> SPC x ; <normal-state> SPC x ; <visual-state> SPC x	doom/toggle-scratch-buffer
<emacs-state> M-SPC ~ ; <insert-state> M-SPC ~ ; <motion-state> SPC ~ ; <normal-state> SPC ~ ; <visual-state> SPC ~	+popup/toggle
<hybrid-state> <intercept-state>	hybrid
<insert-state> <intercept-state>	insert
<motion-state> <intercept-state>	motion
<normal-state> <intercept-state>	normal
<operator-state> <intercept-state>	operator
<replace-state> <intercept-state>	replace
<visual-state> <intercept-state>	visual

5.345 general-override-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
<intercept-state>	emacs
M-SPC '	vertico-repeat
M-SPC *	+default/search-project-for-symbol-at-point
M-SPC ,	persp-switch-to-buffer
M-SPC .	find-file
M-SPC /	+default/search-project
M-SPC :	execute-extended-command
M-SPC ;	pp-eval-expression
M-SPC <	switch-to-buffer
M-SPC RET	bookmark-jump
M-SPC S	ispell-buffer
M-SPC SPC	projectile-find-file
M-SPC TAB	**Mapa:** doom-leader-workspace-map
M-SPC X	org-capture
M-SPC `	evil-switch-to-windows-last-buffer
M-SPC a	embark-act
M-SPC b	TeX-command-master

Teclas / sequência	Comando / ação
M-SPC c	**Mapa:** doom-leader-code-map
M-SPC d	**Mapa:** doom-leader-debugger-map
M-SPC e	LaTeX-environment
M-SPC f b	TeX-fold-buffer
M-SPC f c	TeX-fold-clearout-buffer
M-SPC f f	TeX-fold-dwim
M-SPC f h	my/find-file-horizontally
M-SPC f v	my/find-file-vertically
M-SPC g	**Mapa:** doom-leader-git-map
M-SPC h	**Mapa:** help-map
M-SPC i	**Mapa:** doom-leader-insert-map
M-SPC k	TeX-kill-job
M-SPC l	TeX-recenter-output-buffer
M-SPC m	TeX-insert-macro
M-SPC n	**Mapa:** doom-leader-notes-map
M-SPC o	**Mapa:** doom-leader-open-map
M-SPC p	**Mapa:** doom-leader-project-map
M-SPC q	**Mapa:** doom-leader-quit/session-map
M-SPC r	citar-insert-citation
M-SPC s	LaTeX-section
M-SPC t	**Mapa:** doom-leader-toggle-map
M-SPC u	universal-argument
M-SPC v	TeX-view
M-SPC w +	evil-window-increase-height
M-SPC w -	evil-window-decrease-height
M-SPC w 0 ; M-SPC w 1 ; M-SPC w 2 ; M-SPC w 3 ; M-SPC w 4 ; M-SPC w 5 ; M-SPC w 6 ; M-SPC w 7	evil-window-digit-argument
M-SPC w 8 ; M-SPC w 9	evil-window-digit-argument
M-SPC w :	evil-ex
M-SPC w <	evil-window-decrease-width
M-SPC w <down> ; M-SPC w C-<down> ; M-SPC w C-j ; M-SPC w j	evil-window-down
M-SPC w <left> ; M-SPC w C-<left> ; M-SPC w C-h ; M-SPC w h	evil-window-left
M-SPC w <right> ; M-SPC w C-<right> ; M-SPC w C-l ; M-SPC w l	evil-window-right
M-SPC w <up> ; M-SPC w C-<up> ; M-SPC w C-k ; M-SPC w k	evil-window-up
M-SPC w = ; M-SPC w C-=	balance-windows
M-SPC w >	evil-window-increase-width
M-SPC w C-S-h	evil-window-move-far-left
M-SPC w C-S-j	evil-window-move-very-bottom
M-SPC w C-S-k	evil-window-move-very-top
M-SPC w C-S-l	evil-window-move-far-right
M-SPC w C-S-r ; M-SPC w R	evil-window-rotate-upwards
M-SPC w C-S-s ; M-SPC w C-s ; M-SPC w s	evil-window-split
M-SPC w C-S-w	ace-swap-window
M-SPC w C-_ ; M-SPC w _	evil-window-set-height
M-SPC w C-b ; M-SPC w b	evil-window-bottom-right

Teclas / sequência	Comando / ação
M-SPC w C-c	ace-delete-window
M-SPC w C-f ; M-SPC w f	ffap-other-window
M-SPC w C-n ; M-SPC w n	evil-window-new
M-SPC w C-o	delete-other-windows
M-SPC w C-p ; M-SPC w p	evil-window-mru
M-SPC w C-q ; M-SPC w q	evil-quit
M-SPC w C-r	winner-redo
M-SPC w C-t ; M-SPC w t	evil-window-top-left
M-SPC w C-u ; M-SPC w u	winner-undo
M-SPC w C-v ; M-SPC w v	evil-window-vsplit
M-SPC w C-w	other-window
M-SPC w C-x ; M-SPC w x	evil-window-exchange
M-SPC w H	+evil/window-move-left
M-SPC w J	+evil/window-move-down
M-SPC w K	+evil/window-move-up
M-SPC w L	+evil/window-move-right
M-SPC w S	+evil/window-split-and-follow
M-SPC w T	tear-off-window
M-SPC w V	+evil/window-vsplit-and-follow
M-SPC w W	evil-window-prev
M-SPC w c ; M-SPC w d	evil-window-delete
M-SPC w g T	tab-bar-switch-to-prev-tab
M-SPC w g t	evil-tab-next
M-SPC w m m	doom/window-maximize-buffer
M-SPC w m s	doom/window-maximize-horizontally
M-SPC w m v	doom/window-maximize-vertically
M-SPC w o	doom/window-enlargen
M-SPC w r	evil-window-rotate-downwards
M-SPC w w	evil-window-next
M-SPC w |	evil-window-set-width
M-SPC x	doom/toggle-scratch-buffer
M-SPC ~	+popup/toggle

5.346 general-override-mode-map [Evil insert]

Teclas / sequência	Comando / ação
<intercept-state>	insert
M-SPC '	vertico-repeat
M-SPC *	+default/search-project-for-symbol-at-point
M-SPC ,	persp-switch-to-buffer
M-SPC .	find-file
M-SPC /	+default/search-project
M-SPC :	execute-extended-command
M-SPC ;	pp-eval-expression
M-SPC <	switch-to-buffer
M-SPC RET	bookmark-jump
M-SPC S	ispell-buffer
M-SPC SPC	projectile-find-file
M-SPC TAB	**Mapa:** doom-leader-workspace-map
M-SPC X	org-capture

Teclas / sequência	Comando / ação
M-SPC `	evil-switch-to-windows-last-buffer
M-SPC a	embark-act
M-SPC b	TeX-command-master
M-SPC c	**Mapa:** doom-leader-code-map
M-SPC d	**Mapa:** doom-leader-debugger-map
M-SPC e	LaTeX-environment
M-SPC f b	TeX-fold-buffer
M-SPC f c	TeX-fold-clearout-buffer
M-SPC f f	TeX-fold-dwim
M-SPC f h	my/find-file-horizontally
M-SPC f v	my/find-file-vertically
M-SPC g	**Mapa:** doom-leader-git-map
M-SPC h	**Mapa:** help-map
M-SPC i	**Mapa:** doom-leader-insert-map
M-SPC k	TeX-kill-job
M-SPC l	TeX-recenter-output-buffer
M-SPC m	TeX-insert-macro
M-SPC n	**Mapa:** doom-leader-notes-map
M-SPC o	**Mapa:** doom-leader-open-map
M-SPC p	**Mapa:** doom-leader-project-map
M-SPC q	**Mapa:** doom-leader-quit/session-map
M-SPC r	citar-insert-citation
M-SPC s	LaTeX-section
M-SPC t	**Mapa:** doom-leader-toggle-map
M-SPC u	universal-argument
M-SPC v	TeX-view
M-SPC w +	evil-window-increase-height
M-SPC w -	evil-window-decrease-height
M-SPC w 0 ; M-SPC w 1 ; M-SPC w 2 ; M-SPC w 3 ; M-SPC w 4 ; M-SPC w 5 ; M-SPC w 6 ; M-SPC w 7	evil-window-digit-argument
M-SPC w 8 ; M-SPC w 9	evil-window-digit-argument
M-SPC w :	evil-ex
M-SPC w <	evil-window-decrease-width
M-SPC w <down> ; M-SPC w C-<down> ; M-SPC w C-j ; M-SPC w j	evil-window-down
M-SPC w <left> ; M-SPC w C-<left> ; M-SPC w C-h ; M-SPC w h	evil-window-left
M-SPC w <right> ; M-SPC w C-<right> ; M-SPC w C-l ; M-SPC w l	evil-window-right
M-SPC w <up> ; M-SPC w C-<up> ; M-SPC w C-k ; M-SPC w k	evil-window-up
M-SPC w = ; M-SPC w C-=	balance-windows
M-SPC w >	evil-window-increase-width
M-SPC w C-S-h	evil-window-move-far-left
M-SPC w C-S-j	evil-window-move-very-bottom
M-SPC w C-S-k	evil-window-move-very-top
M-SPC w C-S-l	evil-window-move-far-right
M-SPC w C-S-r ; M-SPC w R	evil-window-rotate-upwards
M-SPC w C-S-s ; M-SPC w C-s ; M-SPC w s	evil-window-split

Teclas / sequência	Comando / ação
M-SPC w C-S-w	ace-swap-window
M-SPC w C-_ ; M-SPC w _	evil-window-set-height
M-SPC w C-b ; M-SPC w b	evil-window-bottom-right
M-SPC w C-c	ace-delete-window
M-SPC w C-f ; M-SPC w f	ffap-other-window
M-SPC w C-n ; M-SPC w n	evil-window-new
M-SPC w C-o	delete-other-windows
M-SPC w C-p ; M-SPC w p	evil-window-mru
M-SPC w C-q ; M-SPC w q	evil-quit
M-SPC w C-r	winner-redo
M-SPC w C-t ; M-SPC w t	evil-window-top-left
M-SPC w C-u ; M-SPC w u	winner-undo
M-SPC w C-v ; M-SPC w v	evil-window-vsplit
M-SPC w C-w	other-window
M-SPC w C-x ; M-SPC w x	evil-window-exchange
M-SPC w H	+evil/window-move-left
M-SPC w J	+evil/window-move-down
M-SPC w K	+evil/window-move-up
M-SPC w L	+evil/window-move-right
M-SPC w S	+evil/window-split-and-follow
M-SPC w T	tear-off-window
M-SPC w V	+evil/window-vsplit-and-follow
M-SPC w W	evil-window-prev
M-SPC w c ; M-SPC w d	evil-window-delete
M-SPC w g T	tab-bar-switch-to-prev-tab
M-SPC w g t	evil-tab-next
M-SPC w m m	doom/window-maximize-buffer
M-SPC w m s	doom/window-maximize-horizontally
M-SPC w m v	doom/window-maximize-vertically
M-SPC w o	doom/window-enlargen
M-SPC w r	evil-window-rotate-downwards
M-SPC w w	evil-window-next
M-SPC w |	evil-window-set-width
M-SPC x	doom/toggle-scratch-buffer
M-SPC ~	+popup/toggle

5.347 general-override-mode-map [Evil motion]

Teclas / sequência	Comando / ação
<intercept-state>	motion
SPC '	vertico-repeat
SPC *	+default/search-project-for-symbol-at-point
SPC ,	persp-switch-to-buffer
SPC .	find-file
SPC /	+default/search-project
SPC :	execute-extended-command
SPC ;	pp-eval-expression
SPC <	switch-to-buffer
SPC RET	bookmark-jump
SPC S	ispell-buffer

Teclas / sequência	Comando / ação
SPC SPC	projectile-find-file
SPC TAB	**Mapa:** doom-leader-workspace-map
SPC X	org-capture
SPC `	evil-switch-to-windows-last-buffer
SPC a	embark-act
SPC b	TeX-command-master
SPC c	**Mapa:** doom-leader-code-map
SPC d	**Mapa:** doom-leader-debugger-map
SPC e	LaTeX-environment
SPC f b	TeX-fold-buffer
SPC f c	TeX-fold-clearout-buffer
SPC f f	TeX-fold-dwim
SPC f h	my/find-file-horizontally
SPC f v	my/find-file-vertically
SPC g	**Mapa:** doom-leader-git-map
SPC h	**Mapa:** help-map
SPC i	**Mapa:** doom-leader-insert-map
SPC k	TeX-kill-job
SPC l	TeX-recenter-output-buffer
SPC m	TeX-insert-macro
SPC n	**Mapa:** doom-leader-notes-map
SPC o	**Mapa:** doom-leader-open-map
SPC p	**Mapa:** doom-leader-project-map
SPC q	**Mapa:** doom-leader-quit/session-map
SPC r	citar-insert-citation
SPC s	LaTeX-section
SPC t	**Mapa:** doom-leader-toggle-map
SPC u	universal-argument
SPC v	TeX-view
SPC w +	evil-window-increase-height
SPC w -	evil-window-decrease-height
SPC w 0 ; SPC w 1 ; SPC w 2 ; SPC w 3 ; SPC w 4 ; SPC w 5 ; SPC w 6 ; SPC w 7	evil-window-digit-argument
SPC w 8 ; SPC w 9	evil-window-digit-argument
SPC w :	evil-ex
SPC w <	evil-window-decrease-width
SPC w <down> ; SPC w C-<down> ; SPC w C-j ; SPC w j	evil-window-down
SPC w <left> ; SPC w C-<left> ; SPC w C-h ; SPC w h	evil-window-left
SPC w <right> ; SPC w C-<right> ; SPC w C-l ; SPC w l	evil-window-right
SPC w <up> ; SPC w C-<up> ; SPC w C-k ; SPC w k	evil-window-up
SPC w = ; SPC w C-=	balance-windows
SPC w >	evil-window-increase-width
SPC w C-S-h	evil-window-move-far-left
SPC w C-S-j	evil-window-move-very-bottom
SPC w C-S-k	evil-window-move-very-top
SPC w C-S-l	evil-window-move-far-right
SPC w C-S-r ; SPC w R	evil-window-rotate-upwards

Teclas / sequência	Comando / ação
SPC w C-S-s ; SPC w C-s ; SPC w s	evil-window-split
SPC w C-S-w	ace-swap-window
SPC w C-_ ; SPC w _	evil-window-set-height
SPC w C-b ; SPC w b	evil-window-bottom-right
SPC w C-c	ace-delete-window
SPC w C-f ; SPC w f	ffap-other-window
SPC w C-n ; SPC w n	evil-window-new
SPC w C-o	delete-other-windows
SPC w C-p ; SPC w p	evil-window-mru
SPC w C-q ; SPC w q	evil-quit
SPC w C-r	winner-redo
SPC w C-t ; SPC w t	evil-window-top-left
SPC w C-u ; SPC w u	winner-undo
SPC w C-v ; SPC w v	evil-window-vsplit
SPC w C-w	other-window
SPC w C-x ; SPC w x	evil-window-exchange
SPC w H	+evil/window-move-left
SPC w J	+evil/window-move-down
SPC w K	+evil/window-move-up
SPC w L	+evil/window-move-right
SPC w S	+evil/window-split-and-follow
SPC w T	tear-off-window
SPC w V	+evil/window-vsplit-and-follow
SPC w W	evil-window-prev
SPC w c ; SPC w d	evil-window-delete
SPC w g T	tab-bar-switch-to-prev-tab
SPC w g t	evil-tab-next
SPC w m m	doom/window-maximize-buffer
SPC w m s	doom/window-maximize-horizontally
SPC w m v	doom/window-maximize-vertically
SPC w o	doom/window-enlargen
SPC w r	evil-window-rotate-downwards
SPC w w	evil-window-next
SPC w |	evil-window-set-width
SPC x	doom/toggle-scratch-buffer
SPC ~	+popup/toggle

5.348 general-override-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<intercept-state>	normal
SPC '	vertico-repeat
SPC *	+default/search-project-for-symbol-at-point
SPC ,	persp-switch-to-buffer
SPC .	find-file
SPC /	+default/search-project
SPC :	execute-extended-command
SPC ;	pp-eval-expression
SPC <	switch-to-buffer

Teclas / sequência	Comando / ação
SPC RET	bookmark-jump
SPC S	ispell-buffer
SPC SPC	projectile-find-file
SPC TAB	**Mapa:** doom-leader-workspace-map
SPC X	org-capture
SPC `	evil-switch-to-windows-last-buffer
SPC a	embark-act
SPC b	TeX-command-master
SPC c	**Mapa:** doom-leader-code-map
SPC d	**Mapa:** doom-leader-debugger-map
SPC e	LaTeX-environment
SPC f b	TeX-fold-buffer
SPC f c	TeX-fold-clearout-buffer
SPC f f	TeX-fold-dwim
SPC f h	my/find-file-horizontally
SPC f v	my/find-file-vertically
SPC g	**Mapa:** doom-leader-git-map
SPC h	**Mapa:** help-map
SPC i	**Mapa:** doom-leader-insert-map
SPC k	TeX-kill-job
SPC l	TeX-recenter-output-buffer
SPC m	TeX-insert-macro
SPC n	**Mapa:** doom-leader-notes-map
SPC o	**Mapa:** doom-leader-open-map
SPC p	**Mapa:** doom-leader-project-map
SPC q	**Mapa:** doom-leader-quit/session-map
SPC r	citar-insert-citation
SPC s	LaTeX-section
SPC t	**Mapa:** doom-leader-toggle-map
SPC u	universal-argument
SPC v	TeX-view
SPC w +	evil-window-increase-height
SPC w -	evil-window-decrease-height
SPC w 0 ; SPC w 1 ; SPC w 2 ; SPC w 3 ; SPC w 4 ; SPC w 5 ; SPC w 6 ; SPC w 7	evil-window-digit-argument
SPC w 8 ; SPC w 9	evil-window-digit-argument
SPC w :	evil-ex
SPC w <	evil-window-decrease-width
SPC w <down> ; SPC w C-<down> ; SPC w C-j ; SPC w j	evil-window-down
SPC w <left> ; SPC w C-<left> ; SPC w C-h ; SPC w h	evil-window-left
SPC w <right> ; SPC w C-<right> ; SPC w C-l ; SPC w l	evil-window-right
SPC w <up> ; SPC w C-<up> ; SPC w C-k ; SPC w k	evil-window-up
SPC w = ; SPC w C-=	balance-windows
SPC w >	evil-window-increase-width
SPC w C-S-h	evil-window-move-far-left
SPC w C-S-j	evil-window-move-very-bottom
SPC w C-S-k	evil-window-move-very-top
SPC w C-S-l	evil-window-move-far-right

Teclas / sequência	Comando / ação
SPC w C-S-r ; SPC w R	evil-window-rotate-upwards
SPC w C-S-s ; SPC w C-s ; SPC w s	evil-window-split
SPC w C-S-w	ace-swap-window
SPC w C-_ ; SPC w _	evil-window-set-height
SPC w C-b ; SPC w b	evil-window-bottom-right
SPC w C-c	ace-delete-window
SPC w C-f ; SPC w f	ffap-other-window
SPC w C-n ; SPC w n	evil-window-new
SPC w C-o	delete-other-windows
SPC w C-p ; SPC w p	evil-window-mru
SPC w C-q ; SPC w q	evil-quit
SPC w C-r	winner-redo
SPC w C-t ; SPC w t	evil-window-top-left
SPC w C-u ; SPC w u	winner-undo
SPC w C-v ; SPC w v	evil-window-vsplit
SPC w C-w	other-window
SPC w C-x ; SPC w x	evil-window-exchange
SPC w H	+evil/window-move-left
SPC w J	+evil/window-move-down
SPC w K	+evil/window-move-up
SPC w L	+evil/window-move-right
SPC w S	+evil/window-split-and-follow
SPC w T	tear-off-window
SPC w V	+evil/window-vsplit-and-follow
SPC w W	evil-window-prev
SPC w c ; SPC w d	evil-window-delete
SPC w g T	tab-bar-switch-to-prev-tab
SPC w g t	evil-tab-next
SPC w m m	doom/window-maximize-buffer
SPC w m s	doom/window-maximize-horizontally
SPC w m v	doom/window-maximize-vertically
SPC w o	doom/window-enlargen
SPC w r	evil-window-rotate-downwards
SPC w w	evil-window-next
SPC w |	evil-window-set-width
SPC x	doom/toggle-scratch-buffer
SPC ~	+popup/toggle

5.349 general-override-mode-map [Evil operator]

Teclas / sequência	Comando / ação
<intercept-state>	operator

5.350 general-override-mode-map [Evil replace]

Teclas / sequência	Comando / ação
<intercept-state>	replace

5.351 general-override-mode-map [Evil visual]

Teclas / sequência	Comando / ação
<intercept-state>	visual
SPC '	vertico-repeat
SPC *	+default/search-project-for-symbol-at-point
SPC ,	persp-switch-to-buffer
SPC .	find-file
SPC /	+default/search-project
SPC :	execute-extended-command
SPC ;	pp-eval-expression
SPC <	switch-to-buffer
SPC RET	bookmark-jump
SPC S	ispell-buffer
SPC SPC	projectile-find-file
SPC TAB	**Mapa:** doom-leader-workspace-map
SPC X	org-capture
SPC `	evil-switch-to-windows-last-buffer
SPC a	embark-act
SPC b	TeX-command-master
SPC c	**Mapa:** doom-leader-code-map
SPC d	**Mapa:** doom-leader-debugger-map
SPC e	LaTeX-environment
SPC f b	TeX-fold-buffer
SPC f c	TeX-fold-clearout-buffer
SPC f f	TeX-fold-dwim
SPC f h	my/find-file-horizontally
SPC f v	my/find-file-vertically
SPC g	**Mapa:** doom-leader-git-map
SPC h	**Mapa:** help-map
SPC i	**Mapa:** doom-leader-insert-map
SPC k	TeX-kill-job
SPC l	TeX-recenter-output-buffer
SPC m	TeX-insert-macro
SPC n	**Mapa:** doom-leader-notes-map
SPC o	**Mapa:** doom-leader-open-map
SPC p	**Mapa:** doom-leader-project-map
SPC q	**Mapa:** doom-leader-quit/session-map
SPC r	citar-insert-citation
SPC s	LaTeX-section
SPC t	**Mapa:** doom-leader-toggle-map
SPC u	universal-argument
SPC v	TeX-view
SPC w +	evil-window-increase-height
SPC w -	evil-window-decrease-height
SPC w 0 ; SPC w 1 ; SPC w 2 ; SPC w 3 ; SPC w 4 ; SPC w 5 ; SPC w 6 ; SPC w 7	evil-window-digit-argument
SPC w 8 ; SPC w 9	evil-window-digit-argument
SPC w :	evil-ex
SPC w <	evil-window-decrease-width
SPC w <down> ; SPC w C-<down> ; SPC w C-j ; SPC w j	evil-window-down

Teclas / sequência	Comando / ação
SPC w <left> ; SPC w C-<left> ; SPC w C-h ; SPC w h	evil-window-left
SPC w <right> ; SPC w C-<right> ; SPC w C-l ; SPC w l	evil-window-right
SPC w <up> ; SPC w C-<up> ; SPC w C-k ; SPC w k	evil-window-up
SPC w = ; SPC w C-=	balance-windows
SPC w >	evil-window-increase-width
SPC w C-S-h	evil-window-move-far-left
SPC w C-S-j	evil-window-move-very-bottom
SPC w C-S-k	evil-window-move-very-top
SPC w C-S-l	evil-window-move-far-right
SPC w C-S-r ; SPC w R	evil-window-rotate-upwards
SPC w C-S-s ; SPC w C-s ; SPC w s	evil-window-split
SPC w C-S-w	ace-swap-window
SPC w C-_ ; SPC w _	evil-window-set-height
SPC w C-b ; SPC w b	evil-window-bottom-right
SPC w C-c	ace-delete-window
SPC w C-f ; SPC w f	ffap-other-window
SPC w C-n ; SPC w n	evil-window-new
SPC w C-o	delete-other-windows
SPC w C-p ; SPC w p	evil-window-mru
SPC w C-q ; SPC w q	evil-quit
SPC w C-r	winner-redo
SPC w C-t ; SPC w t	evil-window-top-left
SPC w C-u ; SPC w u	winner-undo
SPC w C-v ; SPC w v	evil-window-vsplit
SPC w C-w	other-window
SPC w C-x ; SPC w x	evil-window-exchange
SPC w H	+evil/window-move-left
SPC w J	+evil/window-move-down
SPC w K	+evil/window-move-up
SPC w L	+evil/window-move-right
SPC w S	+evil/window-split-and-follow
SPC w T	tear-off-window
SPC w V	+evil/window-vsplit-and-follow
SPC w W	evil-window-prev
SPC w c ; SPC w d	evil-window-delete
SPC w g T	tab-bar-switch-to-prev-tab
SPC w g t	evil-tab-next
SPC w m m	doom/window-maximize-buffer
SPC w m s	doom/window-maximize-horizontally
SPC w m v	doom/window-maximize-vertically
SPC w o	doom/window-enlargen
SPC w r	evil-window-rotate-downwards
SPC w w	evil-window-next
SPC w |	evil-window-set-width
SPC x	doom/toggle-scratch-buffer
SPC ~	+popup/toggle

5.352 gfm-mode-map

Herda de: markdown-mode-map.

Teclas / sequência	Comando / ação
C-c C-s d	markdown-insert-strike-through
`	markdown-electric-backquote

5.353 gfm-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m '	markdown-edit-code-block
M-SPC m e	markdown-export
M-SPC m i -	markdown-insert-hr
M-SPC m i 1	markdown-insert-header-atx-1
M-SPC m i 2	markdown-insert-header-atx-2
M-SPC m i 3	markdown-insert-header-atx-3
M-SPC m i 4	markdown-insert-header-atx-4
M-SPC m i 5	markdown-insert-header-atx-5
M-SPC m i 6	markdown-insert-header-atx-6
M-SPC m i C	markdown-insert-gfm-code-block
M-SPC m i P	markdown-pre-region
M-SPC m i Q	markdown-blockquote-region
M-SPC m i T	markdown-toc-generate-toc
M-SPC m i [	markdown-insert-gfm-checkbox
M-SPC m i b	markdown-insert-bold
M-SPC m i c	markdown-insert-code
M-SPC m i e ; M-SPC m i i	markdown-insert-italic
M-SPC m i f	markdown-insert-footnote
M-SPC m i h	markdown-insert-header-dwim
M-SPC m i k	markdown-insert-kbd
M-SPC m i l	markdown-insert-link
M-SPC m i p	markdown-insert-pre
M-SPC m i q	markdown-insert-blockquote
M-SPC m i s	markdown-insert-strike-through
M-SPC m i t	markdown-insert-table
M-SPC m i w	markdown-insert-wiki-link
M-SPC m o	markdown-open
M-SPC m p	grip-mode
M-SPC m t e	markdown-toggle-math
M-SPC m t f	markdown-toggle-fontify-code-blocks-natively
M-SPC m t i	markdown-toggle-inline-images
M-SPC m t l	markdown-toggle-url-hiding
M-SPC m t m	markdown-toggle-markup-hiding
M-SPC m t w	markdown-toggle-wiki-links
M-SPC m t x	markdown-toggle-gfm-checkbox

5.354 gfm-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m '	markdown-edit-code-block
M-SPC m e	markdown-export
M-SPC m i -	markdown-insert-hr
M-SPC m i 1	markdown-insert-header-atx-1
M-SPC m i 2	markdown-insert-header-atx-2
M-SPC m i 3	markdown-insert-header-atx-3
M-SPC m i 4	markdown-insert-header-atx-4
M-SPC m i 5	markdown-insert-header-atx-5
M-SPC m i 6	markdown-insert-header-atx-6
M-SPC m i C	markdown-insert-gfm-code-block
M-SPC m i P	markdown-pre-region
M-SPC m i Q	markdown-blockquote-region
M-SPC m i T	markdown-toc-generate-toc
M-SPC m i [	markdown-insert-gfm-checkbox
M-SPC m i b	markdown-insert-bold
M-SPC m i c	markdown-insert-code
M-SPC m i e ; M-SPC m i i	markdown-insert-italic
M-SPC m i f	markdown-insert-footnote
M-SPC m i h	markdown-insert-header-dwim
M-SPC m i k	markdown-insert-kbd
M-SPC m i l	markdown-insert-link
M-SPC m i p	markdown-insert-pre
M-SPC m i q	markdown-insert-blockquote
M-SPC m i s	markdown-insert-strike-through
M-SPC m i t	markdown-insert-table
M-SPC m i w	markdown-insert-wiki-link
M-SPC m o	markdown-open
M-SPC m p	grip-mode
M-SPC m t e	markdown-toggle-math
M-SPC m t f	markdown-toggle-fontify-code-blocks-natively
M-SPC m t i	markdown-toggle-inline-images
M-SPC m t l	markdown-toggle-url-hiding
M-SPC m t m	markdown-toggle-markup-hiding
M-SPC m t w	markdown-toggle-wiki-links
M-SPC m t x	markdown-toggle-gfm-checkbox

5.355 gfm-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m '	markdown-edit-code-block
SPC m e	markdown-export
SPC m i -	markdown-insert-hr
SPC m i 1	markdown-insert-header-atx-1
SPC m i 2	markdown-insert-header-atx-2
SPC m i 3	markdown-insert-header-atx-3
SPC m i 4	markdown-insert-header-atx-4
SPC m i 5	markdown-insert-header-atx-5
SPC m i 6	markdown-insert-header-atx-6
SPC m i C	markdown-insert-gfm-code-block
SPC m i P	markdown-pre-region

Teclas / sequência	Comando / ação
SPC m i Q	markdown-blockquote-region
SPC m i T	markdown-toc-generate-toc
SPC m i [	markdown-insert-gfm-checkbox
SPC m i b	markdown-insert-bold
SPC m i c	markdown-insert-code
SPC m i e ; SPC m i i	markdown-insert-italic
SPC m i f	markdown-insert-footnote
SPC m i h	markdown-insert-header-dwim
SPC m i k	markdown-insert-kbd
SPC m i l	markdown-insert-link
SPC m i p	markdown-insert-pre
SPC m i q	markdown-insert-blockquote
SPC m i s	markdown-insert-strike-through
SPC m i t	markdown-insert-table
SPC m i w	markdown-insert-wiki-link
SPC m o	markdown-open
SPC m p	grip-mode
SPC m t e	markdown-toggle-math
SPC m t f	markdown-toggle-fontify-code-blocks-natively
SPC m t i	markdown-toggle-inline-images
SPC m t l	markdown-toggle-url-hiding
SPC m t m	markdown-toggle-markup-hiding
SPC m t w	markdown-toggle-wiki-links
SPC m t x	markdown-toggle-gfm-checkbox

5.356 gfm-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<return> ; RET	markdown-do
<tab>	markdown-cycle
S-<tab>	markdown-shifttab
SPC m '	markdown-edit-code-block
SPC m e	markdown-export
SPC m i -	markdown-insert-hr
SPC m i 1	markdown-insert-header-atx-1
SPC m i 2	markdown-insert-header-atx-2
SPC m i 3	markdown-insert-header-atx-3
SPC m i 4	markdown-insert-header-atx-4
SPC m i 5	markdown-insert-header-atx-5
SPC m i 6	markdown-insert-header-atx-6
SPC m i C	markdown-insert-gfm-code-block
SPC m i P	markdown-pre-region
SPC m i Q	markdown-blockquote-region
SPC m i T	markdown-toc-generate-toc
SPC m i [	markdown-insert-gfm-checkbox
SPC m i b	markdown-insert-bold
SPC m i c	markdown-insert-code
SPC m i e ; SPC m i i	markdown-insert-italic
SPC m i f	markdown-insert-footnote
SPC m i h	markdown-insert-header-dwim

Teclas / sequência	Comando / ação
SPC m i k	markdown-insert-kbd
SPC m i l	markdown-insert-link
SPC m i p	markdown-insert-pre
SPC m i q	markdown-insert-blockquote
SPC m i s	markdown-insert-strike-through
SPC m i t	markdown-insert-table
SPC m i w	markdown-insert-wiki-link
SPC m o	markdown-open
SPC m p	grip-mode
SPC m t e	markdown-toggle-math
SPC m t f	markdown-toggle-fontify-code-blocks-natively
SPC m t i	markdown-toggle-inline-images
SPC m t l	markdown-toggle-url-hiding
SPC m t m	markdown-toggle-markup-hiding
SPC m t w	markdown-toggle-wiki-links
SPC m t x	markdown-toggle-gfm-checkbox
{	markdown-backward-paragraph
}	markdown-forward-paragraph

5.357 gfm-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m '	markdown-edit-code-block
SPC m e	markdown-export
SPC m i -	markdown-insert-hr
SPC m i 1	markdown-insert-header-atx-1
SPC m i 2	markdown-insert-header-atx-2
SPC m i 3	markdown-insert-header-atx-3
SPC m i 4	markdown-insert-header-atx-4
SPC m i 5	markdown-insert-header-atx-5
SPC m i 6	markdown-insert-header-atx-6
SPC m i C	markdown-insert-gfm-code-block
SPC m i P	markdown-pre-region
SPC m i Q	markdown-blockquote-region
SPC m i T	markdown-toc-generate-toc
SPC m i [	markdown-insert-gfm-checkbox
SPC m i b	markdown-insert-bold
SPC m i c	markdown-insert-code
SPC m i e ; SPC m i i	markdown-insert-italic
SPC m i f	markdown-insert-footnote
SPC m i h	markdown-insert-header-dwim
SPC m i k	markdown-insert-kbd
SPC m i l	markdown-insert-link
SPC m i p	markdown-insert-pre
SPC m i q	markdown-insert-blockquote
SPC m i s	markdown-insert-strike-through
SPC m i t	markdown-insert-table
SPC m i w	markdown-insert-wiki-link
SPC m o	markdown-open
SPC m p	grip-mode

Teclas / sequência	Comando / ação
SPC m t e	markdown-toggle-math
SPC m t f	markdown-toggle-fontify-code-blocks-natively
SPC m t i	markdown-toggle-inline-images
SPC m t l	markdown-toggle-url-hiding
SPC m t m	markdown-toggle-markup-hiding
SPC m t w	markdown-toggle-wiki-links
SPC m t x	markdown-toggle-gfm-checkbox

5.358 gfm-view-mode-map

Teclas / sequência	Comando / ação
<	beginning-of-buffer
>	end-of-buffer
?	describe-mode
DEL	scroll-down-command
SPC	scroll-up-command
b	markdown-outline-previous-same-level
f	markdown-outline-next-same-level
n	markdown-outline-next
p	markdown-outline-previous
q	kill-current-buffer
u	markdown-outline-up

5.359 git-commit-mode-map

Teclas / sequência	Comando / ação
<normal-state> M-j ; <normal-state> g j ; <visual-state> M-j ; <visual-state> g j ; M-n	git-commit-next-message
<normal-state> M-k ; <normal-state> g k ; <visual-state> M-k ; <visual-state> g k ; M-p	git-commit-prev-message
C-c C-d	magit-diff-while-committing
C-c C-w	magit-pop-revision-stack
C-c M-n	git-commit-search-message-forward
C-c M-p	git-commit-search-message-backward
C-c M-s	git-commit-save-message
C-c TAB	git-commit-insert-trailer

5.360 git-commit-mode-map [Evil normal]

Teclas / sequência	Comando / ação
M-j ; g j	git-commit-next-message
M-k ; g k	git-commit-prev-message

5.361 git-commit-mode-map [Evil visual]

Teclas / sequência	Comando / ação
M-j ; g j	git-commit-next-message
M-k ; g k	git-commit-prev-message

5.362 git-timemachine-mode-map

Teclas / sequência	Comando / ação
<normal-state> C-n ; n	git-timemachine-show-next-revision
<normal-state> C-p ; p	git-timemachine-show-previous-revision
<normal-state> g b ; b	git-timemachine-blame
<normal-state> g t c ; c	git-timemachine-show-commit
?	git-timemachine-help
W	git-timemachine-kill-revision
g	git-timemachine-show-nth-revision
h	git-timemachine-show-nearest-revision
i	git-timemachine-show-revision-introducing
q	git-timemachine-quit
t	git-timemachine-show-revision-fuzzy
w	git-timemachine-kill-abbreviated-revision

5.363 git-timemachine-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-n	git-timemachine-show-next-revision
C-p	git-timemachine-show-previous-revision
g b	git-timemachine-blame
g t c	git-timemachine-show-commit

5.364 global-buffers-menu-map

Teclas / sequência	Comando / ação
<list-all-buffers>	list-buffers
<list-buffers-in-project>	project-list-buffers
<next-buffer>	next-buffer
<previous-buffer>	previous-buffer
<select-buffer-in-project>	project-switch-to-buffer
<select-named-buffer>	switch-to-buffer
C-@ ; C-a	Função compilada anônima

5.365 gnus-article-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument

Teclas / sequência	Comando / ação
8 ; 9	digit-argument
<delete> ; <remap> <self-insert-command> ; DEL ; M-u	undefined
<motion-state> F	gnus-article-followup-with-original
<motion-state> R ; <normal-state> R	gnus-article-reply-with-original
<motion-state> W ; <normal-state> c W	gnus-article-wide-reply-with-original
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <tab> ; <normal-state> TAB	forward-button
<normal-state> C ; <normal-state> c c	gnus-article-mail
<normal-state> C-]	gnus-article-refer-article
<normal-state> C-c C-f	gnus-summary-mail-forward
<normal-state> DEL ; <normal-state> S-SPC	gnus-article-goto-prev-page
<normal-state> Q ; <normal-state> Z Q ; <normal-state> Z Z ; <normal-state> q	evil-window-delete
<normal-state> c F	gnus-summary-followup-with-original

Teclas / sequência	Comando / ação
<normal-state> c R	gnus-summary-reply-with-original
<normal-state> c f	gnus-summary-followup
<normal-state> c r ; <normal-state> r	gnus-summary-reply
<normal-state> c w	gnus-summary-very-wide-reply
<normal-state> g r	gnus-summary-show-article
<normal-state> g x	gnus-summary-browse-url
<normal-state> s	gnus-article-show-summary
<normal-state> z w 6	gnus-article-de-base64-unreadable
<normal-state> z w B	gnus-article-add-buttons-to-head
<normal-state> z w a	gnus-article-treat-ansi-sequences
<normal-state> z w b	gnus-article-add-buttons
<normal-state> z w c	gnus-article-capitalize-sentences
<normal-state> z w d	gnus-article-treat-smartquotes
<normal-state> z w i	gnus-summary-idna-message
<normal-state> z w l	gnus-summary-stop-page-breaking
<normal-state> z w m	gnus-summary-morse-message
<normal-state> z w o	gnus-article-treat-overstrike
<normal-state> z w p	gnus-article-verify-x-pgp-sig
<normal-state> z w q	gnus-article-fill-long-lines
<normal-state> z w r	gnus-summary-caesar-message
<normal-state> z w s	gnus-summary-force-verify-and-decrypt
<normal-state> z w t	gnus-summary-toggle-header
<normal-state> z w u	gnus-article-treat-non-ascii
<normal-state> z w v	gnus-summary-verbose-headers
<normal-state> z w w	gnus-article-fill-cited-article
<normal-state> z w y a	gnus-article-outlook-repair-attribution
<normal-state> z w y c	gnus-article-outlook-rearrange-citation
<normal-state> z w y f	gnus-article-outlook-deuglify-article
<normal-state> z w y u	gnus-article-outlook-unwrap-lines
<normal-state> z w z	gnus-article-decode-HZ
<normal-state> z z	gnus-recenter

5.366 gnus-article-mode-map [Evil motion]

Teclas / sequência	Comando / ação
F	gnus-article-followup-with-original
R	gnus-article-reply-with-original
W	gnus-article-wide-reply-with-original

5.367 gnus-article-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	backward-button

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<tab> ; TAB	forward-button
C ; c c	gnus-article-mail
C-]	gnus-article-refer-article
C-c C-f	gnus-summary-mail-forward
DEL ; S-SPC	gnus-article-goto-prev-page
Q ; Z Q ; Z Z ; q	evil-window-delete
R	gnus-article-reply-with-original
c F	gnus-summary-followup-with-original
c R	gnus-summary-reply-with-original
c W	gnus-article-wide-reply-with-original
c f	gnus-summary-followup
c r ; r	gnus-summary-reply
c w	gnus-summary-very-wide-reply
g r	gnus-summary-show-article
g x	gnus-summary-browse-url
s	gnus-article-show-summary
z w 6	gnus-article-de-base64-unreadable
z w B	gnus-article-add-buttons-to-head
z w a	gnus-article-treat-ansi-sequences
z w b	gnus-article-add-buttons
z w c	gnus-article-capitalize-sentences
z w d	gnus-article-treat-smartquotes
z w i	gnus-summary-idna-message
z w l	gnus-summary-stop-page-breaking
z w m	gnus-summary-morse-message
z w o	gnus-article-treat-overstrike
z w p	gnus-article-verify-x-pgp-sig
z w q	gnus-article-fill-long-lines
z w r	gnus-summary-caesar-message
z w s	gnus-summary-force-verify-and-decrypt
z w t	gnus-summary-toggle-header
z w u	gnus-article-treat-non-ascii

Teclas / sequência	Comando / ação
z w v	gnus-summary-verbose-headers
z w w	gnus-article-fill-cited-article
z w y a	gnus-article-outlook-repair-attribution
z w y c	gnus-article-outlook-rearrange-citation
z w y f	gnus-article-outlook-deuglify-article
z w y u	gnus-article-outlook-unwrap-lines
z w z	gnus-article-decode-HZ
z z	gnus-recenter

5.368 gnus-group-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ... 9	digit-argument
<delete> ; <remap> <self-insert-command> ; DEL ; M-u	undefined
<normal-state> %	gnus-group-mark-regexp
<normal-state> * ; <normal-state> M	gnus-group-mark-buffer
<normal-state> ,	gnus-group-best-unread-group
<normal-state> .	gnus-group-first-unread-group
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET	gnus-group-select-group
<normal-state> A	gnus-activate-all-groups
<normal-state> B	gnus-group-browse-foreign-server
<normal-state> C ; <normal-state> c c	gnus-group-mail
<normal-state> C-j	gnus-group-next-group
<normal-state> C-k	gnus-group-prev-group
<normal-state> D ; <normal-state> d d	gnus-group-kill-group
<normal-state> DEL ; <normal-state> [[; <normal-state> g k	gnus-group-prev-unread-group
<normal-state> E ; <normal-state> e	gnus-group-edit-group
<normal-state> F	gnus-group-find-new-groups
<normal-state> J	gnus-group-jump-to-group
<normal-state> L !	gnus-group-list-ticked
<normal-state> L /	gnus-group-list-limit-map
<normal-state> L ?	gnus-group-list-dormant
<normal-state> L M	gnus-group-list-all-matching
<normal-state> L a	gnus-group-list-active
<normal-state> L c	gnus-group-list-cached
<normal-state> L f	gnus-group-list-flush-map
<normal-state> L k	gnus-group-list-killed
<normal-state> L l	gnus-group-list-level
<normal-state> L m	gnus-group-list-matching
<normal-state> L p	gnus-group-list-plus-map
<normal-state> L s	gnus-group-list-groups
<normal-state> L u	gnus-group-list-all-groups
<normal-state> L z	gnus-group-list-zombies
<normal-state> M-s	gnus-group-read-ephemeral-search-group
<normal-state> P ; <normal-state> p	gnus-group-yank-group
<normal-state> Q ; <normal-state> Z Q	gnus-group-quit
<normal-state> R ; <normal-state> r	gnus-group-rename-group
<normal-state> S	gnus-group-description-apropos
<normal-state> T d	gnus-topic-delete
<normal-state> T j	gnus-topic-jump-to-topic
<normal-state> T n	gnus-topic-create-topic
<normal-state> T o a	gnus-topic-sort-groups-by-alphabet
<normal-state> T o e	gnus-group-sort-groups-by-server

Teclas / sequência	Comando / ação
<normal-state> T o l	gnus-topic-sort-groups-by-level
<normal-state> T o m	gnus-topic-sort-groups-by-method
<normal-state> T o r	gnus-topic-sort-groups-by-rank
<normal-state> T o s ; <normal -state> o s	gnus-group-sort-groups
<normal-state> T o u	gnus-topic-sort-groups-by-unread
<normal-state> T o v	gnus-topic-sort-groups-by-score
<normal-state> T r	gnus-topic-rename
<normal-state> U	gnus-group-unmark-all-groups
<normal-state> X	gnus-group-expunge-group
<normal-state> Z Z ; <normal-s tate> q	gnus-group-exit
<normal-state>]] ; <normal-s tate> g j	gnus-group-next-unread-group
<normal-state> ^	gnus-group-enter-server-mode
<normal-state> c i	gnus-group-news
<normal-state> g ?	gnus-group-help-map
<normal-state> g C	gnus-group-catchup-current-all
<normal-state> g E	gnus-group-expire-all-groups
<normal-state> g R	gnus-group-get-new-news
<normal-state> g U	gnus-group-unsubscribe-group
<normal-state> g c	gnus-group-catchup-current
<normal-state> g e	gnus-group-expire-articles
<normal-state> g l	gnus-group-set-current-level
<normal-state> g r	gnus-group-get-new-news-this-group
<normal-state> g u	gnus-group-unsubscribe-current-group
<normal-state> m	gnus-group-mark-group
<normal-state> o a	gnus-group-sort-groups-by-alphabet
<normal-state> o l	gnus-group-sort-groups-by-level
<normal-state> o m	gnus-group-sort-groups-by-method
<normal-state> o n	gnus-group-sort-groups-by-real-name
<normal-state> o r	gnus-group-sort-groups-by-rank
<normal-state> o u	gnus-group-sort-groups-by-unread
<normal-state> o v	gnus-group-sort-groups-by-score
<normal-state> s	gnus-group-apropos
<normal-state> u	gnus-group-unmark-group
<normal-state> z c	gnus-topic-hide-topic
<normal-state> z o	gnus-topic-show-topic
<normal-state> z z	gnus-recenter

5.369 gnus-group-mode-map [Evil normal]

Teclas / sequência	Comando / ação
%	gnus-group-mark-regexp
* ; M	gnus-group-mark-buffer
,	gnus-group-best-unread-group
.	gnus-group-first-unread-group

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	gnus-group-select-group
A	gnus-activate-all-groups
B	gnus-group-browse-foreign-server
C ; c c	gnus-group-mail
C-j	gnus-group-next-group
C-k	gnus-group-prev-group
D ; d d	gnus-group-kill-group
DEL ; [[; g k	gnus-group-prev-unread-group
E ; e	gnus-group-edit-group
F	gnus-group-find-new-groups
J	gnus-group-jump-to-group
L !	gnus-group-list-ticked
L /	gnus-group-list-limit-map
L ?	gnus-group-list-dormant
L M	gnus-group-list-all-matching
L a	gnus-group-list-active
L c	gnus-group-list-cached
L f	gnus-group-list-flush-map
L k	gnus-group-list-killed
L l	gnus-group-list-level
L m	gnus-group-list-matching
L p	gnus-group-list-plus-map
L s	gnus-group-list-groups
L u	gnus-group-list-all-groups
L z	gnus-group-list-zombies
M-s	gnus-group-read-ephemeral-search-group
P ; p	gnus-group-yank-group
Q ; Z Q	gnus-group-quit
R ; r	gnus-group-rename-group
S	gnus-group-description-apropos
T d	gnus-topic-delete
T j	gnus-topic-jump-to-topic

Teclas / sequência	Comando / ação
T n	gnus-topic-create-topic
T o a	gnus-topic-sort-groups-by-alphabet
T o e	gnus-group-sort-groups-by-server
T o l	gnus-topic-sort-groups-by-level
T o m	gnus-topic-sort-groups-by-method
T o r	gnus-topic-sort-groups-by-rank
T o s ; o s	gnus-group-sort-groups
T o u	gnus-topic-sort-groups-by-unread
T o v	gnus-topic-sort-groups-by-score
T r	gnus-topic-rename
U	gnus-group-unmark-all-groups
X	gnus-group-expunge-group
Z Z ; q	gnus-group-exit
]] ; g j	gnus-group-next-unread-group
^	gnus-group-enter-server-mode
c i	gnus-group-news
g ?	gnus-group-help-map
g C	gnus-group-catchup-current-all
g E	gnus-group-expire-all-groups
g R	gnus-group-get-new-news
g U	gnus-group-unsubscribe-group
g c	gnus-group-catchup-current
g e	gnus-group-expire-articles
g l	gnus-group-set-current-level
g r	gnus-group-get-new-news-this-group
g u	gnus-group-unsubscribe-current-group
m	gnus-group-mark-group
o a	gnus-group-sort-groups-by-alphabet
o l	gnus-group-sort-groups-by-level
o m	gnus-group-sort-groups-by-method
o n	gnus-group-sort-groups-by-real-name
o r	gnus-group-sort-groups-by-rank
o u	gnus-group-sort-groups-by-unread
o v	gnus-group-sort-groups-by-score
s	gnus-group-apropos
u	gnus-group-unmark-group
z c	gnus-topic-hide-topic
z o	gnus-topic-show-topic
z z	gnus-recenter

5.370 gnus-summary-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ... 9	digit-argument
<delete> ; <remap> <self-insert-command> ; DEL ; M-u	undefined
<normal-state> !	gnus-summary-mark-as-read-forward
<normal-state> %	gnus-uu-mark-by-regexp
<normal-state> &	gnus-summary-execute-command

Teclas / sequência	Comando / ação
<normal-state> *	gnus-cache-enter-article
<normal-state> ,	gnus-summary-best-unread-article
<normal-state> .	gnus-summary-first-unread-article
<normal-state> <backtab> ; <normal-state> S-<tab>	gnus-summary-widget-backward
<normal-state> <delete> ; <normal-state> S-SPC	gnus-summary-prev-page
<normal-state> <follow-link>	mouse-face
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET	gnus-summary-scroll-up
<normal-state> <tab> ; <normal-state> TAB	gnus-summary-widget-forward
<normal-state> =	gnus-summary-tick-article-forward
<normal-state> B E	gnus-summary-expire-articles-now
<normal-state> B I	gnus-summary-create-article
<normal-state> B b	gnus-summary-crosspost-article
<normal-state> B c	gnus-summary-copy-article
<normal-state> B d	gnus-summary-delete-article
<normal-state> B e	gnus-summary-expire-articles
<normal-state> B i	gnus-summary-import-article
<normal-state> B m	gnus-summary-move-article
<normal-state> B p	gnus-summary-article-posted-p

Teclas / sequência	Comando / ação
<normal-state> B q	gnus-summary-respool-query
<normal-state> B r	gnus-summary-respool-article
<normal-state> B t	gnus-summary-respool-trace
<normal-state> B w ; <normal-state> e	gnus-summary-edit-article
<normal-state> C ; <normal-state> c c	gnus-summary-mail-other-window
<normal-state> C-c C-f	gnus-summary-mail-forward
<normal-state> C-j	gnus-summary-next-article
<normal-state> C-k	gnus-summary-prev-article
<normal-state> E	gnus-summary-mark-as-expirable
<normal-state> F ; <normal-state> c F	gnus-summary-followup-with-original
<normal-state> I	gnus-summary-increase-score
<normal-state> J	gnus-summary-goto-article
<normal-state> L	gnus-summary-lower-score
<normal-state> M	gnus-uu-mark-buffer
<normal-state> M-&	gnus-summary-universal-argument
<normal-state> M-*	gnus-cache-remove-article
<normal-state> M-R	gnus-summary-repeat-search-article-backward
<normal-state> M-S	gnus-summary-repeat-search-article-forward
<normal-state> M-^	gnus-summary-refer-article
<normal-state> M-i	gnus-symbolic-argument
<normal-state> M-r	gnus-summary-search-article-backward
<normal-state> M-s	gnus-summary-search-article-forward
<normal-state> O F	gnus-summary-write-article-file
<normal-state> O P	gnus-summary-muttprint
<normal-state> O b	gnus-summary-save-article-body-file
<normal-state> O f	gnus-summary-save-article-file
<normal-state> O h	gnus-summary-save-article-folder
<normal-state> O m	gnus-summary-save-article-mail
<normal-state> O o	gnus-summary-save-article
<normal-state> O p ; <normal-state> |	gnus-summary-pipe-output
<normal-state> O r	gnus-summary-save-article-rmail
<normal-state> O v	gnus-summary-save-article-vm
<normal-state> Q ; <normal-state> Z Q	gnus-summary-exit-no-update
<normal-state> R ; <normal-state> c R	gnus-summary-reply-with-original
<normal-state> T H	gnus-summary-hide-all-threads
<normal-state> T M-^	gnus-summary-reparent-children
<normal-state> T S	gnus-summary-show-all-threads
<normal-state> T T	gnus-summary-toggle-threads
<normal-state> T ^	gnus-summary-reparent-thread
<normal-state> T a	gnus-summary-up-thread
<normal-state> T d	gnus-summary-down-thread
<normal-state> T h ; <normal-state> z c	gnus-summary-hide-thread
<normal-state> T i	gnus-summary-raise-thread
<normal-state> T k	gnus-summary-kill-thread
<normal-state> T l	gnus-summary-lower-thread
<normal-state> T m	gnus-uu-mark-thread

Teclas / sequência	Comando / ação
<normal-state> T n ; <normal-state> }	gnus-summary-next-thread
<normal-state> T o	gnus-summary-top-thread
<normal-state> T p ; <normal-state> {	gnus-summary-prev-thread
<normal-state> T s ; <normal-state> z o	gnus-summary-show-thread
<normal-state> T t	gnus-summary-rethread-current
<normal-state> T u	gnus-uu-unmark-thread
<normal-state> U	gnus-summary-unmark-all-processable
<normal-state> X P	gnus-uu-decode-postscript-and-save
<normal-state> X S	gnus-uu-decode-unshar-and-save
<normal-state> X U	gnus-uu-decode-uu-and-save
<normal-state> X Y	gnus-uu-decode-yenc
<normal-state> X b	gnus-uu-decode-binhex
<normal-state> X o	gnus-uu-decode-save
<normal-state> X p	gnus-uu-decode-postscript
<normal-state> X s	gnus-uu-decode-unshar
<normal-state> X u	gnus-uu-decode-uu
<normal-state> X v P	gnus-uu-decode-postscript-and-save-view
<normal-state> X v S	gnus-uu-decode-unshar-and-save-view
<normal-state> X v U	gnus-uu-decode-uu-and-save-view
<normal-state> X v p	gnus-uu-decode-postscript-view
<normal-state> X v s	gnus-uu-decode-unshar-view
<normal-state> X v u	gnus-uu-decode-uu-view
<normal-state> Z Z ; <normal-state> q	gnus-summary-exit
<normal-state> [[; <normal-state> g k	gnus-summary-prev-unread-article
<normal-state>]] ; <normal-state> g j	gnus-summary-next-unread-article
<normal-state> ^	gnus-summary-refer-parent-article
<normal-state> c W	gnus-summary-very-wide-reply-with-original
<normal-state> c f ; <normal-state> f	gnus-summary-followup
<normal-state> c i	gnus-summary-news-other-window
<normal-state> c r ; <normal-state> r	gnus-summary-reply
<normal-state> c w	gnus-summary-very-wide-reply
<normal-state> g ?	gnus-summary-help-map
<normal-state> g r	gnus-summary-rescan-group
<normal-state> g x	gnus-summary-browse-url
<normal-state> m	gnus-summary-mark-as-processable
<normal-state> o a	gnus-summary-sort-by-author
<normal-state> o c	gnus-summary-sort-by-chars
<normal-state> o d	gnus-summary-sort-by-date
<normal-state> o i	gnus-summary-sort-by-score
<normal-state> o l	gnus-summary-sort-by-lines
<normal-state> o m d	gnus-summary-sort-by-most-recent-date
<normal-state> o m m	gnus-summary-sort-by-marks
<normal-state> o m n	gnus-summary-sort-by-most-recent-number
<normal-state> o n	gnus-summary-sort-by-number
<normal-state> o o	gnus-summary-sort-by-original

Teclas / sequência	Comando / ação
<normal-state> o r	gnus-summary-sort-by-random
<normal-state> o s	gnus-summary-sort-by-subject
<normal-state> o t	gnus-summary-sort-by-recipient
<normal-state> u	gnus-summary-unmark-as-processable
<normal-state> x	gnus-summary-limit-to-unread
<normal-state> z /	gnus-summary-limit-map
<normal-state> z t	gnus-summary-toggle-header
<normal-state> z z	gnus-recenter

5.371 gnus-summary-mode-map [Evil normal]

Teclas / sequência	Comando / ação
!	gnus-summary-mark-as-read-forward
%	gnus-uu-mark-by-regexp
&	gnus-summary-execute-command
*	gnus-cache-enter-article
,	gnus-summary-best-unread-article
.	gnus-summary-first-unread-article
<backtab> ; S-<tab>	gnus-summary-widget-backward
<delete> ; S-SPC	gnus-summary-prev-page
<follow-link>	mouse-face
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	gnus-summary-scroll-up
<tab> ; TAB	gnus-summary-widget-forward
=	gnus-summary-tick-article-forward
B E	gnus-summary-expire-articles-now
B I	gnus-summary-create-article
B b	gnus-summary-crosspost-article
B c	gnus-summary-copy-article
B d	gnus-summary-delete-article
B e	gnus-summary-expire-articles

Teclas / sequência	Comando / ação
B i	gnus-summary-import-article
B m	gnus-summary-move-article
B p	gnus-summary-article-posted-p
B q	gnus-summary-respool-query
B r	gnus-summary-respool-article
B t	gnus-summary-respool-trace
B w ; e	gnus-summary-edit-article
C ; c c	gnus-summary-mail-other-window
C-c C-f	gnus-summary-mail-forward
C-j	gnus-summary-next-article
C-k	gnus-summary-prev-article
E	gnus-summary-mark-as-expirable
F ; c F	gnus-summary-followup-with-original
I	gnus-summary-increase-score
J	gnus-summary-goto-article
L	gnus-summary-lower-score
M	gnus-uu-mark-buffer
M-&	gnus-summary-universal-argument
M-*	gnus-cache-remove-article
M-R	gnus-summary-repeat-search-article-backward
M-S	gnus-summary-repeat-search-article-forward
M-^	gnus-summary-refer-article
M-i	gnus-symbolic-argument
M-r	gnus-summary-search-article-backward
M-s	gnus-summary-search-article-forward
O F	gnus-summary-write-article-file
O P	gnus-summary-muttprint
O b	gnus-summary-save-article-body-file
O f	gnus-summary-save-article-file
O h	gnus-summary-save-article-folder
O m	gnus-summary-save-article-mail
O o	gnus-summary-save-article
O p ; |	gnus-summary-pipe-output
O r	gnus-summary-save-article-rmail
O v	gnus-summary-save-article-vm
Q ; Z Q	gnus-summary-exit-no-update
R ; c R	gnus-summary-reply-with-original
T H	gnus-summary-hide-all-threads
T M-^	gnus-summary-reparent-children
T S	gnus-summary-show-all-threads
T T	gnus-summary-toggle-threads
T ^	gnus-summary-reparent-thread
T a	gnus-summary-up-thread
T d	gnus-summary-down-thread
T h ; z c	gnus-summary-hide-thread
T i	gnus-summary-raise-thread
T k	gnus-summary-kill-thread
T l	gnus-summary-lower-thread
T m	gnus-uu-mark-thread
T n ; }	gnus-summary-next-thread
T o	gnus-summary-top-thread
T p ; {	gnus-summary-prev-thread

Teclas / sequência	Comando / ação
T s ; z o	gnus-summary-show-thread
T t	gnus-summary-rethread-current
T u	gnus-uu-unmark-thread
U	gnus-summary-unmark-all-processable
X P	gnus-uu-decode-postscript-and-save
X S	gnus-uu-decode-unshar-and-save
X U	gnus-uu-decode-uu-and-save
X Y	gnus-uu-decode-yenc
X b	gnus-uu-decode-binhex
X o	gnus-uu-decode-save
X p	gnus-uu-decode-postscript
X s	gnus-uu-decode-unshar
X u	gnus-uu-decode-uu
X v P	gnus-uu-decode-postscript-and-save-view
X v S	gnus-uu-decode-unshar-and-save-view
X v U	gnus-uu-decode-uu-and-save-view
X v p	gnus-uu-decode-postscript-view
X v s	gnus-uu-decode-unshar-view
X v u	gnus-uu-decode-uu-view
Z Z ; q	gnus-summary-exit
[[; g k	gnus-summary-prev-unread-article
]] ; g j	gnus-summary-next-unread-article
^	gnus-summary-refer-parent-article
c W	gnus-summary-very-wide-reply-with-original
c f ; f	gnus-summary-followup
c i	gnus-summary-news-other-window
c r ; r	gnus-summary-reply
c w	gnus-summary-very-wide-reply
g ?	gnus-summary-help-map
g r	gnus-summary-rescan-group
g x	gnus-summary-browse-url
m	gnus-summary-mark-as-processable
o a	gnus-summary-sort-by-author
o c	gnus-summary-sort-by-chars
o d	gnus-summary-sort-by-date
o i	gnus-summary-sort-by-score
o l	gnus-summary-sort-by-lines
o m d	gnus-summary-sort-by-most-recent-date
o m m	gnus-summary-sort-by-marks
o m n	gnus-summary-sort-by-most-recent-number
o n	gnus-summary-sort-by-number
o o	gnus-summary-sort-by-original
o r	gnus-summary-sort-by-random
o s	gnus-summary-sort-by-subject
o t	gnus-summary-sort-by-recipient
u	gnus-summary-unmark-as-processable
x	gnus-summary-limit-to-unread
z /	gnus-summary-limit-map
z t	gnus-summary-toggle-header
z z	gnus-recenter

5.372 goto-map

Teclas / sequência	Comando / ação
`. ; M-.`	`xref-find-by-kind`
`M-g ; g`	`goto-line`
`M-n ; n`	`next-error`
`M-p ; p`	`previous-error`
`TAB`	`move-to-column`
`c`	`goto-char`
`i`	`imenu`

5.373 grep-edit-mode-map

Herda de: `text-mode-map`.

Teclas / sequência	Comando / ação
`C-c C-c`	`grep-edit-save-changes`

5.374 grep-menu-map

Teclas / sequência	Comando / ação
`<Another grep...>`	`grep`
`<Compile...>`	`compile`
`<Edit Grep Buffer>`	`grep-change-to-grep-edit-mode`
`<First Match>`	`first-error`
`<Grep via Find...>`	`grep-find`
`<Kill Grep>`	`kill-compilation`
`<Local grep...>`	`lgrep`
`<Next Match>`	`next-error`
`<Previous Match>`	`previous-error`
`<Recursive grep...>`	`rgrep`
`<Repeat grep>`	`recompile`
`<Toggle command abbreviation>`	`grep-find-toggle-abbreviation`

5.375 grep-mode-map

Herda de: compilation-minor-mode-map.

Teclas / sequência	Comando / ação
`<backtab>`	`compilation-previous-error`
`<normal-state> C-j`	`next-error-no-select`
`<normal-state> C-k`	`previous-error-no-select`
`<normal-state> i`	`wgrep-change-to-wgrep-mode`
`<normal-state> n`	`evil-search-next`
`C-c C-f`	`next-error-follow-minor-mode`
`DEL ; S-SPC`	`scroll-down-command`
`RET`	`compile-goto-error`
`SPC`	`scroll-up-command`
`TAB`	`compilation-next-error`

Teclas / sequência	Comando / ação
e	grep-change-to-grep-edit-mode
{	compilation-previous-file
}	compilation-next-file

5.376 grep-mode-tool-bar-map

Teclas / sequência	Comando / ação
<copy>	kill-ring-save
<cut>	kill-region
<isearch-forward>	isearch-forward
<kill-buffer>	kill-this-buffer
<kill-compilation>	kill-compilation
<new-file>	find-file
<next-error-no-select>	next-error-no-select
<open-directory>	dired-from-menubar
<open-file>	menu-find-file-existing
<paste>	yank
<previous-error-no-select>	previous-error-no-select
<recompile>	recompile
<save-buffer>	save-buffer
<undo>	undo

5.377 gud-dbx-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
c	gud-cont
i	gud-stepi
l	gud-refresh
n	gud-next
s	gud-step

5.378 gud-gdb-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
c	gud-cont
f	gud-finish
i	gud-stepi
l	gud-refresh
n	gud-next
s	gud-step

5.379 gud-global-map

Teclas / sequência	Comando / ação
C-l	gud-refresh

5.380 gud-guiler-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
f	gud-finish
l	gud-refresh
n	gud-next
s	gud-step

5.381 gud-jdb-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
c	gud-cont
f	gud-finish
i	gud-stepi
l	gud-refresh
n	gud-next
s	gud-step

5.382 gud-menu-map

Teclas / sequência	Comando / ação
<Continue to selection>	gud-until
<Continue-Run>	gud-go
<Continue>	gud-cont
<Down Stack>	gud-down
<Dump object-Dereference>	gud-pstar
<Finish Function>	gud-finish
<Info (debugger)>	gud-goto-info
<Next Instruction>	gud-nexti
<Next Line>	gud-next
<Print Expression>	gud-print
<Print S-expression>	gud-pp
<Refresh>	gud-refresh
<Remove Breakpoint>	gud-remove
<Run>	gud-run
<Set Breakpoint>	gud-break
<Show GUD tooltips>	gud-tooltip-mode
<Step Instruction>	gud-stepi
<Step Line>	gud-step

Teclas / sequência	Comando / ação
<Stop>	gud-stop-subjob
<Temporary Breakpoint>	gud-tbreak
<Up Stack>	gud-up
<Watch Expression>	gud-watch

5.383 gud-minibuffer-local-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
TAB	comint-dynamic-complete-filename

5.384 gud-pdb-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
c	gud-cont
f	gud-finish
l	gud-refresh
n	gud-next
s	gud-step

5.385 gud-perldb-repeat-map

Teclas / sequência	Comando / ação
c	gud-cont
l	gud-refresh
n	gud-next
s	gud-step

5.386 gud-sdb-repeat-map

Teclas / sequência	Comando / ação
c	gud-cont
i	gud-stepi
l	gud-refresh
n	gud-next
s	gud-step

5.387 gud-text-menu-bar-map

Teclas / sequência	Comando / ação
<buffer> ; <edit> ; <file> ; <options> ; <tools>	undefined
<cont>	gud-cont
<down>	gud-down
<finish>	gud-finish
<go>	(menu-bar-item go gud-go :visible (and (eq gud-minor-mode 'gdbmi) (gdb-show-run-p)))
<next>	gud-next
<print>	gud-print
<run>	gud-run
<step>	gud-step
<stop>	gud-stop-subjob
<until>	gud-until
<up>	gud-up

5.388 gud-tool-bar-map

Teclas / sequência	Comando / ação
<Continue to selection>	gud-until
<Continue-Run>	gud-go
<Continue>	gud-cont
<Down Stack>	gud-down
<Dump object-Dereference>	gud-pstar
<Finish Function>	gud-finish
<Info (debugger)>	gud-goto-info
<Next Instruction>	gud-nexti
<Next Line>	gud-next
<Print Expression>	gud-print
<Print S-expression>	gud-pp
<Remove Breakpoint>	gud-remove
<Run>	gud-run
<Set Breakpoint>	gud-break
<Step Instruction>	gud-stepi
<Step Line>	gud-step
<Stop>	gud-stop-subjob
<Up Stack>	gud-up
<Watch Expression>	gud-watch

5.389 gud-xdb-repeat-map

Teclas / sequência	Comando / ação
<	gud-up
>	gud-down
c	gud-cont
f	gud-finish
i	gud-stepi
l	gud-refresh
n	gud-next

Teclas / sequência	Comando / ação
s	gud-step

5.390 help-mode-map

Teclas / sequência	Comando / ação
<XF86Back> ; <normal-state> < ; <normal-state> C-o ; C-c C-b ; l	help-go-back
<XF86Forward> ; <normal-state> > ; C-c C-f ; r	help-go-forward
<normal-state> <backtab> ; <normal-state> S-<tab> ; <normal-state> g [	backward-button
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <tab> ; <normal-state> TAB ; <normal-state> g TAB ; <normal-state> g]	forward-button
<normal-state> C-b ; <normal-state> S-<space> ; <normal-state> S-SPC	scroll-down-command
<normal-state> C-f	scroll-up-command

Teclas / sequência	Comando / ação
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o	push-button
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> c ; c	help-customize
<normal-state> g ?	describe-mode
<normal-state> g r	revert-buffer
<normal-state> i ; i	help-goto-info
<normal-state> o	link-hint-open-link
<normal-state> r	help-follow
<normal-state> s ; s	help-view-source
C-c C-c	help-follow-symbol
I	help-goto-lispref-info
n	help-goto-next-page
p	help-goto-previous-page

5.391 help-mode-tool-bar-map

Teclas / sequência	Comando / ação
<Next Topic>	help-go-forward
<Previous Topic>	help-go-back
<quit>	quit-window
<search>	isearch-forward

5.392 helpful-mode-map

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab> ; p	backward-button
<normal-state> < ; <normal-state> C-o ; C-c C-b ; l	+emacs-lisp/helpful-previous
<normal-state> <C-i> ; <normal-state> > ; C-c C-f ; r	+emacs-lisp/helpful-next
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET	evil-collection-helpful-action
<normal-state> <tab> ; <normal-state> TAB ; TAB ; n	forward-button
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g O ; <normal-state> g o	push-button
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> g ?	describe-mode
<normal-state> g r ; <remap> <revert-buffer-quick> ; <remap> <revert-buffer> ; g	helpful-update
<normal-state> o ; o	link-hint-open-link
RET	helpful-visit-reference

5.393 helpful-mode-map [Evil normal]

Teclas / sequência	Comando / ação
< ; C-o	+emacs-lisp/helpful-previous
<C-i> ; >	+emacs-lisp/helpful-next
<backtab> ; S-<tab>	backward-button

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	evil-collection-helpful-action
<tab> ; TAB	forward-button
M-<return> ; M-RET ; S-<return> ; S-RET ; g O ; g o	push-button
Z Q	evil-quit
Z Z ; q	quit-window
g ?	describe-mode
g r	helpful-update
o	link-hint-open-link

5.394 hi-lock-map

Teclas / sequência	Comando / ação
C-x w .	highlight-symbol-at-point
C-x w b	hi-lock-write-interactive-patterns
C-x w h	highlight-regexp
C-x w i	hi-lock-find-patterns
C-x w l	highlight-lines-matching-regexp
C-x w p	highlight-phrase
C-x w r	unhighlight-regexp

5.395 hs-minor-mode-map

Teclas / sequência	Comando / ação
<normal-state> z L	hs-hide-level
C-c @	**Mapa:** hs-prefix-map
S-<mouse-2> ; TAB	hs-toggle-hiding

5.396 hs-minor-mode-map [Evil normal]

Teclas / sequência	Comando / ação
z L	hs-hide-level

5.397 hs-prefix-map

Teclas / sequência	Comando / ação
<backtab>	hs-toggle-all
C-M-h ; C-t	hs-hide-all
C-M-s ; C-a	hs-show-all
C-c ; C-e	hs-toggle-hiding
C-d ; C-h	hs-hide-block
C-l	hs-hide-level
C-s	hs-show-block
TAB	hs-cycle

5.398 ibuffer-mode-filter-group-map

Teclas / sequência	Comando / ação
RET	ibuffer-toggle-filter-group

5.399 ibuffer-mode-map

Teclas / sequência	Comando / ação
! ; <normal-state> ! ; <normal -state> F ; F	ibuffer-do-shell-command-file
% L ; <normal-state> % L	ibuffer-mark-by-locked
% f ; <normal-state> % f	ibuffer-mark-by-file-name-regexp
% g ; <normal-state> % g	ibuffer-mark-by-content-regexp
% m ; <normal-state> % m	ibuffer-mark-by-mode-regexp
% n ; <normal-state> % n	ibuffer-mark-by-name-regexp
* * ; <normal-state> M-DEL ; M -DEL	ibuffer-unmark-all
* / ; <normal-state> * /	ibuffer-mark-dired-buffers
* M ; <normal-state> * M	ibuffer-mark-by-mode
* c ; <normal-state> * c	ibuffer-change-marks
* e ; <normal-state> * e	ibuffer-mark-dissociated-buffers
* h ; <normal-state> * h	ibuffer-mark-help-buffers
* m ; <normal-state> * m	ibuffer-mark-modified-buffers
* r ; <normal-state> * r	ibuffer-mark-read-only-buffers
* s ; <normal-state> * * ; <no rmal-state> * s	ibuffer-mark-special-buffers
* u ; <normal-state> * u	ibuffer-mark-unsaved-buffers
* z ; <normal-state> * z	ibuffer-mark-compressed-file-buffers
+ ; <normal-state> +	ibuffer-add-to-tmp-show
, ; <normal-state> ,	ibuffer-toggle-sorting-mode
- ; <normal-state> -	ibuffer-add-to-tmp-hide

Teclas / sequência	Comando / ação
`. ; <normal-state> .`	`ibuffer-mark-old-buffers`
`/`	**Mapa:** `ibuffer--filter-map` (prefixo interno; consulte `C-h k`).
`0 ... 9`	`digit-argument`
`<backtab> ; <normal-state> <backtab> ; <normal-state> M-p ; <normal-state> [ [ ; M-p`	`ibuffer-backward-filter-group`
`<normal-state> <return> ; <normal-state> RET ; RET ; e ... f`	`ibuffer-visit-buffer`
`<normal-state> = ; =`	`ibuffer-diff-with-file`
`<normal-state> A ; <normal-state> g v ; A ; v`	`ibuffer-do-view`
`<normal-state> C-d`	`evil-scroll-down`
`<normal-state> C-t ; C-t`	`ibuffer-visit-tags-table`
`<normal-state> C-y ; C-y`	`ibuffer-yank`
`<normal-state> D ; D`	`ibuffer-do-delete`
`<normal-state> DEL ; DEL`	`ibuffer-unmark-backward`
`<normal-state> E ; E`	`ibuffer-do-eval`
`<normal-state> H ; H`	`ibuffer-do-view-other-frame`
`<normal-state> I ; I`	`ibuffer-do-query-replace-regexp`
`<normal-state> J ; <normal-state> M-g ; M-g ; j`	`ibuffer-jump-to-buffer`
`<normal-state> K ; k`	`ibuffer-do-kill-lines`
`<normal-state> M ; M ; ~`	`ibuffer-do-toggle-modified`
`<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; C-o`	`ibuffer-visit-buffer-other-window-noselect`
`<normal-state> M-j ; M-j`	`ibuffer-jump-to-filter-group`
`<normal-state> M-n ; <normal-state> TAB ; <normal-state> ] ] ; M-n ; TAB`	`ibuffer-forward-filter-group`
`<normal-state> M-s a C-M-s ; M-s a C-M-s`	`ibuffer-do-isearch-regexp`
`<normal-state> M-s a C-o ; <normal-state> O ; M-s a C-o ; O`	`ibuffer-do-occur`
`<normal-state> M-s a C-s ; M-s a C-s`	`ibuffer-do-isearch`
`<normal-state> M-{ ; <normal-state> { ; M-{`	`ibuffer-backwards-next-marked`
`<normal-state> M-} ; <normal-state> } ; M-}`	`ibuffer-forward-next-marked`
`<normal-state> N ; N`	`ibuffer-do-shell-command-pipe-replace`
`<normal-state> P ; P`	`ibuffer-do-print`
`<normal-state> Q ; Q`	`ibuffer-do-query-replace`
`<normal-state> R ; R`	`ibuffer-do-rename-uniquely`
`<normal-state> S ; S`	`ibuffer-do-save`
`<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; C-x 4 RET ; o`	`ibuffer-visit-buffer-other-window`
`<normal-state> T ; T`	`ibuffer-do-toggle-read-only`
`<normal-state> U ; U`	`ibuffer-unmark-all-marks`
`<normal-state> V ; V`	`ibuffer-do-revert`
`<normal-state> W ; W`	`ibuffer-do-view-and-eval`
`<normal-state> X ; b`	`ibuffer-bury-buffer`

Teclas / sequência	Comando / ação
<normal-state> Z Q ; <normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> ` ; `	ibuffer-switch-format
<normal-state> d ; d	ibuffer-mark-for-delete
<normal-state> g R ; l	ibuffer-redisplay
<normal-state> g V ; C-x v	ibuffer-do-view-horizontally
<normal-state> g j ; n	ibuffer-forward-line
<normal-state> g k ; p	ibuffer-backward-line
<normal-state> g r ; g	ibuffer-update
<normal-state> g x ; C-k	ibuffer-kill-line
<normal-state> m ; m	ibuffer-mark-forward
<normal-state> o a ; s a	ibuffer-do-sort-by-alphabetic
<normal-state> o f ; s f	ibuffer-do-sort-by-filename/process
<normal-state> o i ; s i	ibuffer-invert-sorting
<normal-state> o m ; s m	ibuffer-do-sort-by-major-mode
<normal-state> o s ; s s	ibuffer-do-sort-by-size
<normal-state> o v ; s v	ibuffer-do-sort-by-recency
<normal-state> r ; r	ibuffer-do-replace-regexp
<normal-state> s !	ibuffer-negate-filter
<normal-state> s &	ibuffer-and-filter
<normal-state> s *	ibuffer-filter-by-starred-name
<normal-state> s .	ibuffer-filter-by-file-extension
<normal-state> s /	ibuffer-filter-disable
<normal-state> s <	ibuffer-filter-by-size-lt
<normal-state> s <up> ; <normal-state> s p	ibuffer-pop-filter
<normal-state> s >	ibuffer-filter-by-size-gt
<normal-state> s D	ibuffer-decompose-filter-group
<normal-state> s M	ibuffer-filter-by-derived-mode
<normal-state> s P ; <normal-state> s S-<up>	ibuffer-pop-filter-group
<normal-state> s R	ibuffer-switch-to-saved-filter-groups
<normal-state> s RET	ibuffer-filter-by-mode
<normal-state> s S	ibuffer-save-filter-groups
<normal-state> s TAB ; <normal-state> s t	ibuffer-exchange-filters
<normal-state> s X	ibuffer-delete-saved-filter-groups
<normal-state> s \	ibuffer-clear-filter-groups
<normal-state> s a	ibuffer-add-saved-filters
<normal-state> s b	ibuffer-filter-by-basename
<normal-state> s c	ibuffer-filter-by-content
<normal-state> s d	ibuffer-decompose-filter
<normal-state> s e	ibuffer-filter-by-predicate
<normal-state> s f	ibuffer-filter-by-filename
<normal-state> s g	ibuffer-filters-to-filter-group
<normal-state> s i	ibuffer-filter-by-modified
<normal-state> s m	ibuffer-filter-by-used-mode
<normal-state> s n	ibuffer-filter-by-name
<normal-state> s o ; <normal-state> s |	ibuffer-or-filter
<normal-state> s r	ibuffer-switch-to-saved-filters
<normal-state> s s	ibuffer-save-filters
<normal-state> s v	ibuffer-filter-by-visiting-file

Teclas / sequência	Comando / ação
<normal-state> s x	ibuffer-delete-saved-filters
<normal-state> t ; <normal-state> ~ ; t	ibuffer-toggle-marks
<normal-state> u ; u	ibuffer-unmark-forward
<normal-state> x ; x	ibuffer-do-kill-on-deletion-marks
<normal-state> y b ; B	ibuffer-copy-buffername-as-kill
<normal-state> y f ; w	ibuffer-copy-filename-as-kill
<normal-state> | ; X ; |	ibuffer-do-shell-command-pipe
C-c C-a	ibuffer-auto-mode
C-d	ibuffer-mark-for-delete-backwards
C-x 5 RET	ibuffer-visit-buffer-other-frame
C-x C-f	ibuffer-find-file
L	ibuffer-do-toggle-lock
M-o	ibuffer-visit-buffer-1-window
SPC	forward-line

5.400 ibuffer-mode-map [Evil normal]

Teclas / sequência	Comando / ação
! ; F	ibuffer-do-shell-command-file
% L	ibuffer-mark-by-locked
% f	ibuffer-mark-by-file-name-regexp
% g	ibuffer-mark-by-content-regexp
% m	ibuffer-mark-by-mode-regexp
% n	ibuffer-mark-by-name-regexp
* * ; * s	ibuffer-mark-special-buffers
* /	ibuffer-mark-dired-buffers
* M	ibuffer-mark-by-mode
* c	ibuffer-change-marks
* e	ibuffer-mark-dissociated-buffers
* h	ibuffer-mark-help-buffers
* m	ibuffer-mark-modified-buffers
* r	ibuffer-mark-read-only-buffers
* u	ibuffer-mark-unsaved-buffers
* z	ibuffer-mark-compressed-file-buffers
+	ibuffer-add-to-tmp-show
,	ibuffer-toggle-sorting-mode
-	ibuffer-add-to-tmp-hide
.	ibuffer-mark-old-buffers
<backtab> ; M-p ; [[	ibuffer-backward-filter-group
<return> ; RET	ibuffer-visit-buffer
=	ibuffer-diff-with-file
A ; g v	ibuffer-do-view
C-d	evil-scroll-down
C-t	ibuffer-visit-tags-table
C-y	ibuffer-yank
D	ibuffer-do-delete
DEL	ibuffer-unmark-backward
E	ibuffer-do-eval
H	ibuffer-do-view-other-frame

Teclas / sequência	Comando / ação
I	ibuffer-do-query-replace-regexp
J ; M-g	ibuffer-jump-to-buffer
K	ibuffer-do-kill-lines
M	ibuffer-do-toggle-modified
M-<return> ; M-RET ; g O	ibuffer-visit-buffer-other-window-noselect
M-DEL	ibuffer-unmark-all
M-j	ibuffer-jump-to-filter-group
M-n ; TAB ;]]	ibuffer-forward-filter-group
M-s a C-M-s	ibuffer-do-isearch-regexp
M-s a C-o ; O	ibuffer-do-occur
M-s a C-s	ibuffer-do-isearch
M-{ ; {	ibuffer-backwards-next-marked
M-} ; }	ibuffer-forward-next-marked
N	ibuffer-do-shell-command-pipe-replace
P	ibuffer-do-print
Q	ibuffer-do-query-replace
R	ibuffer-do-rename-uniquely
S	ibuffer-do-save
S-<return> ; S-RET ; g o	ibuffer-visit-buffer-other-window
T	ibuffer-do-toggle-read-only
U	ibuffer-unmark-all-marks
V	ibuffer-do-revert
W	ibuffer-do-view-and-eval
X	ibuffer-bury-buffer
Z Q ; Z Z ; q	quit-window
`	ibuffer-switch-format
d	ibuffer-mark-for-delete
g R	ibuffer-redisplay
g V	ibuffer-do-view-horizontally
g j	ibuffer-forward-line
g k	ibuffer-backward-line
g r	ibuffer-update
g x	ibuffer-kill-line
m	ibuffer-mark-forward
o a	ibuffer-do-sort-by-alphabetic
o f	ibuffer-do-sort-by-filename/process
o i	ibuffer-invert-sorting
o m	ibuffer-do-sort-by-major-mode
o s	ibuffer-do-sort-by-size
o v	ibuffer-do-sort-by-recency
r	ibuffer-do-replace-regexp
s !	ibuffer-negate-filter
s &	ibuffer-and-filter
s *	ibuffer-filter-by-starred-name
s .	ibuffer-filter-by-file-extension
s /	ibuffer-filter-disable
s <	ibuffer-filter-by-size-lt
s <up> ; s p	ibuffer-pop-filter
s >	ibuffer-filter-by-size-gt
s D	ibuffer-decompose-filter-group
s M	ibuffer-filter-by-derived-mode
s P ; s S-<up>	ibuffer-pop-filter-group

Teclas / sequência	Comando / ação
s R	ibuffer-switch-to-saved-filter-groups
s RET	ibuffer-filter-by-mode
s S	ibuffer-save-filter-groups
s TAB ; s t	ibuffer-exchange-filters
s X	ibuffer-delete-saved-filter-groups
s \	ibuffer-clear-filter-groups
s a	ibuffer-add-saved-filters
s b	ibuffer-filter-by-basename
s c	ibuffer-filter-by-content
s d	ibuffer-decompose-filter
s e	ibuffer-filter-by-predicate
s f	ibuffer-filter-by-filename
s g	ibuffer-filters-to-filter-group
s i	ibuffer-filter-by-modified
s m	ibuffer-filter-by-used-mode
s n	ibuffer-filter-by-name
s o ; s |	ibuffer-or-filter
s r	ibuffer-switch-to-saved-filters
s s	ibuffer-save-filters
s v	ibuffer-filter-by-visiting-file
s x	ibuffer-delete-saved-filters
t ; ~	ibuffer-toggle-marks
u	ibuffer-unmark-forward
x	ibuffer-do-kill-on-deletion-marks
y b	ibuffer-copy-buffername-as-kill
y f	ibuffer-copy-filename-as-kill
|	ibuffer-do-shell-command-pipe

5.401 ibuffer-mode-name-map

Teclas / sequência	Comando / ação
RET	ibuffer-interactive-filter-by-mode

5.402 ibuffer-mode-operate-map

Teclas / sequência	Comando / ação
<Diff with file>	ibuffer-diff-with-file
<Eval (viewing buffer)...>	ibuffer-do-view-and-eval
<Eval...>	ibuffer-do-eval
<Kill>	ibuffer-do-delete
<List lines matching...>	ibuffer-do-occur
<Pipe to shell command (replac e)...>	ibuffer-do-shell-command-pipe-replace
<Pipe to shell command...>	ibuffer-do-shell-command-pipe
<Print>	ibuffer-do-print
<Query Replace (regexp)...>	ibuffer-do-query-replace-regexp
<Query Replace...>	ibuffer-do-query-replace
<Rename Uniquely>	ibuffer-do-rename-uniquely
<Replace (regexp)...>	ibuffer-do-replace-regexp

Teclas / sequência	Comando / ação
<Revert>	ibuffer-do-revert
<Save>	ibuffer-do-save
<Shell command on buffer's file...>	ibuffer-do-shell-command-file
<Toggle lock flag>	ibuffer-do-toggle-lock
<Toggle modification flag>	ibuffer-do-toggle-modified
<Toggle read-only flag>	ibuffer-do-toggle-read-only
<View (separate frame)>	ibuffer-do-view-other-frame
<View>	ibuffer-do-view

5.403 image-map

Herda de: image-slice-map.

Teclas / sequência	Comando / ação
i h	image-flip-horizontally
i r	image-rotate
i v	image-flip-vertically

5.404 image-minor-mode-map

Teclas / sequência	Comando / ação
C-c C-c	image-toggle-display
C-c C-x	image-toggle-hex-display

5.405 image-mode-map

Teclas / sequência	Comando / ação
<normal-state> $; <remap> <move-end-of-line>	image-eol
<normal-state> + ; <normal-state> =	image-increase-size
<normal-state> , ; b	image-previous-frame
<normal-state> -	image-decrease-size
<normal-state> . ; <normal-state> ; ; f	image-next-frame
<normal-state> 0 ; <normal-state> ^ ; <remap> <move-beginning-of-line>	image-bol
<normal-state> <delete> ; <normal-state> C-u ; <normal-state> S-<space> ; <normal-state> S-SPC ; <remap> <scroll-down-command> ; <remap> <scroll-down> ; DEL ; S-SPC	image-scroll-down
<normal-state> <remap> <evil-backward-char> ; <remap> <backward-char> ; <remap> <left-char>	image-backward-hscroll

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-forward-char> ; <remap> <forward-char> ; <remap> <right-char>	image-forward-hscroll
<normal-state> <remap> <evil-next-line> ; <remap> <next-line>	image-next-line
<normal-state> <remap> <evil-previous-line> ; <remap> <previous-line>	image-previous-line
<normal-state> <return> ; <normal-state> RET ; RET	image-toggle-animation
<normal-state> C-c C-c ; C-c C-c	image-toggle-display
<normal-state> C-d ; <remap> <scroll-up-command> ; <remap> <scroll-up> ; SPC	image-scroll-up
<normal-state> F ; F	image-goto-frame
<normal-state> G ; <remap> <end-of-buffer>	image-eob
<normal-state> H ; s h	image-transform-fit-to-height
<normal-state> W ; s i	image-transform-fit-to-width
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> [[; <normal-state> g k ; p	image-previous-file
<normal-state>]] ; <normal-state> g j ; n	image-next-file
<normal-state> a 0 ; a 0	image-reset-speed
<normal-state> a r ; a r	image-reverse-speed
<normal-state> g g ; <remap> <beginning-of-buffer>	image-bob
<normal-state> { ; a -	image-decrease-speed
<normal-state> } ; a +	image-increase-speed
<remap> <scroll-left>	image-scroll-left
<remap> <scroll-right>	image-scroll-right
C-c C-x	image-toggle-hex-display
W	image-mode-wallpaper-set
m	image-mode-mark-file
s 0	image-transform-reset-to-initial
s b	image-transform-fit-both
s f	image-mode-fit-frame
s m	image-transform-set-smoothing
s o	image-transform-reset-to-original
s p	image-transform-set-percent
s r	image-transform-set-rotation
s s	image-transform-set-scale
s w	image-transform-fit-to-window
u	image-mode-unmark-file
w	image-mode-copy-file-name-as-kill

5.406 image-slice-map

Teclas / sequência	Comando / ação
C-<mouse-4> ; C-<wheel-up>	image-mouse-increase-size
C-<mouse-5> ; C-<wheel-down>	image-mouse-decrease-size
i +	image-increase-size
i -	image-decrease-size
i c	image-crop
i o	image-save
i x	image-cut

5.407 indent-rigidly-map

Teclas / sequência	Comando / ação
<left> ; h	indent-rigidly-left
<right> ; TAB ; l	indent-rigidly-right
H ; S-<left>	indent-rigidly-left-to-tab-stop
L ; S-<right>	indent-rigidly-right-to-tab-stop

5.408 Info-link-keymap

Teclas / sequência	Comando / ação
<follow-link>	mouse-face

5.409 Info-mode-map

Teclas / sequência	Comando / ação
, ; <normal-state> g ,	Info-index-next
-	negative-argument
. ; b	beginning-of-buffer
0 ; <remap> <self-insert-command>	undefined
1 ... 9 ; <normal-state> g 1 ; <normal-state> g 2 ; <normal-state> g 3 ; <normal-state> g 4 ; <normal-state> g 5 ; <normal-state> g 6 ; <normal-state> g 7	Info-nth-menu-item
<normal-state> g 8 ; <normal-state> g 9	Info-nth-menu-item
< ; <normal-state> g t ; t	Info-top-node
<XF86Back> ; <normal-state> <double-wheel-left> ; <normal-state> C-o ; <normal-state> C-t ; l	Info-history-back
<XF86Forward> ; <normal-state> <double-wheel-right> ; r	Info-history-forward
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab> ; <normal-state> g [; C-M-i	Info-prev-reference

Teclas / sequência	Comando / ação
<follow-link> ; <normal-state> <follow-link>	mouse-face
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> C-] ; <normal-state> RET ; RET	Info-follow-nearest-node
<normal-state> <tab> ; <normal-state> TAB ; <normal-state> g TAB ; <normal-state> g] ; TAB	Info-next-reference
<normal-state> C-j ; <normal-state>]] ;]	Info-forward-node
<normal-state> C-k ; <normal-state> [[; [	Info-backward-node
<normal-state> DEL ; DEL ; S-SPC	Info-scroll-down
<normal-state> I ; I	Info-virtual-index
<normal-state> J ; <normal-state> g m ; m	Info-menu
<normal-state> M-h ; h	Info-help
<normal-state> S ; S	Info-search-case-sensitively
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q ; q	quit-window
<normal-state> a	info-apropos

Teclas / sequência	Comando / ação
<normal-state> d ; d	Info-directory
<normal-state> g ? ; ?	Info-summary
<normal-state> g G ; g	Info-goto-node
<normal-state> g L ; L	Info-history
<normal-state> g T ; T	Info-toc
<normal-state> g j ; n	Info-next
<normal-state> g k ; p	Info-prev
<normal-state> i ; i	Info-index
<normal-state> o	link-hint-open-link
<normal-state> s ; s	Info-search
<normal-state> u ; ^ ; u	Info-up
<remap> <goto-line>	goto-line-relative
>	Info-final-node
G	Info-goto-node-web
H	describe-mode
M-n	clone-buffer
SPC	Info-scroll-up
c ; w	Info-copy-current-node-name
e	end-of-buffer
f	Info-follow-reference

5.410 Info-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab> ; g [	Info-prev-reference
<double-wheel-left> ; C-o ; C-t	Info-history-back
<double-wheel-right>	Info-history-forward
<follow-link>	mouse-face
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; C-] ; RET	Info-follow-nearest-node
<tab> ; TAB ; g TAB ; g]	Info-next-reference

Teclas / sequência	Comando / ação
C-j ;]]	Info-forward-node
C-k ; [[	Info-backward-node
DEL	Info-scroll-down
I	Info-virtual-index
J ; g m	Info-menu
M-h	Info-help
S	Info-search-case-sensitively
Z Q	evil-quit
Z Z ; q	quit-window
a	info-apropos
d	Info-directory
g ,	Info-index-next
g 1 ; g 2 ; g 3 ; g 4 ; g 5 ; g 6 ; g 7 ; g 8	Info-nth-menu-item
g 9	Info-nth-menu-item
g ?	Info-summary
g G	Info-goto-node
g L	Info-history
g T	Info-toc
g j	Info-next
g k	Info-prev
g t	Info-top-node
i	Info-index
o	link-hint-open-link
s	Info-search
u	Info-up

5.411 info-tool-bar-map

Teclas / sequência	Comando / ação
<Back in History>	Info-history-back
<Exit>	quit-window
<Forward in History>	Info-history-forward
<Go to Node...>	Info-goto-node
<Lookup a String...>	Info-index
<Next>	Info-next
<Previous>	Info-prev
<Search...>	Info-search
<Top>	Info-top-node
<Up>	Info-up

5.412 isearch-help-map

Teclas / sequência	Comando / ação
<f1> ; <help> ; ? ; C-h	isearch-help-for-help
b	isearch-describe-bindings
k	isearch-describe-key
m	isearch-describe-mode

Teclas / sequência	Comando / ação
q	help-quit

5.413 isearch-menu-bar-map

Teclas / sequência	Comando / ação
<Cancel search>	isearch-cancel
<Case folding matching>	isearch-toggle-case-fold
<Character folding matching>	isearch-toggle-char-fold
<Complete current search string>	isearch-complete
<Delete last char from search string>	isearch-del-char
<Edit current search string>	isearch-edit-string
<Edit next search string>	isearch-ring-advance
<Edit previous search string>	isearch-ring-retreat
<Finish search> ; <Nonincremental search>	isearch-exit
<Go to first match>	isearch-beginning-of-buffer
<Go to last match>	isearch-end-of-buffer
<Highlight all matches for search string>	isearch-highlight-regexp
<Invisible text matching>	isearch-toggle-invisible
<Lax whitespace matching>	isearch-toggle-lax-whitespace
<Regexp matching>	isearch-toggle-regexp
<Remove characters not found>	isearch-abort
<Repeat search backward>	isearch-repeat-backward
<Repeat search forward>	isearch-repeat-forward
<Replace search string as regexp>	isearch-query-replace-regexp
<Replace search string>	isearch-query-replace
<Search for Emoji by name>	isearch-emoji-by-name
<Search for char by name>	isearch-char-by-name
<Search for literal char>	isearch-quote-char
<Show all matches for search string>	isearch-occur
<Symbol matching>	isearch-toggle-symbol
<Toggle input method>	isearch-toggle-input-method
<Turn on specific input method>	isearch-toggle-specified-input-method
<Turn on transient input method>	isearch-transient-input-method
<Undo last input item>	isearch-delete-char
<Word matching>	isearch-toggle-word
<Yank on search string> <Char>	isearch-yank-char
<Yank on search string> <Current kill>	isearch-yank-kill
<Yank on search string> <Previous kill>	isearch-yank-pop-only
<Yank on search string> <Rest of line>	isearch-yank-line
<Yank on search string> <Symbol/char>	isearch-yank-symbol-or-char

Teclas / sequência	Comando / ação
<Yank on search string> <Until char...>	isearch-yank-until-char
<Yank on search string> <Word/char>	isearch-yank-word-or-char

5.414 isearch-mode-map

Teclas / sequência	Comando / ação
<backspace>	undefined
<f1> ; <help> ; C-h	**Mapa:** isearch-help-map
<return> ; RET	isearch-exit
<xterm-paste>	isearch-xterm-paste
C-M-%	isearch-query-replace-regexp
C-M-d	isearch-del-char
C-M-i	isearch-complete
C-M-r ; C-r	isearch-repeat-backward
C-M-s ; C-s	isearch-repeat-forward
C-M-w	isearch-yank-symbol-or-char
C-M-y	isearch-yank-char
C-M-z	isearch-yank-until-char
C-\	isearch-toggle-input-method
C-^	isearch-toggle-specified-input-method
C-g	isearch-abort
C-q	isearch-quote-char
C-w	isearch-yank-word-or-char
C-x 8 RET	isearch-char-by-name
C-x 8 e RET	isearch-emoji-by-name
C-x \	isearch-transient-input-method
C-y	isearch-yank-kill
DEL	isearch-delete-char
ESC ESC ESC	isearch-cancel
M-%	isearch-query-replace
M-c ; M-s c	isearch-toggle-case-fold
M-e ; M-s e	isearch-edit-string
M-n	isearch-ring-advance
M-p	isearch-ring-retreat
M-r ; M-s r	isearch-toggle-regexp
M-s '	isearch-toggle-char-fold
M-s C-e	isearch-yank-line
M-s M-<	isearch-beginning-of-buffer
M-s M->	isearch-end-of-buffer
M-s SPC	isearch-toggle-lax-whitespace
M-s _	isearch-toggle-symbol
M-s h l	isearch-highlight-lines-matching-regexp
M-s h r	isearch-highlight-regexp
M-s i	isearch-toggle-invisible
M-s o	isearch-occur
M-s w	isearch-toggle-word
M-y	isearch-yank-pop-only

Teclas / sequência	Comando / ação
S-SPC ; SPC ... ~ ; TAB ... C-j ; <U+0080> ... \377	isearch-printing-char

5.415 isearch-tool-bar-map

Teclas / sequência	Comando / ação
<isearch-cancel>	isearch-cancel
<isearch-delete-char>	isearch-delete-char
<isearch-describe-mode>	isearch-describe-mode
<isearch-exit>	isearch-exit
<isearch-occur>	isearch-occur
<isearch-query-replace>	isearch-query-replace
<isearch-repeat-backward>	isearch-repeat-backward
<isearch-repeat-forward>	isearch-repeat-forward

5.416 ispell-menu-map

Teclas / sequência	Comando / ação
<flyspell-mode>	flyspell-mode
<ispell-buffer>	ispell-buffer
<ispell-change-dictionary>	ispell-change-dictionary
<ispell-comments-and-strings>	ispell-comments-and-strings
<ispell-complete-word-interior-frag>	ispell-complete-word-interior-frag
<ispell-complete-word>	ispell-complete-word
<ispell-continue>	ispell-continue
<ispell-customize> ; <ispell-help> ; <ispell-kill-ispell> ; <ispell-pdict-save>	Função compilada anônima
<ispell-message>	ispell-message
<ispell-region>	ispell-region
<ispell-word>	ispell-word

5.417 ispell-minor-keymap

Teclas / sequência	Comando / ação
RET ; SPC	ispell-minor-check

5.418 json-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m + ; <insert-state> M-SPC m + ; <motion-state> SPC m + ; <normal-state> SPC m + ; <visual-state> SPC m + ; C-c TAB	json-increment-number-at-point
<emacs-state> M-SPC m - ; <insert-state> M-SPC m - ; <motion-state> SPC m - ; <normal-state> SPC m - ; <visual-state> SPC m - ; C-c C-d	json-decrement-number-at-point
<emacs-state> M-SPC m d ; <insert-state> M-SPC m d ; <motion-state> SPC m d ; <normal-state> SPC m d ; <visual-state> SPC m d	json-mode-kill-path
<emacs-state> M-SPC m f ; <insert-state> M-SPC m f ; <motion-state> SPC m f ; <normal-state> SPC m f ; <visual-state> SPC m f ; C-c C-f	json-mode-beautify
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <visual-state> SPC m p ; C-c C-p	json-mode-show-path
<emacs-state> M-SPC m t ; <insert-state> M-SPC m t ; <motion-state> SPC m t ; <normal-state> SPC m t ; <visual-state> SPC m t ; C-c C-t	json-toggle-boolean
<emacs-state> M-SPC m x ; <insert-state> M-SPC m x ; <motion-state> SPC m x ; <normal-state> SPC m x ; <visual-state> SPC m x ; C-c C-k	json-nullify-sexp

5.419 json-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m +	json-increment-number-at-point
M-SPC m -	json-decrement-number-at-point
M-SPC m d	json-mode-kill-path
M-SPC m f	json-mode-beautify
M-SPC m p	json-mode-show-path
M-SPC m t	json-toggle-boolean
M-SPC m x	json-nullify-sexp

5.420 json-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m +	json-increment-number-at-point
M-SPC m -	json-decrement-number-at-point

Teclas / sequência	Comando / ação
M-SPC m d	json-mode-kill-path
M-SPC m f	json-mode-beautify
M-SPC m p	json-mode-show-path
M-SPC m t	json-toggle-boolean
M-SPC m x	json-nullify-sexp

5.421 json-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m +	json-increment-number-at-point
SPC m -	json-decrement-number-at-point
SPC m d	json-mode-kill-path
SPC m f	json-mode-beautify
SPC m p	json-mode-show-path
SPC m t	json-toggle-boolean
SPC m x	json-nullify-sexp

5.422 json-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m +	json-increment-number-at-point
SPC m -	json-decrement-number-at-point
SPC m d	json-mode-kill-path
SPC m f	json-mode-beautify
SPC m p	json-mode-show-path
SPC m t	json-toggle-boolean
SPC m x	json-nullify-sexp

5.423 json-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m +	json-increment-number-at-point
SPC m -	json-decrement-number-at-point
SPC m d	json-mode-kill-path
SPC m f	json-mode-beautify
SPC m p	json-mode-show-path
SPC m t	json-toggle-boolean
SPC m x	json-nullify-sexp

5.424 jsonrpc-events-mode-map

Herda de: special-mode-map.

Teclas / sequência	Comando / ação
C-c C-o	jsonrpc-events-occur-at-point

Teclas / sequência	Comando / ação
RET	jsonrpc-events-jq-at-point

5.425 kmacro-keymap

Teclas / sequência	Comando / ação
C-a	kmacro-add-counter
C-c	kmacro-set-counter
C-d	kmacro-delete-ring-head
C-e	kmacro-edit-macro-repeat
C-f	kmacro-set-format
C-k	kmacro-end-or-call-macro-repeat
C-l	kmacro-call-ring-2nd-repeat
C-n	kmacro-cycle-ring-next
C-p	kmacro-cycle-ring-previous
C-q <	kmacro-quit-counter-less
C-q =	kmacro-quit-counter-equal
C-q >	kmacro-quit-counter-greater
C-r a <	kmacro-reg-add-counter-less
C-r a =	kmacro-reg-add-counter-equal
C-r a >	kmacro-reg-add-counter-greater
C-r l	kmacro-reg-load-counter
C-r s	kmacro-reg-save-counter
C-s ; s	kmacro-start-macro
C-t	kmacro-swap-ring
C-v	kmacro-view-macro-repeat
RET	kmacro-edit-macro
SPC	kmacro-step-edit-macro
TAB	kmacro-insert-counter
b	kmacro-bind-to-key
d	kmacro-redisplay
e	edit-kbd-macro
l	kmacro-edit-lossage
n	kmacro-name-last-macro
q	kbd-macro-query
r	apply-macro-to-region-lines
x	kmacro-to-register

5.426 kmacro-menu-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
# ; <normal-state> #	kmacro-menu-edit-position
<normal-state> <return> ; <normal-state> RET ; RET	kmacro-menu-edit-column
<normal-state> C ; C	kmacro-menu-do-copy
<normal-state> D ; D	kmacro-menu-do-delete
<normal-state> E ; <normal-state> e ; e	kmacro-menu-edit-keys

Teclas / sequência	Comando / ação
<normal-state> U ; U	kmacro-menu-unmark-all
<normal-state> c ; c	kmacro-menu-edit-counter
<normal-state> d ; d	kmacro-menu-flag-for-deletion
<normal-state> f ; f	kmacro-menu-edit-format
<normal-state> m ; m	kmacro-menu-mark
<normal-state> u ; u	kmacro-menu-unmark
<normal-state> x ; x	kmacro-menu-do-flagged-delete
<remap> <transpose-lines>	kmacro-menu-transpose
DEL	kmacro-menu-unmark-backward

5.427 kmacro-step-edit-map

Herda de: query-replace-map.

Teclas / sequência	Comando / ação
<tab> ; TAB	act-repeat
A	append-end
C-d ; d	skip
C-k	skip-rest
I	insert-1
R	replace-1
a	append
c	automatic
f	skip-keep
i	insert
q	quit
r	replace

5.428 LaTeX-math-keymap

Teclas / sequência	Comando / ação
&	LaTeX-math-wedge
(	LaTeX-math-langle
)	LaTeX-math-rangle
*	LaTeX-math-times
+	LaTeX-math-cup
-	LaTeX-math-cap
.	LaTeX-math-cdot
/	LaTeX-math-not
0	LaTeX-math-emptyset
:	LaTeX-math-colon
<	LaTeX-math-leq
>	LaTeX-math-geq
A	LaTeX-math-forall
C-^	LaTeX-math-sup
C-_	LaTeX-math-inf
C-b	LaTeX-math-leftarrow
C-c	LaTeX-math-cos
C-d	LaTeX-math-det

Teclas / sequência	Comando / ação
C-e	LaTeX-math-exp
C-f	LaTeX-math-rightarrow
C-l	LaTeX-math-lim
C-n	LaTeX-math-downarrow
C-p	LaTeX-math-uparrow
C-s	LaTeX-math-sin
C-t	LaTeX-math-tan
D	LaTeX-math-Delta
E	LaTeX-math-exists
F	LaTeX-math-Phi
G	LaTeX-math-Gamma
I	LaTeX-math-infty
J	LaTeX-math-Theta
L	LaTeX-math-Lambda
N	LaTeX-math-nabla
P	LaTeX-math-Pi
S	LaTeX-math-Sigma
U	LaTeX-math-Upsilon
W	LaTeX-math-Omega
X	LaTeX-math-Xi
Y	LaTeX-math-Psi
[	LaTeX-math-subseteq
\	LaTeX-math-setminus
]	LaTeX-math-supseteq
^	LaTeX-math-hat
`	self-insert-command
a	LaTeX-math-alpha
b	LaTeX-math-beta
c	LaTeX-math-cal
d	LaTeX-math-delta
e	LaTeX-math-epsilon
f	LaTeX-math-phi
g	LaTeX-math-gamma
h	LaTeX-math-eta
i	LaTeX-math-in
j	LaTeX-math-theta
k	LaTeX-math-kappa
l	LaTeX-math-lambda
m	LaTeX-math-mu
n	LaTeX-math-nu
p	LaTeX-math-pi
q	LaTeX-math-chi
r	LaTeX-math-rho
s	LaTeX-math-sigma
t	LaTeX-math-tau
u	LaTeX-math-upsilon
v D	LaTeX-math-varDelta
v F	LaTeX-math-varPhi
v G	LaTeX-math-varGamma
v J	LaTeX-math-varTheta
v L	LaTeX-math-varLambda
v P	LaTeX-math-varPi

Teclas / sequência	Comando / ação
v S	LaTeX-math-varSigma
v U	LaTeX-math-varUpsilon
v W	LaTeX-math-varOmega
v X	LaTeX-math-varXi
v Y	LaTeX-math-varPsi
v e	LaTeX-math-varepsilon
v f	LaTeX-math-varphi
v j	LaTeX-math-vartheta
v k	LaTeX-math-varkappa
v p	LaTeX-math-varpi
v r	LaTeX-math-varrho
v s	LaTeX-math-varsigma
w	LaTeX-math-omega
x	LaTeX-math-xi
y	LaTeX-math-psi
z	LaTeX-math-zeta
{	LaTeX-math-subset
|	LaTeX-math-vee
}	LaTeX-math-supset
~	LaTeX-math-tilde

5.429 LaTeX-math-mode-map

Teclas / sequência	Comando / ação
`	**Mapa:** LaTeX-math-keymap

5.430 LaTeX-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m P	preview-clearout-at-point
M-SPC m a	TeX-command-run-all
M-SPC m c	+latex/compile
M-SPC m m	TeX-command-master
M-SPC m p	preview-at-point
M-SPC m v	TeX-view

5.431 LaTeX-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m P	preview-clearout-at-point
M-SPC m a	TeX-command-run-all
M-SPC m c	+latex/compile
M-SPC m m	TeX-command-master
M-SPC m p	preview-at-point
M-SPC m v	TeX-view

5.432 LaTeX-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m P	preview-clearout-at-point
SPC m a	TeX-command-run-all
SPC m c	+latex/compile
SPC m m	TeX-command-master
SPC m p	preview-at-point
SPC m v	TeX-view

5.433 LaTeX-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m P	preview-clearout-at-point
SPC m a	TeX-command-run-all
SPC m c	+latex/compile
SPC m m	TeX-command-master
SPC m p	preview-at-point
SPC m v	TeX-view

5.434 LaTeX-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m P	preview-clearout-at-point
SPC m a	TeX-command-run-all
SPC m c	+latex/compile
SPC m m	TeX-command-master
SPC m p	preview-at-point
SPC m v	TeX-view

5.435 lean-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e ; <insert-state> M-SPC m e ; <motion-state> SPC m e ; <normal-state> SPC m e ; <visual-state> SPC m e	lean-execute
<emacs-state> M-SPC m f ; <insert-state> M-SPC m f ; <motion-state> SPC m f ; <normal-state> SPC m f ; <visual-state> SPC m f	lean-fill-placeholder
<emacs-state> M-SPC m g ; <insert-state> M-SPC m g ; <motion-state> SPC m g ; <normal-state> SPC m g ; <visual-state> SPC m g	lean-toggle-show-goal

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m h ; <insert-state> M-SPC m h ; <motion-state> SPC m h ; <normal-state> SPC m h ; <visual-state> SPC m h	lean-hole
<emacs-state> M-SPC m m ; <insert-state> M-SPC m m ; <motion-state> SPC m m ; <normal-state> SPC m m ; <visual-state> SPC m m	lean-message-boxes-toggle
<emacs-state> M-SPC m n ; <insert-state> M-SPC m n ; <motion-state> SPC m n ; <normal-state> SPC m n ; <visual-state> SPC m n	lean-toggle-next-error
<emacs-state> M-SPC m p b ; <insert-state> M-SPC m p b ; <motion-state> SPC m p b ; <normal-state> SPC m p b ; <visual-state> SPC m p b	lean-leanpkg-build
<emacs-state> M-SPC m p c ; <insert-state> M-SPC m p c ; <motion-state> SPC m p c ; <normal-state> SPC m p c ; <visual-state> SPC m p c	lean-leanpkg-configure
<emacs-state> M-SPC m p t ; <insert-state> M-SPC m p t ; <motion-state> SPC m p t ; <normal-state> SPC m p t ; <visual-state> SPC m p t	lean-leanpkg-test
<emacs-state> M-SPC m s r ; <insert-state> M-SPC m s r ; <motion-state> SPC m s r ; <normal-state> SPC m s r ; <visual-state> SPC m s r	lean-server-restart
<emacs-state> M-SPC m s s ; <insert-state> M-SPC m s s ; <motion-state> SPC m s s ; <normal-state> SPC m s s ; <visual-state> SPC m s s	lean-server-stop
<emacs-state> M-SPC m s v ; <insert-state> M-SPC m s v ; <motion-state> SPC m s v ; <normal-state> SPC m s v ; <visual-state> SPC m s v	lean-server-switch-version

5.436 lean-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m e	lean-execute
M-SPC m f	lean-fill-placeholder
M-SPC m g	lean-toggle-show-goal
M-SPC m h	lean-hole
M-SPC m m	lean-message-boxes-toggle

Teclas / sequência	Comando / ação
M-SPC m n	lean-toggle-next-error
M-SPC m p b	lean-leanpkg-build
M-SPC m p c	lean-leanpkg-configure
M-SPC m p t	lean-leanpkg-test
M-SPC m s r	lean-server-restart
M-SPC m s s	lean-server-stop
M-SPC m s v	lean-server-switch-version

5.437 lean-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m e	lean-execute
M-SPC m f	lean-fill-placeholder
M-SPC m g	lean-toggle-show-goal
M-SPC m h	lean-hole
M-SPC m m	lean-message-boxes-toggle
M-SPC m n	lean-toggle-next-error
M-SPC m p b	lean-leanpkg-build
M-SPC m p c	lean-leanpkg-configure
M-SPC m p t	lean-leanpkg-test
M-SPC m s r	lean-server-restart
M-SPC m s s	lean-server-stop
M-SPC m s v	lean-server-switch-version

5.438 lean-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m e	lean-execute
SPC m f	lean-fill-placeholder
SPC m g	lean-toggle-show-goal
SPC m h	lean-hole
SPC m m	lean-message-boxes-toggle
SPC m n	lean-toggle-next-error
SPC m p b	lean-leanpkg-build
SPC m p c	lean-leanpkg-configure
SPC m p t	lean-leanpkg-test
SPC m s r	lean-server-restart
SPC m s s	lean-server-stop
SPC m s v	lean-server-switch-version

5.439 lean-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m e	lean-execute
SPC m f	lean-fill-placeholder
SPC m g	lean-toggle-show-goal
SPC m h	lean-hole

Teclas / sequência	Comando / ação
SPC m m	lean-message-boxes-toggle
SPC m n	lean-toggle-next-error
SPC m p b	lean-leanpkg-build
SPC m p c	lean-leanpkg-configure
SPC m p t	lean-leanpkg-test
SPC m s r	lean-server-restart
SPC m s s	lean-server-stop
SPC m s v	lean-server-switch-version

5.440 lean-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m e	lean-execute
SPC m f	lean-fill-placeholder
SPC m g	lean-toggle-show-goal
SPC m h	lean-hole
SPC m m	lean-message-boxes-toggle
SPC m n	lean-toggle-next-error
SPC m p b	lean-leanpkg-build
SPC m p c	lean-leanpkg-configure
SPC m p t	lean-leanpkg-test
SPC m s r	lean-server-restart
SPC m s s	lean-server-stop
SPC m s v	lean-server-switch-version

5.441 lisp-interaction-mode-map

Herda de: lisp-mode-shared-map.

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m b ; <insert-state> M-SPC m b ; <motion-state> SPC m b ; <normal-state> SPC m b ; <visual-state> SPC m b	+emacs-lisp/change-working-buffer
<emacs-state> M-SPC m d F ; <insert-state> M-SPC m d F ; <motion-state> SPC m d F ; <normal-state> SPC m d F ; <visual-state> SPC m d F	+emacs-lisp/edebug-instrument-defun-off
<emacs-state> M-SPC m d f ; <insert-state> M-SPC m d f ; <motion-state> SPC m d f ; <normal-state> SPC m d f ; <visual-state> SPC m d f	+emacs-lisp/edebug-instrument-defun-on
<emacs-state> M-SPC m e b ; <insert-state> M-SPC m e b ; <motion-state> SPC m e b ; <normal-state> SPC m e b ; <visual-state> SPC m e b	eval-buffer

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e d ; <insert-state> M-SPC m e d ; <motion-state> SPC m e d ; <normal-state> SPC m e d ; <visual-state> SPC m e d ; C-M-x	eval-defun
<emacs-state> M-SPC m e e ; <insert-state> M-SPC m e e ; <motion-state> SPC m e e ; <normal-state> SPC m e e ; <visual-state> SPC m e e	eval-last-sexp
<emacs-state> M-SPC m e l ; <insert-state> M-SPC m e l ; <motion-state> SPC m e l ; <normal-state> SPC m e l ; <visual-state> SPC m e l	load-library
<emacs-state> M-SPC m e r ; <insert-state> M-SPC m e r ; <motion-state> SPC m e r ; <normal-state> SPC m e r ; <visual-state> SPC m e r	eval-region
<emacs-state> M-SPC m g f ; <insert-state> M-SPC m g f ; <motion-state> SPC m g f ; <normal-state> SPC m g f ; <visual-state> SPC m g f	find-function
<emacs-state> M-SPC m g l ; <insert-state> M-SPC m g l ; <motion-state> SPC m g l ; <normal-state> SPC m g l ; <visual-state> SPC m g l	find-library
<emacs-state> M-SPC m g v ; <insert-state> M-SPC m g v ; <motion-state> SPC m g v ; <normal-state> SPC m g v ; <visual-state> SPC m g v	find-variable
<emacs-state> M-SPC m m ; <insert-state> M-SPC m m ; <motion-state> SPC m m ; <normal-state> SPC m m ; <visual-state> SPC m m	macrostep-expand
C-M-i	completion-at-point
C-M-q	indent-pp-sexp
C-c C-b	elisp-byte-compile-buffer
C-c C-e	elisp-eval-region-or-buffer
C-j	eval-print-last-sexp

5.442 lisp-mode-map

Herda de: lisp-mode-shared-map.

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m ' ; <insert-state> M-SPC m ' ; <motion-state> SPC m ' ; <normal-state> SPC m ' ; <visual-state> SPC m '	sly
<emacs-state> M-SPC m ; ; <insert-state> M-SPC m ; ; <motion-state> SPC m ; ; <normal-state> SPC m ; ; <visual-state> SPC m ;	Função anônima (lambda)
<emacs-state> M-SPC m T T ; <insert-state> M-SPC m T T ; <motion-state> SPC m T T ; <normal-state> SPC m T T ; <visual-state> SPC m T T	sly-toggle-fancy-trace
<emacs-state> M-SPC m T t ; <insert-state> M-SPC m T t ; <motion-state> SPC m T t ; <normal-state> SPC m T t ; <visual-state> SPC m T t	sly-toggle-trace-fdefinition
<emacs-state> M-SPC m T u ; <insert-state> M-SPC m T u ; <motion-state> SPC m T u ; <normal-state> SPC m T u ; <visual-state> SPC m T u	sly-untrace-all
<emacs-state> M-SPC m c C ; <insert-state> M-SPC m c C ; <motion-state> SPC m c C ; <normal-state> SPC m c C ; <visual-state> SPC m c C	sly-compile-and-load-file
<emacs-state> M-SPC m c c ; <insert-state> M-SPC m c c ; <motion-state> SPC m c c ; <normal-state> SPC m c c ; <visual-state> SPC m c c	sly-compile-file
<emacs-state> M-SPC m c f ; <insert-state> M-SPC m c f ; <motion-state> SPC m c f ; <normal-state> SPC m c f ; <visual-state> SPC m c f	sly-compile-defun
<emacs-state> M-SPC m c l ; <insert-state> M-SPC m c l ; <motion-state> SPC m c l ; <normal-state> SPC m c l ; <visual-state> SPC m c l	sly-load-file
<emacs-state> M-SPC m c n ; <insert-state> M-SPC m c n ; <motion-state> SPC m c n ; <normal-state> SPC m c n ; <visual-state> SPC m c n	sly-remove-notes
<emacs-state> M-SPC m c r ; <insert-state> M-SPC m c r ; <motion-state> SPC m c r ; <normal-state> SPC m c r ; <visual-state> SPC m c r	sly-compile-region

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e E ; <insert-state> M-SPC m e E ; <motion-state> SPC m e E ; <normal-state> SPC m e E ; <visual-state> SPC m e E	sly-eval-print-last-expression
<emacs-state> M-SPC m e F ; <insert-state> M-SPC m e F ; <motion-state> SPC m e F ; <normal-state> SPC m e F ; <visual-state> SPC m e F	sly-undefine-function
<emacs-state> M-SPC m e b ; <insert-state> M-SPC m e b ; <motion-state> SPC m e b ; <normal-state> SPC m e b ; <visual-state> SPC m e b	sly-eval-buffer
<emacs-state> M-SPC m e d ; <insert-state> M-SPC m e d ; <motion-state> SPC m e d ; <normal-state> SPC m e d ; <visual-state> SPC m e d	sly-overlay-eval-defun
<emacs-state> M-SPC m e e ; <insert-state> M-SPC m e e ; <motion-state> SPC m e e ; <normal-state> SPC m e e ; <visual-state> SPC m e e	sly-eval-last-expression
<emacs-state> M-SPC m e f ; <insert-state> M-SPC m e f ; <motion-state> SPC m e f ; <normal-state> SPC m e f ; <visual-state> SPC m e f	sly-eval-defun
<emacs-state> M-SPC m e r ; <insert-state> M-SPC m e r ; <motion-state> SPC m e r ; <normal-state> SPC m e r ; <visual-state> SPC m e r	sly-eval-region
<emacs-state> M-SPC m f ; <insert-state> M-SPC m f ; <motion-state> SPC m f ; <normal-state> SPC m f ; <visual-state> SPC m f	+lisp/find-file-in-quicklisp
<emacs-state> M-SPC m g D ; <insert-state> M-SPC m g D ; <motion-state> SPC m g D ; <normal-state> SPC m g D ; <visual-state> SPC m g D	sly-edit-definition-other-window
<emacs-state> M-SPC m g N ; <insert-state> M-SPC m g N ; <motion-state> SPC m g N ; <normal-state> SPC m g N ; <visual-state> SPC m g N	sly-previous-note
<emacs-state> M-SPC m g S ; <insert-state> M-SPC m g S ; <motion-state> SPC m g S ; <normal-state> SPC m g S ; <visual-state> SPC m g S	sly-stickers-prev-sticker

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m g b ; <insert-state> M-SPC m g b ; <motion-state> SPC m g b ; <normal-state> SPC m g b ; <normal-state> g b ; <visual-state> SPC m g b	sly-pop-find-definition-stack
<emacs-state> M-SPC m g d ; <insert-state> M-SPC m g d ; <motion-state> SPC m g d ; <normal-state> SPC m g d ; <visual-state> SPC m g d	sly-edit-definition
<emacs-state> M-SPC m g n ; <insert-state> M-SPC m g n ; <motion-state> SPC m g n ; <normal-state> SPC m g n ; <visual-state> SPC m g n	sly-next-note
<emacs-state> M-SPC m g s ; <insert-state> M-SPC m g s ; <motion-state> SPC m g s ; <normal-state> SPC m g s ; <visual-state> SPC m g s	sly-stickers-next-sticker
<emacs-state> M-SPC m h # ; <insert-state> M-SPC m h # ; <motion-state> SPC m h # ; <normal-state> SPC m h # ; <visual-state> SPC m h #	hyperspec-lookup-reader-macro
<emacs-state> M-SPC m h < ; <insert-state> M-SPC m h < ; <motion-state> SPC m h < ; <normal-state> SPC m h < ; <visual-state> SPC m h <	sly-who-calls
<emacs-state> M-SPC m h > ; <insert-state> M-SPC m h > ; <motion-state> SPC m h > ; <normal-state> SPC m h > ; <visual-state> SPC m h >	sly-calls-who
<emacs-state> M-SPC m h H ; <insert-state> M-SPC m h H ; <motion-state> SPC m h H ; <normal-state> SPC m h H ; <visual-state> SPC m h H	sly-hyperspec-lookup
<emacs-state> M-SPC m h S ; <insert-state> M-SPC m h S ; <motion-state> SPC m h S ; <normal-state> SPC m h S ; <visual-state> SPC m h S	sly-who-sets
<emacs-state> M-SPC m h a ; <insert-state> M-SPC m h a ; <motion-state> SPC m h a ; <normal-state> SPC m h a ; <visual-state> SPC m h a	sly-apropos
<emacs-state> M-SPC m h b ; <insert-state> M-SPC m h b ; <motion-state> SPC m h b ; <normal-state> SPC m h b ; <visual-state> SPC m h b	sly-who-binds

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m h d ; <insert-state> M-SPC m h d ; <motion-state> SPC m h d ; <normal-state> SPC m h d ; <visual-state> SPC m h d	sly-disassemble-symbol
<emacs-state> M-SPC m h h ; <insert-state> M-SPC m h h ; <motion-state> SPC m h h ; <normal-state> SPC m h h ; <visual-state> SPC m h h	sly-describe-symbol
<emacs-state> M-SPC m h m ; <insert-state> M-SPC m h m ; <motion-state> SPC m h m ; <normal-state> SPC m h m ; <visual-state> SPC m h m	sly-who-macroexpands
<emacs-state> M-SPC m h p ; <insert-state> M-SPC m h p ; <motion-state> SPC m h p ; <normal-state> SPC m h p ; <visual-state> SPC m h p	sly-apropos-package
<emacs-state> M-SPC m h r ; <insert-state> M-SPC m h r ; <motion-state> SPC m h r ; <normal-state> SPC m h r ; <visual-state> SPC m h r	sly-who-references
<emacs-state> M-SPC m h s ; <insert-state> M-SPC m h s ; <motion-state> SPC m h s ; <normal-state> SPC m h s ; <visual-state> SPC m h s	sly-who-specializes
<emacs-state> M-SPC m h ~ ; <insert-state> M-SPC m h ~ ; <motion-state> SPC m h ~ ; <normal-state> SPC m h ~ ; <visual-state> SPC m h ~	hyperspec-lookup-format
<emacs-state> M-SPC m m ; <insert-state> M-SPC m m ; <motion-state> SPC m m ; <normal-state> SPC m m ; <visual-state> SPC m m	macrostep-expand
<emacs-state> M-SPC m r R ; <insert-state> M-SPC m r R ; <motion-state> SPC m r R ; <normal-state> SPC m r R ; <visual-state> SPC m r R	+lisp/reload-project
<emacs-state> M-SPC m r c ; <insert-state> M-SPC m r c ; <motion-state> SPC m r c ; <normal-state> SPC m r c ; <visual-state> SPC m r c	sly-mrepl-clear-repl
<emacs-state> M-SPC m r l ; <insert-state> M-SPC m r l ; <motion-state> SPC m r l ; <normal-state> SPC m r l ; <visual-state> SPC m r l	sly-asdf-load-system

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m r q ; <insert-state> M-SPC m r q ; <motion-state> SPC m r q ; <normal-state> SPC m r q ; <visual-state> SPC m r q	sly-quit-lisp
<emacs-state> M-SPC m r r ; <insert-state> M-SPC m r r ; <motion-state> SPC m r r ; <normal-state> SPC m r r ; <visual-state> SPC m r r	sly-restart-inferior-lisp
<emacs-state> M-SPC m r s ; <insert-state> M-SPC m r s ; <motion-state> SPC m r s ; <normal-state> SPC m r s ; <visual-state> SPC m r s	sly-mrepl-sync
<emacs-state> M-SPC m s C ; <insert-state> M-SPC m s C ; <motion-state> SPC m s C ; <normal-state> SPC m s C ; <visual-state> SPC m s C	sly-stickers-clear-buffer-stickers
<emacs-state> M-SPC m s b ; <insert-state> M-SPC m s b ; <motion-state> SPC m s b ; <normal-state> SPC m s b ; <visual-state> SPC m s b	sly-stickers-toggle-break-on-stickers
<emacs-state> M-SPC m s c ; <insert-state> M-SPC m s c ; <motion-state> SPC m s c ; <normal-state> SPC m s c ; <visual-state> SPC m s c	sly-stickers-clear-defun-stickers
<emacs-state> M-SPC m s f ; <insert-state> M-SPC m s f ; <motion-state> SPC m s f ; <normal-state> SPC m s f ; <visual-state> SPC m s f	sly-stickers-fetch
<emacs-state> M-SPC m s r ; <insert-state> M-SPC m s r ; <motion-state> SPC m s r ; <normal-state> SPC m s r ; <visual-state> SPC m s r	sly-stickers-replay
<emacs-state> M-SPC m s s ; <insert-state> M-SPC m s s ; <motion-state> SPC m s s ; <normal-state> SPC m s s ; <visual-state> SPC m s s	sly-stickers-dwim
<emacs-state> M-SPC m t s ; <insert-state> M-SPC m t s ; <motion-state> SPC m t s ; <normal-state> SPC m t s ; <visual-state> SPC m t s	sly-asdf-test-system
C-M-x	lisp-eval-defun
C-c C-z	run-lisp

5.443 lisp-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m '	sly
M-SPC m ;	Função anônima (lambda)
M-SPC m T T	sly-toggle-fancy-trace
M-SPC m T t	sly-toggle-trace-fdefinition
M-SPC m T u	sly-untrace-all
M-SPC m c C	sly-compile-and-load-file
M-SPC m c c	sly-compile-file
M-SPC m c f	sly-compile-defun
M-SPC m c l	sly-load-file
M-SPC m c n	sly-remove-notes
M-SPC m c r	sly-compile-region
M-SPC m e E	sly-eval-print-last-expression
M-SPC m e F	sly-undefine-function
M-SPC m e b	sly-eval-buffer
M-SPC m e d	sly-overlay-eval-defun
M-SPC m e e	sly-eval-last-expression
M-SPC m e f	sly-eval-defun
M-SPC m e r	sly-eval-region
M-SPC m f	+lisp/find-file-in-quicklisp
M-SPC m g D	sly-edit-definition-other-window
M-SPC m g N	sly-previous-note
M-SPC m g S	sly-stickers-prev-sticker
M-SPC m g b	sly-pop-find-definition-stack
M-SPC m g d	sly-edit-definition
M-SPC m g n	sly-next-note
M-SPC m g s	sly-stickers-next-sticker
M-SPC m h #	hyperspec-lookup-reader-macro
M-SPC m h <	sly-who-calls
M-SPC m h >	sly-calls-who
M-SPC m h H	sly-hyperspec-lookup
M-SPC m h S	sly-who-sets
M-SPC m h a	sly-apropos
M-SPC m h b	sly-who-binds
M-SPC m h d	sly-disassemble-symbol
M-SPC m h h	sly-describe-symbol
M-SPC m h m	sly-who-macroexpands
M-SPC m h p	sly-apropos-package
M-SPC m h r	sly-who-references
M-SPC m h s	sly-who-specializes
M-SPC m h ~	hyperspec-lookup-format
M-SPC m m	macrostep-expand
M-SPC m r R	+lisp/reload-project
M-SPC m r c	sly-mrepl-clear-repl
M-SPC m r l	sly-asdf-load-system
M-SPC m r q	sly-quit-lisp
M-SPC m r r	sly-restart-inferior-lisp
M-SPC m r s	sly-mrepl-sync
M-SPC m s C	sly-stickers-clear-buffer-stickers
M-SPC m s b	sly-stickers-toggle-break-on-stickers
M-SPC m s c	sly-stickers-clear-defun-stickers
M-SPC m s f	sly-stickers-fetch
M-SPC m s r	sly-stickers-replay

Teclas / sequência	Comando / ação
M-SPC m s s	sly-stickers-dwim
M-SPC m t s	sly-asdf-test-system

5.444 lisp-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m '	sly
M-SPC m ;	Função anônima (lambda)
M-SPC m T T	sly-toggle-fancy-trace
M-SPC m T t	sly-toggle-trace-fdefinition
M-SPC m T u	sly-untrace-all
M-SPC m c C	sly-compile-and-load-file
M-SPC m c c	sly-compile-file
M-SPC m c f	sly-compile-defun
M-SPC m c l	sly-load-file
M-SPC m c n	sly-remove-notes
M-SPC m c r	sly-compile-region
M-SPC m e E	sly-eval-print-last-expression
M-SPC m e F	sly-undefine-function
M-SPC m e b	sly-eval-buffer
M-SPC m e d	sly-overlay-eval-defun
M-SPC m e e	sly-eval-last-expression
M-SPC m e f	sly-eval-defun
M-SPC m e r	sly-eval-region
M-SPC m f	+lisp/find-file-in-quicklisp
M-SPC m g D	sly-edit-definition-other-window
M-SPC m g N	sly-previous-note
M-SPC m g S	sly-stickers-prev-sticker
M-SPC m g b	sly-pop-find-definition-stack
M-SPC m g d	sly-edit-definition
M-SPC m g n	sly-next-note
M-SPC m g s	sly-stickers-next-sticker
M-SPC m h #	hyperspec-lookup-reader-macro
M-SPC m h <	sly-who-calls
M-SPC m h >	sly-calls-who
M-SPC m h H	sly-hyperspec-lookup
M-SPC m h S	sly-who-sets
M-SPC m h a	sly-apropos
M-SPC m h b	sly-who-binds
M-SPC m h d	sly-disassemble-symbol
M-SPC m h h	sly-describe-symbol
M-SPC m h m	sly-who-macroexpands
M-SPC m h p	sly-apropos-package
M-SPC m h r	sly-who-references
M-SPC m h s	sly-who-specializes
M-SPC m h ~	hyperspec-lookup-format
M-SPC m m	macrostep-expand
M-SPC m r R	+lisp/reload-project
M-SPC m r c	sly-mrepl-clear-repl
M-SPC m r l	sly-asdf-load-system

Teclas / sequência	Comando / ação
M-SPC m r q	sly-quit-lisp
M-SPC m r r	sly-restart-inferior-lisp
M-SPC m r s	sly-mrepl-sync
M-SPC m s C	sly-stickers-clear-buffer-stickers
M-SPC m s b	sly-stickers-toggle-break-on-stickers
M-SPC m s c	sly-stickers-clear-defun-stickers
M-SPC m s f	sly-stickers-fetch
M-SPC m s r	sly-stickers-replay
M-SPC m s s	sly-stickers-dwim
M-SPC m t s	sly-asdf-test-system

5.445 lisp-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m '	sly
SPC m ;	Função anônima (lambda)
SPC m T T	sly-toggle-fancy-trace
SPC m T t	sly-toggle-trace-fdefinition
SPC m T u	sly-untrace-all
SPC m c C	sly-compile-and-load-file
SPC m c c	sly-compile-file
SPC m c f	sly-compile-defun
SPC m c l	sly-load-file
SPC m c n	sly-remove-notes
SPC m c r	sly-compile-region
SPC m e E	sly-eval-print-last-expression
SPC m e F	sly-undefine-function
SPC m e b	sly-eval-buffer
SPC m e d	sly-overlay-eval-defun
SPC m e e	sly-eval-last-expression
SPC m e f	sly-eval-defun
SPC m e r	sly-eval-region
SPC m f	+lisp/find-file-in-quicklisp
SPC m g D	sly-edit-definition-other-window
SPC m g N	sly-previous-note
SPC m g S	sly-stickers-prev-sticker
SPC m g b	sly-pop-find-definition-stack
SPC m g d	sly-edit-definition
SPC m g n	sly-next-note
SPC m g s	sly-stickers-next-sticker
SPC m h #	hyperspec-lookup-reader-macro
SPC m h <	sly-who-calls
SPC m h >	sly-calls-who
SPC m h H	sly-hyperspec-lookup
SPC m h S	sly-who-sets
SPC m h a	sly-apropos
SPC m h b	sly-who-binds
SPC m h d	sly-disassemble-symbol
SPC m h h	sly-describe-symbol
SPC m h m	sly-who-macroexpands

Teclas / sequência	Comando / ação
SPC m h p	sly-apropos-package
SPC m h r	sly-who-references
SPC m h s	sly-who-specializes
SPC m h ~	hyperspec-lookup-format
SPC m m	macrostep-expand
SPC m r R	+lisp/reload-project
SPC m r c	sly-mrepl-clear-repl
SPC m r l	sly-asdf-load-system
SPC m r q	sly-quit-lisp
SPC m r r	sly-restart-inferior-lisp
SPC m r s	sly-mrepl-sync
SPC m s C	sly-stickers-clear-buffer-stickers
SPC m s b	sly-stickers-toggle-break-on-stickers
SPC m s c	sly-stickers-clear-defun-stickers
SPC m s f	sly-stickers-fetch
SPC m s r	sly-stickers-replay
SPC m s s	sly-stickers-dwim
SPC m t s	sly-asdf-test-system

5.446 lisp-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m '	sly
SPC m ;	Função anônima (lambda)
SPC m T T	sly-toggle-fancy-trace
SPC m T t	sly-toggle-trace-fdefinition
SPC m T u	sly-untrace-all
SPC m c C	sly-compile-and-load-file
SPC m c c	sly-compile-file
SPC m c f	sly-compile-defun
SPC m c l	sly-load-file
SPC m c n	sly-remove-notes
SPC m c r	sly-compile-region
SPC m e E	sly-eval-print-last-expression
SPC m e F	sly-undefine-function
SPC m e b	sly-eval-buffer
SPC m e d	sly-overlay-eval-defun
SPC m e e	sly-eval-last-expression
SPC m e f	sly-eval-defun
SPC m e r	sly-eval-region
SPC m f	+lisp/find-file-in-quicklisp
SPC m g D	sly-edit-definition-other-window
SPC m g N	sly-previous-note
SPC m g S	sly-stickers-prev-sticker
SPC m g b ; g b	sly-pop-find-definition-stack
SPC m g d	sly-edit-definition
SPC m g n	sly-next-note
SPC m g s	sly-stickers-next-sticker
SPC m h #	hyperspec-lookup-reader-macro
SPC m h <	sly-who-calls

Teclas / sequência	Comando / ação
SPC m h >	sly-calls-who
SPC m h H	sly-hyperspec-lookup
SPC m h S	sly-who-sets
SPC m h a	sly-apropos
SPC m h b	sly-who-binds
SPC m h d	sly-disassemble-symbol
SPC m h h	sly-describe-symbol
SPC m h m	sly-who-macroexpands
SPC m h p	sly-apropos-package
SPC m h r	sly-who-references
SPC m h s	sly-who-specializes
SPC m h ~	hyperspec-lookup-format
SPC m m	macrostep-expand
SPC m r R	+lisp/reload-project
SPC m r c	sly-mrepl-clear-repl
SPC m r l	sly-asdf-load-system
SPC m r q	sly-quit-lisp
SPC m r r	sly-restart-inferior-lisp
SPC m r s	sly-mrepl-sync
SPC m s C	sly-stickers-clear-buffer-stickers
SPC m s b	sly-stickers-toggle-break-on-stickers
SPC m s c	sly-stickers-clear-defun-stickers
SPC m s f	sly-stickers-fetch
SPC m s r	sly-stickers-replay
SPC m s s	sly-stickers-dwim
SPC m t s	sly-asdf-test-system

5.447 lisp-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m '	sly
SPC m ;	Função anônima (lambda)
SPC m T T	sly-toggle-fancy-trace
SPC m T t	sly-toggle-trace-fdefinition
SPC m T u	sly-untrace-all
SPC m c C	sly-compile-and-load-file
SPC m c c	sly-compile-file
SPC m c f	sly-compile-defun
SPC m c l	sly-load-file
SPC m c n	sly-remove-notes
SPC m c r	sly-compile-region
SPC m e E	sly-eval-print-last-expression
SPC m e F	sly-undefine-function
SPC m e b	sly-eval-buffer
SPC m e d	sly-overlay-eval-defun
SPC m e e	sly-eval-last-expression
SPC m e f	sly-eval-defun
SPC m e r	sly-eval-region
SPC m f	+lisp/find-file-in-quicklisp
SPC m g D	sly-edit-definition-other-window

Teclas / sequência	Comando / ação
SPC m g N	sly-previous-note
SPC m g S	sly-stickers-prev-sticker
SPC m g b	sly-pop-find-definition-stack
SPC m g d	sly-edit-definition
SPC m g n	sly-next-note
SPC m g s	sly-stickers-next-sticker
SPC m h #	hyperspec-lookup-reader-macro
SPC m h <	sly-who-calls
SPC m h >	sly-calls-who
SPC m h H	sly-hyperspec-lookup
SPC m h S	sly-who-sets
SPC m h a	sly-apropos
SPC m h b	sly-who-binds
SPC m h d	sly-disassemble-symbol
SPC m h h	sly-describe-symbol
SPC m h m	sly-who-macroexpands
SPC m h p	sly-apropos-package
SPC m h r	sly-who-references
SPC m h s	sly-who-specializes
SPC m h ~	hyperspec-lookup-format
SPC m m	macrostep-expand
SPC m r R	+lisp/reload-project
SPC m r c	sly-mrepl-clear-repl
SPC m r l	sly-asdf-load-system
SPC m r q	sly-quit-lisp
SPC m r r	sly-restart-inferior-lisp
SPC m r s	sly-mrepl-sync
SPC m s C	sly-stickers-clear-buffer-stickers
SPC m s b	sly-stickers-toggle-break-on-stickers
SPC m s c	sly-stickers-clear-defun-stickers
SPC m s f	sly-stickers-fetch
SPC m s r	sly-stickers-replay
SPC m s s	sly-stickers-dwim
SPC m t s	sly-asdf-test-system

5.448 lisp-mode-shared-map

Herda de: prog-mode-map.

Teclas / sequência	Comando / ação
C-M-q	indent-sexp
DEL	backward-delete-char-untabify

5.449 log-edit-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q ; <normal-state> Z Z	quit-window
<normal-state> [[; <normal-state> g k ; M-p	log-edit-previous-comment

Teclas / sequência	Comando / ação
<normal-state>]] ; <normal-state> g j ; M-n	log-edit-next-comment
<normal-state> g ? ; C-c ?	log-edit-mode-help
<remap> <evil-quit> ; C-c C-k	log-edit-kill-buffer
<remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; C-c C-c	log-edit-done
C-c C-a	log-edit-insert-changelog
C-c C-d	log-edit-show-diff
C-c C-f	log-edit-show-files
C-c C-w	log-edit-generate-changelog-from-diff
M-r	log-edit-comment-search-backward
M-s	log-edit-comment-search-forward

5.450 log-edit-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q ; Z Z	quit-window
[[; g k	log-edit-previous-comment
]] ; g j	log-edit-next-comment
g ?	log-edit-mode-help

5.451 log-edit-tool-bar-map

Teclas / sequência	Comando / ação
<Add to ChangeLog>	log-edit-add-to-changelog
<Done>	log-edit-done
<Generate ChangeLog>	log-edit-generate-changelog-from-diff
<Insert ChangeLog>	log-edit-insert-changelog
<List files>	log-edit-show-files
<Show diff>	log-edit-show-diff
<copy>	kill-ring-save
<cut>	kill-region
<kill-buffer>	kill-this-buffer
<new-file>	find-file
<open-file>	menu-find-file-existing
<paste>	yank
<undo>	undo

5.452 lsp-command-map

Teclas / sequência	Comando / ação
= =	lsp-format-buffer
= r	lsp-format-region
F a	lsp-workspace-folders-add
F b	lsp-workspace-blocklist-remove
F r	lsp-workspace-folders-remove

Teclas / sequência	Comando / ação
G g	lsp-ui-peek-find-definitions
G i	lsp-ui-peek-find-implementation
G r	lsp-ui-peek-find-references
G s	lsp-ui-peek-find-workspace-symbol
T D	lsp-modeline-diagnostics-mode
T L	lsp-toggle-trace-io
T S	lsp-ui-sideline-mode
T T	lsp-treemacs-sync-mode
T a	lsp-modeline-code-actions-mode
T b	lsp-headerline-breadcrumb-mode
T d	lsp-ui-doc-mode
T f	lsp-toggle-on-type-formatting
T h	lsp-toggle-symbol-highlight
T l	lsp-lens-mode
T s	lsp-toggle-signature-auto-activate
a a	lsp-execute-code-action
a h	lsp-document-highlight
a i	lsp-inlay-hint-accept
a l	lsp-avy-lens
g a	xref-find-apropos
g d	lsp-find-declaration
g e	lsp-treemacs-errors-list
g g	lsp-find-definition
g h	lsp-treemacs-call-hierarchy
g i	lsp-find-implementation
g r	lsp-find-references
g t	lsp-find-type-definition
h g	lsp-ui-doc-glance
h h	lsp-describe-thing-at-point
h s	lsp-signature-activate
r o	lsp-organize-imports
r r	lsp-rename
w D	lsp-disconnect
w d	lsp-describe-session
w q	lsp-workspace-shutdown
w r	lsp-workspace-restart
w s	lsp

5.453 lsp-help-link-keymap

Teclas / sequência	Comando / ação
RET	lsp--help-open-link

5.454 lsp-help-mode-map

Teclas / sequência	Comando / ação
<remap> <markdown-follow-link-at-point>	lsp--help-open-link

5.455 lsp-log-io-mode-map

Teclas / sequência	Comando / ação
K	lsp--erase-session-log-buffers
M-n	lsp-log-io-next
M-p	lsp-log-io-prev
k	lsp--erase-log-buffer

5.456 lsp-mode-map

Teclas / sequência	Comando / ação
C-<down-mouse-1>	lsp-find-definition-mouse
C-<mouse-1>	ignore
C-S-SPC	lsp-signature-activate
s-l	**Mapa:** lsp-command-map

5.457 lsp-signature-mode-map

Teclas / sequência	Comando / ação
C-c C-k ; C-g	lsp-signature-stop
M-a	lsp-signature-toggle-full-docs
M-n	lsp-signature-next
M-p	lsp-signature-previous

5.458 macrostep-keymap

Teclas / sequência	Comando / ação
<normal-state> [[; <normal-state> g k ; C-M-i ; p	macrostep-prev-macro
<normal-state>]] ; <normal-state> g j ; TAB ; n	macrostep-next-macro
<normal-state> e ; = ; RET ; e	macrostep-expand
<normal-state> q ; C-c C-c ; q	macrostep-collapse-all
<normal-state> u ; DEL ; c ; u	macrostep-collapse

5.459 macrostep-keymap [Evil normal]

Teclas / sequência	Comando / ação
[[; g k	macrostep-prev-macro
]] ; g j	macrostep-next-macro
e	macrostep-expand
q	macrostep-collapse-all
u	macrostep-collapse

5.460 magit-blame-mode-map

Teclas / sequência	Comando / ação
<normal-state> q ; C-c C-q	magit-blame-quit

5.461 magit-blame-mode-map [Evil normal]

Teclas / sequência	Comando / ação
q	magit-blame-quit

5.462 magit-blame-read-only-mode-map

Teclas / sequência	Comando / ação
<normal-state> C-j ; <normal-state> g j ; n	magit-blame-next-chunk
<normal-state> C-k ; <normal-state> g k ; p	magit-blame-previous-chunk
<normal-state> N ; <visual-state> N	evil-ex-search-previous
<normal-state> g J ; N	magit-blame-next-chunk-same-commit
<normal-state> g K ; P	magit-blame-previous-chunk-same-commit
<normal-state> j	evil-next-line
<normal-state> k	evil-previous-line
<normal-state> n ; <visual-state> n	evil-ex-search-next
<normal-state> q ; q	magit-blame-quit
<override-state>	normal
B	magit-blame
DEL ; S-SPC	magit-diff-show-or-scroll-down
M-w	magit-blame-copy-hash
RET	magit-show-commit
SPC	magit-diff-show-or-scroll-up
b	magit-blame-addition
c	magit-blame-cycle-style
f	magit-blame-reverse
r	magit-blame-removal

5.463 magit-blame-read-only-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-j ; g j	magit-blame-next-chunk
C-k ; g k	magit-blame-previous-chunk
N	evil-ex-search-previous
g J	magit-blame-next-chunk-same-commit
g K	magit-blame-previous-chunk-same-commit
j	evil-next-line
k	evil-previous-line
n	evil-ex-search-next
q	magit-blame-quit

5.464 magit-blame-read-only-mode-map [Evil visual]

Teclas / sequência	Comando / ação
N	evil-ex-search-previous
n	evil-ex-search-next

5.465 magit-blob-mode-map

Teclas / sequência	Comando / ação
<normal-state> g j ; <visual-state> g j ; n	magit-blob-next
<normal-state> g k ; <visual-state> g k ; p	magit-blob-previous
<override-state>	all
<remap> <read-only-mode>	magit-blob-mode
b	magit-blame-addition
f	magit-blame-reverse
g	revert-buffer
q	magit-bury-or-kill-buffer
r	magit-blame-removal

5.466 magit-blob-mode-map [Evil normal]

Teclas / sequência	Comando / ação
g j	magit-blob-next
g k	magit-blob-previous

5.467 magit-blob-mode-map [Evil visual]

Teclas / sequência	Comando / ação
g j	magit-blob-next
g k	magit-blob-previous

5.468 magit-branch-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-visit-ref
<2> ; <remap> <magit-delete-thing>	magit-branch-delete
<3> ; <remap> <magit-file-rename>	magit-branch-rename
<normal-state> <remap> <magit-browse-thing> ; <remap> <magit-browse-thing> ; <visual-state> <remap> <magit-browse-thing>	forge-browse-branch

Teclas / sequência	Comando / ação
<normal-state> C-c C-v ; <visual-state> C-c C-v	forge-visit-topic

5.469 magit-branch-section-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <magit-browse-thing>	forge-browse-branch
C-c C-v	forge-visit-topic

5.470 magit-branch-section-map [Evil visual]

Teclas / sequência	Comando / ação
<remap> <magit-browse-thing>	forge-browse-branch
C-c C-v	forge-visit-topic

5.471 magit-cherry-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
<override-state>	all
L	magit-margin-settings
q	magit-log-bury-buffer

5.472 magit-commit-message-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-show-commit

5.473 magit-commit-section-map

Teclas / sequência	Comando / ação
<1>	magit-diff-range
<2> ; <remap> <magit-visit-thing>	magit-show-commit
<3>	magit-cherry-apply
<normal-state> <remap> <magit-browse-thing> ; <visual-state> <remap> <magit-browse-thing>	forge-browse-dwim
<normal-state> C-c C-v ; <visual-state> C-c C-v	forge-visit-topic

5.474 magit-commit-section-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <magit-browse-thing>	forge-browse-dwim
C-c C-v	forge-visit-topic

5.475 magit-commit-section-map [Evil visual]

Teclas / sequência	Comando / ação
<remap> <magit-browse-thing>	forge-browse-dwim
C-c C-v	forge-visit-topic

5.476 magit-diff-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
<normal-state> <tab>	magit-section-toggle
<normal-state> g d ; <visual-state> g d ; j	magit-jump-to-diffstat-or-diff
<override-state>	all
<remap> <write-file>	magit-patch-save
<visual-state> y	magit-copy-section-value
C-c C-b	magit-go-backward
C-c C-d	magit-diff-while-committing
C-c C-f	magit-go-forward
DEL ; S-SPC	scroll-down
SPC	scroll-up

5.477 magit-diff-section-base-map

Teclas / sequência	Comando / ação
&	magit-do-async-shell-command
<1> ; <remap> <magit-cherry-apply>	magit-apply
<2> ; <remap> <magit-stage-files>	magit-stage
<3> ; <remap> <magit-unstage-files>	magit-unstage
<4> ; <remap> <magit-delete-thing>	magit-discard
<5> ; <remap> <magit-revert-no-commit>	magit-reverse
<6> ; <remap> <magit-visit-thing>	magit-diff-visit-file
<7> ; <remap> <magit-file-untrack>	magit-file-untrack
<8> ; <remap> <magit-file-rename>	magit-file-rename
C	magit-commit-add-log

Teclas / sequência	Comando / ação
C-<return> ; C-j	magit-diff-visit-worktree-file
C-c C-e	magit-diff-edit-hunk-commit
C-c C-t	magit-diff-trace-definition
C-x 4 <return>	magit-diff-visit-file-other-window
C-x 4 a	magit-add-change-log-entry-other-window
C-x 5 <return>	magit-diff-visit-file-other-frame
C-x a	magit-add-change-log-entry

5.478 magit-error-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-process-buffer

5.479 magit-file-section-map

Herda de: magit-diff-section-map.

Teclas / sequência	Comando / ação
I	evil-collection-magit-stage-untracked-file-with-intent
RET	magit-diff-visit-worktree-file
S-<return>	magit-diff-visit-file

5.480 magit-hunk-section-map

Herda de: magit-diff-section-map.

Teclas / sequência	Comando / ação
C-c ^	**Mapa:** magit-hunk-section-smerge-map
RET	magit-diff-visit-worktree-file
S-<return>	magit-diff-visit-file

5.481 magit-hunk-section-smerge-map

Teclas / sequência	Comando / ação
RET	magit-smerge-keep-current
a	magit-smerge-keep-all
b	magit-smerge-keep-base
l	magit-smerge-keep-lower
u	magit-smerge-keep-upper

5.482 magit-log-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
+	magit-log-double-commit-limit
-	magit-log-half-commit-limit
<normal-state> = ; <visual-state> = ; =	magit-log-toggle-commit-limit
<override-state>	all
C-c C-b	magit-go-backward
C-c C-f	magit-go-forward
C-c C-n	magit-log-move-to-parent
j	magit-log-move-to-revision
q	magit-log-bury-buffer

5.483 magit-log-read-revs-map

Herda de: crm-local-completion-map.

Teclas / sequência	Comando / ação
<override-state>	all
SPC	self-insert-command

5.484 magit-log-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-diff-dwim

5.485 magit-log-select-mode-map

Herda de: magit-log-mode-map.

Teclas / sequência	Comando / ação
. ; C-c C-c ; e	magit-log-select-pick
<override-state>	all
C-c C-b ; C-c C-f	undefined
C-c C-k ; q	magit-log-select-quit

5.486 magit-minibuffer-local-ns-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
SPC ; TAB	magit-whitespace-disallowed

5.487 magit-module-section-map

Teclas / sequência	Comando / ação
`<1> ; <remap> <magit-visit-thing> ; C-<return> ; C-j`	`magit-submodule-visit`
`<2> ; <remap> <magit-stage-files>`	`magit-stage`
`<3> ; <remap> <magit-unstage-files>`	`magit-unstage`
`<5>`	`magit-submodule`

5.488 magit-modules-section-map

Teclas / sequência	Comando / ação
`<1> ; <remap> <magit-visit-thing>`	`magit-list-submodules`

5.489 magit-process-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
`<normal-state> <tab>`	`magit-section-toggle`
`<normal-state> ` ; <visual-state> ``	`ignore`
`<override-state>`	`all`
`<remap> <magit-delete-thing>`	`magit-process-kill`
`<remap> <magit-refresh>`	`undefined`

5.490 magit-reference-navigation-repeat-map

Teclas / sequência	Comando / ação
`n ; r`	`magit-next-reference`
`p`	`magit-previous-reference`

5.491 magit-reflog-mode-map

Herda de: magit-log-mode-map.

Teclas / sequência	Comando / ação
`<override-state>`	`all`
`C-c C-n`	`undefined`
`L`	`magit-margin-settings`

5.492 magit-refs-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
`<override-state>`	`all`
`C-y`	`magit-refs-set-show-commit-count`
`L`	`magit-margin-settings`

5.493 magit-remote-section-map

Teclas / sequência	Comando / ação
`<1> ; <remap> <magit-delete-thing>`	`magit-remote-remove`
`<2> ; <remap> <magit-file-rename>`	`magit-remote-rename`
`<normal-state> <remap> <magit-browse-thing> ; <remap> <magit-browse-thing> ; <visual-state> <remap> <magit-browse-thing>`	`forge-browse-remote`

5.494 magit-remote-section-map [Evil normal]

Teclas / sequência	Comando / ação
`<remap> <magit-browse-thing>`	`forge-browse-remote`

5.495 magit-remote-section-map [Evil visual]

Teclas / sequência	Comando / ação
`<remap> <magit-browse-thing>`	`forge-browse-remote`

5.496 magit-repolist-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
`5`	`magit-repolist-find-file-other-frame`
`<normal-state> <return> ; <normal-state> RET ; RET`	`magit-repolist-status`
`<normal-state> f ; f`	`magit-repolist-fetch`
`<normal-state> g r`	`magit-list-repositories`
`<normal-state> m ; m`	`magit-repolist-mark`
`<normal-state> u ; u`	`magit-repolist-unmark`
`<remap> <dired-jump>`	`magit-dired-jump`

5.497 magit-revision-mode-map

Herda de: magit-diff-mode-map.

Teclas / sequência	Comando / ação
<normal-state> <tab>	magit-section-toggle
j	magit-revision-jump

5.498 magit-section-heading-map

Teclas / sequência	Comando / ação
<double-down-mouse-1>	ignore
<double-mouse-1> ; <double-mouse-2>	magit-mouse-toggle-section

5.499 magit-section-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
5 ... 9	digit-argument
<backtab> ; <normal-state> <backtab> ; <normal-state> S-<tab>	magit-section-cycle-global
<normal-state> <tab> ; <normal-state> TAB ; <normal-state> za ; TAB	magit-section-toggle
<normal-state> C-<tab> ; <normal-state> M-<tab> ; C-<tab> ; C-c TAB ; M-<tab>	magit-section-cycle
<normal-state> C-j ; n	magit-section-forward
<normal-state> C-k ; p	magit-section-backward
<normal-state> [; <normal-state> g k ; M-p	magit-section-backward-sibling
<normal-state>] ; <normal-state> g j ; M-n	magit-section-forward-sibling
<normal-state> g h ; ^	magit-section-up
<normal-state> z 1	magit-section-show-level-1-all
<normal-state> z 2	magit-section-show-level-2-all
<normal-state> z 3	magit-section-show-level-3-all
<normal-state> z 4 ; <normal-state> z r	magit-section-show-level-4-all
<normal-state> z C	magit-section-hide-children
<normal-state> z O	magit-section-show-children
<normal-state> z c	magit-section-hide
<normal-state> z o	magit-section-show
<remap> <self-insert-command>	undefined

5.500 magit-shelved-branch-section-map

Teclas / sequência	Comando / ação
<remap> <magit-delete-thing>	magit-delete-shelved-branch

5.501 magit-staged-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-diff-staged
<2> ; <remap> <magit-unstage-files>	magit-unstage
<3> ; <remap> <magit-delete-thing>	magit-discard
<4> ; <remap> <magit-revert-no-commit>	magit-reverse

5.502 magit-stash-mode-map

Teclas / sequência	Comando / ação
<normal-state> <tab>	magit-section-toggle

5.503 magit-stash-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<tab>	magit-section-toggle

5.504 magit-stash-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-stash-show
<2> ; <remap> <magit-delete-thing>	magit-stash-drop
<3> ; <remap> <magit-cherry-apply>	magit-stash-apply
<4> ; <remap> <magit-cherry-pick>	magit-stash-pop

5.505 magit-stashes-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-stash-list
<2> ; <remap> <magit-delete-thing>	magit-stash-clear

5.506 magit-status-mode-map

Herda de: magit-mode-map.

Teclas / sequência	Comando / ação
<normal-state> <tab>	magit-section-toggle
<normal-state> g f p ; <visual -state> g f p	magit-jump-to-unpulled-from-pushremote
<normal-state> g f u ; <visual -state> g f u	magit-jump-to-unpulled-from-upstream
<normal-state> g h ; <visual-s tate> g h	magit-section-up
<normal-state> g n ; <visual-s tate> g n	magit-jump-to-untracked
<normal-state> g p p ; <visual -state> g p p	magit-jump-to-unpushed-to-pushremote
<normal-state> g p u ; <visual -state> g p u	magit-jump-to-unpushed-to-upstream
<normal-state> g s ; <visual-s tate> g s	magit-jump-to-staged
<normal-state> g t ; <visual-s tate> g t	magit-jump-to-tracked
<normal-state> g u ; <visual-s tate> g u	magit-jump-to-unstaged
<normal-state> g z ; <visual-s tate> g z	magit-refresh
<override-state>	all
<remap> <dired-jump>	magit-dired-jump
j	magit-status-jump

5.507 magit-submodule-list-mode-map

Herda de: magit-repolist-mode-map.

Teclas / sequência	Comando / ação
<normal-state> RET	magit-repolist-status
<normal-state> g r	magit-list-submodules

5.508 magit-tag-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thi ng>	magit-visit-ref
<2> ; <remap> <magit-delete-th ing>	magit-tag-delete

5.509 magit-unstaged-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thi ng>	magit-diff-unstaged
<2> ; <remap> <magit-stage-fil es>	magit-stage

Teclas / sequência	Comando / ação
<3> ; <remap> <magit-delete-thing>	magit-discard

5.510 magit-untracked-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-stage-files>	magit-stage
<2> ; <remap> <magit-delete-thing>	magit-discard

5.511 magit-worktree-section-map

Teclas / sequência	Comando / ação
<1> ; <remap> <magit-visit-thing>	magit-worktree-status
<2> ; <remap> <magit-delete-thing>	magit-worktree-delete
<4>	magit-worktree

5.512 markdown-mode-command-map

Teclas / sequência	Comando / ação
]	markdown-complete-buffer
^	markdown-table-sort-lines
c	markdown-check-refs
e	markdown-export
l	markdown-live-preview-mode
m	markdown-other-window
n	markdown-cleanup-list-numbers
o	markdown-open
p	markdown-preview
t	markdown-table-transpose
u	markdown-unused-refs
v	markdown-export-and-preview
w	markdown-kill-ring-save
|	markdown-table-convert-region

5.513 markdown-mode-map

Teclas / sequência	Comando / ação
<backtab> ; <normal-state> S-<tab>	markdown-shifttab

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m ' ; <insert-state> M-SPC m ' ; <motion-state> SPC m ' ; <normal-state> SPC m ' ; <visual-state> SPC m ' ; C-c '	markdown-edit-code-block
<emacs-state> M-SPC m e ; <insert-state> M-SPC m e ; <motion-state> SPC m e ; <normal-state> SPC m e ; <visual-state> SPC m e	markdown-export
<emacs-state> M-SPC m i - ; <insert-state> M-SPC m i - ; <motion-state> SPC m i - ; <normal-state> SPC m i - ; <visual-state> SPC m i - ; C-c -	markdown-insert-hr
<emacs-state> M-SPC m i 1 ; <insert-state> M-SPC m i 1 ; <motion-state> SPC m i 1 ; <normal-state> SPC m i 1 ; <visual-state> SPC m i 1 ; C-c C-t 1	markdown-insert-header-atx-1
<emacs-state> M-SPC m i 2 ; <insert-state> M-SPC m i 2 ; <motion-state> SPC m i 2 ; <normal-state> SPC m i 2 ; <visual-state> SPC m i 2 ; C-c C-t 2	markdown-insert-header-atx-2
<emacs-state> M-SPC m i 3 ; <insert-state> M-SPC m i 3 ; <motion-state> SPC m i 3 ; <normal-state> SPC m i 3 ; <visual-state> SPC m i 3 ; C-c C-t 3	markdown-insert-header-atx-3
<emacs-state> M-SPC m i 4 ; <insert-state> M-SPC m i 4 ; <motion-state> SPC m i 4 ; <normal-state> SPC m i 4 ; <visual-state> SPC m i 4 ; C-c C-t 4	markdown-insert-header-atx-4
<emacs-state> M-SPC m i 5 ; <insert-state> M-SPC m i 5 ; <motion-state> SPC m i 5 ; <normal-state> SPC m i 5 ; <visual-state> SPC m i 5 ; C-c C-t 5	markdown-insert-header-atx-5
<emacs-state> M-SPC m i 6 ; <insert-state> M-SPC m i 6 ; <motion-state> SPC m i 6 ; <normal-state> SPC m i 6 ; <visual-state> SPC m i 6 ; C-c C-t 6	markdown-insert-header-atx-6
<emacs-state> M-SPC m i C ; <insert-state> M-SPC m i C ; <motion-state> SPC m i C ; <normal-state> SPC m i C ; <visual-state> SPC m i C	markdown-insert-gfm-code-block
<emacs-state> M-SPC m i P ; <insert-state> M-SPC m i P ; <motion-state> SPC m i P ; <normal-state> SPC m i P ; <visual-state> SPC m i P	markdown-pre-region

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m i Q ; <insert-state> M-SPC m i Q ; <motion-state> SPC m i Q ; <normal-state> SPC m i Q ; <visual-state> SPC m i Q	markdown-blockquote-region
<emacs-state> M-SPC m i T ; <insert-state> M-SPC m i T ; <motion-state> SPC m i T ; <normal-state> SPC m i T ; <visual-state> SPC m i T	markdown-toc-generate-toc
<emacs-state> M-SPC m i [; <insert-state> M-SPC m i [; <motion-state> SPC m i [; <normal-state> SPC m i [; <visual-state> SPC m i [	markdown-insert-gfm-checkbox
<emacs-state> M-SPC m i b ; <insert-state> M-SPC m i b ; <motion-state> SPC m i b ; <normal-state> SPC m i b ; <visual-state> SPC m i b	markdown-insert-bold
<emacs-state> M-SPC m i c ; <insert-state> M-SPC m i c ; <motion-state> SPC m i c ; <normal-state> SPC m i c ; <visual-state> SPC m i c	markdown-insert-code
<emacs-state> M-SPC m i e ; <emacs-state> M-SPC m i i ; <insert-state> M-SPC m i e ; <insert-state> M-SPC m i i ; <motion-state> SPC m i e ; <motion-state> SPC m i i ; <normal-state> SPC m i e ; <normal-state> SPC m i i	markdown-insert-italic
<visual-state> SPC m i e ; <visual-state> SPC m i i	markdown-insert-italic
<emacs-state> M-SPC m i f ; <insert-state> M-SPC m i f ; <motion-state> SPC m i f ; <normal-state> SPC m i f ; <visual-state> SPC m i f ; C-c C-a f	markdown-insert-footnote
<emacs-state> M-SPC m i h ; <insert-state> M-SPC m i h ; <motion-state> SPC m i h ; <normal-state> SPC m i h ; <visual-state> SPC m i h ; C-c C-t h	markdown-insert-header-dwim
<emacs-state> M-SPC m i k ; <insert-state> M-SPC m i k ; <motion-state> SPC m i k ; <normal-state> SPC m i k ; <visual-state> SPC m i k	markdown-insert-kbd
<emacs-state> M-SPC m i l ; <insert-state> M-SPC m i l ; <motion-state> SPC m i l ; <normal-state> SPC m i l ; <visual-state> SPC m i l ; C-c C-a L ; C-c C-a l ; C-c C-a r	markdown-insert-link
C-c C-l	markdown-insert-link

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m i p ; <insert-state> M-SPC m i p ; <motion-state> SPC m i p ; <normal-state> SPC m i p ; <visual-state> SPC m i p	markdown-insert-pre
<emacs-state> M-SPC m i q ; <insert-state> M-SPC m i q ; <motion-state> SPC m i q ; <normal-state> SPC m i q ; <visual-state> SPC m i q	markdown-insert-blockquote
<emacs-state> M-SPC m i s ; <insert-state> M-SPC m i s ; <motion-state> SPC m i s ; <normal-state> SPC m i s ; <visual-state> SPC m i s	markdown-insert-strike-through
<emacs-state> M-SPC m i t ; <insert-state> M-SPC m i t ; <motion-state> SPC m i t ; <normal-state> SPC m i t ; <visual-state> SPC m i t	markdown-insert-table
<emacs-state> M-SPC m i w ; <insert-state> M-SPC m i w ; <motion-state> SPC m i w ; <normal-state> SPC m i w ; <visual-state> SPC m i w ; C-c C-a w	markdown-insert-wiki-link
<emacs-state> M-SPC m o ; <insert-state> M-SPC m o ; <motion-state> SPC m o ; <normal-state> SPC m o ; <visual-state> SPC m o	markdown-open
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <visual-state> SPC m p	grip-mode
<emacs-state> M-SPC m t e ; <insert-state> M-SPC m t e ; <motion-state> SPC m t e ; <normal-state> SPC m t e ; <visual-state> SPC m t e ; C-c C-x C-e	markdown-toggle-math
<emacs-state> M-SPC m t f ; <insert-state> M-SPC m t f ; <motion-state> SPC m t f ; <normal-state> SPC m t f ; <visual-state> SPC m t f ; C-c C-x C-f	markdown-toggle-fontify-code-blocks-natively
<emacs-state> M-SPC m t i ; <insert-state> M-SPC m t i ; <motion-state> SPC m t i ; <normal-state> SPC m t i ; <visual-state> SPC m t i ; C-c C-x TAB	markdown-toggle-inline-images
<emacs-state> M-SPC m t l ; <insert-state> M-SPC m t l ; <motion-state> SPC m t l ; <normal-state> SPC m t l ; <visual-state> SPC m t l ; C-c C-x C-l	markdown-toggle-url-hiding

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m t m ; <insert-state> M-SPC m t m ; <motion-state> SPC m t m ; <normal-state> SPC m t m ; <visual-state> SPC m t m ; C-c C-x RET	markdown-toggle-markup-hiding
<emacs-state> M-SPC m t w ; <insert-state> M-SPC m t w ; <motion-state> SPC m t w ; <normal-state> SPC m t w ; <visual-state> SPC m t w	markdown-toggle-wiki-links
<emacs-state> M-SPC m t x ; <insert-state> M-SPC m t x ; <motion-state> SPC m t x ; <normal-state> SPC m t x ; <visual-state> SPC m t x ; C-c C-x C-x	markdown-toggle-gfm-checkbox
<normal-state> <return> ; <normal-state> RET ; C-c C-d	markdown-do
<normal-state> <tab> ; TAB	markdown-cycle
<normal-state> { ; <remap> <backward-paragraph>	markdown-backward-paragraph
<normal-state> } ; <remap> <forward-paragraph>	markdown-forward-paragraph
<remap> <backward-page>	markdown-backward-page
<remap> <forward-page>	markdown-forward-page
<remap> <mark-page>	markdown-mark-page
<remap> <mark-paragraph>	markdown-mark-paragraph
<remap> <move-beginning-of-line>	markdown-beginning-of-line
<remap> <move-end-of-line>	markdown-end-of-line
<remap> <narrow-to-page>	markdown-narrow-to-page
C-M-{	markdown-backward-block
C-M-}	markdown-forward-block
C-c <	markdown-outdent-region
C-c <down> ; C-c C-x d	markdown-move-down
C-c <left> ; C-c C-- ; C-c C-x l	markdown-promote
C-c <right> ; C-c C-= ; C-c C-x r	markdown-demote
C-c <up> ; C-c C-x u	markdown-move-up
C-c >	markdown-indent-region
C-c C-M-h	markdown-mark-subtree
C-c C-]	markdown-complete
C-c C-a u	markdown-insert-uri
C-c C-b	markdown-outline-previous-same-level
C-c C-c	**Mapa:** markdown-mode-command-map
C-c C-f	markdown-outline-next-same-level
C-c C-j ; C-c C-x m ; M-RET	markdown-insert-list-item
C-c C-k	markdown-kill-thing-at-point
C-c C-n	markdown-outline-next
C-c C-o	markdown-follow-thing-at-point
C-c C-p	markdown-outline-previous
C-c C-s	**Mapa:** markdown-mode-style-map
C-c C-t ! ; C-c C-t t	markdown-insert-header-setext-1
C-c C-t @ ; C-c C-t s	markdown-insert-header-setext-2

Teclas / sequência	Comando / ação
C-c C-t H	markdown-insert-header-setext-dwim
C-c C-u	markdown-outline-up
C-c M-h	markdown-mark-block
C-c S-<down>	markdown-table-insert-row
C-c S-<left>	markdown-table-delete-column
C-c S-<right>	markdown-table-insert-column
C-c S-<up>	markdown-table-delete-row
C-c TAB	markdown-insert-image
C-x n b	markdown-narrow-to-block
C-x n s	markdown-narrow-to-subtree
DEL	markdown-outdent-or-delete
M-n	markdown-next-link
M-p	markdown-previous-link
RET	markdown-enter-key

5.514 markdown-mode-style-map

Teclas / sequência	Comando / ação
!	markdown-insert-header-setext-1
-	markdown-insert-hr
1	markdown-insert-header-atx-1
2	markdown-insert-header-atx-2
3	markdown-insert-header-atx-3
4	markdown-insert-header-atx-4
5	markdown-insert-header-atx-5
6	markdown-insert-header-atx-6
@	markdown-insert-header-setext-2
C	markdown-insert-gfm-code-block
F	markdown-insert-foldable-block
H	markdown-insert-header-setext-dwim
P	markdown-pre-region
Q	markdown-blockquote-region
[	markdown-insert-gfm-checkbox
b	markdown-insert-bold
c	markdown-insert-code
e ; i	markdown-insert-italic
f	markdown-insert-footnote
h	markdown-insert-header-dwim
k	markdown-insert-kbd
l	markdown-insert-link
p	markdown-insert-pre
q	markdown-insert-blockquote
s	markdown-insert-strike-through
t	markdown-insert-table
w	markdown-insert-wiki-link

5.515 menu-bar-bookmark-map

Teclas / sequência	Comando / ação
<delete-all>	bookmark-delete-all
<delete>	bookmark-delete
<edit>	bookmark-bmenu-list
<insert>	bookmark-insert
<jump>	bookmark-jump
<load>	bookmark-load
<locate>	bookmark-locate
<rename>	bookmark-rename
<save>	bookmark-save
<set>	bookmark-set
<write>	bookmark-write

5.516 minibuffer-inactive-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ... 9	digit-argument
<remap> <self-insert-command>	undefined
b	switch-to-buffer-other-frame
e ... f	find-file-other-frame
i	info
m	mail
n	make-frame

5.517 minibuffer-local-completion-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<backtab> ; TAB	minibuffer-complete
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
<prior> ; M-g M-c ; M-v	switch-to-completions
?	minibuffer-completion-help
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-z	Função anônima (lambda)
M-<down>	minibuffer-next-completion
M-<up>	minibuffer-previous-completion
M-RET	minibuffer-choose-completion
RET	minibuffer-completion-exit
SPC	minibuffer-complete-word

5.518 minibuffer-local-isearch-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
<right> ; C-f	isearch-yank-char-in-minibuffer
C-M-i	isearch-complete-edit
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-z	Função anônima (lambda)
RET	exit-minibuffer

5.519 minibuffer-local-map

Teclas / sequência	Comando / ação
<XF86Back> ; <prior> ; M-p	previous-history-element
<XF86Forward> ; <next> ; M-n	next-history-element
<down>	next-line-or-history-element
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
<up>	previous-line-or-history-element
C-;	embark-act
C-<tab>	file-cache-minibuffer-complete
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-c C-;	embark-export
C-c C-e	+vertico/embark-export-write
C-c C-l	embark-collect
C-g	minibuffer-keyboard-quit
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-x <down>	minibuffer-complete-defaults
C-x <up>	minibuffer-complete-history
C-z	Função anônima (lambda)
M-<	minibuffer-beginning-of-buffer
M-A	marginalia-cycle
M-r	previous-matching-history-element
M-s	next-matching-history-element
RET	exit-minibuffer
TAB	self-insert-command

5.520 minibuffer-local-must-match-map

Herda de: minibuffer-local-completion-map.

Teclas / sequência	Comando / ação
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-z	Função anônima (lambda)
RET	minibuffer-complete-and-exit

5.521 minibuffer-local-ns-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<escape>	abort-recursive-edit
<insert-state> C-j ; C-j	next-line
<insert-state> C-k ; C-k	previous-line
?	self-insert-and-exit
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-z	Função anônima (lambda)
SPC ; TAB	exit-minibuffer

5.522 minibuffer-local-shell-command-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
M-<down>	minibuffer-next-completion
M-<up>	minibuffer-previous-completion
M-RET	minibuffer-choose-completion
TAB	completion-at-point

5.523 minibuffer-visible-completions-map

Teclas / sequência	Comando / ação
<down>	minibuffer-next-line-completion
<left>	minibuffer-previous-column-completion
<right>	minibuffer-next-column-completion
<up>	minibuffer-previous-line-completion
C-g	minibuffer-hide-completions

5.524 minibuffer-visible-completions-up-down-map

Teclas / sequência	Comando / ação
<down>	minibuffer-next-completion
<up>	minibuffer-previous-completion

5.525 mode-specific-map

Teclas / sequência	Comando / ação
M-g	magit-file-dispatch

5.526 mouse-shift-adjust-mode-map

Teclas / sequência	Comando / ação
S-<down-mouse-1>	mouse-drag-region-shift-adjust
S-<drag-mouse-1> ; S-<mouse-1>	mouse-set-region

5.527 mule-keymap

Teclas / sequência	Comando / ação
C-\	set-input-method
F	set-file-name-coding-system
X	set-next-selection-coding-system
c	universal-coding-system-argument
f	set-buffer-file-coding-system
k	set-keyboard-coding-system
l	set-language-environment
p	set-buffer-process-coding-system
r	revert-buffer-with-coding-system
t	set-terminal-coding-system
x	set-selection-coding-system

5.528 mule-menu-keymap

Teclas / sequência	Comando / ação
<activate-transient-input-method>	activate-transient-input-method

Teclas / sequência	Comando / ação
`<describe-coding-system>`	`describe-coding-system`
`<describe-input-method>`	`describe-input-method`
`<describe-language-environment>`	**Mapa:** describe-language-environment-map
`<list-character-sets>`	`list-character-sets`
`<mule-diag>`	`mule-diag`
`<set-input-method>`	`set-input-method`
`<set-language-environment>`	**Mapa:** setup-language-environment-map
`<set-various-coding-system>`	**Mapa:** set-coding-system-map
`<toggle-input-method>`	`toggle-input-method`
`<view-hello-file>`	`view-hello-file`

5.529 multi-query-replace-map

Herda de: query-replace-map.

Teclas / sequência	Comando / ação
`N`	`exit-current`
`Y`	`automatic-all`

5.530 narrow-map

Teclas / sequência	Comando / ação
`d`	`narrow-to-defun`
`g`	`goto-line-relative`
`n`	`narrow-to-region`
`p`	`narrow-to-page`
`w`	`widen`

5.531 next-error-repeat-map

Teclas / sequência	Comando / ação
`M-n ; n`	`next-error`
`M-p ; p`	`previous-error`

5.532 objc-mode-map

Herda de: c-mode-base-map.

Teclas / sequência	Comando / ação
`C-c C-e`	`c-macro-expand`

5.533 occur-edit-mode-map

Herda de: `text-mode-map`.

Teclas / sequência	Comando / ação
<normal-state> C-c C-c ; <normal-state> C-x C-q ; <normal-state> Z Q ; <normal-state> Z Z ; C-c C-c	occur-cease-edit
<normal-state> C-c C-f ; C-c C-f	next-error-follow-minor-mode
<normal-state> C-o ; C-o	occur-mode-display-occurrence

5.534 occur-edit-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-c C-c ; C-x C-q ; Z Q ; Z Z	occur-cease-edit
C-c C-f	next-error-follow-minor-mode
C-o	occur-mode-display-occurrence

5.535 occur-menu-map

Teclas / sequência	Comando / ação
<Auto Occurrence Display>	next-error-follow-minor-mode
<Clone Occur Buffer>	clone-buffer
<Display Occurrence>	occur-mode-display-occurrence
<Edit Occur Buffer>	occur-edit-mode
<Go To Occurrence Other Window>	occur-mode-goto-occurrence-other-window
<Go To Occurrence>	occur-mode-goto-occurrence
<Kill Occur Buffer>	kill-this-buffer
<Move to Next Match>	occur-next
<Move to Previous Match>	occur-prev
<Quit Occur Window>	quit-window
<Rename Occur Buffer>	occur-rename-buffer
<Revert Occur Buffer>	revert-buffer

5.536 occur-mode-map

Teclas / sequência	Comando / ação
<normal-state> <return> ; <normal-state> C-c C-c ; <normal-state> RET ; C-c C-c ; RET	occur-mode-goto-occurrence
<normal-state> C-c C-f ; C-c C-f	next-error-follow-minor-mode
<normal-state> C-x C-q ; <normal-state> i ; e	occur-edit-mode
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; C-o	occur-mode-display-occurrence
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; o	occur-mode-goto-occurrence-other-window

Teclas / sequência	Comando / ação
<normal-state> [[; <normal-state> g k ; p	previous-error-no-select
<normal-state>]] ; <normal-state> g j ; n	next-error-no-select
<normal-state> c ; c	clone-buffer
<normal-state> r ; r	occur-rename-buffer
M-n	occur-next
M-p	occur-prev
l	recenter-current-error

5.537 occur-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<return> ; C-c C-c ; RET	occur-mode-goto-occurrence
C-c C-f	next-error-follow-minor-mode
C-x C-q ; i	occur-edit-mode
M-<return> ; M-RET ; g O	occur-mode-display-occurrence
S-<return> ; S-RET ; g o	occur-mode-goto-occurrence-other-window
[[; g k	previous-error-no-select
]] ; g j	next-error-no-select
c	clone-buffer
r	occur-rename-buffer

5.538 org-agenda-keymap

Teclas / sequência	Comando / ação
!	org-agenda-toggle-deadlines
#	org-agenda-dim-blocked-tasks
$; <normal-state> A ; C-c $; C-c C-x C-s	org-agenda-archive
%	org-agenda-bulk-mark-regexp
*	org-agenda-bulk-mark-all
+ ; <emacs-state> M-SPC m p u ; <insert-state> M-SPC m p u ; <motion-state> SPC m p u ; <normal-state> SPC m p u ; <visual-state> SPC m p u ; C-c C-x <up> ; S-<up>	org-agenda-priority-up
, ; <emacs-state> M-SPC m p p ; <insert-state> M-SPC m p p ; <motion-state> SPC m p p ; <normal-state> SPC m p p ; <normal-state> p ; <visual-state> SPC m p p ; C-c ,	org-agenda-priority
- ; <emacs-state> M-SPC m p d ; <insert-state> M-SPC m p d ; <motion-state> SPC m p d ; <normal-state> SPC m p d ; <visual-state> SPC m p d ; C-c C-x <down> ; S-<down>	org-agenda-priority-down

Teclas / sequência	Comando / ação
. ; <normal-state> .	org-agenda-goto-today
/	org-agenda-filter
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
: ; <emacs-state> M-SPC m q ; <insert-state> M-SPC m q ; <motion-state> SPC m q ; <normal-state> SPC m q ; <normal-state> T ; <visual-state> SPC m q ; C-c C-q	org-agenda-set-tags
;	org-timer-set-timer
<	org-agenda-filter-by-category
<backspace> ; DEL	org-agenda-show-scroll-down
<down> ; <normal-state> j ; C-n ; n	org-agenda-next-line
<emacs-state> M-SPC m c c ; <insert-state> M-SPC m c c ; <motion-state> SPC m c c ; <normal-state> SPC m c c ; <normal-state> X ; <visual-state> SPC m c c ; C-c C-x C-x ; X	org-agenda-clock-cancel
<emacs-state> M-SPC m c g ; <insert-state> M-SPC m c g ; <motion-state> SPC m c g ; <normal-state> SPC m c g ; <normal-state> g J ; <visual-state> SPC m c g ; J	org-agenda-clock-goto
<emacs-state> M-SPC m c i ; <insert-state> M-SPC m c i ; <motion-state> SPC m c i ; <normal-state> I ; <normal-state> SPC m c i ; <visual-state> SPC m c i ; C-c C-x TAB ; I	org-agenda-clock-in
<emacs-state> M-SPC m c o ; <insert-state> M-SPC m c o ; <motion-state> SPC m c o ; <normal-state> O ; <normal-state> SPC m c o ; <visual-state> SPC m c o ; C-c C-x C-o ; O	org-agenda-clock-out
<emacs-state> M-SPC m c r ; <insert-state> M-SPC m c r ; <motion-state> SPC m c r ; <normal-state> SPC m c r ; <visual-state> SPC m c r ; R	org-agenda-clockreport-mode
<emacs-state> M-SPC m c s ; <insert-state> M-SPC m c s ; <motion-state> SPC m c s ; <normal-state> SPC m c s ; <visual-state> SPC m c s	org-agenda-show-clocking-issues
<emacs-state> M-SPC m d d ; <insert-state> M-SPC m d d ; <motion-state> SPC m d d ; <normal-state> D ; <normal-state> SPC m d d ; <visual-state> SPC m d d ; C-c C-d	org-agenda-deadline

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m d s ; <insert-state> M-SPC m d s ; <motion-state> SPC m d s ; <normal-state> SPC m d s ; <normal-state> s ; <visual-state> SPC m d s ; C-c C-s	org-agenda-schedule
<emacs-state> M-SPC m r ; <insert-state> M-SPC m r ; <motion-state> SPC m r ; <normal-state> SPC m r ; <normal-state> r ; <visual-state> SPC m r ; C-c C-w	org-agenda-refile
<emacs-state> M-SPC m t ; <insert-state> M-SPC m t ; <motion-state> SPC m t ; <normal-state> SPC m t ; <normal-state> t ; <visual-state> SPC m t ; C-c C-t ; t	org-agenda-todo
<motion-state> C-SPC ; SPC	org-agenda-show-and-scroll-up
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; RET	org-agenda-switch-to
<normal-state> <tab> ; <normal-state> TAB ; <tab> ; TAB	org-agenda-goto

Teclas / sequência	Comando / ação
<normal-state> B ; B	org-agenda-bulk-action
<normal-state> C-j ; <normal-state> g j ; N	org-agenda-next-item
<normal-state> C-k ; <normal-state> g k ; P	org-agenda-previous-item
<normal-state> F ; |	org-agenda-filter-remove-all
<normal-state> H ; b	org-agenda-earlier
<normal-state> J ; j	org-agenda-goto-date
<normal-state> L ; f	org-agenda-later
<normal-state> S ; C-x C-s ; s	org-save-all-org-buffers
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; C-c C-o	org-agenda-open-link
<normal-state> Z Q ; <normal-state> x ; x	org-agenda-exit
<normal-state> Z Z ; <normal-state> q ; q	org-agenda-quit
<normal-state> [[; <remap> <backward-paragraph>	org-agenda-backward-block
<normal-state>]] ; <remap> <forward-paragraph>	org-agenda-forward-block
<normal-state> d ; C-k	org-agenda-kill
<normal-state> f ; \	org-agenda-filter-by-tag
<normal-state> g R ; g	org-agenda-redo-all
<normal-state> g r ; r	org-agenda-redo
<normal-state> k ; <up> ; C-p ; p	org-agenda-previous-line
<normal-state> m ; m	org-agenda-bulk-mark
<normal-state> n ; C-c C-z ; z	org-agenda-add-note
<normal-state> u ; u	org-agenda-bulk-unmark
<normal-state> v d ; d	org-agenda-day-view
<normal-state> v m	org-agenda-month-view
<normal-state> v w ; w	org-agenda-week-view
<normal-state> v y ; y	org-agenda-year-view
<remap> <move-end-of-line>	org-agenda-end-of-line
<undo> ; C-/ ; C-_ ; C-x u	org-agenda-undo
=	org-agenda-filter-by-regexp
>	org-agenda-date-prompt
?	org-agenda-show-the-flagging-note
A	org-agenda-append-agenda
C	org-agenda-convert-date
C-S-<left>	org-agenda-todo-previousset
C-S-<right>	org-agenda-todo-nextset
C-c C-a	org-attach
C-c C-c	org-agenda-ctrl-c-ctrl-c
C-c C-n	org-agenda-next-date-line
C-c C-p	org-agenda-previous-date-line
C-c C-x !	org-reload
C-c C-x <	org-agenda-set-restriction-lock-from-agenda
C-c C-x <left> ; S-<left>	org-agenda-do-date-earlier
C-c C-x <right> ; S-<right>	org-agenda-do-date-later
C-c C-x >	org-agenda-remove-restriction-lock
C-c C-x A	org-agenda-archive-to-archive-sibling

Teclas / sequência	Comando / ação
C-c C-x C-a	org-agenda-archive-default
C-c C-x C-c	org-agenda-columns
C-c C-x C-e	org-clock-modify-effort-estimate
C-c C-x C-j	org-clock-goto
C-c C-x I	org-info-find-node
C-c C-x RET g	org-mobile-pull
C-c C-x RET p	org-mobile-push
C-c C-x _	org-timer-stop
C-c C-x a	org-agenda-toggle-archive-tag
C-c C-x b	org-agenda-tree-to-indirect-buffer
C-c C-x e ; e	org-agenda-set-effort
C-c C-x p	org-agenda-set-property
C-x C-w	org-agenda-write
D	org-agenda-toggle-diary
E	org-agenda-entry-text-mode
F	org-agenda-follow-mode
G	org-agenda-toggle-time-grid
H ; h	org-agenda-holidays
L	org-agenda-recenter
M	org-agenda-phases-of-moon
M-*	org-agenda-bulk-toggle-all
M-<down>	org-agenda-drag-line-forward
M-<up>	org-agenda-drag-line-backward
M-m	org-agenda-bulk-toggle
Q	org-agenda-Quit
S	org-agenda-sunrise-sunset
T	org-agenda-show-tags
U	org-agenda-bulk-unmark-all
[	org-agenda-manipulate-query-add
]	org-agenda-manipulate-query-subtract
^	org-agenda-filter-by-top-headline
_	org-agenda-filter-by-effort
a	org-agenda-archive-default-with-confirmation
c	org-agenda-goto-calendar
i	org-agenda-diary-entry
k	org-agenda-capture
l	org-agenda-log-mode
o	delete-other-windows
v	org-agenda-view-mode-dispatch
{	org-agenda-manipulate-query-add-re
}	org-agenda-manipulate-query-subtract-re
~	org-agenda-limit-interactively

5.539 org-agenda-keymap [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m c c	org-agenda-clock-cancel
M-SPC m c g	org-agenda-clock-goto
M-SPC m c i	org-agenda-clock-in
M-SPC m c o	org-agenda-clock-out

Teclas / sequência	Comando / ação
M-SPC m c r	org-agenda-clockreport-mode
M-SPC m c s	org-agenda-show-clocking-issues
M-SPC m d d	org-agenda-deadline
M-SPC m d s	org-agenda-schedule
M-SPC m p d	org-agenda-priority-down
M-SPC m p p	org-agenda-priority
M-SPC m p u	org-agenda-priority-up
M-SPC m q	org-agenda-set-tags
M-SPC m r	org-agenda-refile
M-SPC m t	org-agenda-todo

5.540 org-agenda-keymap [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m c c	org-agenda-clock-cancel
M-SPC m c g	org-agenda-clock-goto
M-SPC m c i	org-agenda-clock-in
M-SPC m c o	org-agenda-clock-out
M-SPC m c r	org-agenda-clockreport-mode
M-SPC m c s	org-agenda-show-clocking-issues
M-SPC m d d	org-agenda-deadline
M-SPC m d s	org-agenda-schedule
M-SPC m p d	org-agenda-priority-down
M-SPC m p p	org-agenda-priority
M-SPC m p u	org-agenda-priority-up
M-SPC m q	org-agenda-set-tags
M-SPC m r	org-agenda-refile
M-SPC m t	org-agenda-todo

5.541 org-agenda-keymap [Evil motion]

Teclas / sequência	Comando / ação
C-SPC	org-agenda-show-and-scroll-up
SPC m c c	org-agenda-clock-cancel
SPC m c g	org-agenda-clock-goto
SPC m c i	org-agenda-clock-in
SPC m c o	org-agenda-clock-out
SPC m c r	org-agenda-clockreport-mode
SPC m c s	org-agenda-show-clocking-issues
SPC m d d	org-agenda-deadline
SPC m d s	org-agenda-schedule
SPC m p d	org-agenda-priority-down
SPC m p p	org-agenda-priority
SPC m p u	org-agenda-priority-up
SPC m q	org-agenda-set-tags
SPC m r	org-agenda-refile
SPC m t	org-agenda-todo

5.542 org-agenda-keymap [Evil normal]

Teclas / sequência	Comando / ação
.	org-agenda-goto-today
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	org-agenda-switch-to
<tab> ; TAB	org-agenda-goto
A	org-agenda-archive
B	org-agenda-bulk-action
C-j ; g j	org-agenda-next-item
C-k ; g k	org-agenda-previous-item
D ; SPC m d d	org-agenda-deadline
F	org-agenda-filter-remove-all
H	org-agenda-earlier
I ; SPC m c i	org-agenda-clock-in
J	org-agenda-goto-date
L	org-agenda-later
O ; SPC m c o	org-agenda-clock-out
S	org-save-all-org-buffers
S-<return> ; S-RET ; g o	org-agenda-open-link
SPC m c c ; X	org-agenda-clock-cancel
SPC m c g ; g J	org-agenda-clock-goto
SPC m c r	org-agenda-clockreport-mode
SPC m c s	org-agenda-show-clocking-issues
SPC m d s ; s	org-agenda-schedule
SPC m p d	org-agenda-priority-down
SPC m p p ; p	org-agenda-priority
SPC m p u	org-agenda-priority-up
SPC m q ; T	org-agenda-set-tags
SPC m r ; r	org-agenda-refile
SPC m t ; t	org-agenda-todo
Z Q ; x	org-agenda-exit
Z Z ; q	org-agenda-quit
[[	org-agenda-backward-block

Teclas / sequência	Comando / ação
]]	org-agenda-forward-block
d	org-agenda-kill
f	org-agenda-filter-by-tag
g R	org-agenda-redo-all
g r	org-agenda-redo
j	org-agenda-next-line
k	org-agenda-previous-line
m	org-agenda-bulk-mark
n	org-agenda-add-note
u	org-agenda-bulk-unmark
v d	org-agenda-day-view
v m	org-agenda-month-view
v w	org-agenda-week-view
v y	org-agenda-year-view

5.543 org-agenda-keymap [Evil visual]

Teclas / sequência	Comando / ação
SPC m c c	org-agenda-clock-cancel
SPC m c g	org-agenda-clock-goto
SPC m c i	org-agenda-clock-in
SPC m c o	org-agenda-clock-out
SPC m c r	org-agenda-clockreport-mode
SPC m c s	org-agenda-show-clocking-issues
SPC m d d	org-agenda-deadline
SPC m d s	org-agenda-schedule
SPC m p d	org-agenda-priority-down
SPC m p p	org-agenda-priority
SPC m p u	org-agenda-priority-up
SPC m q	org-agenda-set-tags
SPC m r	org-agenda-refile
SPC m t	org-agenda-todo

5.544 org-babel-map

Teclas / sequência	Comando / ação
C-M-h	org-babel-mark-block
C-a ; a	org-babel-sha1-hash
C-b ; b	org-babel-execute-buffer
C-c ; c	org-babel-check-src-block
C-d ; d	org-babel-demarcate-block
C-e ; e	org-babel-execute-maybe
C-f ; f	org-babel-tangle-file
C-j ; j	org-babel-insert-header-arg
C-l ; l	org-babel-load-in-session
C-n ; n	org-babel-next-src-block
C-o ; o	org-babel-open-src-block-result
C-p ; p	org-babel-previous-src-block
C-r ; r	org-babel-goto-named-result

Teclas / sequência	Comando / ação
C-s ; s	org-babel-execute-subtree
C-t ; t	org-babel-tangle
C-u ; u	org-babel-goto-src-block-head
C-v ; v	org-babel-expand-src-block
C-x ; x	org-babel-do-key-sequence-in-edit-buffer
C-z	org-babel-switch-to-session
I ; TAB	org-babel-view-src-block-info
g	org-babel-goto-named-src-block
h	org-babel-describe-bindings
i	org-babel-lob-ingest
k	org-babel-remove-result-one-or-many
z	org-babel-switch-to-session-with-code

5.545 org-block-navigation-repeat-map

Teclas / sequência	Comando / ação
b	org-previous-block
f	org-next-block

5.546 org-capture-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q ; <remap> <evil-quit> ; C-c C-k	org-capture-kill
<normal-state> Z R ; C-c C-w	org-capture-refile
<normal-state> Z Z ; <remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; C-c C-c	org-capture-finalize

5.547 org-capture-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q	org-capture-kill
Z R	org-capture-refile
Z Z	org-capture-finalize

5.548 org-cdlatex-mode-map

Teclas / sequência	Comando / ação
'	org-cdlatex-math-modify
C-c {	org-cdlatex-environment-indent
^ ; _	org-cdlatex-underscore-caret
`	cdlatex-math-symbol

5.549 org-journal-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m j c ; <insert-state> M-SPC m j c ; <motion-state> SPC m j c ; <normal-state> SPC m j c ; <visual-state> SPC m j c ; C-c C-j	org-journal-new-entry
<emacs-state> M-SPC m j d ; <insert-state> M-SPC m j d ; <motion-state> SPC m j d ; <normal-state> SPC m j d ; <visual-state> SPC m j d	org-journal-new-date-entry
<emacs-state> M-SPC m j n ; <insert-state> M-SPC m j n ; <motion-state> SPC m j n ; <normal-state> C-n ; <normal-state> SPC m j n ; <normal-state>] f ; <visual-state> SPC m j n ; C-c C-f	org-journal-next-entry
<emacs-state> M-SPC m j p ; <insert-state> M-SPC m j p ; <motion-state> SPC m j p ; <normal-state> C-p ; <normal-state> SPC m j p ; <normal-state> [f ; <visual-state> SPC m j p ; C-c C-b	org-journal-previous-entry
<emacs-state> M-SPC m s F ; <insert-state> M-SPC m s F ; <motion-state> SPC m s F ; <normal-state> SPC m s F ; <visual-state> SPC m s F	org-journal-search-future
<emacs-state> M-SPC m s f ; <insert-state> M-SPC m s f ; <motion-state> SPC m s f ; <normal-state> SPC m s f ; <visual-state> SPC m s f	org-journal-search-forever
<emacs-state> M-SPC m s m ; <insert-state> M-SPC m s m ; <motion-state> SPC m s m ; <normal-state> SPC m s m ; <visual-state> SPC m s m	org-journal-search-calendar-month
<emacs-state> M-SPC m s s ; <insert-state> M-SPC m s s ; <motion-state> SPC m s s ; <normal-state> SPC m s s ; <visual-state> SPC m s s ; C-c C-s	org-journal-search
<emacs-state> M-SPC m s w ; <insert-state> M-SPC m s w ; <motion-state> SPC m s w ; <normal-state> SPC m s w ; <visual-state> SPC m s w	org-journal-search-calendar-week
<emacs-state> M-SPC m s y ; <insert-state> M-SPC m s y ; <motion-state> SPC m s y ; <normal-state> SPC m s y ; <visual-state> SPC m s y	org-journal-search-calendar-year

5.550 org-journal-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m j c	org-journal-new-entry
M-SPC m j d	org-journal-new-date-entry
M-SPC m j n	org-journal-next-entry
M-SPC m j p	org-journal-previous-entry
M-SPC m s F	org-journal-search-future
M-SPC m s f	org-journal-search-forever
M-SPC m s m	org-journal-search-calendar-month
M-SPC m s s	org-journal-search
M-SPC m s w	org-journal-search-calendar-week
M-SPC m s y	org-journal-search-calendar-year

5.551 org-journal-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m j c	org-journal-new-entry
M-SPC m j d	org-journal-new-date-entry
M-SPC m j n	org-journal-next-entry
M-SPC m j p	org-journal-previous-entry
M-SPC m s F	org-journal-search-future
M-SPC m s f	org-journal-search-forever
M-SPC m s m	org-journal-search-calendar-month
M-SPC m s s	org-journal-search
M-SPC m s w	org-journal-search-calendar-week
M-SPC m s y	org-journal-search-calendar-year

5.552 org-journal-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m j c	org-journal-new-entry
SPC m j d	org-journal-new-date-entry
SPC m j n	org-journal-next-entry
SPC m j p	org-journal-previous-entry
SPC m s F	org-journal-search-future
SPC m s f	org-journal-search-forever
SPC m s m	org-journal-search-calendar-month
SPC m s s	org-journal-search
SPC m s w	org-journal-search-calendar-week
SPC m s y	org-journal-search-calendar-year

5.553 org-journal-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-n ; SPC m j n ;] f	org-journal-next-entry
C-p ; SPC m j p ; [f	org-journal-previous-entry
SPC m j c	org-journal-new-entry

Teclas / sequência	Comando / ação
SPC m j d	org-journal-new-date-entry
SPC m s F	org-journal-search-future
SPC m s f	org-journal-search-forever
SPC m s m	org-journal-search-calendar-month
SPC m s s	org-journal-search
SPC m s w	org-journal-search-calendar-week
SPC m s y	org-journal-search-calendar-year

5.554 org-journal-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m j c	org-journal-new-entry
SPC m j d	org-journal-new-date-entry
SPC m j n	org-journal-next-entry
SPC m j p	org-journal-previous-entry
SPC m s F	org-journal-search-future
SPC m s f	org-journal-search-forever
SPC m s m	org-journal-search-calendar-month
SPC m s s	org-journal-search
SPC m s w	org-journal-search-calendar-week
SPC m s y	org-journal-search-calendar-year

5.555 org-journal-search-mode-map

Teclas / sequência	Comando / ação
<backtab> ; p	org-journal--search-prev
<emacs-state> M-SPC m n ; <insert-state> M-SPC m n ; <motion-state> SPC m n ; <normal-state> SPC m n ; <visual-state> SPC m n ; C-n	org-journal-search-next
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <visual-state> SPC m p	org-journal-search-prev
<tab> ; n	org-journal--search-next
C-p	org-journal-search-previous
q	kill-current-buffer

5.556 org-journal-search-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m n	org-journal-search-next
M-SPC m p	org-journal-search-prev

5.557 org-journal-search-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m n	org-journal-search-next
M-SPC m p	org-journal-search-prev

5.558 org-journal-search-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m n	org-journal-search-next
SPC m p	org-journal-search-prev

5.559 org-journal-search-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m n	org-journal-search-next
SPC m p	org-journal-search-prev

5.560 org-journal-search-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m n	org-journal-search-next
SPC m p	org-journal-search-prev

5.561 org-link-navigation-repeat-map

Teclas / sequência	Comando / ação
n	org-next-link
p	org-previous-link

5.562 org-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m #	org-update-statistics-cookies
M-SPC m '	org-edit-special
M-SPC m *	org-ctrl-c-star
M-SPC m ,	org-switchb
M-SPC m -	org-ctrl-c-minus
M-SPC m . ; M-SPC m g g	consult-org-heading
M-SPC m / ; M-SPC m g G	consult-org-agenda
M-SPC m @	org-cite-insert
M-SPC m A ; M-SPC m s A	org-archive-subtree-default
M-SPC m I	org-id-get-create
M-SPC m K	+org/remove-result-blocks

Teclas / sequência	Comando / ação
M-SPC m P P	org-publish-current-project
M-SPC m P a	org-publish-all
M-SPC m P f	org-publish-current-file
M-SPC m P p	org-publish
M-SPC m P s	org-publish-sitemap
M-SPC m T	org-todo-list
M-SPC m a D	org-attach-delete-all
M-SPC m a O	org-attach-open-in-emacs
M-SPC m a P	org-download-yank
M-SPC m a R	org-attach-reveal-in-emacs
M-SPC m a S	org-attach-sync
M-SPC m a a	org-attach
M-SPC m a c	org-download-screenshot
M-SPC m a d	org-attach-delete-one
M-SPC m a f	+org/find-file-in-attachments
M-SPC m a l	+org/attach-file-and-insert-link
M-SPC m a n	org-attach-new
M-SPC m a o	org-attach-open
M-SPC m a p	org-download-clipboard
M-SPC m a r	org-attach-reveal
M-SPC m a s	org-attach-set-directory
M-SPC m a u	org-attach-url
M-SPC m b - ; M-SPC m b i h	org-table-insert-hline
M-SPC m b R	org-table-recalculate-buffer-tables
M-SPC m b a	org-table-align
M-SPC m b b	org-table-blank-field
M-SPC m b c	org-table-create-or-convert-from-region
M-SPC m b d c	org-table-delete-column
M-SPC m b d r	org-table-kill-row
M-SPC m b e	org-table-edit-field
M-SPC m b f	org-table-edit-formulas
M-SPC m b h	org-table-field-info
M-SPC m b i H	org-table-hline-and-move
M-SPC m b i c	org-table-insert-column
M-SPC m b i r	org-table-insert-row
M-SPC m b p	org-plot/gnuplot
M-SPC m b r	org-table-recalculate
M-SPC m b s	org-table-sort-lines
M-SPC m b t f	org-table-toggle-formula-debugger
M-SPC m b t o	org-table-toggle-coordinate-overlays
M-SPC m c -	org-clock-timestamps-down
M-SPC m c =	org-clock-timestamps-up
M-SPC m c E	org-set-effort
M-SPC m c G ; M-SPC m g C	Função anônima (lambda)
M-SPC m c I	org-clock-in-last
M-SPC m c R	org-clock-report
M-SPC m c c	org-clock-cancel
M-SPC m c d	org-clock-mark-default-task
M-SPC m c e	org-clock-modify-effort-estimate
M-SPC m c g ; M-SPC m g c	org-clock-goto
M-SPC m c i	org-clock-in
M-SPC m c l	+org/toggle-last-clock

Teclas / sequência	Comando / ação
M-SPC m c o	org-clock-out
M-SPC m c r	org-resolve-clocks
M-SPC m c t	org-evaluate-time-range
M-SPC m d T	org-time-stamp-inactive
M-SPC m d d	org-deadline
M-SPC m d s	org-schedule
M-SPC m d t	org-time-stamp
M-SPC m e	org-export-dispatch
M-SPC m f	org-footnote-action
M-SPC m g i	org-id-goto
M-SPC m g r	org-refile-goto-last-stored
M-SPC m g v	+org/goto-visible
M-SPC m g x	org-capture-goto-last-stored
M-SPC m h	org-toggle-heading
M-SPC m i	org-toggle-item
M-SPC m k	org-babel-remove-result
M-SPC m l L	org-insert-all-links
M-SPC m l S	org-insert-last-stored-link
M-SPC m l c	org-cliplink
M-SPC m l d	+org/remove-link
M-SPC m l i	org-id-store-link
M-SPC m l l	org-insert-link
M-SPC m l s ; M-SPC m n	org-store-link
M-SPC m l t	org-toggle-link-display
M-SPC m l y	+org/yank-link
M-SPC m o	org-set-property
M-SPC m p d	org-priority-down
M-SPC m p p	org-priority
M-SPC m p u	org-priority-up
M-SPC m q	org-set-tags-command
M-SPC m r .	+org/refile-to-current-file
M-SPC m r O	+org/refile-to-other-buffer
M-SPC m r R	org-refile-reverse
M-SPC m r c	+org/refile-to-running-clock
M-SPC m r f	+org/refile-to-file
M-SPC m r l	+org/refile-to-last-location
M-SPC m r o	+org/refile-to-other-window
M-SPC m r r ; M-SPC m s r	org-refile
M-SPC m r v	+org/refile-to-visible
M-SPC m s N	widen
M-SPC m s S	org-sort
M-SPC m s a	org-toggle-archive-tag
M-SPC m s b	org-tree-to-indirect-buffer
M-SPC m s c	org-clone-subtree-with-time-shift
M-SPC m s d	org-cut-subtree
M-SPC m s h	org-promote-subtree
M-SPC m s j	org-move-subtree-down
M-SPC m s k	org-move-subtree-up
M-SPC m s l	org-demote-subtree
M-SPC m s n	org-narrow-to-subtree
M-SPC m s s	org-sparse-tree
M-SPC m t	org-todo

Teclas / sequência	Comando / ação
M-SPC m x	org-toggle-checkbox

5.563 org-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m #	org-update-statistics-cookies
M-SPC m '	org-edit-special
M-SPC m *	org-ctrl-c-star
M-SPC m ,	org-switchb
M-SPC m -	org-ctrl-c-minus
M-SPC m . ; M-SPC m g g	consult-org-heading
M-SPC m / ; M-SPC m g G	consult-org-agenda
M-SPC m @	org-cite-insert
M-SPC m A ; M-SPC m s A	org-archive-subtree-default
M-SPC m I	org-id-get-create
M-SPC m K	+org/remove-result-blocks
M-SPC m P P	org-publish-current-project
M-SPC m P a	org-publish-all
M-SPC m P f	org-publish-current-file
M-SPC m P p	org-publish
M-SPC m P s	org-publish-sitemap
M-SPC m T	org-todo-list
M-SPC m a D	org-attach-delete-all
M-SPC m a O	org-attach-open-in-emacs
M-SPC m a P	org-download-yank
M-SPC m a R	org-attach-reveal-in-emacs
M-SPC m a S	org-attach-sync
M-SPC m a a	org-attach
M-SPC m a c	org-download-screenshot
M-SPC m a d	org-attach-delete-one
M-SPC m a f	+org/find-file-in-attachments
M-SPC m a l	+org/attach-file-and-insert-link
M-SPC m a n	org-attach-new
M-SPC m a o	org-attach-open
M-SPC m a p	org-download-clipboard
M-SPC m a r	org-attach-reveal
M-SPC m a s	org-attach-set-directory
M-SPC m a u	org-attach-url
M-SPC m b - ; M-SPC m b i h	org-table-insert-hline
M-SPC m b R	org-table-recalculate-buffer-tables
M-SPC m b a	org-table-align
M-SPC m b b	org-table-blank-field
M-SPC m b c	org-table-create-or-convert-from-region
M-SPC m b d c	org-table-delete-column
M-SPC m b d r	org-table-kill-row
M-SPC m b e	org-table-edit-field
M-SPC m b f	org-table-edit-formulas
M-SPC m b h	org-table-field-info
M-SPC m b i H	org-table-hline-and-move
M-SPC m b i c	org-table-insert-column

Teclas / sequência	Comando / ação
M-SPC m b i r	org-table-insert-row
M-SPC m b p	org-plot/gnuplot
M-SPC m b r	org-table-recalculate
M-SPC m b s	org-table-sort-lines
M-SPC m b t f	org-table-toggle-formula-debugger
M-SPC m b t o	org-table-toggle-coordinate-overlays
M-SPC m c -	org-clock-timestamps-down
M-SPC m c =	org-clock-timestamps-up
M-SPC m c E	org-set-effort
M-SPC m c G ; M-SPC m g C	Função anônima (lambda)
M-SPC m c I	org-clock-in-last
M-SPC m c R	org-clock-report
M-SPC m c c	org-clock-cancel
M-SPC m c d	org-clock-mark-default-task
M-SPC m c e	org-clock-modify-effort-estimate
M-SPC m c g ; M-SPC m g c	org-clock-goto
M-SPC m c i	org-clock-in
M-SPC m c l	+org/toggle-last-clock
M-SPC m c o	org-clock-out
M-SPC m c r	org-resolve-clocks
M-SPC m c t	org-evaluate-time-range
M-SPC m d T	org-time-stamp-inactive
M-SPC m d d	org-deadline
M-SPC m d s	org-schedule
M-SPC m d t	org-time-stamp
M-SPC m e	org-export-dispatch
M-SPC m f	org-footnote-action
M-SPC m g i	org-id-goto
M-SPC m g r	org-refile-goto-last-stored
M-SPC m g v	+org/goto-visible
M-SPC m g x	org-capture-goto-last-stored
M-SPC m h	org-toggle-heading
M-SPC m i	org-toggle-item
M-SPC m k	org-babel-remove-result
M-SPC m l L	org-insert-all-links
M-SPC m l S	org-insert-last-stored-link
M-SPC m l c	org-cliplink
M-SPC m l d	+org/remove-link
M-SPC m l i	org-id-store-link
M-SPC m l l	org-insert-link
M-SPC m l s ; M-SPC m n	org-store-link
M-SPC m l t	org-toggle-link-display
M-SPC m l y	+org/yank-link
M-SPC m o	org-set-property
M-SPC m p d	org-priority-down
M-SPC m p p	org-priority
M-SPC m p u	org-priority-up
M-SPC m q	org-set-tags-command
M-SPC m r .	+org/refile-to-current-file
M-SPC m r O	+org/refile-to-other-buffer
M-SPC m r R	org-refile-reverse
M-SPC m r c	+org/refile-to-running-clock

Teclas / sequência	Comando / ação
M-SPC m r f	+org/refile-to-file
M-SPC m r l	+org/refile-to-last-location
M-SPC m r o	+org/refile-to-other-window
M-SPC m r r ; M-SPC m s r	org-refile
M-SPC m r v	+org/refile-to-visible
M-SPC m s N	widen
M-SPC m s S	org-sort
M-SPC m s a	org-toggle-archive-tag
M-SPC m s b	org-tree-to-indirect-buffer
M-SPC m s c	org-clone-subtree-with-time-shift
M-SPC m s d	org-cut-subtree
M-SPC m s h	org-promote-subtree
M-SPC m s j	org-move-subtree-down
M-SPC m s k	org-move-subtree-up
M-SPC m s l	org-demote-subtree
M-SPC m s n	org-narrow-to-subtree
M-SPC m s s	org-sparse-tree
M-SPC m t	org-todo
M-SPC m x	org-toggle-checkbox

5.564 org-mode-map [Evil motion]

Teclas / sequência	Comando / ação
(	org-backward-sentence
)	org-forward-sentence
SPC m #	org-update-statistics-cookies
SPC m '	org-edit-special
SPC m *	org-ctrl-c-star
SPC m ,	org-switchb
SPC m -	org-ctrl-c-minus
SPC m . ; SPC m g g	consult-org-heading
SPC m / ; SPC m g G	consult-org-agenda
SPC m @	org-cite-insert
SPC m A ; SPC m s A	org-archive-subtree-default
SPC m I	org-id-get-create
SPC m K	+org/remove-result-blocks
SPC m P P	org-publish-current-project
SPC m P a	org-publish-all
SPC m P f	org-publish-current-file
SPC m P p	org-publish
SPC m P s	org-publish-sitemap
SPC m T	org-todo-list
SPC m a D	org-attach-delete-all
SPC m a O	org-attach-open-in-emacs
SPC m a P	org-download-yank
SPC m a R	org-attach-reveal-in-emacs
SPC m a S	org-attach-sync
SPC m a a	org-attach
SPC m a c	org-download-screenshot
SPC m a d	org-attach-delete-one

Teclas / sequência	Comando / ação
SPC m a f	+org/find-file-in-attachments
SPC m a l	+org/attach-file-and-insert-link
SPC m a n	org-attach-new
SPC m a o	org-attach-open
SPC m a p	org-download-clipboard
SPC m a r	org-attach-reveal
SPC m a s	org-attach-set-directory
SPC m a u	org-attach-url
SPC m b - ; SPC m b i h	org-table-insert-hline
SPC m b R	org-table-recalculate-buffer-tables
SPC m b a	org-table-align
SPC m b b	org-table-blank-field
SPC m b c	org-table-create-or-convert-from-region
SPC m b d c	org-table-delete-column
SPC m b d r	org-table-kill-row
SPC m b e	org-table-edit-field
SPC m b f	org-table-edit-formulas
SPC m b h	org-table-field-info
SPC m b i H	org-table-hline-and-move
SPC m b i c	org-table-insert-column
SPC m b i r	org-table-insert-row
SPC m b p	org-plot/gnuplot
SPC m b r	org-table-recalculate
SPC m b s	org-table-sort-lines
SPC m b t f	org-table-toggle-formula-debugger
SPC m b t o	org-table-toggle-coordinate-overlays
SPC m c -	org-clock-timestamps-down
SPC m c =	org-clock-timestamps-up
SPC m c E	org-set-effort
SPC m c G ; SPC m g C	Função anônima (lambda)
SPC m c I	org-clock-in-last
SPC m c R	org-clock-report
SPC m c c	org-clock-cancel
SPC m c d	org-clock-mark-default-task
SPC m c e	org-clock-modify-effort-estimate
SPC m c g ; SPC m g c	org-clock-goto
SPC m c i	org-clock-in
SPC m c l	+org/toggle-last-clock
SPC m c o	org-clock-out
SPC m c r	org-resolve-clocks
SPC m c t	org-evaluate-time-range
SPC m d T	org-time-stamp-inactive
SPC m d d	org-deadline
SPC m d s	org-schedule
SPC m d t	org-time-stamp
SPC m e	org-export-dispatch
SPC m f	org-footnote-action
SPC m g i	org-id-goto
SPC m g r	org-refile-goto-last-stored
SPC m g v	+org/goto-visible
SPC m g x	org-capture-goto-last-stored
SPC m h	org-toggle-heading

Teclas / sequência	Comando / ação
SPC m i	org-toggle-item
SPC m k	org-babel-remove-result
SPC m l L	org-insert-all-links
SPC m l S	org-insert-last-stored-link
SPC m l c	org-cliplink
SPC m l d	+org/remove-link
SPC m l i	org-id-store-link
SPC m l l	org-insert-link
SPC m l s ; SPC m n	org-store-link
SPC m l t	org-toggle-link-display
SPC m l y	+org/yank-link
SPC m o	org-set-property
SPC m p d	org-priority-down
SPC m p p	org-priority
SPC m p u	org-priority-up
SPC m q	org-set-tags-command
SPC m r .	+org/refile-to-current-file
SPC m r O	+org/refile-to-other-buffer
SPC m r R	org-refile-reverse
SPC m r c	+org/refile-to-running-clock
SPC m r f	+org/refile-to-file
SPC m r l	+org/refile-to-last-location
SPC m r o	+org/refile-to-other-window
SPC m r r ; SPC m s r	org-refile
SPC m r v	+org/refile-to-visible
SPC m s N	widen
SPC m s S	org-sort
SPC m s a	org-toggle-archive-tag
SPC m s b	org-tree-to-indirect-buffer
SPC m s c	org-clone-subtree-with-time-shift
SPC m s d	org-cut-subtree
SPC m s h	org-promote-subtree
SPC m s j	org-move-subtree-down
SPC m s k	org-move-subtree-up
SPC m s l	org-demote-subtree
SPC m s n	org-narrow-to-subtree
SPC m s s	org-sparse-tree
SPC m t	org-todo
SPC m x	org-toggle-checkbox
{	org-backward-paragraph
}	org-forward-paragraph

5.565 org-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m #	org-update-statistics-cookies
SPC m '	org-edit-special
SPC m *	org-ctrl-c-star
SPC m ,	org-switchb
SPC m -	org-ctrl-c-minus

Teclas / sequência	Comando / ação
SPC m . ; SPC m g g	consult-org-heading
SPC m / ; SPC m g G	consult-org-agenda
SPC m @	org-cite-insert
SPC m A ; SPC m s A	org-archive-subtree-default
SPC m I	org-id-get-create
SPC m K	+org/remove-result-blocks
SPC m P P	org-publish-current-project
SPC m P a	org-publish-all
SPC m P f	org-publish-current-file
SPC m P p	org-publish
SPC m P s	org-publish-sitemap
SPC m T	org-todo-list
SPC m a D	org-attach-delete-all
SPC m a O	org-attach-open-in-emacs
SPC m a P	org-download-yank
SPC m a R	org-attach-reveal-in-emacs
SPC m a S	org-attach-sync
SPC m a a	org-attach
SPC m a c	org-download-screenshot
SPC m a d	org-attach-delete-one
SPC m a f	+org/find-file-in-attachments
SPC m a l	+org/attach-file-and-insert-link
SPC m a n	org-attach-new
SPC m a o	org-attach-open
SPC m a p	org-download-clipboard
SPC m a r	org-attach-reveal
SPC m a s	org-attach-set-directory
SPC m a u	org-attach-url
SPC m b - ; SPC m b i h	org-table-insert-hline
SPC m b R	org-table-recalculate-buffer-tables
SPC m b a	org-table-align
SPC m b b	org-table-blank-field
SPC m b c	org-table-create-or-convert-from-region
SPC m b d c	org-table-delete-column
SPC m b d r	org-table-kill-row
SPC m b e	org-table-edit-field
SPC m b f	org-table-edit-formulas
SPC m b h	org-table-field-info
SPC m b i H	org-table-hline-and-move
SPC m b i c	org-table-insert-column
SPC m b i r	org-table-insert-row
SPC m b p	org-plot/gnuplot
SPC m b r	org-table-recalculate
SPC m b s	org-table-sort-lines
SPC m b t f	org-table-toggle-formula-debugger
SPC m b t o	org-table-toggle-coordinate-overlays
SPC m c -	org-clock-timestamps-down
SPC m c =	org-clock-timestamps-up
SPC m c E	org-set-effort
SPC m c G ; SPC m g C	Função anônima (lambda)
SPC m c I	org-clock-in-last
SPC m c R	org-clock-report

Teclas / sequência	Comando / ação
SPC m c c	org-clock-cancel
SPC m c d	org-clock-mark-default-task
SPC m c e	org-clock-modify-effort-estimate
SPC m c g ; SPC m g c	org-clock-goto
SPC m c i	org-clock-in
SPC m c l	+org/toggle-last-clock
SPC m c o	org-clock-out
SPC m c r	org-resolve-clocks
SPC m c t	org-evaluate-time-range
SPC m d T	org-time-stamp-inactive
SPC m d d	org-deadline
SPC m d s	org-schedule
SPC m d t	org-time-stamp
SPC m e	org-export-dispatch
SPC m f	org-footnote-action
SPC m g i	org-id-goto
SPC m g r	org-refile-goto-last-stored
SPC m g v	+org/goto-visible
SPC m g x	org-capture-goto-last-stored
SPC m h	org-toggle-heading
SPC m i	org-toggle-item
SPC m k	org-babel-remove-result
SPC m l L	org-insert-all-links
SPC m l S	org-insert-last-stored-link
SPC m l c	org-cliplink
SPC m l d	+org/remove-link
SPC m l i	org-id-store-link
SPC m l l	org-insert-link
SPC m l s ; SPC m n	org-store-link
SPC m l t	org-toggle-link-display
SPC m l y	+org/yank-link
SPC m o	org-set-property
SPC m p d	org-priority-down
SPC m p p	org-priority
SPC m p u	org-priority-up
SPC m q	org-set-tags-command
SPC m r .	+org/refile-to-current-file
SPC m r O	+org/refile-to-other-buffer
SPC m r R	org-refile-reverse
SPC m r c	+org/refile-to-running-clock
SPC m r f	+org/refile-to-file
SPC m r l	+org/refile-to-last-location
SPC m r o	+org/refile-to-other-window
SPC m r r ; SPC m s r	org-refile
SPC m r v	+org/refile-to-visible
SPC m s N	widen
SPC m s S	org-sort
SPC m s a	org-toggle-archive-tag
SPC m s b	org-tree-to-indirect-buffer
SPC m s c	org-clone-subtree-with-time-shift
SPC m s d	org-cut-subtree
SPC m s h	org-promote-subtree

Teclas / sequência	Comando / ação
SPC m s j	org-move-subtree-down
SPC m s k	org-move-subtree-up
SPC m s l	org-demote-subtree
SPC m s n	org-narrow-to-subtree
SPC m s s	org-sparse-tree
SPC m t	org-todo
SPC m x	org-toggle-checkbox

5.566 org-mouse-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face

5.567 org-navigation-repeat-map

Teclas / sequência	Comando / ação
b	org-backward-heading-same-level
f	org-forward-heading-same-level
n	org-next-visible-heading
p	org-previous-visible-heading
u	org-up-heading

5.568 org-read-date-minibuffer-local-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
!	org-calendar-view-entries
.	org-calendar-goto-today-or-insert-dot
<	org-calendar-scroll-month-right
>	org-calendar-scroll-month-left
C-.	org-calendar-goto-today
C-S-h ; C-S-j ; C-S-k ; C-S-l ; C-b ; C-f ; C-h ; C-j	Função anônima (lambda)
C-k ; C-l ; M-H ; M-J ; M-K ; M-L ; M-h ; M-j	Função anônima (lambda)
M-k ; M-l	Função anônima (lambda)
C-v	org-calendar-scroll-three-months-left
ESC S-<down> ; M-S-<down>	org-calendar-forward-year
ESC S-<left> ; M-S-<left>	org-calendar-backward-month
ESC S-<right> ; M-S-<right>	org-calendar-forward-month
ESC S-<up> ; M-S-<up>	org-calendar-backward-year
M-v	org-calendar-scroll-three-months-right
S-<down>	org-calendar-forward-week
S-<left>	org-calendar-backward-day
S-<right>	org-calendar-forward-day
S-<up>	org-calendar-backward-week

5.569 org-src-mode-map

Teclas / sequência	Comando / ação
<remap> <evil-quit> ; C-c C-k	org-edit-src-abort
<remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; C-c ' ; C-c C-c	org-edit-src-exit
C-x C-s	org-edit-src-save

5.570 org-table-fedit-map

Teclas / sequência	Comando / ação
<remap> <evil-quit> ; C-c C-q	org-table-fedit-abort
<remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; C-c ' ; C-c C-c ; C-c C-s ; C-x C-s	org-table-fedit-finish
<tab> ; TAB	org-table-fedit-lisp-indent
C-M-i ; M-<tab>	completion-at-point
C-c ?	org-table-show-reference
C-c C-r	org-table-fedit-toggle-ref-type
C-c }	org-table-fedit-toggle-coordinates
M-<down>	org-table-fedit-scroll
M-<up>	org-table-fedit-scroll-down
M-S-<down>	org-table-fedit-line-down
M-S-<up>	org-table-fedit-line-up
S-<down>	org-table-fedit-ref-down
S-<left>	org-table-fedit-ref-left
S-<right>	org-table-fedit-ref-right
S-<up>	org-table-fedit-ref-up

5.571 orgtbl-mode-map

Teclas / sequência	Comando / ação
<backspace>	orgtbl-hijacker-command-109
<backtab>	orgtbl-hijacker-command-108
<return>	orgtbl-hijacker-command-100
<tab>	orgtbl-hijacker-command-102
C-#	orgtbl-hijacker-command-28
C-c '	orgtbl-hijacker-command-22
C-c *	orgtbl-hijacker-command-24
C-c +	orgtbl-hijacker-command-20
C-c -	orgtbl-hijacker-command-13
C-c =	orgtbl-hijacker-command-21
C-c ?	orgtbl-hijacker-command-18
C-c C-c	orgtbl-ctrl-c-ctrl-c
C-c C-w	orgtbl-hijacker-command-12
C-c C-y	orgtbl-hijacker-command-11
C-c M-w	orgtbl-hijacker-command-10
C-c SPC	orgtbl-hijacker-command-19

Teclas / sequência	Comando / ação
C-c ^	orgtbl-hijacker-command-25
C-c `	orgtbl-hijacker-command-23
C-c {	orgtbl-hijacker-command-15
C-c |	orgtbl-create-or-convert-from-region
C-c }	orgtbl-hijacker-command-14
M-<down>	orgtbl-hijacker-command-8
M-<left>	orgtbl-hijacker-command-2
M-<return>	orgtbl-hijacker-command-106
M-<right>	orgtbl-hijacker-command-3
M-<up>	orgtbl-hijacker-command-7
M-RET	orgtbl-hijacker-command-105
M-S-<down>	orgtbl-hijacker-command-6
M-S-<left>	orgtbl-hijacker-command-1
M-S-<right>	orgtbl-hijacker-command-4
M-S-<up>	orgtbl-hijacker-command-5
M-a	orgtbl-hijacker-command-26
M-e	orgtbl-hijacker-command-27
RET	orgtbl-hijacker-command-101
S-<iso-lefttab>	orgtbl-hijacker-command-107
S-<return>	orgtbl-hijacker-command-17
S-<tab>	orgtbl-hijacker-command-104
TAB	orgtbl-hijacker-command-103

5.572 other-window-repeat-map

Teclas / sequência	Comando / ação
O	other-window-backward
o	other-window

5.573 outline-button-icon-map

Teclas / sequência	Comando / ação
S-<down-mouse-1>	ignore
S-<mouse-1>	outline-cycle-buffer

5.574 outline-editing-repeat-map

Teclas / sequência	Comando / ação
< ; C-<	outline-promote
> ; C->	outline-demote
C-^ ; ^	outline-move-subtree-up
C-v ; v	outline-move-subtree-down

5.575 outline-minor-mode-cycle-map

Teclas / sequência	Comando / ação
<backtab> ; <left-margin> S-<mouse-1> ; <right-margin> S-<mouse-1>	outline-cycle-buffer
TAB	outline-cycle

5.576 outline-minor-mode-map

Herda de: outline-minor-mode-cycle-map.

Teclas / sequência	Comando / ação
C-c @	**Mapa:** outline-mode-prefix-map

5.577 outline-mode-map

Herda de: `text-mode-map`.

Teclas / sequência	Comando / ação
<backtab>	outline-cycle-buffer
<normal-state> C-j ; <normal-state> g j	outline-forward-same-level
<normal-state> C-k ; <normal-state> g k	outline-backward-same-level
<normal-state> M-<return>	outline-insert-heading
<normal-state> M-h	outline-promote
<normal-state> M-j	outline-move-subtree-down
<normal-state> M-k	outline-move-subtree-up
<normal-state> M-l	outline-demote
<normal-state> [[	outline-previous-visible-heading
<normal-state>]]	outline-next-visible-heading
<normal-state> z B	outline-hide-body
<normal-state> z E	outline-hide-entry
<normal-state> z K	outline-show-branches
<normal-state> z e	outline-show-entry
<normal-state> z k	outline-show-children
<normal-state> z l	outline-hide-leaves
<normal-state> z p	outline-hide-other
<normal-state> z u	outline-up-heading
C-c	**Mapa:** outline-mode-prefix-map
TAB	outline-cycle

5.578 outline-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-j ; g j	outline-forward-same-level
C-k ; g k	outline-backward-same-level
M-<return>	outline-insert-heading
M-h	outline-promote
M-j	outline-move-subtree-down
M-k	outline-move-subtree-up

Teclas / sequência	Comando / ação
M-l	outline-demote
[[	outline-previous-visible-heading
]]	outline-next-visible-heading
z B	outline-hide-body
z E	outline-hide-entry
z K	outline-show-branches
z e	outline-show-entry
z k	outline-show-children
z l	outline-hide-leaves
z p	outline-hide-other
z u	outline-up-heading

5.579 outline-mode-menu-bar-map

Teclas / sequência	Comando / ação
<headings> <copy>	outline-headers-as-kill
<headings> <demote-subtree>	outline-demote
<headings> <move-subtree-down>	outline-move-subtree-down
<headings> <move-subtree-up>	outline-move-subtree-up
<headings> <outline-backward-same-level>	outline-backward-same-level
<headings> <outline-forward-same-level>	outline-forward-same-level
<headings> <outline-insert-heading>	outline-insert-heading
<headings> <outline-next-visible-heading>	outline-next-visible-heading
<headings> <outline-previous-visible-heading>	outline-previous-visible-heading
<headings> <outline-up-heading>	outline-up-heading
<headings> <promote-subtree>	outline-promote
<hide> <outline-hide-body>	outline-hide-body
<hide> <outline-hide-entry>	outline-hide-entry
<hide> <outline-hide-leaves>	outline-hide-leaves
<hide> <outline-hide-other>	outline-hide-other
<hide> <outline-hide-sublevels>	outline-hide-sublevels
<hide> <outline-hide-subtree>	outline-hide-subtree
<show> <outline-show-all>	outline-show-all
<show> <outline-show-branches>	outline-show-branches
<show> <outline-show-children>	outline-show-children
<show> <outline-show-entry>	outline-show-entry
<show> <outline-show-subtree>	outline-show-subtree

5.580 outline-mode-prefix-map

Teclas / sequência	Comando / ação
/ h	outline-hide-by-heading-regexp

Teclas / sequência	Comando / ação
/ s	outline-show-by-heading-regexp
@	outline-mark-subtree
C-<	outline-promote
C->	outline-demote
C-^	outline-move-subtree-up
C-a	outline-show-all
C-b	outline-backward-same-level
C-c	outline-hide-entry
C-d	outline-hide-subtree
C-e	outline-show-entry
C-f	outline-forward-same-level
C-k	outline-show-branches
C-l	outline-hide-leaves
C-n	outline-next-visible-heading
C-o	outline-hide-other
C-p	outline-previous-visible-heading
C-q	outline-hide-sublevels
C-s	outline-show-subtree
C-t	outline-hide-body
C-u	outline-up-heading
C-v	outline-move-subtree-down
RET	outline-insert-heading
TAB	outline-show-children

5.581 outline-navigation-repeat-map

Teclas / sequência	Comando / ação
C-b ; b	outline-backward-same-level
C-f ; f	outline-forward-same-level
C-n ; n	outline-next-visible-heading
C-p ; p	outline-previous-visible-heading
C-u ; u	outline-up-heading

5.582 outline-overlay-button-map

Teclas / sequência	Comando / ação
RET	outline-cycle

5.583 package-menu-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
(	package-menu-toggle-hiding
/ /	package-menu-clear-filter
/ N	package-menu-filter-by-name-or-description
/ a	package-menu-filter-by-archive

Teclas / sequência	Comando / ação
/ d	package-menu-filter-by-description
/ k	package-menu-filter-by-keyword
/ m	package-menu-filter-marked
/ n	package-menu-filter-by-name
/ s	package-menu-filter-by-status
/ u	package-menu-filter-upgradable
/ v	package-menu-filter-by-version
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> U ; U	package-menu-mark-upgrades
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q	quit-window
<normal-state> d ; d	package-menu-mark-delete
<normal-state> g ? ; ? ; RET	package-menu-describe-package
<normal-state> g r ; r	revert-buffer
<normal-state> g x ; w	package-browse-url
<normal-state> i ; i	package-menu-mark-install
<normal-state> u ; u	package-menu-mark-unmark
<normal-state> x ; x	package-menu-execute
DEL	package-menu-backup-unmark
H	package-menu-hide-package
b	package-report-bug
h	package-menu-quick-help

Teclas / sequência	Comando / ação
~	package-menu-mark-obsolete-for-deletion

5.584 page-navigation-repeat-map

Teclas / sequência	Comando / ação
[	backward-page
]	forward-page

5.585 pandoc-@-mode-map

Teclas / sequência	Comando / ação
<down> ; j ; n	pandoc-next-@
<end>	pandoc-goto-last-@
<home> ; <next> ; <prior>	pandoc-goto-first-@
<return>	pandoc-select-current-@
<up> ; k ; p	pandoc-prev-@
q	pandoc-quit-@-select

5.586 pandoc-mode-map

Teclas / sequência	Comando / ação
C-c /	pandoc-main-transient

5.587 pass-mode-map

Teclas / sequência	Comando / ação
<normal-state> <return> ; <normal-state> RET ; RET ; v	pass-view
<normal-state> C-j ; <normal-state> g j ; <normal-state> j ; n	pass-next-entry
<normal-state> C-k ; <normal-state> g k ; <normal-state> k ; p	pass-prev-entry
<normal-state> E ; <normal-state> e ; e	pass-edit
<normal-state> I ; I	pass-insert-generated
<normal-state> J ; j	pass-goto-entry
<normal-state> R ; <normal-state> r ; r	pass-rename
<normal-state> Y ; w	pass-copy
<normal-state> [[; M-p	pass-prev-directory
<normal-state>]] ; M-n	pass-next-directory
<normal-state> d ; <normal-state> x ; k	pass-kill
<normal-state> g ? ; ?	describe-mode

Teclas / sequência	Comando / ação
`<normal-state> g r ; g`	`pass-update-buffer`
`<normal-state> i ; i`	`pass-insert`
`<normal-state> o ; o`	`pass-otp-options`
`<normal-state> q ; q`	`pass-quit`
`<normal-state> s ; s`	`isearch-forward`
`U`	`pass-browse-url`
`b`	`pass-copy-username`
`f`	`pass-copy-field`
`u`	`pass-copy-url`

5.588 pass-mode-map [Evil normal]

Teclas / sequência	Comando / ação
`<return> ; RET`	`pass-view`
`C-j ; g j ; j`	`pass-next-entry`
`C-k ; g k ; k`	`pass-prev-entry`
`E ; e`	`pass-edit`
`I`	`pass-insert-generated`
`J`	`pass-goto-entry`
`R ; r`	`pass-rename`
`Y`	`pass-copy`
`[ [`	`pass-prev-directory`
`] ]`	`pass-next-directory`
`d ; x`	`pass-kill`
`g ?`	`describe-mode`
`g r`	`pass-update-buffer`
`i`	`pass-insert`
`o`	`pass-otp-options`
`q`	`pass-quit`
`s`	`isearch-forward`

5.589 pass-view-mode-map

Teclas / sequência	Comando / ação
`C-c C-c`	`pass-view-toggle-password`
`C-c C-w`	`pass-view-copy-password`

5.590 pdf-annot-edit-contents-minor-mode-map

Herda de: `text-mode-map`.

Teclas / sequência	Comando / ação
`C-c C-c`	`pdf-annot-edit-contents-commit`
`C-c C-k ; C-c C-q`	`pdf-annot-edit-contents-abort`

5.591 pdf-annot-list-mode-map

Teclas / sequência	Comando / ação
C-c C-f	pdf-annot-list-follow-minor-mode
SPC	pdf-annot-list-display-annotation-from-id
e	pdf-annot-edit

5.592 pdf-annot-minor-mode-map

Teclas / sequência	Comando / ação
C-c C-a D	pdf-annot-delete
C-c C-a a	pdf-annot-attachment-dired
C-c C-a h	pdf-annot-add-highlight-markup-annotation
C-c C-a l	pdf-annot-list-annotations
C-c C-a m	pdf-annot-add-markup-annotation
C-c C-a o	pdf-annot-add-strikeout-markup-annotation
C-c C-a s	pdf-annot-add-squiggly-markup-annotation
C-c C-a t	pdf-annot-add-text-annotation
C-c C-a u	pdf-annot-add-underline-markup-annotation

5.593 pdf-history-minor-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> C-o	evil-collection-pdf-jump-backward
<normal-state> TAB	evil-collection-pdf-jump-forward
B ; l	pdf-history-backward
N ; r	pdf-history-forward

5.594 pdf-history-minor-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
C-o	evil-collection-pdf-jump-backward
TAB	evil-collection-pdf-jump-forward

5.595 pdf-isearch-active-mode-map

Herda de: isearch-mode-map.

Teclas / sequência	Comando / ação
C-b	pdf-isearch-batch-mode
C-d	pdf-view-dark-minor-mode
M-s o	pdf-isearch-occur

Teclas / sequência	Comando / ação
M-s s	pdf-isearch-sync-backward

5.596 pdf-isearch-minor-mode-map

Teclas / sequência	Comando / ação
<remap> <occur>	pdf-occur

5.597 pdf-links-minor-mode-map

Teclas / sequência	Comando / ação
F	pdf-links-action-perform
f	pdf-links-isearch-link

5.598 pdf-misc-minor-mode-map

Teclas / sequência	Comando / ação
C-c C-p	pdf-misc-print-document
I	pdf-misc-display-metadata

5.599 pdf-occur-buffer-mode-map

Herda de: tablist-mode-map.

Teclas / sequência	Comando / ação
<normal-state> % ; <normal-state> * r	tablist-mark-items-regexp
<normal-state> * ! ; <normal-state> U	tablist-unmark-all-marks
<normal-state> * c	tablist-change-marks
<normal-state> * m ; <normal-state> m	tablist-mark-forward
<normal-state> * n	tablist-mark-items-numeric
<normal-state> / !	tablist-negate-filter
<normal-state> / /	tablist-display-filter
<normal-state> / =	tablist-push-equal-filter
<normal-state> / C	tablist-clear-filter
<normal-state> / D	tablist-delete-named-filter
<normal-state> / a	tablist-push-named-filter
<normal-state> / d	tablist-deconstruct-named-filter
<normal-state> / e	tablist-edit-filter
<normal-state> / n	tablist-push-numeric-filter
<normal-state> / p	tablist-pop-filter
<normal-state> / r	tablist-push-regexp-filter
<normal-state> / s	tablist-name-current-filter
<normal-state> / t	tablist-toggle-first-filter-logic
<normal-state> / z	tablist-suspend-filter

Teclas / sequência	Comando / ação
<normal-state> <backtab>	tablist-backward-column
<normal-state> <delete>	tablist-unmark-backward
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <remap> <evil-first-non-blank>	tablist-move-to-major-column
<normal-state> <remap> <evil-next-line>	tablist-next-line
<normal-state> <remap> <evil-previous-line>	tablist-previous-line
<normal-state> <return> ; <normal-state> RET ; RET	pdf-occur-goto-occurrence
<normal-state> A ; A	pdf-occur-tablist-gather-documents
<normal-state> C-c C-e	tablist-export-csv
<normal-state> D	tablist-do-kill-lines
<normal-state> G	tablist-revert
<normal-state> K ; K	pdf-occur-abort-search
<normal-state> O	tablist-sort
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g D ; <normal-state> g o ; C-o ; SPC	pdf-occur-view-occurrence
<normal-state> S-<space> ; <normal-state> S-SPC	scroll-down-command

Teclas / sequência	Comando / ação
<normal-state> Z Q ; <normal-state> Z Z ; <normal-state> q	tablist-quit
<normal-state> a	tablist-flag-forward
<normal-state> d ; D	pdf-occur-tablist-do-delete
<normal-state> o	tabulated-list-sort
<normal-state> r ; g	pdf-occur-revert-buffer-with-args
<normal-state> u	tablist-unmark-forward
<normal-state> x ; x	pdf-occur-tablist-do-flagged-delete
<normal-state> ~	tablist-toggle-marks
C-c C-f	next-error-follow-minor-mode

5.600 pdf-occur-dired-minor-mode-map

Teclas / sequência	Comando / ação
<remap> <dired-do-search>	pdf-occur-dired-do-search

5.601 pdf-occur-ibuffer-minor-mode-map

Teclas / sequência	Comando / ação
<remap> <ibuffer-do-occur>	pdf-occur-ibuffer-do-occur

5.602 pdf-outline-buffer-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
. ; <normal-state> .	pdf-outline-move-to-current-page
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
<	beginning-of-buffer
<normal-state> < ; <normal-state> ^ ; u	pdf-outline-up-heading
<normal-state> <backtab> ; <normal-state> S-<tab>	pdf-outline-toggle-subtree
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> <return> ; <normal-state> RET ; M-RET	pdf-outline-follow-link-and-quit
<normal-state> <tab> ; <normal-state> TAB ; TAB	outline-toggle-children
<normal-state> C-w q ; <normal-state> Z Z ; C-c C-q	pdf-outline-quit-and-kill
<normal-state> G ; >	pdf-outline-end-of-buffer
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; C-o ; SPC	pdf-outline-display-link
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; RET	pdf-outline-follow-link
<normal-state> Z Q ; <normal-state> q ; q	quit-window
<normal-state> z f ; C-c C-f	pdf-outline-follow-mode
Q	outline-hide-sublevels
a	outline-show-all
b	outline-backward-same-level
d	outline-hide-subtree
f	outline-forward-same-level
n	next-line
o	pdf-outline-select-pdf-window
p	previous-line
s	outline-show-subtree

5.603 pdf-outline-buffer-mode-map [Evil normal]

Teclas / sequência	Comando / ação
.	pdf-outline-move-to-current-page
< ; ^	pdf-outline-up-heading

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	pdf-outline-toggle-subtree
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
<return> ; RET	pdf-outline-follow-link-and-quit
<tab> ; TAB	outline-toggle-children
C-w q ; Z Z	pdf-outline-quit-and-kill
G	pdf-outline-end-of-buffer
M-<return> ; M-RET ; g O	pdf-outline-display-link
S-<return> ; S-RET ; g o	pdf-outline-follow-link
Z Q ; q	quit-window
z f	pdf-outline-follow-mode

5.604 pdf-outline-minor-mode-map

Teclas / sequência	Comando / ação
o	pdf-outline

5.605 persp-key-map

Teclas / sequência	Comando / ação
C	persp-kill
I	persp-import-win-conf
K	persp-kill-buffer
L	persp-load-from-file-by-names
S	persp-window-switch
W	persp-save-to-file-by-names
a	persp-add-buffer
b	persp-switch-to-buffer
c	persp-copy
i	persp-import-buffers
k	persp-remove-buffer

Teclas / sequência	Comando / ação
l	persp-load-state-from-file
n	persp-next
o	Função compilada anônima
p	persp-prev
r	persp-rename
s	persp-frame-switch
t	persp-temporarily-display-buffer
w	persp-save-state-to-file
z	persp-save-and-kill

5.606 persp-mode-map

Teclas / sequência	Comando / ação
<remap> <delete-window> ; <rem ap> <evil-window-delete>	+workspace/close-window-or-workspace
C-c p C	persp-kill
C-c p I	persp-import-win-conf
C-c p K	persp-kill-buffer
C-c p L	persp-load-from-file-by-names
C-c p S	persp-window-switch
C-c p W	persp-save-to-file-by-names
C-c p a	persp-add-buffer
C-c p b	persp-switch-to-buffer
C-c p c	persp-copy
C-c p i	persp-import-buffers
C-c p k	persp-remove-buffer
C-c p l	persp-load-state-from-file
C-c p n	persp-next
C-c p o	Função compilada anônima
C-c p p	persp-prev
C-c p r	persp-rename
C-c p s	persp-frame-switch
C-c p t	persp-temporarily-display-buffer
C-c p w	persp-save-state-to-file
C-c p z	persp-save-and-kill

5.607 pike-mode-map

Herda de: c-mode-base-map.

Teclas / sequência	Comando / ação
C-c C-e	c-macro-expand

5.608 preview-map

Teclas / sequência	Comando / ação
C-b	preview-buffer
C-c C-b	preview-clearout-buffer

Teclas / sequência	Comando / ação
C-c C-d	preview-clearout-document
C-c C-f	preview-cache-preamble-off
C-c C-p	preview-clearout-at-point
C-c C-r	preview-clearout
C-c C-s	preview-clearout-section
C-d	preview-document
C-e	preview-environment
C-f	preview-cache-preamble
C-p	preview-at-point
C-r	preview-region
C-s	preview-section
C-w	preview-copy-region-as-mml
TAB	preview-goto-info-page

5.609 process-menu-mode-map

Teclas / sequência	Comando / ação
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore

Teclas / sequência	Comando / ação
<normal-state> <tab> ; <normal -state> TAB	forward-button
<normal-state> S	tabulated-list-sort
<normal-state> S-<space> ; <no rmal-state> S-SPC	evil-scroll-up
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-s tate> q	quit-window
<normal-state> d ; <normal-sta te> x ; d	process-menu-delete-process
<normal-state> g r	revert-buffer

5.610 process-menu-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	backward-button
<remap> <evil-append-line> ; < remap> <evil-append> ; <remap> <evil-change-line> ; <remap> < evil-change-whole-line> ; <rem ap> <evil-change> ; <remap> <e vil-delete-backward-char> ; <r emap> <evil-delete-char> ; <re map> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap > <evil-indent> ; <remap> <evi l-insert-line> ; <remap> <evil -insert> ; <remap> <evil-inver t-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; < remap> <evil-paste-before> ; < remap> <evil-replace-state> ; <remap> <evil-replace> ; <rema p> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> < evil-substitute>	ignore
<tab> ; TAB	forward-button
S	tabulated-list-sort
S-<space> ; S-SPC	evil-scroll-up
Z Q	evil-quit
Z Z ; q	quit-window
d ; x	process-menu-delete-process
g r	revert-buffer

5.611 prog-mode-map

Teclas / sequência	Comando / ação
C-M-q	prog-indent-sexp

Teclas / sequência	Comando / ação
M-q	prog-fill-reindent-defun

5.612 project-other-frame-map

Teclas / sequência	Comando / ação
C-o	project-display-buffer-other-frame

5.613 project-other-window-map

Teclas / sequência	Comando / ação
C-o	project-display-buffer

5.614 project-prefix-map

Teclas / sequência	Comando / ação
!	project-shell-command
&	project-async-shell-command
C-b	project-list-buffers
C-x s	project-save-some-buffers
D	project-dired
F	project-or-external-find-file
G	project-or-external-find-regexp
b	project-switch-to-buffer
c	project-compile
d	project-find-dir
e	project-eshell
f	project-find-file
g	project-find-regexp
k	project-kill-buffers
o	project-any-command
p	project-switch-project
r	project-query-replace-regexp
s	project-shell
v	project-vc-dir
x	project-execute-extended-command

5.615 python-base-mode-map

Teclas / sequência	Comando / ação
<backtab>	python-indent-dedent-line
<emacs-state> M-SPC m t F ; <insert-state> M-SPC m t F ; <motion-state> SPC m t F ; <normal-state> SPC m t F ; <visual-state> SPC m t F	python-pytest-file

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m t T ; <insert-state> M-SPC m t T ; <motion-state> SPC m t T ; <normal-state> SPC m t T ; <visual-state> SPC m t T	python-pytest-run-def-or-class-at-point
<emacs-state> M-SPC m t a ; <insert-state> M-SPC m t a ; <motion-state> SPC m t a ; <normal-state> SPC m t a ; <visual-state> SPC m t a	python-pytest
<emacs-state> M-SPC m t f ; <insert-state> M-SPC m t f ; <motion-state> SPC m t f ; <normal-state> SPC m t f ; <visual-state> SPC m t f	python-pytest-file-dwim
<emacs-state> M-SPC m t p ; <insert-state> M-SPC m t p ; <motion-state> SPC m t p ; <normal-state> SPC m t p ; <visual-state> SPC m t p	python-pytest-dispatch
<emacs-state> M-SPC m t r ; <insert-state> M-SPC m t r ; <motion-state> SPC m t r ; <normal-state> SPC m t r ; <visual-state> SPC m t r	python-pytest-repeat
<emacs-state> M-SPC m t t ; <insert-state> M-SPC m t t ; <motion-state> SPC m t t ; <normal-state> SPC m t t ; <visual-state> SPC m t t	python-pytest-run-def-or-class-at-point-dwim
<remap> <backward-sentence>	python-nav-backward-block
<remap> <backward-up-list>	python-nav-backward-up-list
<remap> <complete-symbol>	completion-at-point
<remap> <forward-sentence>	python-nav-forward-block
<remap> <mark-defun>	python-mark-defun
<remap> <up-list>	python-nav-up-list
C-M-x	python-shell-send-defun
C-c <	python-indent-shift-left
C-c >	python-indent-shift-right
C-c C-b	python-shell-send-block
C-c C-c	python-shell-send-buffer
C-c C-d	python-describe-at-point
C-c C-e	python-shell-send-statement
C-c C-f	python-eldoc-at-point
C-c C-j	imenu
C-c C-l	python-shell-send-file
C-c C-p	run-python
C-c C-r	python-shell-send-region
C-c C-s	python-shell-send-string
C-c C-t c	python-skeleton-class
C-c C-t d	python-skeleton-def
C-c C-t f	python-skeleton-for
C-c C-t i	python-skeleton-if
C-c C-t m	python-skeleton-import
C-c C-t t	python-skeleton-try

Teclas / sequência	Comando / ação
C-c C-t w	python-skeleton-while
C-c C-v	python-check
C-c C-z	python-shell-switch-to-shell
C-c TAB a	python-add-import
C-c TAB f	python-fix-imports
C-c TAB r	python-remove-import
C-c TAB s	python-sort-imports

5.616 python-base-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m t F	python-pytest-file
M-SPC m t T	python-pytest-run-def-or-class-at-point
M-SPC m t a	python-pytest
M-SPC m t f	python-pytest-file-dwim
M-SPC m t p	python-pytest-dispatch
M-SPC m t r	python-pytest-repeat
M-SPC m t t	python-pytest-run-def-or-class-at-point-dwim

5.617 python-base-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m t F	python-pytest-file
M-SPC m t T	python-pytest-run-def-or-class-at-point
M-SPC m t a	python-pytest
M-SPC m t f	python-pytest-file-dwim
M-SPC m t p	python-pytest-dispatch
M-SPC m t r	python-pytest-repeat
M-SPC m t t	python-pytest-run-def-or-class-at-point-dwim

5.618 python-base-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m t F	python-pytest-file
SPC m t T	python-pytest-run-def-or-class-at-point
SPC m t a	python-pytest
SPC m t f	python-pytest-file-dwim
SPC m t p	python-pytest-dispatch
SPC m t r	python-pytest-repeat
SPC m t t	python-pytest-run-def-or-class-at-point-dwim

5.619 python-base-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m t F	python-pytest-file

Teclas / sequência	Comando / ação
SPC m t T	python-pytest-run-def-or-class-at-point
SPC m t a	python-pytest
SPC m t f	python-pytest-file-dwim
SPC m t p	python-pytest-dispatch
SPC m t r	python-pytest-repeat
SPC m t t	python-pytest-run-def-or-class-at-point-dwim

5.620 python-base-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m t F	python-pytest-file
SPC m t T	python-pytest-run-def-or-class-at-point
SPC m t a	python-pytest
SPC m t f	python-pytest-file-dwim
SPC m t p	python-pytest-dispatch
SPC m t r	python-pytest-repeat
SPC m t t	python-pytest-run-def-or-class-at-point-dwim

5.621 python-indent-repeat-map

Teclas / sequência	Comando / ação
<	python-indent-shift-left
>	python-indent-shift-right

5.622 quail-conversion-keymap

Teclas / sequência	Comando / ação
<backspace> ; <delete> ; DEL	quail-conversion-backward-delete-char
C-a	quail-conversion-beginning-of-region
C-b	quail-conversion-backward-char
C-d	quail-conversion-delete-char
C-e	quail-conversion-end-of-region
C-f	quail-conversion-forward-char
C-h	quail-translation-help
C-k	quail-conversion-delete-tail
SPC ... ~ ; <U+0080> ... ÿ	quail-self-insert-command

5.623 quail-simple-translation-keymap

Teclas / sequência	Comando / ação
<backspace> ; <delete> ; DEL	quail-delete-last-char
C-@ ... C-_	quail-other-command
SPC ... ~ ; <U+0080> ... ÿ	quail-self-insert-command

5.624 quail-translation-keymap

Teclas / sequência	Comando / ação
<backspace> ; <delete> ; DEL	quail-delete-last-char
<down> ; C-n	quail-next-translation-block
<kp-enter> ; C-@ ; C-SPC	quail-select-current
<left> ; C-b	quail-prev-translation
<right> ; C-f	quail-next-translation
<tab> ; TAB	quail-completion
<up> ; C-p	quail-prev-translation-block
C-a ; C-c ... C-e ; C-g ; C-j ... RET ; C-o ; C-q ... C-_	quail-other-command
C-h	quail-translation-help
SPC ... ~ ; <U+0080> ... ÿ	quail-self-insert-command

5.625 query-replace-map

Teclas / sequência	Comando / ação
!	automatic
,	act-and-show
.	act-and-exit
<backspace> ; <delete> ; DEL ; N ; n	skip
<escape>	exit-prefix
<f1> ; <help> ; ? ; C-h	help
<next> ; C-v	scroll-up
<prior> ; M-v	scroll-down
<return> ; RET ; q	exit
C-M-S-v ; M-<prior>	scroll-other-window-down
C-M-v ; M-<next>	scroll-other-window
C-] ; C-g	quit
C-l	recenter
C-r	edit
C-w	delete-and-edit
E	edit-replacement-exact-case
SPC ; Y ; y	act
U	undo-all
^	backup
d	diff
e	edit-replacement
u	undo

5.626 query-replace-read-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
M-s M-s ; M-s s	next-matching-history-element
M-s t	query-replace-read-transpose-from-to

5.627 read-char-from-minibuffer-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<remap> <exit-minibuffer>	read-char-from-minibuffer-insert-other
<remap> <recenter-top-bottom>	minibuffer-recenter-top-bottom
<remap> <scroll-down-command>	minibuffer-scroll-down-command
<remap> <scroll-other-window-down>	minibuffer-scroll-other-window-down
<remap> <scroll-other-window>	minibuffer-scroll-other-window
<remap> <scroll-up-command>	minibuffer-scroll-up-command

5.628 read-expression-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<escape>	abort-recursive-edit
<insert-state> C-j	next-line
<insert-state> C-k	previous-line
C-M-i ; TAB	completion-at-point
C-S-j	scroll-up-command
C-S-k	scroll-down-command
C-a	move-beginning-of-line
C-j	next-line-or-history-element
C-k	previous-line-or-history-element
C-r	evil-paste-from-register
C-s	consult-history
C-u	evil-delete-back-to-indentation
C-w	doom/delete-backward-word
C-z	Função anônima (lambda)
M-g M-c	read-expression-switch-to-completions

5.629 read-extended-command-mode-map

Teclas / sequência	Comando / ação
M-X	execute-extended-command-cycle

5.630 read-key-full-map

Teclas / sequência	Comando / ação
<t>	ignore

5.631 read-passwd-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
C-u	delete-minibuffer-contents
TAB	read-passwd-toggle-visibility

5.632 read-regexp-map

Herda de: query-replace-read-map.

Teclas / sequência	Comando / ação
M-s c	read-regexp-toggle-case-fold

5.633 recentf-dialog-mode-map

Teclas / sequência	Comando / ação
C-c C-c	recentf-edit-list-validate
C-c C-k ; q	recentf-cancel-dialog
n	next-line
p	previous-line

5.634 rectangle-mark-mode-map

Teclas / sequência	Comando / ação
<remap> <backward-char>	rectangle-backward-char
<remap> <exchange-point-and-mark>	rectangle-exchange-point-and-mark
<remap> <forward-char>	rectangle-forward-char
<remap> <left-char>	rectangle-left-char
<remap> <next-line>	rectangle-next-line
<remap> <previous-line>	rectangle-previous-line
<remap> <right-char>	rectangle-right-char
C-o	open-rectangle
C-t	string-rectangle

5.635 reftex-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m ; ; <insert-state> M-SPC m ; ; <motion-state> SPC m ; ; <normal-state> SPC m ; ; <visual-state> SPC m ; ; C-c =	reftex-toc
C-c &	reftex-view-crossref
C-c (	reftex-label
C-c)	reftex-reference
C-c -	reftex-toc-recenter
C-c /	reftex-index-selection-or-word
C-c <	reftex-index

Teclas / sequência	Comando / ação
C-c >	reftex-display-index
C-c [	reftex-citation
C-c \	reftex-index-phrase-selection-or-word
C-c |	reftex-index-visit-phrases-buffer
S-<mouse-2>	reftex-mouse-view-crossref

5.636 reftex-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m ;	reftex-toc

5.637 reftex-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m ;	reftex-toc

5.638 reftex-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m ;	reftex-toc

5.639 reftex-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m ;	reftex-toc

5.640 reftex-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m ;	reftex-toc

5.641 reftex-toc-mode-map

Teclas / sequência	Comando / ação
. ; <normal-state> .	reftex-toc-show-calling-point
< ; <normal-state> >	reftex-toc-promote
<follow-link>	mouse-face
<normal-state> < ; >	reftex-toc-demote
<normal-state> <return> ; <normal-state> RET ; RET	reftex-toc-goto-line-and-hide

Teclas / sequência	Comando / ação
<normal-state> <tab> ; <normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; TAB	reftex-toc-goto-line
<normal-state> ? ; <normal-state> g ? ; ?	reftex-toc-show-help
<normal-state> F ; F	reftex-toc-toggle-file-boundary
<normal-state> J ; z	reftex-toc-jump
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; SPC	reftex-toc-view-line
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; k	reftex-toc-quit-and-kill
<normal-state> [[; C-c C-p	reftex-toc-previous-heading
<normal-state>]] ; C-c C-n	reftex-toc-next-heading
<normal-state> c ; c	reftex-toc-toggle-context
<normal-state> f ; f	reftex-toc-toggle-follow
<normal-state> g R ; R	reftex-toc-Rescan
<normal-state> g r ; r	reftex-toc-rescan
<normal-state> i ; i	reftex-toc-toggle-index
<normal-state> j ; <remap> <next-line> ; n	reftex-toc-next
<normal-state> k ; <remap> <previous-line> ; p	reftex-toc-previous
<normal-state> l ; l	reftex-toc-toggle-labels
<normal-state> q ; q	reftex-toc-quit
<normal-state> r l ; M-%	reftex-toc-rename-label
<normal-state> x ; x	reftex-toc-external
<normal-state> z i ; C-c >	reftex-toc-display-index
a	reftex-toggle-auto-toc-recenter
d	reftex-toc-toggle-dedicated-frame
t	reftex-toc-max-level

5.642 reftex-toc-mode-map [Evil normal]

Teclas / sequência	Comando / ação
.	reftex-toc-show-calling-point
<	reftex-toc-demote
<return> ; RET	reftex-toc-goto-line-and-hide
<tab> ; M-<return> ; M-RET ; g O	reftex-toc-goto-line
>	reftex-toc-promote
? ; g ?	reftex-toc-show-help
F	reftex-toc-toggle-file-boundary
J	reftex-toc-jump
S-<return> ; S-RET ; g o	reftex-toc-view-line
Z Q	evil-quit
Z Z	reftex-toc-quit-and-kill
[[	reftex-toc-previous-heading
]]	reftex-toc-next-heading
c	reftex-toc-toggle-context

Teclas / sequência	Comando / ação
f	reftex-toc-toggle-follow
g R	reftex-toc-Rescan
g r	reftex-toc-rescan
i	reftex-toc-toggle-index
j	reftex-toc-next
k	reftex-toc-previous
l	reftex-toc-toggle-labels
q	reftex-toc-quit
r l	reftex-toc-rename-label
x	reftex-toc-external
z i	reftex-toc-display-index

5.643 resize-window-repeat-map

Teclas / sequência	Comando / ação
^	enlarge-window
v	shrink-window
{	shrink-window-horizontally
}	enlarge-window-horizontally

5.644 reveal-mode-map

Teclas / sequência	Comando / ação
<remap> <move-beginning-of-line>	beginning-of-line
<remap> <move-end-of-line>	end-of-line

5.645 rotate-windows-repeat-map

Teclas / sequência	Comando / ação
<left>	rotate-windows-back
<right>	rotate-windows

5.646 search-map

Teclas / sequência	Comando / ação
.	isearch-forward-symbol-at-point
M-.	isearch-forward-thing-at-point
M-w	eww-search-words
_	isearch-forward-symbol
h .	highlight-symbol-at-point
h f	hi-lock-find-patterns
h l	highlight-lines-matching-regexp
h p	highlight-phrase
h r	highlight-regexp

Teclas / sequência	Comando / ação
h u	unhighlight-regexp
h w	hi-lock-write-interactive-patterns
o	occur
w	isearch-forward-word

5.647 select-tags-table-mode-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
DEL ; p	previous-line
SPC ; n	next-line
q	select-tags-table-quit
t	push-button

5.648 semantic-mode-map

Teclas / sequência	Comando / ação
C-c , ,	semantic-force-refresh
C-c , <down>	senator-transpose-tags-down
C-c , <up>	senator-transpose-tags-up
C-c , C-w	senator-kill-tag
C-c , C-y	senator-yank-tag
C-c , G	semantic-symref
C-c , J	semantic-complete-jump
C-c , M-w	senator-copy-tag
C-c , SPC	semantic-complete-analyze-inline
C-c , g	semantic-symref-symbol
C-c , j	semantic-complete-jump-local
C-c , l	semantic-analyze-possible-completions
C-c , m	semantic-complete-jump-local-members
C-c , n	senator-next-tag
C-c , p	senator-previous-tag
C-c , r	senator-copy-tag-to-register
C-c , u	senator-go-to-up-reference

5.649 semantic-show-unmatched-syntax-mode-map

Teclas / sequência	Comando / ação
C-c , `	semantic-show-unmatched-syntax-next

5.650 set-coding-system-map

Teclas / sequência	Comando / ação
<revert-buffer-with-coding-system>	revert-buffer-with-coding-system
<set-buffer-file-coding-system>	set-buffer-file-coding-system
<set-buffer-process-coding-system>	set-buffer-process-coding-system
<set-file-name-coding-system>	set-file-name-coding-system
<set-keyboard-coding-system>	set-keyboard-coding-system
<set-next-selection-coding-system>	set-next-selection-coding-system
<set-selection-coding-system>	set-selection-coding-system
<set-terminal-coding-system>	set-terminal-coding-system
<universal-coding-system-argument>	universal-coding-system-argument

5.651 setup-chinese-environment-map

Teclas / sequência	Comando / ação
<Chinese-BIG5> ; <Chinese-CNS> ; <Chinese-EUC-TW> ; <Chinese-GB18030> ; <Chinese-GB> ; <Chinese-GBK>	setup-specified-language-environment

5.652 setup-cyrillic-environment-map

Teclas / sequência	Comando / ação
<Belarusian> ; <Bulgarian> ; <Cyrillic-ALT> ; <Cyrillic-ISO> ; <Cyrillic-KOI8> ; <Mongolian-cyrillic> ; <Russian> ; <Tajik>	setup-specified-language-environment
<Ukrainian>	setup-specified-language-environment

5.653 setup-european-environment-map

Teclas / sequência	Comando / ação
<Brazilian Portuguese> ; <Catalan> ; <Croatian> ; <Czech> ; <Dutch> ; <Esperanto> ; <French> ; <Georgian>	setup-specified-language-environment
<German> ; <Italian> ; <Latin-1> ; <Latin-2> ; <Latin-3> ; <Latin-4> ; <Latin-5> ; <Latin-6>	setup-specified-language-environment
<Latin-7> ; <Latin-8> ; <Latin-9> ; <Latvian> ; <Lithuanian> ; <Polish> ; <Romanian> ; <Slovak>	setup-specified-language-environment

Teclas / sequência	Comando / ação
<Slovenian> ; <Spanish> ; <Swedish> ; <Welsh>	setup-specified-language-environment

5.654 setup-indian-environment-map

Teclas / sequência	Comando / ação
<Bengali> ; <Brahmi> ; <Devanagari> ; <Grantha> ; <Gujarati> ; <Gurmukhi> ; <Kaithi> ; <Kannada>	setup-specified-language-environment
<Kharoshthi> ; <Lepcha> ; <Limbu> ; <Malayalam> ; <Meetei Mayek> ; <Modi> ; <Odia> ; <Oriya>	setup-specified-language-environment
<Sharada> ; <Siddham> ; <Syloti Nagri> ; <Tamil> ; <Telugu> ; <Tirhuta> ; <Toto> ; <Wancho>	setup-specified-language-environment

5.655 setup-indonesian-environment-map

Teclas / sequência	Comando / ação
<Balinese> ; <Batak> ; <Buginese> ; <Javanese> ; <Makasar> ; <Rejang> ; <Sundanese>	setup-specified-language-environment

5.656 setup-language-environment-map

Teclas / sequência	Comando / ação
<ASCII> ; <Arabic> ; <Burmese> ; <Cham> ; <Chinese> <Chinese-BIG5> ; <Chinese> <Chinese-CNS> ; <Chinese> <Chinese-EUC-TW> ; <Chinese> <Chinese-GB18030>	setup-specified-language-environment
<Chinese> <Chinese-GB> ; <Chinese> <Chinese-GBK> ; <Cyrillic> <Belarusian> ; <Cyrillic> <Bulgarian> ; <Cyrillic> <Cyrillic-ALT> ; <Cyrillic> <Cyrillic-ISO> ; <Cyrillic> <Cyrillic-KOI8> ; <Cyrillic> <Mongolian-cyrillic>	setup-specified-language-environment
<Cyrillic> <Russian> ; <Cyrillic> <Tajik> ; <Cyrillic> <Ukrainian> ; <Default> ; <English> ; <Ethiopic> ; <European> <Brazilian Portuguese> ; <European> <Catalan>	setup-specified-language-environment

Teclas / sequência	Comando / ação
<European> <Croatian> ; <European> <Czech> ; <European> <Dutch> ; <European> <Esperanto> ; <European> <French> ; <European> <Georgian> ; <European> <German> ; <European> <Italian>	setup-specified-language-environment
<European> <Latin-1> ; <European> <Latin-2> ; <European> <Latin-3> ; <European> <Latin-4> ; <European> <Latin-5> ; <European> <Latin-6> ; <European> <Latin-7> ; <European> <Latin-8>	setup-specified-language-environment
<European> <Latin-9> ; <European> <Latvian> ; <European> <Lithuanian> ; <European> <Polish> ; <European> <Romanian> ; <European> <Slovak> ; <European> <Slovenian> ; <European> <Spanish>	setup-specified-language-environment
<European> <Swedish> ; <European> <Welsh> ; <Greek> ; <Hebrew> ; <IPA> ; <Indian> <Bengali> ; <Indian> <Brahmi> ; <Indian> <Devanagari>	setup-specified-language-environment
<Indian> <Grantha> ; <Indian> <Gujarati> ; <Indian> <Gurmukhi> ; <Indian> <Kaithi> ; <Indian> <Kannada> ; <Indian> <Kharoshthi> ; <Indian> <Lepcha> ; <Indian> <Limbu>	setup-specified-language-environment
<Indian> <Malayalam> ; <Indian> <Meetei Mayek> ; <Indian> <Modi> ; <Indian> <Odia> ; <Indian> <Oriya> ; <Indian> <Sharada> ; <Indian> <Siddham> ; <Indian> <Syloti Nagri>	setup-specified-language-environment
<Indian> <Tamil> ; <Indian> <Telugu> ; <Indian> <Tirhuta> ; <Indian> <Toto> ; <Indian> <Wancho> ; <Indonesian> <Balinese> ; <Indonesian> <Batak> ; <Indonesian> <Buginese>	setup-specified-language-environment
<Indonesian> <Javanese> ; <Indonesian> <Makasar> ; <Indonesian> <Rejang> ; <Indonesian> <Sundanese> ; <Japanese> ; <Khmer> ; <Korean> ; <Lao>	setup-specified-language-environment
<Misc> <Adlam> ; <Misc> <Coptic> ; <Misc> <Gothic> ; <Misc> <Hanifi Rohingya> ; <Misc> <Mende Kikakui> ; <Misc> <Mongolian-traditional> ; <Misc> <Tifinagh> ; <Northern Thai>	setup-specified-language-environment

Teclas / sequência	Comando / ação
<Persian> ; <Philippine> <Buhid> ; <Philippine> <Hanunoo> ; <Philippine> <Tagalog> ; <Philippine> <Tagbanwa> ; <Sinhala> ; <Syriac> ; <TaiViet>	setup-specified-language-environment
<Thai> ; <Tibetan> ; <Turkish> ; <UTF-8> ; <Vietnamese> ; <Windows-1255>	setup-specified-language-environment

5.657 setup-misc-environment-map

Teclas / sequência	Comando / ação
<Adlam> ; <Coptic> ; <Gothic> ; <Hanifi Rohingya> ; <Mende Kikakui> ; <Mongolian-traditional> ; <Tifinagh>	setup-specified-language-environment

5.658 setup-philippine-environment-map

Teclas / sequência	Comando / ação
<Buhid> ; <Hanunoo> ; <Tagalog> ; <Tagbanwa>	setup-specified-language-environment

5.659 sh-mode-map

Teclas / sequência	Comando / ação
<remap> <backward-sentence>	sh-beginning-of-command
<remap> <delete-backward-char>	backward-delete-char-untabify
<remap> <forward-sentence>	sh-end-of-command
C-M-x	sh-execute-region
C-c (	sh-function
C-c +	sh-add
C-c :	sh-set-shell
C-c < ; C-c =	smie-config-set-indent
C-c >	smie-config-guess
C-c ?	smie-config-show-indent
C-c C-\	sh-backslash-region
C-c C-c	sh-case
C-c C-d	sh-cd-here
C-c C-f	sh-for
C-c C-l	sh-indexed-loop
C-c C-n	sh-send-line-or-region-and-step
C-c C-o	sh-while-getopts
C-c C-r	sh-repeat
C-c C-s	sh-select
C-c C-t	sh-tmp-file
C-c C-u	sh-until
C-c C-w	sh-while

Teclas / sequência	Comando / ação
C-c C-x	executable-interpret
C-c C-z	sh-show-shell
C-c TAB	sh-if

5.660 shell-mode-map

Teclas / sequência	Comando / ação
C-c C-b	shell-backward-command
C-c C-f	shell-forward-command
C-x n d	shell-narrow-to-prompt
M-?	comint-dynamic-list-filename-completions
M-RET	shell-resync-dirs
TAB	completion-at-point

5.661 shell-repeat-map

Teclas / sequência	Comando / ação
C-b	shell-backward-command
C-f	shell-forward-command

5.662 shr-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
C-<down-mouse-1>	shr-mouse-browse-url-new-window
C-M-i	shr-previous-link
I	shr-insert-image
M-i	shr-browse-image
O	shr-save-contents
RET ; v	shr-browse-url
TAB	shr-next-link
a	shr-show-alt-text
u ; w	shr-maybe-probe-and-copy-url
z	shr-zoom-image

5.663 sly-autodoc-mode-map

Teclas / sequência	Comando / ação
C-c C-d A	sly-autodoc

5.664 sly-button-popup-part-menu-keymap

Teclas / sequência	Comando / ação
<sly-button-describe>	sly-button-describe
<sly-button-goto-source>	sly-button-goto-source
<sly-button-inspect>	sly-button-inspect
<sly-button-pretty-print>	sly-button-pretty-print
<sly-button-show-source>	sly-button-show-source
<sly-mrepl-copy-call-to-repl>	sly-mrepl-copy-call-to-repl
<sly-mrepl-copy-part-to-repl>	sly-mrepl-copy-part-to-repl

5.665 sly-connection-list-mode-map

Teclas / sequência	Comando / ação
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <return> ; <normal-state> RET ; RET	sly-connection-list-default-action
<normal-state> <tab> ; <normal-state> TAB	forward-button
<normal-state> R ; R	sly-restart-connection-at-point
<normal-state> d ; d	sly-connection-list-make-default
<normal-state> g r ; g	sly-update-connection-list
<normal-state> o	tabulated-list-sort
<normal-state> q ; q	quit-window
<normal-state> x ; C-k	sly-quit-connection-at-point

5.666 sly-connection-list-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	backward-button
<return> ; RET	sly-connection-list-default-action
<tab> ; TAB	forward-button
R	sly-restart-connection-at-point
d	sly-connection-list-make-default
g r	sly-update-connection-list
o	tabulated-list-sort
q	quit-window
x	sly-quit-connection-at-point

5.667 sly-db-frame-map

Herda de: sly-part-button-keymap.

Teclas / sequência	Comando / ação
C-c C-c	sly-db-recompile-frame-source
D	sly-db-disassemble
R	sly-db-return-from-frame
RET ; t	sly-db-toggle-details
b	sly-db-break-on-return
d	sly-db-pprint-eval-in-frame

Teclas / sequência	Comando / ação
e	sly-db-eval-in-frame
i	sly-db-inspect-in-frame
o	sly-db-out
r	sly-db-restart-frame
s	sly-db-step
v	sly-db-show-frame-source
x	sly-db-next

5.668 sly-db-frame-menu-map

Herda de: sly-button-popup-part-menu-keymap.

Teclas / sequência	Comando / ação
<sly-db-disassemble>	sly-db-disassemble
<sly-db-eval-in-frame>	sly-db-eval-in-frame
<sly-db-inspect-in-frame>	sly-db-inspect-in-frame
<sly-db-pprint-eval-in-frame>	sly-db-pprint-eval-in-frame
<sly-db-restart-frame>	sly-db-restart-frame
<sly-db-return-from-frame>	sly-db-return-from-frame
<sly-db-show-frame-source>	sly-db-show-frame-source
<sly-db-toggle-details>	sly-db-toggle-details

5.669 sly-db-mode-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
0 ; <normal-state> 0	sly-db-invoke-restart-0
1 ; <normal-state> 1	sly-db-invoke-restart-1
2 ; <normal-state> 2	sly-db-invoke-restart-2
3 ; <normal-state> 3	sly-db-invoke-restart-3
4 ; <normal-state> 4	sly-db-invoke-restart-4
5 ; <normal-state> 5	sly-db-invoke-restart-5
6 ; <normal-state> 6	sly-db-invoke-restart-6
7 ; <normal-state> 7	sly-db-invoke-restart-7
8 ; <normal-state> 8	sly-db-invoke-restart-8
9 ; <normal-state> 9	sly-db-invoke-restart-9
: ; <normal-state> g :	sly-interactive-eval
< ; <normal-state> g g	sly-db-beginning-of-backtrace
<normal-state> < ; p	sly-db-up
<normal-state> <f10> ; <normal -state> n	sly-db-next
<normal-state> <f11> ; <normal -state> i ; <normal-state> s	sly-db-step
<normal-state> <f5> ; <normal-state> c ; c	sly-db-continue
<normal-state> <f9> ; <normal-state> b	sly-db-break-on-return
<normal-state> <follow-link>	mouse-face
<normal-state> > ; n	sly-db-down

Teclas / sequência	Comando / ação
<normal-state> A ; A	sly-db-break-with-system-debugger
<normal-state> B ; B	sly-db-break-with-default-debugger
<normal-state> C ; C	sly-db-inspect-condition
<normal-state> D	sly-db-disassemble
<normal-state> G ; >	sly-db-end-of-backtrace
<normal-state> I ; I	sly-db-invoke-restart-by-name
<normal-state> M-j ; <normal-state>]] ; M-n	sly-db-details-down
<normal-state> M-k ; <normal-state> [[; M-p	sly-db-details-up
<normal-state> P ; P	sly-db-print-condition
<normal-state> R	sly-db-return-from-frame
<normal-state> S	sly-db-show-frame-source
<normal-state> S-<f11> ; <normal-state> o	sly-db-out
<normal-state> TAB	sly-db-cycle
<normal-state> a ; a ; q	sly-db-abort
<normal-state> d	sly-db-pprint-eval-in-frame
<normal-state> e	sly-db-eval-in-frame
<normal-state> g ?	describe-mode
<normal-state> g i	sly-db-inspect-in-frame
<normal-state> g r	sly-db-restart-frame
<normal-state> q ; Q	sly-db-quit
<normal-state> t	sly-db-toggle-details

5.670 sly-db-mode-map [Evil normal]

Teclas / sequência	Comando / ação
0	sly-db-invoke-restart-0
1	sly-db-invoke-restart-1
2	sly-db-invoke-restart-2
3	sly-db-invoke-restart-3
4	sly-db-invoke-restart-4
5	sly-db-invoke-restart-5
6	sly-db-invoke-restart-6
7	sly-db-invoke-restart-7
8	sly-db-invoke-restart-8
9	sly-db-invoke-restart-9
<	sly-db-up
<f10> ; n	sly-db-next
<f11> ; i ; s	sly-db-step
<f5> ; c	sly-db-continue
<f9> ; b	sly-db-break-on-return
<follow-link>	mouse-face
>	sly-db-down
A	sly-db-break-with-system-debugger
B	sly-db-break-with-default-debugger
C	sly-db-inspect-condition
D	sly-db-disassemble
G	sly-db-end-of-backtrace
I	sly-db-invoke-restart-by-name

Teclas / sequência	Comando / ação
M-j ;]]	sly-db-details-down
M-k ; [[	sly-db-details-up
P	sly-db-print-condition
R	sly-db-return-from-frame
S	sly-db-show-frame-source
S-<f11> ; o	sly-db-out
TAB	sly-db-cycle
a	sly-db-abort
d	sly-db-pprint-eval-in-frame
e	sly-db-eval-in-frame
g :	sly-interactive-eval
g ?	describe-mode
g g	sly-db-beginning-of-backtrace
g i	sly-db-inspect-in-frame
g r	sly-db-restart-frame
q	sly-db-quit
t	sly-db-toggle-details

5.671 sly-doc-map

Teclas / sequência	Comando / ação
#	common-lisp-hyperspec-lookup-reader-macro
C-a	sly-apropos
C-d	sly-describe-symbol
C-f	sly-describe-function
C-g	common-lisp-hyperspec-glossary-term
C-h	sly-documentation-lookup
C-p	sly-apropos-package
C-z	sly-apropos-all
~	common-lisp-hyperspec-format

5.672 sly-edit-value-mode-map

Teclas / sequência	Comando / ação
C-c C-c	sly-edit-value-commit

5.673 sly-editing-mode-map

Teclas / sequência	Comando / ação
C-c C-c	sly-compile-defun
C-c C-k	sly-compile-and-load-file
C-c M-c	sly-remove-notes
C-c M-e	macrostep-expand
C-c M-k	sly-compile-file
M-n	sly-next-note
M-p	sly-previous-note

5.674 sly-inspector-mode-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
<normal-state> .	sly-edit-definition
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <tab> ; <normal-state> TAB	forward-button
<normal-state> C-o ; <normal-state> [[; <normal-state> g b ; <normal-state> g k ; l	sly-inspector-pop
<normal-state> K ; D	sly-inspector-describe-inspectee
<normal-state> M - p ; h	sly-inspector-history
<normal-state>]] ; <normal-state> g j ; SPC ; n	sly-inspector-next
<normal-state> e ; e	sly-inspector-eval
<normal-state> g R ; >	sly-inspector-fetch-all
<normal-state> g r ; g	sly-inspector-reinspect
<normal-state> g v	sly-inspector-toggle-verbose
<normal-state> q ; q	sly-inspector-quit

5.675 sly-inspector-mode-map [Evil normal]

Teclas / sequência	Comando / ação
.	sly-edit-definition
<backtab> ; S-<tab>	backward-button
<tab> ; TAB	forward-button
C-o ; [[; g b ; g k	sly-inspector-pop
K	sly-inspector-describe-inspectee
M - p	sly-inspector-history
]] ; g j	sly-inspector-next
e	sly-inspector-eval
g R	sly-inspector-fetch-all
g r	sly-inspector-reinspect
g v	sly-inspector-toggle-verbose
q	sly-inspector-quit

5.676 sly-macroexpansion-minor-mode-map

Teclas / sequência	Comando / ação
<remap> <sly-compiler-macroexpand-1>	sly-compiler-macroexpand-1-inplace
<remap> <sly-expand-1>	sly-expand-1-inplace
<remap> <sly-macroexpand-1>	sly-macroexpand-1-inplace
<remap> <sly-macroexpand-all> ; a	sly-macroexpand-all-inplace
<remap> <undo>	sly-macroexpand-undo
g	sly-macroexpand-again
q	quit-window

5.677 sly-minibuffer-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
TAB	completion-at-point

5.678 sly-mode-map

Teclas / sequência	Comando / ação
C-M-x	sly-eval-defun
C-c	**Mapa:** sly-prefix-map
C-x 4 .	sly-edit-definition-other-window
C-x 5 .	sly-edit-definition-other-frame
C-x C-e	sly-eval-last-expression
M-,	sly-pop-find-definition-stack
M-.	sly-edit-definition
M-? ; M-_	sly-edit-uses

5.679 sly-mrepl-mode-map

Teclas / sequência	Comando / ação
,	sly-mrepl-shortcut
<insert-state> S-<return> ; <insert-state> S-RET ; <normal-state> S-<return> ; <normal-state> S-RET	newline
<normal-state> C-n ; M-n	sly-mrepl-next-input-or-button
<normal-state> C-p ; M-p	sly-mrepl-previous-input-or-button
<normal-state> [[; <normal-state> g k	sly-mrepl-previous-prompt
<normal-state>]] ; <normal-state> g j	sly-mrepl-next-prompt
C-M-n	sly-button-forward
C-M-p	sly-button-backward
C-c C-b ; C-c C-c	sly-interrupt
C-c C-o	sly-mrepl-clear-recent-output
C-c M-e	macrostep-expand
C-c M-o	sly-mrepl-clear-repl
RET	sly-mrepl-return
TAB	sly-mrepl-indent-and-complete-symbol

5.680 sly-mrepl-mode-map [Evil insert]

Teclas / sequência	Comando / ação
S-<return> ; S-RET	newline

5.681 sly-mrepl-mode-map [Evil normal]

Teclas / sequência	Comando / ação
C-n	sly-mrepl-next-input-or-button
C-p	sly-mrepl-previous-input-or-button
S-<return> ; S-RET	newline
[[; g k	sly-mrepl-previous-prompt
]] ; g j	sly-mrepl-next-prompt

5.682 sly-part-button-keymap

Herda de: button-map.

Teclas / sequência	Comando / ação
.	sly-button-goto-source
<return>	push-button
M-RET	sly-mrepl-copy-part-to-repl
M-S-<return>	sly-mrepl-copy-call-to-repl
d	sly-button-describe
i	sly-button-inspect
p	sly-button-pretty-print
v	sly-button-show-source

5.683 sly-popup-buffer-mode-map

Teclas / sequência	Comando / ação
<normal-state> q ; q	quit-window

5.684 sly-popup-buffer-mode-map [Evil normal]

Teclas / sequência	Comando / ação
q	quit-window

5.685 sly-prefix-map

Teclas / sequência	Comando / ação
: ; C-e	sly-interactive-eval
<	sly-list-callers
>	sly-list-callees
C-b	sly-interrupt
C-d	**Mapa:** sly-doc-map
C-l	sly-load-file
C-p	sly-pprint-eval-last-expression
C-r	sly-eval-region
C-t	sly-toggle-fancy-trace
C-u	sly-undefine-function
C-w	**Mapa:** sly-who-map

Teclas / sequência	Comando / ação
C-x c	sly-list-connections
C-x n	sly-next-connection
C-x p	sly-prev-connection
C-x t	sly-list-threads
C-z	sly-mrepl
E	sly-edit-value
I	sly-inspect
M-d	sly-disassemble-symbol
M-m	sly-macroexpand-all
RET	sly-expand-1
TAB	completion-at-point
i	sly-import-symbol-at-point
x	sly-export-symbol-at-point
~	sly-mrepl-sync

5.686 sly-scratch-mode-map

Herda de: lisp-mode-map.

Teclas / sequência	Comando / ação
C-j	sly-eval-print-last-expression

5.687 sly-selector-map

Teclas / sequência	Comando / ação
T	sly-trace-dialog
c	sly-list-connections
d	sly-db-pop-to-debugger-maybe
e	sly-pop-to-events-buffer
i	sly-inferior-lisp-buffer
l	sly-switch-to-most-recent
r	sly-mrepl
s	sly-scratch
t	sly-list-threads
~	sly-mrepl-sync

5.688 sly-stepper-mode-map

Teclas / sequência	Comando / ação
C-c C-s P	sly-stepper

5.689 sly-stickers-mode-map

Teclas / sequência	Comando / ação
C-c C-s C-d	sly-stickers-clear-defun-stickers
C-c C-s C-k	sly-stickers-clear-buffer-stickers

Teclas / sequência	Comando / ação
C-c C-s C-s	sly-stickers-dwim

5.690 sly-stickers-shortcut-mode-map

Teclas / sequência	Comando / ação
C-c C-s C-r	sly-stickers-replay
C-c C-s F	sly-stickers-forget
C-c C-s S	sly-stickers-fetch

5.691 sly-thread-control-mode-map

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> a ; a	sly-thread-attach
<normal-state> d ; d	sly-thread-debug
<normal-state> g r ; g	sly-update-threads-buffer
<normal-state> x ; k	sly-thread-kill
q	quit-window

5.692 sly-thread-control-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<remap> <evil-append-line> ; <remap> <evil-append> ; <remap> <evil-change-line> ; <remap> <evil-change-whole-line> ; <remap> <evil-change> ; <remap> <evil-delete-backward-char> ; <remap> <evil-delete-char> ; <remap> <evil-delete-line>	ignore
<remap> <evil-delete> ; <remap> <evil-indent> ; <remap> <evil-insert-line> ; <remap> <evil-insert> ; <remap> <evil-invert-char> ; <remap> <evil-join> ; <remap> <evil-open-above> ; <remap> <evil-open-below>	ignore
<remap> <evil-paste-after> ; <remap> <evil-paste-before> ; <remap> <evil-replace-state> ; <remap> <evil-replace> ; <remap> <evil-shift-left> ; <remap> <evil-shift-right> ; <remap> <evil-substitute>	ignore
a	sly-thread-attach
d	sly-thread-debug
g r	sly-update-threads-buffer
x	sly-thread-kill

5.693 sly-trace-dialog-mode-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
<normal-state> g R ; G	sly-trace-dialog-fetch-traces
<normal-state> g r ; g	sly-trace-dialog-fetch-status
<normal-state> q ; q	quit-window
C-k	sly-trace-dialog-clear-fetched-traces

5.694 sly-trace-dialog-mode-map [Evil normal]

Teclas / sequência	Comando / ação
g R	sly-trace-dialog-fetch-traces
g r	sly-trace-dialog-fetch-status
q	quit-window

5.695 sly-trace-dialog-shortcut-mode-map

Teclas / sequência	Comando / ação
C-c C-t	sly-trace-dialog-toggle-trace
C-c M-t	sly-toggle-fancy-trace
C-c T	sly-trace-dialog

5.696 sly-who-map

Teclas / sequência	Comando / ação
C-a	sly-who-specializes
C-b	sly-who-binds
C-c	sly-who-calls
C-r	sly-who-references
C-s	sly-who-sets
C-w	sly-calls-who
RET	sly-who-macroexpands

5.697 sly-xref-mode-map

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
, ; <normal-state> [[; <normal-state> g k ; p	sly-xref-prev-line
. ; <normal-state>]] ; <normal-state> g j ; n	sly-xref-next-line
<normal-state> <backtab> ; <normal-state> S-<tab>	backward-button
<normal-state> <return> ; <normal-state> RET ; RET	sly-xref-goto
<normal-state> <tab> ; <normal-state> TAB	forward-button
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; SPC	sly-xref-show
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o	sly-show-xref
<normal-state> g R ; C-c C-k	sly-recompile-all-xrefs
<normal-state> g r ; C-c C-c	sly-recompile-xref
<normal-state> q ; q	quit-window

5.698 sly-xref-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	backward-button
<return> ; RET	sly-xref-goto
<tab> ; TAB	forward-button
M-<return> ; M-RET ; g O	sly-xref-show
S-<return> ; S-RET ; g o	sly-show-xref

Teclas / sequência	Comando / ação
`[ [ ; g k`	`sly-xref-prev-line`
`] ] ; g j`	`sly-xref-next-line`
`g R`	`sly-recompile-all-xrefs`
`g r`	`sly-recompile-xref`
`q`	`quit-window`

5.699 smartparens-strict-mode-map

Teclas / sequência	Comando / ação
`<remap> <backward-delete-char-untabify> ; <remap> <backward-delete-char> ; <remap> <c-electric-backspace> ; <remap> <delete-backward-char>`	`sp-backward-delete-char`
`<remap> <backward-kill-word>`	`sp-backward-kill-word`
`<remap> <c-electric-delete-forward> ; <remap> <delete-char> ; <remap> <delete-forward-char>`	`sp-delete-char`
`<remap> <delete-region>`	`sp-delete-region`
`<remap> <kill-line>`	`sp-kill-hybrid-sexp`
`<remap> <kill-region>`	`sp-kill-region`
`<remap> <kill-whole-line>`	`sp-kill-whole-line`
`<remap> <kill-word>`	`sp-kill-word`

5.700 smerge-basic-map

Teclas / sequência	Comando / ação
`= <`	`smerge-diff-base-upper`
`= =`	`smerge-diff-upper-lower`
`= >`	`smerge-diff-base-lower`
`C`	`smerge-combine-with-next`
`E`	`smerge-ediff`
`R`	`smerge-refine`
`RET`	`smerge-keep-current`
`a`	`smerge-keep-all`
`b`	`smerge-keep-base`
`l ; o`	`smerge-keep-lower`
`m ; u`	`smerge-keep-upper`
`n`	`smerge-next`
`p`	`smerge-prev`
`r`	`smerge-resolve`

5.701 smerge-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m = < ; <insert-state> M-SPC m = < ; <motion-state> SPC m = < ; <normal-state> SPC m = < ; <visual-state> SPC m = <	smerge-diff-base-upper
<emacs-state> M-SPC m = = ; <insert-state> M-SPC m = = ; <motion-state> SPC m = = ; <normal-state> SPC m = = ; <visual-state> SPC m = =	smerge-diff-upper-lower
<emacs-state> M-SPC m = > ; <insert-state> M-SPC m = > ; <motion-state> SPC m = > ; <normal-state> SPC m = > ; <visual-state> SPC m = >	smerge-diff-base-lower
<emacs-state> M-SPC m C ; <insert-state> M-SPC m C ; <motion-state> SPC m C ; <normal-state> SPC m C ; <normal-state> gc ; <visual-state> SPC m C	smerge-combine-with-next
<emacs-state> M-SPC m E ; <insert-state> M-SPC m E ; <motion-state> SPC m E ; <normal-state> SPC m E ; <visual-state> SPC m E	smerge-ediff
<emacs-state> M-SPC m R ; <insert-state> M-SPC m R ; <motion-state> SPC m R ; <normal-state> SPC m R ; <normal-state> gR ; <visual-state> SPC m R	smerge-refine
<emacs-state> M-SPC m RET ; <insert-state> M-SPC m RET ; <motion-state> SPC m RET ; <normal-state> SPC m RET ; <visual-state> SPC m RET	smerge-keep-current
<emacs-state> M-SPC m a ; <insert-state> M-SPC m a ; <motion-state> SPC m a ; <normal-state> SPC m a ; <normal-state> ga ; <visual-state> SPC m a	smerge-keep-all
<emacs-state> M-SPC m b ; <insert-state> M-SPC m b ; <motion-state> SPC m b ; <normal-state> SPC m b ; <normal-state> gb ; <visual-state> SPC m b	smerge-keep-base
<emacs-state> M-SPC m l ; <emacs-state> M-SPC m o ; <insert-state> M-SPC m l ; <insert-state> M-SPC m o ; <motion-state> SPC m l ; <motion-state> SPC m o ; <normal-state> SPC m l ; <normal-state> SPC m o	smerge-keep-lower
<normal-state> g l ; <visual-state> SPC m l ; <visual-state> SPC m o	smerge-keep-lower

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m m ; <emacs-state> M-SPC m u ; <insert-state> M-SPC m m ; <insert-state> M-SPC m u ; <motion-state> SPC m m ; <motion-state> SPC m u ; <normal-state> SPC m m ; <normal-state> SPC m u	smerge-keep-upper
<normal-state> g u ; <visual-state> SPC m m ; <visual-state> SPC m u	smerge-keep-upper
<emacs-state> M-SPC m n ; <insert-state> M-SPC m n ; <motion-state> SPC m n ; <normal-state> SPC m n ; <normal-state>]] ; <normal-state> g j ; <visual-state> SPC m n	smerge-next
<emacs-state> M-SPC m p ; <insert-state> M-SPC m p ; <motion-state> SPC m p ; <normal-state> SPC m p ; <normal-state> [[; <normal-state> g k ; <visual-state> SPC m p	smerge-prev
<emacs-state> M-SPC m r ; <insert-state> M-SPC m r ; <motion-state> SPC m r ; <normal-state> SPC m r ; <normal-state> g r ; <visual-state> SPC m r	smerge-resolve
<normal-state> g m	smerge-keep-mine
<normal-state> g o	smerge-keep-other
C-c ^	**Mapa:** smerge-basic-map

5.702 smerge-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m = <	smerge-diff-base-upper
M-SPC m = =	smerge-diff-upper-lower
M-SPC m = >	smerge-diff-base-lower
M-SPC m C	smerge-combine-with-next
M-SPC m E	smerge-ediff
M-SPC m R	smerge-refine
M-SPC m RET	smerge-keep-current
M-SPC m a	smerge-keep-all
M-SPC m b	smerge-keep-base
M-SPC m l ; M-SPC m o	smerge-keep-lower
M-SPC m m ; M-SPC m u	smerge-keep-upper
M-SPC m n	smerge-next
M-SPC m p	smerge-prev
M-SPC m r	smerge-resolve

5.703 smerge-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m = <	smerge-diff-base-upper
M-SPC m = =	smerge-diff-upper-lower
M-SPC m = >	smerge-diff-base-lower
M-SPC m C	smerge-combine-with-next
M-SPC m E	smerge-ediff
M-SPC m R	smerge-refine
M-SPC m RET	smerge-keep-current
M-SPC m a	smerge-keep-all
M-SPC m b	smerge-keep-base
M-SPC m l ; M-SPC m o	smerge-keep-lower
M-SPC m m ; M-SPC m u	smerge-keep-upper
M-SPC m n	smerge-next
M-SPC m p	smerge-prev
M-SPC m r	smerge-resolve

5.704 smerge-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m = <	smerge-diff-base-upper
SPC m = =	smerge-diff-upper-lower
SPC m = >	smerge-diff-base-lower
SPC m C	smerge-combine-with-next
SPC m E	smerge-ediff
SPC m R	smerge-refine
SPC m RET	smerge-keep-current
SPC m a	smerge-keep-all
SPC m b	smerge-keep-base
SPC m l ; SPC m o	smerge-keep-lower
SPC m m ; SPC m u	smerge-keep-upper
SPC m n	smerge-next
SPC m p	smerge-prev
SPC m r	smerge-resolve

5.705 smerge-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m = <	smerge-diff-base-upper
SPC m = =	smerge-diff-upper-lower
SPC m = >	smerge-diff-base-lower
SPC m C ; g c	smerge-combine-with-next
SPC m E	smerge-ediff
SPC m R ; g R	smerge-refine
SPC m RET	smerge-keep-current
SPC m a ; g a	smerge-keep-all
SPC m b ; g b	smerge-keep-base
SPC m l ; SPC m o ; g l	smerge-keep-lower
SPC m m ; SPC m u ; g u	smerge-keep-upper
SPC m n ;]] ; g j	smerge-next
SPC m p ; [[; g k	smerge-prev

Teclas / sequência	Comando / ação
SPC m r ; g r	smerge-resolve
g m	smerge-keep-mine
g o	smerge-keep-other

5.706 smerge-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m = <	smerge-diff-base-upper
SPC m = =	smerge-diff-upper-lower
SPC m = >	smerge-diff-base-lower
SPC m C	smerge-combine-with-next
SPC m E	smerge-ediff
SPC m R	smerge-refine
SPC m RET	smerge-keep-current
SPC m a	smerge-keep-all
SPC m b	smerge-keep-base
SPC m l ; SPC m o	smerge-keep-lower
SPC m m ; SPC m u	smerge-keep-upper
SPC m n	smerge-next
SPC m p	smerge-prev
SPC m r	smerge-resolve

5.707 smerge-repeat-map

Teclas / sequência	Comando / ação
<	smerge-diff-base-upper
=	smerge-diff-upper-lower
>	smerge-diff-base-lower
C	smerge-combine-with-next
R	smerge-refine
RET	smerge-keep-current
a	smerge-keep-all
b	smerge-keep-base
l ; o	smerge-keep-lower
m ; u	smerge-keep-upper
n	smerge-next
p	smerge-prev
r	smerge-resolve

5.708 snippet-mode-map

Teclas / sequência	Comando / ação
C-c C-c	yas-load-snippet-buffer-and-close
C-c C-e	+snippet--edit
C-c C-k	+snippet--abort
C-c C-l	yas-load-snippet-buffer

Teclas / sequência	Comando / ação
C-c C-t	yas-tryout-snippet

5.709 sp-wrap-overlay-keymap

Teclas / sequência	Comando / ação
C-g	sp-wrap-cancel

5.710 special-event-map

Teclas / sequência	Comando / ação
<config-changed-event>	dynamic-setting-handle-config-changed-event
<dbus-event>	dbus-handle-event
<delete-frame>	handle-delete-frame
<drag-n-drop>	pgtk-dnd-handle-drag-n-drop-event
<file-notify>	file-notify-handle-event
<focus-in>	handle-focus-in
<focus-out>	handle-focus-out
<iconify-frame> ; <make-frame-visible> ; <sigusr1> ; <sigusr2> ; <sleep-event>	ignore
<move-frame>	handle-move-frame
<preedit-text>	pgtk-preedit-text
<save-session>	handle-save-session
<thread-event>	thread-handle-event

5.711 special-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7 ; 8	digit-argument
9	digit-argument
<	beginning-of-buffer
<normal-state> <remap> <evil-append-line> ; <normal-state> <remap> <evil-append> ; <normal-state> <remap> <evil-change-line> ; <normal-state> <remap> <evil-change-whole-line> ; <normal-state> <remap> <evil-change> ; <normal-state> <remap> <evil-delete-backward-char> ; <normal-state> <remap> <evil-delete-char> ; <normal-state> <remap> <evil-delete-line>	ignore

Teclas / sequência	Comando / ação
<normal-state> <remap> <evil-delete> ; <normal-state> <remap> <evil-indent> ; <normal-state> <remap> <evil-insert-line> ; <normal-state> <remap> <evil-insert> ; <normal-state> <remap> <evil-invert-char> ; <normal-state> <remap> <evil-join> ; <normal-state> <remap> <evil-open-above> ; <normal-state> <remap> <evil-open-below>	ignore
<normal-state> <remap> <evil-paste-after> ; <normal-state> <remap> <evil-paste-before> ; <normal-state> <remap> <evil-replace-state> ; <normal-state> <remap> <evil-replace> ; <normal-state> <remap> <evil-shift-left> ; <normal-state> <remap> <evil-shift-right> ; <normal-state> <remap> <evil-substitute>	ignore
<normal-state> Z Q	evil-quit
<normal-state> Z Z ; <normal-state> q ; q	quit-window
<normal-state> g r ; g	revert-buffer
<remap> <self-insert-command>	undefined
>	end-of-buffer
DEL ; S-SPC	scroll-down-command
SPC	scroll-up-command

5.712 splash-screen-keymap

Herda de: button-buffer-map.

Teclas / sequência	Comando / ação
-	negative-argument
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9	digit-argument
<remap> <self-insert-command>	undefined
DEL ; S-SPC	scroll-down-command
SPC	scroll-up-command
q	exit-splash-screen

5.713 tab-bar-history-mode-map

Teclas / sequência	Comando / ação
C-c <left>	tab-bar-history-back
C-c <right>	tab-bar-history-forward

5.714 tab-bar-history-repeat-map

Teclas / sequência	Comando / ação
<left>	tab-bar-history-back
<right>	tab-bar-history-forward

5.715 tab-bar-map

Teclas / sequência	Comando / ação
S-<mouse-4> ; S-<wheel-left> ; S-<wheel-up>	tab-bar-move-tab-backward
S-<mouse-5> ; S-<wheel-down> ; S-<wheel-right>	tab-bar-move-tab

5.716 tab-bar-move-repeat-map

Teclas / sequência	Comando / ação
M	tab-bar-move-tab-backward
m	tab-move

5.717 tab-bar-switch-repeat-map

Teclas / sequência	Comando / ação
O	tab-previous
o	tab-next

5.718 tab-prefix-map

Teclas / sequência	Comando / ação
0	tab-close
1	tab-close-other
2	tab-new
C-f ; f	find-file-other-tab
C-r	find-file-read-only-other-tab
G	tab-group
M	tab-move-to
N	tab-new-to
O	tab-previous
RET	tab-switch
^ f	tab-detach
b	switch-to-buffer-other-tab
d	dired-other-tab
m	tab-move
n	tab-duplicate
o	tab-next
p	project-other-tab-command

Teclas / sequência	Comando / ação
r	tab-rename
t	other-tab-prefix
u	tab-undo

5.719 tab-switcher-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ... 9	digit-argument
<follow-link>	mouse-face
<normal-state> <return> ; <normal-state> RET ; RET	tab-switcher-select
<normal-state> Z Q ; <normal-state> Z Z ; <normal-state> q ; q	quit-window
<normal-state> d ; C-k ; d ; k	tab-switcher-delete
<normal-state> g j ; <normal-state> j ; SPC ; n	tab-switcher-next-line
<normal-state> g k ; <normal-state> k ; p	tab-switcher-prev-line
<normal-state> u ; u	tab-switcher-unmark
<normal-state> x ; x	tab-switcher-execute
<remap> <self-insert-command>	undefined
?	describe-mode
C-d	tab-switcher-delete-backwards
DEL	tab-switcher-backup-unmark

5.720 tab-switcher-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<return> ; RET	tab-switcher-select
Z Q ; Z Z ; q	quit-window
d	tab-switcher-delete
g j ; j	tab-switcher-next-line
g k ; k	tab-switcher-prev-line
u	tab-switcher-unmark
x	tab-switcher-execute

5.721 tablist-edit-column-minor-mode-map

Herda de: global-map.

Teclas / sequência	Comando / ação
<remap> <beginning-of-buffer>	beginning-of-line
<remap> <end-of-buffer>	end-of-line
<remap> <mark-whole-buffer>	tablist-edit-column-mark-field
<remap> <self-insert-command>	self-insert-command
C-c C-c ; RET	tablist-edit-column-commit

Teclas / sequência	Comando / ação
C-c C-q ; C-g	tablist-edit-column-quit
TAB	tablist-edit-column-complete

5.722 tablist-minor-mode-map

Teclas / sequência	Comando / ação
% ; <normal-state> g %	**Mapa:** tablist-mode-regexp-map
* ; <normal-state> g *	**Mapa:** tablist-mode-mark-map
/ ; <normal-state> g /	**Mapa:** tablist-mode-filter-map
<	tablist-shrink-column
<backtab>	tablist-backward-column
<normal-state> S ; s	tablist-sort
<normal-state> U ; U	tablist-unmark-all-marks
<normal-state> g r ; G	tablist-revert
<normal-state> m ; m	tablist-mark-forward
<normal-state> q ; q	tablist-quit
<normal-state> s ; k	tablist-do-kill-lines
<normal-state> t ; <normal-sta te> ~ ; t	tablist-toggle-marks
<normal-state> u ; u	tablist-unmark-forward
<remap> <back-to-indentation>	tablist-move-to-major-column
<remap> <next-line>	tablist-next-line
<remap> <previous-line>	tablist-previous-line
>	tablist-enlarge-column
C-c C-e	tablist-export-csv
DEL	tablist-unmark-backward
TAB	tablist-forward-column

5.723 tablist-minor-mode-map [Evil normal]

Teclas / sequência	Comando / ação
S	tablist-sort
U	tablist-unmark-all-marks
g %	**Mapa:** tablist-mode-regexp-map
g *	**Mapa:** tablist-mode-mark-map
g /	**Mapa:** tablist-mode-filter-map
g r	tablist-revert
m	tablist-mark-forward
q	tablist-quit
s	tablist-do-kill-lines
t ; ~	tablist-toggle-marks
u	tablist-unmark-forward

5.724 tablist-mode-filter-map

Teclas / sequência	Comando / ação
!	tablist-negate-filter
/	tablist-display-filter
=	tablist-push-equal-filter
C	tablist-clear-filter
D	tablist-delete-named-filter
a	tablist-push-named-filter
d	tablist-deconstruct-named-filter
e	tablist-edit-filter
n	tablist-push-numeric-filter
p	tablist-pop-filter
r	tablist-push-regexp-filter
s	tablist-name-current-filter
t	tablist-toggle-first-filter-logic
z	tablist-suspend-filter

5.725 tablist-mode-map

Herda de: tabulated-list-mode-map.

Teclas / sequência	Comando / ação
% m ; * r	tablist-mark-items-regexp
* ! ; <normal-state> U ; U	tablist-unmark-all-marks
* c	tablist-change-marks
* m ; <normal-state> m ; m	tablist-mark-forward
* n	tablist-mark-items-numeric
/ !	tablist-negate-filter
/ /	tablist-display-filter
/ =	tablist-push-equal-filter
/ C	tablist-clear-filter
/ D	tablist-delete-named-filter
/ a	tablist-push-named-filter
/ d	tablist-deconstruct-named-filter
/ e	tablist-edit-filter
/ n	tablist-push-numeric-filter
/ p	tablist-pop-filter
/ r	tablist-push-regexp-filter
/ s	tablist-name-current-filter
/ t	tablist-toggle-first-filter-logic
/ z	tablist-suspend-filter
<	tablist-shrink-column
<backtab>	tablist-backward-column
<normal-state> <return> ; <normal-state> RET ; <normal-state> f ; RET ; f	tablist-find-entry
<normal-state> S ; s	tablist-sort
<normal-state> X ; D	tablist-do-delete
<normal-state> d ; d	tablist-flag-forward
<normal-state> g %	**Mapa:** tablist-mode-regexp-map
<normal-state> g *	**Mapa:** tablist-mode-mark-map
<normal-state> g /	**Mapa:** tablist-mode-filter-map
<normal-state> g r ; G	tablist-revert

Teclas / sequência	Comando / ação
<normal-state> s ; k	tablist-do-kill-lines
<normal-state> t ; <normal-state> ~ ; t	tablist-toggle-marks
<normal-state> u ; u	tablist-unmark-forward
<normal-state> x ; x	tablist-do-flagged-delete
<remap> <back-to-indentation>	tablist-move-to-major-column
<remap> <next-line>	tablist-next-line
<remap> <previous-line>	tablist-previous-line
>	tablist-enlarge-column
C-c C-e	tablist-export-csv
DEL	tablist-unmark-backward
TAB	tablist-forward-column
q	tablist-quit

5.726 tablist-mode-mark-map

Teclas / sequência	Comando / ação
!	tablist-unmark-all-marks
c	tablist-change-marks
m	tablist-mark-forward
n	tablist-mark-items-numeric
r	tablist-mark-items-regexp

5.727 tablist-mode-regexp-map

Teclas / sequência	Comando / ação
m	tablist-mark-items-regexp

5.728 tabulated-list-mode-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
<normal-state> S ; S	tabulated-list-sort
<normal-state> g h ; M-<left>	tabulated-list-previous-column
<normal-state> g l ; M-<right>	tabulated-list-next-column
<normal-state> q ; q	quit-window
<normal-state> { ; {	tabulated-list-narrow-current-column
<normal-state> } ; }	tabulated-list-widen-current-column

5.729 tabulated-list-sort-button-map

Teclas / sequência	Comando / ação
<follow-link>	mouse-face
RET	tabulated-list-sort

5.730 tar-mode-map

Teclas / sequência	Comando / ação
-	negative-argument
0 ... 9	digit-argument
<down> ; <normal-state>]] ; <normal-state> g j ; <normal-state> j ; C-n ; SPC ; n	tar-next-line
<follow-link>	mouse-face
<normal-state> <return> ; <normal-state> RET ; RET ; e ... f	tar-extract
<normal-state> C ; C	tar-copy
<normal-state> G	end-of-buffer
<normal-state> I ; I	tar-new-entry
<normal-state> M ; M	tar-chmod-entry
<normal-state> M-<return> ; <normal-state> M-RET ; <normal-state> g O ; v	tar-view
<normal-state> O ; O	tar-chown-entry
<normal-state> P ; G	tar-chgrp-entry
<normal-state> R ; <normal-state> r ; R	tar-rename-entry
<normal-state> S-<return> ; <normal-state> S-RET ; <normal-state> g o ; E ; o	tar-extract-other-window
<normal-state> U	tar-clear-modification-flags
<normal-state> [[; <normal-state> g k ; <normal-state> k ; <up> ; C-p ; p	tar-previous-line
<normal-state> d ; C-d ; d	tar-flag-deleted
<normal-state> g g	beginning-of-buffer
<normal-state> g r ; g	revert-buffer
<normal-state> q	quit-window
<normal-state> u ; u	tar-unflag
<normal-state> x ; x	tar-expunge
<remap> <self-insert-command>	undefined
DEL	tar-unflag-backwards
w	woman-tar-extract-file

5.731 tar-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<return> ; RET	tar-extract
C	tar-copy
G	end-of-buffer
I	tar-new-entry
M	tar-chmod-entry
M-<return> ; M-RET ; g O	tar-view
O	tar-chown-entry
P	tar-chgrp-entry
R ; r	tar-rename-entry
S-<return> ; S-RET ; g o	tar-extract-other-window
U	tar-clear-modification-flags

Teclas / sequência	Comando / ação
[[; g k ; k	tar-previous-line
]] ; g j ; j	tar-next-line
d	tar-flag-deleted
g g	beginning-of-buffer
g r	revert-buffer
q	quit-window
u	tar-unflag
x	tar-expunge

5.732 term-mode-map

Teclas / sequência	Comando / ação
<normal-state> $; C-c C-e	term-show-maximum-output
<normal-state> C-c C-k	evil-collection-term-char-mode-insert
<normal-state> [[; <normal-state> g k ; C-c C-p	term-previous-prompt
<normal-state>]] ; <normal-state> g j ; C-c C-n	term-next-prompt
<normal-state> ^ ; C-c C-a	term-bol
<normal-state> p	term-paste
A-M-r	term-previous-matching-input-from-input
A-M-s	term-next-matching-input-from-input
C-M-l ; C-c C-r	term-show-output
C-c C-\	term-quit-subjob
C-c C-c	term-interrupt-subjob
C-c C-d	term-send-eof
C-c C-j	term-line-mode
C-c C-k	term-char-mode
C-c C-l	term-dynamic-list-input-ring
C-c C-o	term-kill-output
C-c C-q	term-pager-toggle
C-c C-u	term-kill-input
C-c C-w	backward-kill-word
C-c C-z	term-stop-subjob
C-c RET	term-copy-old-input
C-d	term-delchar-or-maybe-eof
M-n	term-next-input
M-p	term-previous-input
M-r	term-previous-matching-input
M-s	term-next-matching-input
RET	term-send-input

5.733 term-mode-map [Evil normal]

Teclas / sequência	Comando / ação
$	term-show-maximum-output
C-c C-k	evil-collection-term-char-mode-insert
[[; g k	term-previous-prompt
]] ; g j	term-next-prompt

Teclas / sequência	Comando / ação
^	term-bol
p	term-paste

5.734 term-pager-break-map

Teclas / sequência	Comando / ação
<	term-pager-bob
>	term-pager-eob
? ; h	term-pager-help
C-M-%	query-replace-regexp
C-M-,	xref-go-forward
C-M-- ; M--	negative-argument
C-M-.	xref-find-apropos
C-M-/	dabbrev-completion
C-M-0 ; C-M-1 ; C-M-2 ; C-M-3 ; C-M-4 ; C-M-5 ; C-M-6 ; C-M-7	digit-argument
C-M-8 ; C-M-9	digit-argument
C-M-@ ; C-M-SPC	mark-sexp
C-M-S-l	recenter-other-window
C-M-S-v ; ESC <prior>	scroll-other-window-down
C-M-\	indent-region
C-M-_	undo-redo
C-M-a ; ESC C-<home>	beginning-of-defun
C-M-b ; ESC C-<left>	backward-sexp
C-M-c	exit-recursive-edit
C-M-d ; ESC C-<down>	down-list
C-M-e ; ESC C-<end>	end-of-defun
C-M-f ; ESC C-<right>	forward-sexp
C-M-h	mark-defun
C-M-i	complete-symbol
C-M-j ; M-j	default-indent-new-line
C-M-k	kill-sexp
C-M-l	reposition-window
C-M-n	forward-list
C-M-o	split-line
C-M-p	backward-list
C-M-r	isearch-backward-regexp
C-M-s	isearch-forward-regexp
C-M-t	transpose-sexps
C-M-u ; ESC C-<up>	backward-up-list
C-M-v ; ESC <next>	scroll-other-window
C-M-w	append-next-kill
C-u	universal-argument
C-x #	server-edit
C-x $	set-selective-display
C-x '	expand-abbrev
C-x (; C-x C-k C-s ; C-x C-k s	kmacro-start-macro
C-x)	kmacro-end-macro
C-x *	calc-dispatch

Teclas / sequência	Comando / ação
C-x +	balance-windows
C-x -	shrink-window-if-larger-than-buffer
C-x .	set-fill-prefix
C-x 0	delete-window
C-x 1	delete-other-windows
C-x 2	split-window-below
C-x 3	split-window-right
C-x 4 .	xref-find-definitions-other-window
C-x 4 0	kill-buffer-and-window
C-x 4 1	same-window-prefix
C-x 4 4	other-window-prefix
C-x 4 C-f ; C-x 4 f	find-file-other-window
C-x 4 C-j	dired-jump-other-window
C-x 4 C-o	display-buffer
C-x 4 a	add-change-log-entry-other-window
C-x 4 b	switch-to-buffer-other-window
C-x 4 c	clone-indirect-buffer-other-window
C-x 4 d	dired-other-window
C-x 4 m	compose-mail-other-window
C-x 4 p	project-other-window-command
C-x 4 r	find-file-read-only-other-window
C-x 5 .	xref-find-definitions-other-frame
C-x 5 0	delete-frame
C-x 5 1	delete-other-frames
C-x 5 2	make-frame-command
C-x 5 5	other-frame-prefix
C-x 5 C-f ; C-x 5 f	find-file-other-frame
C-x 5 C-o	display-buffer-other-frame
C-x 5 b	switch-to-buffer-other-frame
C-x 5 c	clone-frame
C-x 5 d	dired-other-frame
C-x 5 m	compose-mail-other-frame
C-x 5 o	other-frame
C-x 5 p	project-other-frame-command
C-x 5 r	find-file-read-only-other-frame
C-x 5 u	undelete-frame
C-x 6 2 ; C-x 6 <f2>	2C-two-columns
C-x 6 b	2C-associate-buffer
C-x 6 s	2C-split
C-x 8 RET	insert-char
C-x 8 e +	emoji-zoom-increase
C-x 8 e -	emoji-zoom-decrease
C-x 8 e 0	emoji-zoom-reset
C-x 8 e d	emoji-describe
C-x 8 e e ; C-x 8 e i	emoji-insert
C-x 8 e l	emoji-list
C-x 8 e r	emoji-recent
C-x 8 e s	emoji-search
C-x ;	comment-set-column
C-x <	scroll-left
C-x <left> ; C-x C-<left>	previous-buffer
C-x <right> ; C-x C-<right>	next-buffer

Teclas / sequência	Comando / ação
C-x =	what-cursor-position
C-x >	scroll-right
C-x C-+ ; C-x C-- ; C-x C-0 ; C-x C-=	text-scale-adjust
C-x C-;	comment-line
C-x C-@ ; C-x C-SPC	pop-global-mark
C-x C-M-+ ; C-x C-M-- ; C-x C-M-0 ; C-x C-M-=	global-text-scale-adjust
C-x C-a	**Mapa:** gud-global-map
C-x C-b	list-buffers
C-x C-c	save-buffers-kill-terminal
C-x C-d	list-directory
C-x C-e	eval-last-sexp
C-x C-f	find-file
C-x C-j	dired-jump
C-x C-k C-a	kmacro-add-counter
C-x C-k C-c	kmacro-set-counter
C-x C-k C-d	kmacro-delete-ring-head
C-x C-k C-e	kmacro-edit-macro-repeat
C-x C-k C-f	kmacro-set-format
C-x C-k C-k	kmacro-end-or-call-macro-repeat
C-x C-k C-l	kmacro-call-ring-2nd-repeat
C-x C-k C-n	kmacro-cycle-ring-next
C-x C-k C-p	kmacro-cycle-ring-previous
C-x C-k C-q <	kmacro-quit-counter-less
C-x C-k C-q =	kmacro-quit-counter-equal
C-x C-k C-q >	kmacro-quit-counter-greater
C-x C-k C-r a <	kmacro-reg-add-counter-less
C-x C-k C-r a =	kmacro-reg-add-counter-equal
C-x C-k C-r a >	kmacro-reg-add-counter-greater
C-x C-k C-r l	kmacro-reg-load-counter
C-x C-k C-r s	kmacro-reg-save-counter
C-x C-k C-t	kmacro-swap-ring
C-x C-k C-v	kmacro-view-macro-repeat
C-x C-k RET	kmacro-edit-macro
C-x C-k SPC	kmacro-step-edit-macro
C-x C-k TAB	kmacro-insert-counter
C-x C-k b	kmacro-bind-to-key
C-x C-k d	kmacro-redisplay
C-x C-k e	edit-kbd-macro
C-x C-k l	kmacro-edit-lossage
C-x C-k n	kmacro-name-last-macro
C-x C-k q ; C-x q	kbd-macro-query
C-x C-k r	apply-macro-to-region-lines
C-x C-k x	kmacro-to-register
C-x C-l	downcase-region
C-x C-n	set-goal-column
C-x C-o	delete-blank-lines
C-x C-p	mark-page
C-x C-q	read-only-mode
C-x C-r	find-file-read-only
C-x C-s	save-buffer

Teclas / sequência	Comando / ação
C-x C-t	transpose-lines
C-x C-u	upcase-region
C-x C-v	find-alternate-file
C-x C-w	write-file
C-x C-x	exchange-point-and-mark
C-x C-z	suspend-frame
C-x DEL	backward-kill-sentence
C-x ESC ESC ; C-x M-:	repeat-complex-command
C-x M-g	magit-dispatch
C-x O	other-window-backward
C-x RET	**Mapa:** mule-keymap
C-x SPC	rectangle-mark-mode
C-x TAB	indent-rigidly
C-x X	**Mapa:** edebug-global-map
C-x [	backward-page
C-x \	activate-transient-input-method
C-x]	forward-page
C-x ^	enlarge-window
C-x `	next-error
C-x a	**Mapa:** abbrev-map
C-x b	switch-to-buffer
C-x d	dired
C-x e	kmacro-end-and-call-macro
C-x f	set-fill-column
C-x g	magit-status
C-x h	mark-whole-buffer
C-x i	insert-file
C-x k	kill-buffer
C-x l	count-lines-page
C-x m	compose-mail
C-x n	**Mapa:** narrow-map
C-x o	other-window
C-x p	+popup/other
C-x r	**Mapa:** ctl-x-r-map
C-x s	save-some-buffers
C-x t	**Mapa:** tab-prefix-map
C-x u	undo
C-x v	**Mapa:** vc-prefix-map
C-x w	**Mapa:** window-prefix-map
C-x x	**Mapa:** ctl-x-x-map
C-x z	repeat
C-x {	shrink-window-horizontally
C-x }	enlarge-window-horizontally
D	term-pager-disable
DEL	term-pager-back-line
ESC <begin> ; ESC <home>	beginning-of-buffer-other-window
ESC <end>	end-of-buffer-other-window
ESC <f10>	toggle-frame-maximized
ESC <left> ; M-b	backward-word
ESC <right> ; M-f	forward-word
ESC C-<backspace> ; ESC C-<delete>	backward-kill-sexp

Teclas / sequência	Comando / ação
ESC ESC ESC	keyboard-escape-quit
ESC M-: ; M-:	eval-expression
M-!	shell-command
M-$	ispell-word
M-%	query-replace
M-&	async-shell-command
M-'	abbrev-prefix-mark
M-(	insert-parentheses
M-)	move-past-close-and-reindent
M-,	xref-go-back
M-.	xref-find-definitions
M-/	dabbrev-expand
M-0	+workspace/switch-to-final
M-1	+workspace/switch-to-0
M-2	+workspace/switch-to-1
M-3	+workspace/switch-to-2
M-4	+workspace/switch-to-3
M-5	+workspace/switch-to-4
M-6	+workspace/switch-to-5
M-7	+workspace/switch-to-6
M-8	+workspace/switch-to-7
M-9	+workspace/switch-to-8
M-;	comment-dwim
M-<	beginning-of-buffer
M-=	count-words-region
M->	end-of-buffer
M-?	xref-find-references
M-@	mark-word
M-DEL	backward-kill-word
M-SPC	cycle-spacing
M-X	execute-extended-command-for-buffer
M-\	delete-horizontal-space
M-^	delete-indentation
M-`	tmm-menubar
M-a	backward-sentence
M-c	capitalize-word
M-d	kill-word
M-e	forward-sentence
M-g	**Mapa:** goto-map
M-h	mark-paragraph
M-i	tab-to-tab-stop
M-k	kill-sentence
M-l	downcase-word
M-m	back-to-indentation
M-q	fill-paragraph
M-r	+eval/buffer
M-s	**Mapa:** search-map
M-t	transpose-words
M-u	upcase-word
M-v	scroll-down-command
M-w	kill-ring-save
M-x	execute-extended-command

Teclas / sequência	Comando / ação
M-y	yank-pop
M-z	zap-to-char
M-{	backward-paragraph
M-|	shell-command-on-region
M-}	forward-paragraph
M-~	not-modified
RET	term-pager-line
SPC	term-pager-page
b	term-pager-back-page
q	term-pager-discard

5.735 term-raw-escape-map

Herda de: ctl-x-map.

Teclas / sequência	Comando / ação
C-c	term-send-raw
C-j	term-line-mode
C-k	term-char-mode
C-q	term-pager-toggle
C-u	universal-argument
C-v	scroll-up-command
M-x	execute-extended-command

5.736 term-raw-map

Teclas / sequência	Comando / ação
<backspace>	term-send-backspace
<delete> ; <deletechar>	term-send-del
<down>	term-send-down
<end>	term-send-end
<home>	term-send-home
<insert-state> <tab>	evil-collection-term-send-tab
<insert-state> C-a ; <insert-state> C-b ; <insert-state> C-d ; <insert-state> C-e ; <insert-state> C-f ; <insert-state> C-k ; <insert-state> C-l ; <insert-state> C-n	term-send-raw
<insert-state> C-o ; <insert-state> C-p ; <insert-state> C-q ; <insert-state> C-r ; <insert-state> C-s ; <insert-state> C-t ; <insert-state> C-u ; <insert-state> C-v	term-send-raw
<insert-state> C-w ; <insert-state> C-y ; <insert-state> C-z ; <remap> <self-insert-command> ; C-@ ... C-b ; C-\ ... DEL ; C-d ... C-z	term-send-raw
<insert-state> C-c C-d	term-send-eof

Teclas / sequência	Comando / ação
<insert-state> C-c C-z	term-stop-subjob
<insert>	term-send-insert
<left>	term-send-left
<next>	term-send-next
<prior>	term-send-prior
<right>	term-send-right
<up>	term-send-up
<xterm-paste>	term--xterm-paste
C-/	term-send-C-_
C-<down>	term-send-ctrl-down
C-<left>	term-send-ctrl-left
C-<right>	term-send-ctrl-right
C-<up>	term-send-ctrl-up
C-M-/	term-send-C-M-_
C-M-@ ... N ; M-P ... Z ; M-\ . .. DEL	term-send-raw-meta
C-M-SPC	term-send-C-M-@
C-SPC	term-send-C-@
C-c	**Mapa:** term-raw-escape-map
S-<insert>	term-paste
S-<next>	scroll-up
S-<prior>	scroll-down

5.737 term-raw-map [Evil insert]

Teclas / sequência	Comando / ação
<tab>	evil-collection-term-send-tab
C-a ; C-b ; C-d ; C-e ; C-f ; C-k ; C-l ; C-n	term-send-raw
C-o ; C-p ; C-q ; C-r ; C-s ; C-t ; C-u ; C-v	term-send-raw
C-w ; C-y ; C-z	term-send-raw
C-c C-d	term-send-eof
C-c C-z	term-stop-subjob

5.738 TeX-electric-macro-map

Herda de: minibuffer-local-completion-map.

Teclas / sequência	Comando / ação
SPC	minibuffer-complete-and-exit

5.739 TeX-error-overview-mode-map

Teclas / sequência	Comando / ação
RET	TeX-error-overview-goto-source
b	TeX-error-overview-toggle-debug-bad-boxes
j	TeX-error-overview-jump-to-source

Teclas / sequência	Comando / ação
l	TeX-error-overview-goto-log
n	TeX-error-overview-next-error
p	TeX-error-overview-previous-error
q	TeX-error-overview-quit
w	TeX-error-overview-toggle-debug-warnings
x	TeX-error-overview-toggle-suppress-ignored-warnings

5.740 TeX-mode-map

Teclas / sequência	Comando / ação
"	TeX-insert-quote
$	TeX-insert-dollar
<remap> <next-error> ; C-c `	TeX-next-error
<remap> <previous-error>	TeX-previous-error
C-M-i	TeX-complete-symbol
C-c "	TeX-uncomment
C-c # ; C-c C-n	TeX-normal-mode
C-c % ; C-c '	TeX-comment-or-uncomment-paragraph
C-c : ; C-c ;	comment-or-uncomment-region
C-c ?	TeX-documentation-texdoc
C-c C-a	TeX-command-run-all
C-c C-b	TeX-command-buffer
C-c C-c	TeX-command-master
C-c C-d	TeX-save-document
C-c C-f	TeX-font
C-c C-k	TeX-kill-job
C-c C-l	TeX-recenter-output-buffer
C-c C-o C-f	TeX-fold-mode
C-c C-r	TeX-command-region
C-c C-t C-b ; C-c C-w	TeX-toggle-debug-bad-boxes
C-c C-t C-p	TeX-PDF-mode
C-c C-t C-r	TeX-pin-region
C-c C-t C-s	TeX-source-correlate-mode
C-c C-t C-w	TeX-toggle-debug-warnings
C-c C-t C-x	TeX-toggle-suppress-ignored-warnings
C-c C-t TAB	TeX-interactive-mode
C-c C-v	TeX-view
C-c RET	TeX-insert-macro
C-c TAB	TeX-goto-info-page
C-c ^	TeX-home-buffer
C-c _	TeX-master-file-ask
C-c {	TeX-insert-braces
C-c }	up-list
C-x n g	TeX-narrow-to-group
RET	TeX-newline
\	TeX-insert-backslash
^ ; _	TeX-insert-sub-or-superscript

5.741 TeX-output-mode-map

Herda de: `TeX-special-mode-map`.

Teclas / sequência	Comando / ação
b	TeX-toggle-debug-bad-boxes
i ; s	Função compilada anônima
n	TeX-next-error
p	TeX-previous-error
w	TeX-toggle-debug-warnings

5.742 tool-bar-map

Teclas / sequência	Comando / ação
<copy>	kill-ring-save
<cut>	kill-region
<isearch-forward>	isearch-forward
<kill-buffer>	kill-this-buffer
<new-file>	find-file
<open-directory>	dired-from-menubar
<open-file>	menu-find-file-existing
<paste>	yank
<save-buffer>	save-buffer
<undo>	undo

5.743 transient-base-map

Teclas / sequência	Comando / ação
<next> ; C-v	transient-scroll-up
<prior> ; C-M-v	transient-scroll-down
C-g	transient-quit-one
C-q ; ESC ESC ESC	transient-quit-all
C-z	transient-suspend

5.744 transient-edit-map

Herda de: transient-base-map.

Teclas / sequência	Comando / ação
? ; C-h	transient-help

5.745 transient-map

Herda de: transient-base-map.

Teclas / sequência	Comando / ação
<escape>	transient-quit-one
? ; C-h	transient-help

Teclas / sequência	Comando / ação
C--	negative-argument
C-M-n	transient-history-next
C-M-p	transient-history-prev
C-t	transient-show
C-u	universal-argument
C-x 4 4	other-window-prefix
C-x 5 5	other-frame-prefix

5.746 transient-popup-navigation-map

Teclas / sequência	Comando / ação
<down>	transient-forward-button
<up>	transient-backward-button
C-r	transient-isearch-backward
C-s	transient-isearch-forward
M-RET	transient-push-button

5.747 transient-predicate-map

Teclas / sequência	Comando / ação
<describe-key-briefly> ; <describe-key> ; <digit-argument> ; <other-frame-prefix> ; <other-window-prefix> ; <transient-copy-menu-text> ; <transient-help> ; <transient-history-next>	transient--do-stay
<transient-history-prev> ; <transient-quit-seq> ; <transient-set-level> ; <transient-show> ; <transient-toggle-docstrings> ; <transient-update> ; <universal-argument-more> ; <universal-argument>	transient--do-stay
<ignore-preserving-kill-region> ; <transient-noop>	transient--do-noop
<mwheel-scroll> ; <scroll-bar-toolkit-scroll> ; <transient-scroll-down> ; <transient-scroll-up>	transient--do-scroll
<negative-argument>	transient--do-minus
<nil>	transient--do-warn
<top-level> ; <transient-quit-all>	transient--do-quit-all
<transient-backward-button> ; <transient-forward-button> ; <transient-isearch-backward> ; <transient-isearch-forward> ; <transient-mouse-push-button>	transient--do-move
<transient-push-button>	transient--do-push-button
<transient-quit-one>	transient--do-quit-one

Teclas / sequência	Comando / ação
<transient-reset> ; <transient-save> ; <transient-set>	transient--do-call
<transient-save-and-exit> ; <transient-set-and-exit>	transient--do-exit
<transient-suspend>	transient--do-suspend

5.748 transient-resume-mode-map

Teclas / sequência	Comando / ação
<remap> <Info-exit> ; <remap> <Man-quit> ; <remap> <quit-window>	transient-resume

5.749 transient-sticky-map

Herda de: transient-base-map.

Teclas / sequência	Comando / ação
C-g	transient-quit-seq

5.750 treesit-explore-mode-map

Teclas / sequência	Comando / ação
C-c C-t o	treesit-explorer-tree-window-select
C-c C-t q	treesit-explore-quit

5.751 tty-menu-navigation-map

Teclas / sequência	Comando / ação
<down> ; <header-line> S-<drag-mouse-1> ; <header-line> S-<mouse-1> ; <left-margin> S-<drag-mouse-1> ; <left-margin> S-<mouse-1> ; <mode-line> S-<drag-mouse-1> ; <mode-line> S-<mouse-1> ; <right-margin> S-<drag-mouse-1>	tty-menu-next-item
<right-margin> S-<mouse-1> ; <tab-line> S-<drag-mouse-1> ; <tab-line> S-<mouse-1> ; <vertical-line> S-<drag-mouse-1> ; <vertical-line> S-<mouse-1> ; C-n ; S-<drag-mouse-1> ; S-<mouse-1>	tty-menu-next-item
<f10> ; C-g ; ESC ESC ESC	tty-menu-exit

Teclas / sequência	Comando / ação
<header-line> C-<down-mouse-1> ; <header-line> C-<down-mouse-2> ; <header-line> C-<down-mouse-3> ; <left-margin> C-<down-mouse-1> ; <left-margin> C-<down-mouse-2> ; <left-margin> C-<down-mouse-3> ; <mode-line> C-<down-mouse-1> ; <mode-line> C-<down-mouse-2>	tty-menu-ignore
<mode-line> C-<down-mouse-3> ; <right-margin> C-<down-mouse-1> ; <right-margin> C-<down-mouse-2> ; <right-margin> C-<down-mouse-3> ; <tab-line> C-<down-mouse-1> ; <tab-line> C-<down-mouse-2> ; <tab-line> C-<down-mouse-3> ; <vertical-line> C-<down-mouse-1>	tty-menu-ignore
<vertical-line> C-<down-mouse-2> ; <vertical-line> C-<down-mouse-3> ; C-<down-mouse-1> ; C-<down-mouse-2> ; C-<down-mouse-3>	tty-menu-ignore
<header-line> S-<drag-mouse-2> ; <header-line> S-<drag-mouse-3> ; <header-line> S-<mouse-2> ; <header-line> S-<mouse-3> ; <left-margin> S-<drag-mouse-2> ; <left-margin> S-<drag-mouse-3> ; <left-margin> S-<mouse-2> ; <left-margin> S-<mouse-3>	tty-menu-prev-item
<mode-line> S-<drag-mouse-2> ; <mode-line> S-<drag-mouse-3> ; <mode-line> S-<mouse-2> ; <mode-line> S-<mouse-3> ; <right-margin> S-<drag-mouse-2> ; <right-margin> S-<drag-mouse-3> ; <right-margin> S-<mouse-2> ; <right-margin> S-<mouse-3>	tty-menu-prev-item
<tab-line> S-<drag-mouse-2> ; <tab-line> S-<drag-mouse-3> ; <tab-line> S-<mouse-2> ; <tab-line> S-<mouse-3> ; <up> ; <vertical-line> S-<drag-mouse-2> ; <vertical-line> S-<drag-mouse-3> ; <vertical-line> S-<mouse-2>	tty-menu-prev-item
<vertical-line> S-<mouse-3> ; C-p ; S-<drag-mouse-2> ; S-<drag-mouse-3> ; S-<mouse-2> ; S-<mouse-3>	tty-menu-prev-item
<left> ; C-b	tty-menu-prev-menu
<linefeed> ; <return> ; C-j ; C-r ; RET	tty-menu-select
<right> ; C-f	tty-menu-next-menu

5.752 undo-repeat-map

Teclas / sequência	Comando / ação
u	undo

5.753 universal-argument-map

Teclas / sequência	Comando / ação
- ; <kp-subtract>	negative-argument
0 ; 1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7	digit-argument
8 ; 9 ; <kp-0> ; <kp-1> ; <kp-2> ; <kp-3> ; <kp-4> ; <kp-5>	digit-argument
<kp-6> ; <kp-7> ; <kp-8> ; <kp-9>	digit-argument
<switch-frame>	Função compilada anônima
C-u ; M-SPC u ; SPC u	universal-argument-more

5.754 url-cookie-mode-map

Teclas / sequência	Comando / ação
<delete> ; C-k	url-cookie-delete
C-_	url-cookie-undo

5.755 vc-dir-git-mode-map

Teclas / sequência	Comando / ação
z c	vc-git-stash
z d	vc-git-stash-delete
z p	vc-git-stash-pop
z s	vc-git-stash-snapshot

5.756 vc-git-extra-menu-map

Teclas / sequência	Comando / ação
<git-ds>	vc-git-stash-delete
<git-grep>	vc-git-grep
<git-sn>	vc-git-stash-snapshot
<git-ss>	vc-git-stash-show
<git-st>	vc-git-stash

5.757 vc-git-log-edit-mode-map

Teclas / sequência	Comando / ação
C-c C-e	vc-git-log-edit-toggle-amend

Teclas / sequência	Comando / ação
C-c C-n	vc-git-log-edit-toggle-no-verify
C-c C-s	vc-git-log-edit-toggle-signoff

5.758 vc-git-log-view-mode-map

Teclas / sequência	Comando / ação
<normal-state> <tab> ; <normal -state> TAB	log-view-toggle-entry-display
<normal-state> D	log-view-diff-changeset
<normal-state> [[; <normal-s tate> g k	log-view-msg-prev
<normal-state>]] ; <normal-s tate> g j	log-view-msg-next
<normal-state> d	log-view-diff
<normal-state> q	quit-window

5.759 vc-git-log-view-mode-map [Evil normal]

Teclas / sequência	Comando / ação
<tab> ; TAB	log-view-toggle-entry-display
D	log-view-diff-changeset
[[; g k	log-view-msg-prev
]] ; g j	log-view-msg-next
d	log-view-diff
q	quit-window

5.760 vc-git-stash-button-map

Herda de: vc-git-stash-shared-map.

Teclas / sequência	Comando / ação
RET	push-button

5.761 vc-git-stash-map

Herda de: vc-git-stash-shared-map.

Teclas / sequência	Comando / ação
= ; RET	vc-git-stash-show-at-point
A	vc-git-stash-apply-at-point
C-k ; D	vc-git-stash-delete-at-point
P	vc-git-stash-pop-at-point

5.762 vc-git-stash-menu-map

Teclas / sequência	Comando / ação
<ap>	vc-git-stash-apply-at-point
<cr>	vc-git-stash
<de>	vc-git-stash-delete-at-point
<po>	vc-git-stash-pop-at-point
<sh>	vc-git-stash-show-at-point
<sn>	vc-git-stash-snapshot

5.763 vc-git-stash-shared-map

Teclas / sequência	Comando / ação
C	vc-git-stash
S	vc-git-stash-snapshot

5.764 vc-incoming-prefix-map

Teclas / sequência	Comando / ação
=	vc-diff-incoming
D	vc-root-diff-incoming
L	vc-root-log-incoming

5.765 vc-menu-map

Teclas / sequência	Comando / ação
<vc-annotate>	vc-annotate
<vc-cherry-pick>	vc-cherry-pick
<vc-create-branch>	vc-create-branch
<vc-create-tag>	vc-create-tag
<vc-diff>	vc-diff
<vc-dir-root>	vc-dir-root
<vc-ignore>	vc-ignore
<vc-insert-header>	vc-insert-headers
<vc-log-in>	vc-root-log-incoming
<vc-log-out>	vc-root-log-outgoing
<vc-next-action>	vc-next-action
<vc-print-fileset-branch-log>	vc-print-fileset-branch-log
<vc-print-log>	vc-print-log
<vc-print-root-branch-log>	vc-print-root-branch-log
<vc-print-root-log>	vc-print-root-log
<vc-push>	vc-push
<vc-register>	vc-register
<vc-rename-file>	vc-rename-file
<vc-retrieve-tag>	vc-retrieve-tag
<vc-revert-or-delete-revision>	vc-revert-or-delete-revision
<vc-revert>	vc-revert
<vc-revision-other-window>	vc-revision-other-window
<vc-root-diff>	vc-root-diff
<vc-switch-branch>	vc-switch-branch

Teclas / sequência	Comando / ação
<vc-update-change-log>	vc-update-change-log
<vc-update>	vc-update

5.766 vc-outgoing-prefix-map

Teclas / sequência	Comando / ação
=	vc-diff-outgoing
D	vc-root-diff-outgoing
L	vc-root-log-outgoing

5.767 vc-prefix-map

Teclas / sequência	Comando / ação
!	vc-edit-next-command
+	vc-update
=	vc-diff
@ ; u	vc-revert
D	vc-root-diff
E =	vc-diff-outgoing-and-edited
E D	vc-root-diff-outgoing-and-edited
E L ; O	vc-root-log-outgoing
G	vc-ignore
I	vc-root-log-incoming
L	vc-print-root-log
M D	vc-diff-mergebase
M L	vc-log-mergebase
P	vc-push
R	vc-rename-file
T =	vc-diff-unintegrated
T D	vc-root-diff-unintegrated
T L	vc-root-log-unintegrated
T R =	vc-diff-remote-unintegrated
T R D	vc-root-diff-remote-unintegrated
T R L	vc-root-log-remote-unintegrated
T R l	vc-log-remote-unintegrated
T l	vc-log-unintegrated
a	vc-update-change-log
b L	vc-print-root-branch-log
b c	vc-create-branch
b l	vc-print-fileset-branch-log
b s	vc-switch-branch
d	vc-dir
g	vc-annotate
h	vc-region-history
i	vc-register
l	vc-print-log
m	vc-merge
r	vc-retrieve-tag
s	vc-create-tag

Teclas / sequência	Comando / ação
v	vc-next-action
w A	vc-apply-root-to-other-working-tree
w R	vc-move-working-tree
w a	vc-apply-to-other-working-tree
w c	vc-add-working-tree
w k	vc-kill-other-working-tree-buffers
w s	vc-working-tree-switch-project
w w	vc-switch-working-tree
w x	vc-delete-working-tree
x	vc-delete-file
~	vc-revision-other-window

5.768 vertico-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<remap> <backward-paragraph> ; C-M-k	vertico-previous-group
<remap> <beginning-of-buffer> ; <remap> <minibuffer-beginning-of-buffer>	vertico-first
<remap> <end-of-buffer>	vertico-last
<remap> <exit-minibuffer>	vertico-exit
<remap> <forward-paragraph> ; C-M-j	vertico-next-group
<remap> <kill-ring-save>	vertico-save
<remap> <next-line-or-history-element> ; <remap> <next-line> ; C-j	vertico-next
<remap> <previous-line-or-history-element> ; <remap> <previous-line> ; C-k	vertico-previous
<remap> <scroll-down-command>	vertico-scroll-down
<remap> <scroll-up-command>	vertico-scroll-up
C-SPC	+vertico/embark-preview
C-x C-d	consult-dir
C-x C-j	consult-dir-jump-file
DEL	vertico-directory-delete-char
M-RET	vertico-exit-input
TAB	vertico-insert

5.769 visual-line-mode-map

Teclas / sequência	Comando / ação
<remap> <kill-line>	kill-visual-line
<remap> <move-beginning-of-line>	beginning-of-visual-line
<remap> <move-end-of-line>	end-of-visual-line

5.770 vtable-header-line-map

Herda de: vtable-map.

Teclas / sequência	Comando / ação
<follow-link>	mouse-face

5.771 vtable-map

Teclas / sequência	Comando / ação
M-<left>	vtable-previous-column
M-<right>	vtable-next-column
S	vtable-sort-by-current-column
g	vtable-revert-command
{	vtable-narrow-current-column
}	vtable-widen-current-column

5.772 vterm-copy-mode-map

Teclas / sequência	Comando / ação
<return> ; RET	vterm-copy-mode-done
C-a	vterm-beginning-of-line
C-c C-n	vterm-next-prompt
C-c C-p	vterm-previous-prompt
C-c C-r	vterm-reset-cursor-point
C-c C-t	vterm-copy-mode
C-e	vterm-end-of-line

5.773 vterm-mode-map [Evil insert]

Teclas / sequência	Comando / ação
<delete>	vterm-send-delete
C-a ; C-b ; C-d ; C-e ; C-f ; C-k ; C-l ; C-n	vterm--self-insert
C-o ; C-p ; C-q ; C-r ; C-s ; C-t ; C-u ; C-v	vterm--self-insert
C-w ; C-y ; C-z	vterm--self-insert
C-c C-z	evil-collection-vterm-toggle-send-escape

5.774 vterm-mode-map [Evil normal]

Teclas / sequência	Comando / ação
0	+vterm/beginning-of-line
A	evil-collection-vterm-append-line
C	evil-collection-vterm-change-line
C-c C-z	evil-collection-vterm-toggle-send-escape
D	evil-collection-vterm-delete-line

Teclas / sequência	Comando / ação
G	vterm-reset-cursor-point
I	evil-collection-vterm-insert-line
P	vterm-yank
S	evil-collection-vterm-substitute-line
X	evil-collection-vterm-delete-backward-char
[[; g k	vterm-previous-prompt
]] ; g j	vterm-next-prompt
^	evil-collection-vterm-first-non-blank
a	evil-collection-vterm-append
c	evil-collection-vterm-change
d	evil-collection-vterm-delete
i	evil-collection-vterm-insert
j	evil-collection-vterm-next-line
p	evil-collection-vterm-paste-after
r	evil-collection-vterm-replace
s	evil-collection-vterm-substitute
u	vterm-undo
x	evil-collection-vterm-delete-char

5.775 vterm-mode-map [Evil visual]

Teclas / sequência	Comando / ação
d	evil-collection-vterm-delete
x	evil-collection-vterm-delete-backward-char

5.776 wc-mode-map

Teclas / sequência	Comando / ação
C-c C-w a	wc-set-char-goal
C-c C-w c	wc-count
C-c C-w l	wc-set-line-goal
C-c C-w w	wc-set-word-goal

5.777 wdired-mode-map

Teclas / sequência	Comando / ação
<down> ; C-n	wdired-next-line
<normal-state> Z Q ; C-c C-k ; C-c ESC	wdired-abort-changes
<normal-state> Z Z ; <remap> <evil-write> ; C-c C-c ; C-x C-s	wdired-finish-edit
<remap> <capitalize-word>	wdired-capitalize-word
<remap> <downcase-word>	wdired-downcase-word
<remap> <self-insert-command>	wdired--self-insert
<remap> <upcase-word>	wdired-upcase-word
<up> ; C-p	wdired-previous-line

Teclas / sequência	Comando / ação
C-(	dired-hide-details-mode
C-j ; C-o ; RET	undefined
C-x C-q	wdired-exit

5.778 wdired-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q	wdired-abort-changes
Z Z	wdired-finish-edit

5.779 wdired-perm-mode-map

Teclas / sequência	Comando / ação
- ; S ; T ; l ; r ; s ; t ; w	wdired-set-bit
x	wdired-set-bit
SPC	wdired-toggle-bit

5.780 web-mode-map

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m a b ; <insert-state> M-SPC m a b ; <motion-state> SPC m a b ; <normal-state> SPC m a b ; <visual-state> SPC m a b ; C-c C-a b	web-mode-attribute-beginning
<emacs-state> M-SPC m a e ; <insert-state> M-SPC m a e ; <motion-state> SPC m a e ; <normal-state> SPC m a e ; <visual-state> SPC m a e ; C-c C-a e	web-mode-attribute-end
<emacs-state> M-SPC m a i ; <insert-state> M-SPC m a i ; <motion-state> SPC m a i ; <normal-state> SPC m a i ; <visual-state> SPC m a i ; C-c C-a i	web-mode-attribute-insert
<emacs-state> M-SPC m a k ; <insert-state> M-SPC m a k ; <motion-state> SPC m a k ; <normal-state> SPC m a k ; <visual-state> SPC m a k ; C-c C-a k	web-mode-attribute-kill
<emacs-state> M-SPC m a n ; <insert-state> M-SPC m a n ; <motion-state> SPC m a n ; <normal-state> SPC m a n ; <normal-state>] a ; <visual-state> SPC m a n ; <visual-state>] a ; C-c C-a n	web-mode-attribute-next

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m a p ; <insert-state> M-SPC m a p ; <motion-state> SPC m a p ; <normal-state> SPC m a p ; <normal-state> [a ; <visual-state> SPC m a p ; <visual-state> [a ; C-c C-a p	web-mode-attribute-previous
<emacs-state> M-SPC m a s ; <insert-state> M-SPC m a s ; <motion-state> SPC m a s ; <normal-state> SPC m a s ; <visual-state> SPC m a s ; C-c C-a s	web-mode-attribute-select
<emacs-state> M-SPC m a t ; <insert-state> M-SPC m a t ; <motion-state> SPC m a t ; <normal-state> SPC m a t ; <visual-state> SPC m a t ; C-c C-a t	web-mode-attribute-transpose
<emacs-state> M-SPC m b b ; <insert-state> M-SPC m b b ; <motion-state> SPC m b b ; <normal-state> SPC m b b ; <visual-state> SPC m b b ; C-c C-b b	web-mode-block-beginning
<emacs-state> M-SPC m b c ; <insert-state> M-SPC m b c ; <motion-state> SPC m b c ; <normal-state> SPC m b c ; <visual-state> SPC m b c ; C-c C-b c	web-mode-block-close
<emacs-state> M-SPC m b e ; <insert-state> M-SPC m b e ; <motion-state> SPC m b e ; <normal-state> SPC m b e ; <visual-state> SPC m b e ; C-c C-b e	web-mode-block-end
<emacs-state> M-SPC m b k ; <insert-state> M-SPC m b k ; <motion-state> SPC m b k ; <normal-state> SPC m b k ; <visual-state> SPC m b k ; C-c C-b k	web-mode-block-kill
<emacs-state> M-SPC m b n ; <insert-state> M-SPC m b n ; <motion-state> SPC m b n ; <normal-state> SPC m b n ; <visual-state> SPC m b n ; C-c C-b n	web-mode-block-next
<emacs-state> M-SPC m b p ; <insert-state> M-SPC m b p ; <motion-state> SPC m b p ; <normal-state> SPC m b p ; <visual-state> SPC m b p ; C-c C-b p	web-mode-block-previous
<emacs-state> M-SPC m b s ; <insert-state> M-SPC m b s ; <motion-state> SPC m b s ; <normal-state> SPC m b s ; <visual-state> SPC m b s ; C-c C-b s	web-mode-block-select
<emacs-state> M-SPC m d a ; <insert-state> M-SPC m d a ; <motion-state> SPC m d a ; <normal-state> SPC m d a ; <visual-state> SPC m d a ; C-c C-d a	web-mode-dom-apostrophes-replace

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m d d ; <insert-state> M-SPC m d d ; <motion-state> SPC m d d ; <normal-state> SPC m d d ; <visual-state> SPC m d d ; C-c C-d d	web-mode-dom-errors-show
<emacs-state> M-SPC m d e ; <insert-state> M-SPC m d e ; <motion-state> SPC m d e ; <normal-state> SPC m d e ; <visual-state> SPC m d e	web-mode-dom-entities-encode
<emacs-state> M-SPC m d n ; <insert-state> M-SPC m d n ; <motion-state> SPC m d n ; <normal-state> SPC m d n ; <visual-state> SPC m d n ; C-c C-d n	web-mode-dom-normalize
<emacs-state> M-SPC m d q ; <insert-state> M-SPC m d q ; <motion-state> SPC m d q ; <normal-state> SPC m d q ; <visual-state> SPC m d q ; C-c C-d q	web-mode-dom-quotes-replace
<emacs-state> M-SPC m d t ; <insert-state> M-SPC m d t ; <motion-state> SPC m d t ; <normal-state> SPC m d t ; <visual-state> SPC m d t ; C-c C-d t	web-mode-dom-traverse
<emacs-state> M-SPC m d x ; <insert-state> M-SPC m d x ; <motion-state> SPC m d x ; <normal-state> SPC m d x ; <visual-state> SPC m d x ; C-c C-d x	web-mode-dom-xpath
<emacs-state> M-SPC m e / ; <insert-state> M-SPC m e / ; <motion-state> SPC m e / ; <normal-state> SPC m e / ; <visual-state> SPC m e / ; C-c C-e /	web-mode-element-close
<emacs-state> M-SPC m e a ; <insert-state> M-SPC m e a ; <motion-state> SPC m e a ; <normal-state> SPC m e a ; <visual-state> SPC m e a ; C-c C-e a	web-mode-element-content-select
<emacs-state> M-SPC m e b ; <insert-state> M-SPC m e b ; <motion-state> SPC m e b ; <normal-state> SPC m e b ; <visual-state> SPC m e b ; C-c C-e b	web-mode-element-beginning
<emacs-state> M-SPC m e c ; <insert-state> M-SPC m e c ; <motion-state> SPC m e c ; <normal-state> SPC m e c ; <visual-state> SPC m e c ; C-c C-e c	web-mode-element-clone
<emacs-state> M-SPC m e d ; <insert-state> M-SPC m e d ; <motion-state> SPC m e d ; <normal-state> SPC m e d ; <normal-state>] T ; <visual-state> SPC m e d ; <visual-state>] T ; C-c C-e d	web-mode-element-child

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e e ; <insert-state> M-SPC m e e ; <motion-state> SPC m e e ; <normal-state> SPC m e e ; <visual-state> SPC m e e ; C-c C-e e	web-mode-element-end
<emacs-state> M-SPC m e f ; <insert-state> M-SPC m e f ; <motion-state> SPC m e f ; <normal-state> SPC m e f ; <visual-state> SPC m e f ; C-c C-e f	web-mode-element-children-fold-or-unfold
<emacs-state> M-SPC m e i ; <insert-state> M-SPC m e i ; <motion-state> SPC m e i ; <normal-state> SPC m e i ; <visual-state> SPC m e i ; C-c C-e i	web-mode-element-insert
<emacs-state> M-SPC m e k ; <insert-state> M-SPC m e k ; <motion-state> SPC m e k ; <normal-state> SPC m e k ; <visual-state> SPC m e k ; C-c C-e k	web-mode-element-kill
<emacs-state> M-SPC m e m ; <insert-state> M-SPC m e m ; <motion-state> SPC m e m ; <normal-state> SPC m e m ; <visual-state> SPC m e m ; C-c C-e m	web-mode-element-mute-blanks
<emacs-state> M-SPC m e n ; <insert-state> M-SPC m e n ; <motion-state> SPC m e n ; <normal-state> SPC m e n ; <visual-state> SPC m e n ; C-c C-e n	web-mode-element-next
<emacs-state> M-SPC m e p ; <insert-state> M-SPC m e p ; <motion-state> SPC m e p ; <normal-state> SPC m e p ; <visual-state> SPC m e p ; C-c C-e p	web-mode-element-previous
<emacs-state> M-SPC m e r ; <insert-state> M-SPC m e r ; <motion-state> SPC m e r ; <normal-state> SPC m e r ; <visual-state> SPC m e r ; C-c C-e r	web-mode-element-rename
<emacs-state> M-SPC m e s ; <insert-state> M-SPC m e s ; <motion-state> SPC m e s ; <normal-state> SPC m e s ; <visual-state> SPC m e s ; C-c C-e s	web-mode-element-select
<emacs-state> M-SPC m e t ; <insert-state> M-SPC m e t ; <motion-state> SPC m e t ; <normal-state> SPC m e t ; <visual-state> SPC m e t ; C-c C-e t	web-mode-element-transpose
<emacs-state> M-SPC m e u ; <insert-state> M-SPC m e u ; <motion-state> SPC m e u ; <normal-state> SPC m e u ; <normal-state> [T ; <visual-state> SPC m e u ; <visual-state> [T ; C-c C-e u	web-mode-element-parent

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m e v ; <insert-state> M-SPC m e v ; <motion-state> SPC m e v ; <normal-state> SPC m e v ; <visual-state> SPC m e v ; C-c C-e v	web-mode-element-vanish
<emacs-state> M-SPC m e w ; <insert-state> M-SPC m e w ; <motion-state> SPC m e w ; <normal-state> SPC m e w ; <visual-state> SPC m e w ; C-c C-e w	web-mode-element-wrap
<emacs-state> M-SPC m h ; <insert-state> M-SPC m h ; <motion-state> SPC m h ; <normal-state> SPC m h ; <visual-state> SPC m h ; C-c C-r	web-mode-reload
<emacs-state> M-SPC m i ; <insert-state> M-SPC m i ; <motion-state> SPC m i ; <normal-state> SPC m i ; <visual-state> SPC m i ; C-c TAB	web-mode-buffer-indent
<emacs-state> M-SPC m t a ; <insert-state> M-SPC m t a ; <motion-state> SPC m t a ; <normal-state> SPC m t a ; <visual-state> SPC m t a ; C-c C-t a	web-mode-tag-attributes-sort
<emacs-state> M-SPC m t b ; <insert-state> M-SPC m t b ; <motion-state> SPC m t b ; <normal-state> SPC m t b ; <visual-state> SPC m t b ; C-c C-t b	web-mode-tag-beginning
<emacs-state> M-SPC m t e ; <insert-state> M-SPC m t e ; <motion-state> SPC m t e ; <normal-state> SPC m t e ; <visual-state> SPC m t e ; C-c C-t e	web-mode-tag-end
<emacs-state> M-SPC m t m ; <insert-state> M-SPC m t m ; <motion-state> SPC m t m ; <normal-state> SPC m t m ; <visual-state> SPC m t m ; C-c C-t m	web-mode-tag-match
<emacs-state> M-SPC m t n ; <insert-state> M-SPC m t n ; <motion-state> SPC m t n ; <normal-state> SPC m t n ; <normal-state>] t ; <visual-state> SPC m t n ; <visual-state>] t ; C-c C-t n	web-mode-tag-next
<emacs-state> M-SPC m t p ; <insert-state> M-SPC m t p ; <motion-state> SPC m t p ; <normal-state> SPC m t p ; <normal-state> [t ; <visual-state> SPC m t p ; <visual-state> [t ; C-c C-t p	web-mode-tag-previous

Teclas / sequência	Comando / ação
<emacs-state> M-SPC m t s ; <insert-state> M-SPC m t s ; <motion-state> SPC m t s ; <normal-state> SPC m t s ; <visual-state> SPC m t s ; C-c C-t s	web-mode-tag-select
<insert-state> SPC	self-insert-command
<normal-state> z a ; C-c C-f	web-mode-fold-or-unfold
C-c C-d e	web-mode-dom-entities-replace
C-c C-e +	web-mode-element-extract
C-c C-e -	web-mode-element-contract
C-c C-e I	web-mode-element-insert-at-point
C-c C-h	web-mode-buffer-fontify
C-c C-j	web-mode-jshint
C-c C-l	web-mode-file-link
C-c C-n	web-mode-navigate
C-c C-s	web-mode-snippet-insert
C-c C-w	web-mode-whitespaces-show
C-c RET	web-mode-mark-and-expand
M-;	web-mode-comment-or-uncomment

5.781 web-mode-map [Evil emacs]

Teclas / sequência	Comando / ação
M-SPC m a b	web-mode-attribute-beginning
M-SPC m a e	web-mode-attribute-end
M-SPC m a i	web-mode-attribute-insert
M-SPC m a k	web-mode-attribute-kill
M-SPC m a n	web-mode-attribute-next
M-SPC m a p	web-mode-attribute-previous
M-SPC m a s	web-mode-attribute-select
M-SPC m a t	web-mode-attribute-transpose
M-SPC m b b	web-mode-block-beginning
M-SPC m b c	web-mode-block-close
M-SPC m b e	web-mode-block-end
M-SPC m b k	web-mode-block-kill
M-SPC m b n	web-mode-block-next
M-SPC m b p	web-mode-block-previous
M-SPC m b s	web-mode-block-select
M-SPC m d a	web-mode-dom-apostrophes-replace
M-SPC m d d	web-mode-dom-errors-show
M-SPC m d e	web-mode-dom-entities-encode
M-SPC m d n	web-mode-dom-normalize
M-SPC m d q	web-mode-dom-quotes-replace
M-SPC m d t	web-mode-dom-traverse
M-SPC m d x	web-mode-dom-xpath
M-SPC m e /	web-mode-element-close
M-SPC m e a	web-mode-element-content-select
M-SPC m e b	web-mode-element-beginning
M-SPC m e c	web-mode-element-clone
M-SPC m e d	web-mode-element-child
M-SPC m e e	web-mode-element-end

Teclas / sequência	Comando / ação
M-SPC m e f	web-mode-element-children-fold-or-unfold
M-SPC m e i	web-mode-element-insert
M-SPC m e k	web-mode-element-kill
M-SPC m e m	web-mode-element-mute-blanks
M-SPC m e n	web-mode-element-next
M-SPC m e p	web-mode-element-previous
M-SPC m e r	web-mode-element-rename
M-SPC m e s	web-mode-element-select
M-SPC m e t	web-mode-element-transpose
M-SPC m e u	web-mode-element-parent
M-SPC m e v	web-mode-element-vanish
M-SPC m e w	web-mode-element-wrap
M-SPC m h	web-mode-reload
M-SPC m i	web-mode-buffer-indent
M-SPC m t a	web-mode-tag-attributes-sort
M-SPC m t b	web-mode-tag-beginning
M-SPC m t e	web-mode-tag-end
M-SPC m t m	web-mode-tag-match
M-SPC m t n	web-mode-tag-next
M-SPC m t p	web-mode-tag-previous
M-SPC m t s	web-mode-tag-select

5.782 web-mode-map [Evil insert]

Teclas / sequência	Comando / ação
M-SPC m a b	web-mode-attribute-beginning
M-SPC m a e	web-mode-attribute-end
M-SPC m a i	web-mode-attribute-insert
M-SPC m a k	web-mode-attribute-kill
M-SPC m a n	web-mode-attribute-next
M-SPC m a p	web-mode-attribute-previous
M-SPC m a s	web-mode-attribute-select
M-SPC m a t	web-mode-attribute-transpose
M-SPC m b b	web-mode-block-beginning
M-SPC m b c	web-mode-block-close
M-SPC m b e	web-mode-block-end
M-SPC m b k	web-mode-block-kill
M-SPC m b n	web-mode-block-next
M-SPC m b p	web-mode-block-previous
M-SPC m b s	web-mode-block-select
M-SPC m d a	web-mode-dom-apostrophes-replace
M-SPC m d d	web-mode-dom-errors-show
M-SPC m d e	web-mode-dom-entities-encode
M-SPC m d n	web-mode-dom-normalize
M-SPC m d q	web-mode-dom-quotes-replace
M-SPC m d t	web-mode-dom-traverse
M-SPC m d x	web-mode-dom-xpath
M-SPC m e /	web-mode-element-close
M-SPC m e a	web-mode-element-content-select
M-SPC m e b	web-mode-element-beginning

Teclas / sequência	Comando / ação
M-SPC m e c	web-mode-element-clone
M-SPC m e d	web-mode-element-child
M-SPC m e e	web-mode-element-end
M-SPC m e f	web-mode-element-children-fold-or-unfold
M-SPC m e i	web-mode-element-insert
M-SPC m e k	web-mode-element-kill
M-SPC m e m	web-mode-element-mute-blanks
M-SPC m e n	web-mode-element-next
M-SPC m e p	web-mode-element-previous
M-SPC m e r	web-mode-element-rename
M-SPC m e s	web-mode-element-select
M-SPC m e t	web-mode-element-transpose
M-SPC m e u	web-mode-element-parent
M-SPC m e v	web-mode-element-vanish
M-SPC m e w	web-mode-element-wrap
M-SPC m h	web-mode-reload
M-SPC m i	web-mode-buffer-indent
M-SPC m t a	web-mode-tag-attributes-sort
M-SPC m t b	web-mode-tag-beginning
M-SPC m t e	web-mode-tag-end
M-SPC m t m	web-mode-tag-match
M-SPC m t n	web-mode-tag-next
M-SPC m t p	web-mode-tag-previous
M-SPC m t s	web-mode-tag-select
SPC	self-insert-command

5.783 web-mode-map [Evil motion]

Teclas / sequência	Comando / ação
SPC m a b	web-mode-attribute-beginning
SPC m a e	web-mode-attribute-end
SPC m a i	web-mode-attribute-insert
SPC m a k	web-mode-attribute-kill
SPC m a n	web-mode-attribute-next
SPC m a p	web-mode-attribute-previous
SPC m a s	web-mode-attribute-select
SPC m a t	web-mode-attribute-transpose
SPC m b b	web-mode-block-beginning
SPC m b c	web-mode-block-close
SPC m b e	web-mode-block-end
SPC m b k	web-mode-block-kill
SPC m b n	web-mode-block-next
SPC m b p	web-mode-block-previous
SPC m b s	web-mode-block-select
SPC m d a	web-mode-dom-apostrophes-replace
SPC m d d	web-mode-dom-errors-show
SPC m d e	web-mode-dom-entities-encode
SPC m d n	web-mode-dom-normalize
SPC m d q	web-mode-dom-quotes-replace
SPC m d t	web-mode-dom-traverse

Teclas / sequência	Comando / ação
SPC m d x	web-mode-dom-xpath
SPC m e /	web-mode-element-close
SPC m e a	web-mode-element-content-select
SPC m e b	web-mode-element-beginning
SPC m e c	web-mode-element-clone
SPC m e d	web-mode-element-child
SPC m e e	web-mode-element-end
SPC m e f	web-mode-element-children-fold-or-unfold
SPC m e i	web-mode-element-insert
SPC m e k	web-mode-element-kill
SPC m e m	web-mode-element-mute-blanks
SPC m e n	web-mode-element-next
SPC m e p	web-mode-element-previous
SPC m e r	web-mode-element-rename
SPC m e s	web-mode-element-select
SPC m e t	web-mode-element-transpose
SPC m e u	web-mode-element-parent
SPC m e v	web-mode-element-vanish
SPC m e w	web-mode-element-wrap
SPC m h	web-mode-reload
SPC m i	web-mode-buffer-indent
SPC m t a	web-mode-tag-attributes-sort
SPC m t b	web-mode-tag-beginning
SPC m t e	web-mode-tag-end
SPC m t m	web-mode-tag-match
SPC m t n	web-mode-tag-next
SPC m t p	web-mode-tag-previous
SPC m t s	web-mode-tag-select

5.784 web-mode-map [Evil normal]

Teclas / sequência	Comando / ação
SPC m a b	web-mode-attribute-beginning
SPC m a e	web-mode-attribute-end
SPC m a i	web-mode-attribute-insert
SPC m a k	web-mode-attribute-kill
SPC m a n ;] a	web-mode-attribute-next
SPC m a p ; [a	web-mode-attribute-previous
SPC m a s	web-mode-attribute-select
SPC m a t	web-mode-attribute-transpose
SPC m b b	web-mode-block-beginning
SPC m b c	web-mode-block-close
SPC m b e	web-mode-block-end
SPC m b k	web-mode-block-kill
SPC m b n	web-mode-block-next
SPC m b p	web-mode-block-previous
SPC m b s	web-mode-block-select
SPC m d a	web-mode-dom-apostrophes-replace
SPC m d d	web-mode-dom-errors-show
SPC m d e	web-mode-dom-entities-encode

Teclas / sequência	Comando / ação
SPC m d n	web-mode-dom-normalize
SPC m d q	web-mode-dom-quotes-replace
SPC m d t	web-mode-dom-traverse
SPC m d x	web-mode-dom-xpath
SPC m e /	web-mode-element-close
SPC m e a	web-mode-element-content-select
SPC m e b	web-mode-element-beginning
SPC m e c	web-mode-element-clone
SPC m e d ;] T	web-mode-element-child
SPC m e e	web-mode-element-end
SPC m e f	web-mode-element-children-fold-or-unfold
SPC m e i	web-mode-element-insert
SPC m e k	web-mode-element-kill
SPC m e m	web-mode-element-mute-blanks
SPC m e n	web-mode-element-next
SPC m e p	web-mode-element-previous
SPC m e r	web-mode-element-rename
SPC m e s	web-mode-element-select
SPC m e t	web-mode-element-transpose
SPC m e u ; [T	web-mode-element-parent
SPC m e v	web-mode-element-vanish
SPC m e w	web-mode-element-wrap
SPC m h	web-mode-reload
SPC m i	web-mode-buffer-indent
SPC m t a	web-mode-tag-attributes-sort
SPC m t b	web-mode-tag-beginning
SPC m t e	web-mode-tag-end
SPC m t m	web-mode-tag-match
SPC m t n ;] t	web-mode-tag-next
SPC m t p ; [t	web-mode-tag-previous
SPC m t s	web-mode-tag-select
z a	web-mode-fold-or-unfold

5.785 web-mode-map [Evil visual]

Teclas / sequência	Comando / ação
SPC m a b	web-mode-attribute-beginning
SPC m a e	web-mode-attribute-end
SPC m a i	web-mode-attribute-insert
SPC m a k	web-mode-attribute-kill
SPC m a n ;] a	web-mode-attribute-next
SPC m a p ; [a	web-mode-attribute-previous
SPC m a s	web-mode-attribute-select
SPC m a t	web-mode-attribute-transpose
SPC m b b	web-mode-block-beginning
SPC m b c	web-mode-block-close
SPC m b e	web-mode-block-end
SPC m b k	web-mode-block-kill
SPC m b n	web-mode-block-next
SPC m b p	web-mode-block-previous

Teclas / sequência	Comando / ação
SPC m b s	web-mode-block-select
SPC m d a	web-mode-dom-apostrophes-replace
SPC m d d	web-mode-dom-errors-show
SPC m d e	web-mode-dom-entities-encode
SPC m d n	web-mode-dom-normalize
SPC m d q	web-mode-dom-quotes-replace
SPC m d t	web-mode-dom-traverse
SPC m d x	web-mode-dom-xpath
SPC m e /	web-mode-element-close
SPC m e a	web-mode-element-content-select
SPC m e b	web-mode-element-beginning
SPC m e c	web-mode-element-clone
SPC m e d ;] T	web-mode-element-child
SPC m e e	web-mode-element-end
SPC m e f	web-mode-element-children-fold-or-unfold
SPC m e i	web-mode-element-insert
SPC m e k	web-mode-element-kill
SPC m e m	web-mode-element-mute-blanks
SPC m e n	web-mode-element-next
SPC m e p	web-mode-element-previous
SPC m e r	web-mode-element-rename
SPC m e s	web-mode-element-select
SPC m e t	web-mode-element-transpose
SPC m e u ; [T	web-mode-element-parent
SPC m e v	web-mode-element-vanish
SPC m e w	web-mode-element-wrap
SPC m h	web-mode-reload
SPC m i	web-mode-buffer-indent
SPC m t a	web-mode-tag-attributes-sort
SPC m t b	web-mode-tag-beginning
SPC m t e	web-mode-tag-end
SPC m t m	web-mode-tag-match
SPC m t n ;] t	web-mode-tag-next
SPC m t p ; [t	web-mode-tag-previous
SPC m t s	web-mode-tag-select

5.786 which-key-C-h-map

Teclas / sequência	Comando / ação
1 ; 2 ; 3 ; 4 ; 5 ; 6 ; 7 ; 8	which-key-digit-argument
9	which-key-digit-argument
? ; C-h ; h	which-key-show-standard-help
C-a ; a ; q	which-key-abort
C-d ; d	which-key-toggle-docstrings
C-n ; j ; n	which-key-show-next-page-cycle
C-p ; k ; p	which-key-show-previous-page-cycle
C-u ; u	which-key-undo-key

5.787 widget-field-keymap

Teclas / sequência	Comando / ação
<backtab> ; S-<tab>	widget-backward
C-M-i	widget-complete
C-e	widget-end-of-line
C-k	widget-kill-line
RET	widget-field-activate
TAB	widget-forward

5.788 widget-key-sequence-map

Herda de: widget-field-keymap.

Teclas / sequência	Comando / ação
C-q	widget-key-sequence-read-event

5.789 widget-keymap

Teclas / sequência	Comando / ação
<backtab> ; C-M-i ; S-<tab>	widget-backward
RET	widget-button-press
TAB	widget-forward

5.790 widget-link-keymap

Teclas / sequência	Comando / ação
<backtab> ; C-M-i ; S-<tab>	widget-backward
RET	widget-button-press
TAB	widget-forward

5.791 widget-text-keymap

Teclas / sequência	Comando / ação
<backtab> ; C-M-i ; S-<tab>	widget-backward
C-e	widget-end-of-line
RET	widget-button-press
TAB	widget-forward

5.792 window-layout-flip-repeat-map

Teclas / sequência	Comando / ação
<down> ; <up>	window-layout-flip-topdown
<left> ; <right>	window-layout-flip-leftright

5.793 window-layout-rotate-repeat-map

Teclas / sequência	Comando / ação
<left>	window-layout-rotate-anticlockwise
<right>	window-layout-rotate-clockwise

5.794 window-prefix-map

Teclas / sequência	Comando / ação
-	fit-window-to-buffer
0	delete-windows-on
2	split-root-window-below
3	split-root-window-right
^ f	tear-off-window
^ t	tab-window-detach
d	toggle-window-dedicated
f <down> ; f <up>	window-layout-flip-topdown
f <left> ; f <right>	window-layout-flip-leftright
o <left>	rotate-windows-back
o <right>	rotate-windows
q	quit-window
r <left>	window-layout-rotate-anticlockwise
r <right>	window-layout-rotate-clockwise
s	window-toggle-side-windows
t	window-layout-transpose

5.795 with-editor-mode-map

Teclas / sequência	Comando / ação
<normal-state> Z Q ; <remap> <evil-quit> ; <remap> <ido-kill-buffer> ; <remap> <iswitchb-kill-buffer> ; <remap> <kill-buffer> ; C-c C-k	with-editor-cancel
<normal-state> Z Z ; <remap> <evil-save-and-close> ; <remap> <evil-save-modified-and-close> ; <remap> <server-edit> ; C-c C-c	with-editor-finish

5.796 with-editor-mode-map [Evil normal]

Teclas / sequência	Comando / ação
Z Q	with-editor-cancel
Z Z	with-editor-finish

5.797 x-alternatives-map

Teclas / sequência	Comando / ação
<iso-lefttab> ; S-<iso-lefttab>	Macro: <backtab>
M-<backspace> ; M-<delete>	Macro: M-DEL
M-<clear>	Macro: C-M-l
M-<escape>	Macro: M-ESC
M-<linefeed>	Macro: C-M-j
M-<return>	Macro: M-RET
M-<tab>	Macro: C-M-i

5.798 xref-edit-mode-map

Teclas / sequência	Comando / ação
C-c C-c	xref-edit-save-changes
C-o	xref-show-location-at-point
M-,	xref-quit-and-pop-marker-stack
RET	xref-goto-xref

5.799 xref-mouse-mode-map

Teclas / sequência	Comando / ação
C-<down-mouse-1>	ignore
C-<mouse-1>	xref-find-definitions-at-mouse

5.800 xterm-alternatives-map

Teclas / sequência	Comando / ação
<f13>	Macro: S-<f1>
<f14>	Macro: S-<f2>
<f15>	Macro: S-<f3>
<f16>	Macro: S-<f4>
<f17>	Macro: S-<f5>
<f18>	Macro: S-<f6>
<f19>	Macro: S-<f7>
<f20>	Macro: S-<f8>
<f21>	Macro: S-<f9>
<f22>	Macro: S-<f10>
<f23>	Macro: S-<f11>
<f24>	Macro: S-<f12>
<f25>	Macro: C-<f1>
<f26>	Macro: C-<f2>
<f27>	Macro: C-<f3>
<f28>	Macro: C-<f4>
<f29>	Macro: C-<f5>
<f30>	Macro: C-<f6>
<f31>	Macro: C-<f7>
<f32>	Macro: C-<f8>
<f33>	Macro: C-<f9>

Teclas / sequência	Comando / ação
<f34>	Macro: C-<f10>
<f35>	Macro: C-<f11>
<f36>	Macro: C-<f12>
<f37>	Macro: C-S-<f1>
<f38>	Macro: C-S-<f2>
<f39>	Macro: C-S-<f3>
<f40>	Macro: C-S-<f4>
<f41>	Macro: C-S-<f5>
<f42>	Macro: C-S-<f6>
<f43>	Macro: C-S-<f7>
<f44>	Macro: C-S-<f8>
<f45>	Macro: C-S-<f9>
<f46>	Macro: C-S-<f10>
<f47>	Macro: C-S-<f11>
<f48>	Macro: C-S-<f12>
<f49>	Macro: M-<f1>
<f50>	Macro: M-<f2>
<f51>	Macro: M-<f3>
<f52>	Macro: M-<f4>
<f53>	Macro: M-<f5>
<f54>	Macro: M-<f6>
<f55>	Macro: M-<f7>
<f56>	Macro: M-<f8>
<f57>	Macro: M-<f9>
<f58>	Macro: M-<f10>
<f59>	Macro: M-<f11>
<f60>	Macro: M-<f12>
<f61>	Macro: M-S-<f1>
<f62>	Macro: M-S-<f2>
<f63>	Macro: M-S-<f3>
<f64>	Macro: M-S-<f4>
<f65>	Macro: M-S-<f5>
<f66>	Macro: M-S-<f6>
<f67>	Macro: M-S-<f7>
<f68>	Macro: M-S-<f8>
<f69>	Macro: M-S-<f9>
<f70>	Macro: M-S-<f10>
<f71>	Macro: M-S-<f11>
<f72>	Macro: M-S-<f12>
<select>	Macro: <end>

5.801 xterm-rxvt-function-map

Teclas / sequência	Comando / ação
M-[1 1 ~	Macro: <f1>
M-[1 2 ~	Macro: <f2>
M-[1 3 ~	Macro: <f3>
M-[1 4 ~	Macro: <f4>
M-[1 5 ~	Macro: <f5>
M-[1 7 ~	Macro: <f6>

Teclas / sequência	Comando / ação
M-[1 8 ~	Macro: <f7>
M-[1 9 ~	Macro: <f8>
M-[2 0 0 ~	xterm-translate-bracketed-paste
M-[2 0 ~	Macro: <f9>
M-[2 1 ~	Macro: <f10>
M-[2 ; 2 ~	Macro: S-<insert>
M-[2 ~	Macro: <insert>
M-[3 ~	Macro: <delete>
M-[4 ~	Macro: <select>
M-[5 ~	Macro: <prior>
M-[6 ~	Macro: <next>
M-[A	Macro: <up>
M-[B	Macro: <down>
M-[C	Macro: <right>
M-[D	Macro: <left>
M-[I	xterm-translate-focus-in
M-[O	xterm-translate-focus-out

5.802 y-or-n-p-map

Herda de: minibuffer-local-map.

Teclas / sequência	Comando / ação
<escape> ; <remap> <exit-prefix> ; <remap> <quit>	abort-recursive-edit
<remap> <act-and-exit> ; <remap> <act-and-show> ; <remap> <act> ; <remap> <automatic>	y-or-n-p-insert-y
<remap> <backup> ; <remap> <delete-and-edit> ; <remap> <edit-replacement> ; <remap> <edit> ; <remap> <exit> ; <remap> <ignore> ; <remap> <self-insert-command> ; <remap> <undo-all>	y-or-n-p-insert-other
<remap> <undo>	y-or-n-p-insert-other
<remap> <recenter>	minibuffer-recenter-top-bottom
<remap> <scroll-down>	minibuffer-scroll-down-command
<remap> <scroll-other-window-down>	minibuffer-scroll-other-window-down
<remap> <scroll-other-window>	minibuffer-scroll-other-window
<remap> <scroll-up>	minibuffer-scroll-up-command
<remap> <skip>	y-or-n-p-insert-n

5.803 yaml-mode-map

Teclas / sequência	Comando / ação
- ; .	yaml-electric-dash-and-dot
> ; |	yaml-electric-bar-and-angle
DEL	yaml-electric-backspace

5.804 yas-keymap

Teclas / sequência	Comando / ação
<backspace>	+snippets/delete-backward-char
<backtab> ; S-<tab>	yas-prev-field
<delete>	+snippets/delete-forward-char-or-field
C-a ; M-<left>	+snippets/goto-start-of-field
C-d	(menu-item yas-skip-and-clear-field :filter yas--maybe-clear-field-filter)
C-e ; M-<right>	+snippets/goto-end-of-field
C-g	yas-abort-snippet
DEL	(menu-item yas-clear-field :filter yas--maybe-clear-field-filter)
M-<backspace>	+snippets/delete-to-start-of-field
TAB	yas-next-field-or-maybe-expand

5.805 yas-minor-mode-map

Teclas / sequência	Comando / ação
<remap> <yas-new-snippet>	+snippets/new
<remap> <yas-visit-snippet-file>	+snippets/edit
C-c & C-n	yas-new-snippet
C-c & C-s	yas-insert-snippet
C-c & C-v	yas-visit-snippet-file
TAB	yas-expand