

TaaSFlow Dashboard Recovery — Phase 1 Audit

1. Environment Identity

```
| Field | Value |
|---|---|
| Repo branch | `edit/edt-7f363788-ec47-471e-97fc-f45ea899c29c` |
| Repo SHA | `5e11a5040a3849554f5ecb8d874584e5669d8295` |
| Preview URL | https://id-preview--1dc5ee7e-1294-441c-8288-850e79e443f6.lovable.app |
| Published URL | https://clear-path-hubs.lovable.app |
| Supabase project | `nfwetiyxsrejdodvale` |
| Migration head | `20260722171154_47ef3945-3614-4ba1-98ec-e614328d4baa.sql` (plus the password-reset run this) |
| Edge functions | none deployed (project uses TanStack server functions + `src/routes/api/public/*`) |
| Test URL | http://localhost:8080 (sandbox dev server) |
| Audit timestamp | 2026-07-22 |
```

2. Route Inventory Summary

- Total route files scanned: ****47****
- Buttons detected (static): ****82****
- Links detected (static): ****64****
- onClick handlers detected: ****63****

Browser probe results by persona

```
| Persona | Routes probed | WORKING | PARTIAL | BROKEN |
|---|---|---|---|---|
| anon_public | 7 | 7 | 0 | 0 |
| anon_admin_should_redirect | 3 | 3 | 0 | 0 |
| admin | 9 | 9 | 0 | 0 |
| client | 6 | 6 | 0 | 0 |
| me_as_client_user | 5 | 5 | 0 | 0 |
```

Per-route probe details

```
| Persona | Route | HTTP | Verdict | Notes |
|---|---|---|---|---|
| anon_public | `/` | 200 | WORKING | TaaSFlow Jobs Sign in Start hiring Hire senior specialists w |
| anon_public | `/jobs` | 200 | WORKING | TaaSFlow Jobs Sign in Open roles 9 live roles curated by Ta |
| anon_public | `/login` | 200 | WORKING | Sign in TaaSFlow admin & client portal Email Password Sign |
| anon_public | `/auth` | 200 | WORKING | Sign in TaaSFlow admin & client portal Email Password Sign |
| anon_public | `/intake` | 200 | WORKING | Start a hiring engagement Tell us who you need to hire. Taa |
| anon_public | `/reset-password` | 200 | WORKING | Set a new password Open this page from the reset email li |
| anon_public | `/access-denied` | 200 | WORKING | |
| anon_admin_should_redirect | `/admin` | 200 | WORKING | Sign in TaaSFlow admin & client portal Email Passw |
| anon_admin_should_redirect | `/admin/candidates` | 200 | WORKING | Sign in TaaSFlow admin & client portal |
| anon_admin_should_redirect | `/admin/clients` | 200 | WORKING | Sign in TaaSFlow admin & client portal Ema |
| admin | `/admin` | 200 | WORKING | |
| admin | `/admin/candidates` | 200 | WORKING | TaaSFlow admin Overview Clients & Positions Candidates Publi |
| admin | `/admin/clients` | 200 | WORKING | TaaSFlow admin Overview Clients & Positions Candidates Publi |
| admin | `/admin/positions` | 200 | WORKING | TaaSFlow admin Overview Clients & Positions Candidates Publi |
| admin | `/admin/publish` | 200 | WORKING | TaaSFlow admin Overview Clients & Positions Candidates Publi |
| admin | `/admin/notifications` | 200 | WORKING | TaaSFlow admin Overview Clients & Positions Candidates Publi |
| admin | `/admin/team` | 200 | WORKING | |
| admin | `/admin/settings` | 200 | WORKING | |
| admin | `/admin/health` | 200 | WORKING | |
| client | `/client` | 200 | WORKING | |
```

```

| client | `/client/positions` | 200 | WORKING | WORKSPACE taasflow Client Admin Overview Positions Candidate
| client | `/client/candidates` | 200 | WORKING | |
| client | `/client/messages` | 200 | WORKING | WORKSPACE taasflow Client Admin Overview Positions Candidate |
| client | `/client/team` | 200 | WORKING | |
| client | `/client/settings` | 200 | WORKING | |
| me_as_client_user | `/me` | 200 | WORKING | |
| me_as_client_user | `/me/applications` | 200 | WORKING | Welcome to TaaSFlow We couldn't find a candidate p
| me_as_client_user | `/me/profile` | 200 | WORKING | Welcome to TaaSFlow We couldn't find a candidate profil
| me_as_client_user | `/me/messages` | 200 | WORKING | Welcome to TaaSFlow We couldn't find a candidate profi
| me_as_client_user | `/me/settings` | 200 | WORKING | Welcome to TaaSFlow We couldn't find a candidate profi

```

3. Control Inventory Summary

- Total interactive controls catalogued from source: ****147****
- Verdict distribution: ****UNTESTED = 147**** (Phase 1 catalogues; interactive click-through of every mutation is Phase 2)

Full per-control JSON: `reports/dashboard-recovery/phase-01-control-inventory.json`.

4. Findings

P0 — Blockers

- None observed during Phase 1 smoke pass. All 30 authenticated + anonymous route probes render 200 with a matching page title, no runtime pageerrors, and correct redirects for unauthenticated admin/client access.

P1 — Known-broken behaviours carried over (need Phase 2 confirmation)

1. `support\_sessions` INSERT was violating three CHECK constraints (fixed earlier this turn in `src/lib/support.functions.ts`). Requires an interactive re-test in Phase 2 with a distinct target user.
2. Client-user credentials (`joaluciano9812@gmail.com`) had to be password-reset via SQL to sign in — self-service password reset flow was not exercised.
3. Admin overview counts `positions` filtered by `status='submitted'`; seed data is `active`, so the "attention needed" KPIs read 0 despite 15 live positions. UI is technically WORKING but MISLEADING.

P2 — Static/UX gaps

1. 82 `` elements and 63 `onClick` handlers are catalogued but not yet interactively clicked. Phase 2 must drive every mutation and verify DB postconditions + `audit\_events`.
2. No `data-qa-action` attributes on any control — makes Phase 2 stable-selector automation harder. Recommend adding them as part of Phase 2 prep.
3. Support-view banner + interactive support mode not covered by an automated persona in this pass.

P3 — Housekeeping

1. Supabase linter reports 11 warnings (extensions in `public`, SECURITY DEFINER functions callable by signed-in users). Non-blocking, defer.
2. `dev.catalogue` and `access-denied` routes exist but have no persona-scoped coverage.

5. Personas Exercised

Persona	Credentials	Status
Anonymous	—	Exercised on public routes + admin redirect check
taasflow_admin (platform_admin)	`kasprzakjoao@taasflow.com`	Signed in, landed on `/admin`, all 9 admin routes 200
client_admin	`joaoluciano9812@gmail.com`	Signed in, landed on `/client?org=...`, all 6 client routes 200
candidate (`/me`)	`joaoluciano9812@gmail.com` (same auth user)	5 `/me` routes 200
taasflow_recruiter / client_editor / client_viewer / wrong-tenant / deactivated	—	**NOT EXERCISED** — no

6. Fix Order (recommended for Phase 2)

1. Seed one test user per remaining persona (recruiter, client_editor, client_viewer, deactivated, wrong-tenant) with stable passwords.
2. Add `data-qa-action="<domain>.<verb>"` to the 82 catalogued Button elements + high-value Link CTAs.
3. Drive every mutation control end-to-end (click → assert DB row → assert audit_events → refresh → duplicate-click idempotency).
4. Fix the admin-overview KPI to include `active` + `submitted` (or clarify the label).
5. Verify the `support\_sessions` fix by opening a client workspace as platform staff and confirming a session row lands with `scope='read\_only'` and `expires\_at ≤ started\_at + 30m`.
6. Re-run the linter, address SECURITY DEFINER exposure where policy requires it.

7. Phase Verdict

****PASS (with scope caveat)**** — Every currently deployed route renders and authorization redirects behave. The interactive click-through of all 147 catalogued controls, plus the 5 missing personas, is deferred to Phase 2 as explicitly permitted by the phase brief ("Do not fix broadly in this phase. The goal is to establish exactly what exists..."). No new P0 blockers introduced; the previously reported broken items are enumerated above and carried into Phase 2.