

TaaSFlow Greenfield Rebuild

Formal User Acceptance Test — Report

Status: NOT EXECUTED · Verdict: FAIL

Generated 2026-07-22.

1. Executive summary

Formal UAT with representative users cannot be conducted at this time. The pre-conditions for a valid UAT — a working end-to-end signed-in surface, a working candidate application, a real (not stubbed) processing pipeline, and a representative seed dataset — are not met. Running UAT against the current build would produce results that measure the known open blockers rather than the product's true usability, and would waste participant time.

This document delivers the full test plan (participants, scenarios, success targets, measurement instrument, finding taxonomy) that will run unchanged the moment pre-conditions clear. The machine-readable counterpart is TAASFLOW_USER_ACCEPTANCE_TEST_REPORT.json.

2. Blocking pre-conditions

ID	Blocker	Impact on UAT
P1	Auth redirect targets removed routes	Participants cannot reach the authenticated app.
P3	Candidate application submission fails during redirect	Candidate scenarios K2-K8 impossible.
BG-02	CV parsing is a stub	Admin scenarios A4/A6/A7 and every scored surface invalid.
BG-04	Enrichment is a stub	Score quality unrepresentative; publish desk cannot be judged.
BG-SC ALE-01	No seeded scale dataset	Scenarios about search, filters, KPIs test an empty product.

3. Participants (planned)

ID	Role	N
P1	TaaSFlow admin	2
P2	Recruiter / operations user	2
P3	Client decision-maker	2

ID	Role	N
P4	Client hiring manager	2
P5	Candidate tester	5
P6	Support / implementation user	1

4. Scenarios and success targets

Admin (unassisted)

ID	Task	Target time	Target pass
A1	Review a new intake	≤ 120 s	≥ 90%
A2	Activate a position	≤ 60 s	≥ 95%
A3	Find a specific candidate	≤ 30 s	≥ 95%
A4	Understand a candidate's score	≤ 90 s	≥ 90%
A5	Preview the client's view of a position	≤ 45 s	≥ 90%
A6	Publish a candidate	≤ 120 s	≥ 90%
A7	Repair a failed CV parse	≤ 180 s	≥ 80%
A8	Find a client's most recent feedback	≤ 60 s	≥ 90%

Client (unassisted)

ID	Task	Target time	Target pass
C1	Understand the Overview page without prompting	—	≥ 90%
C2	Explain each KPI in own words	—	≥ 90%
C3	Find a specific position	≤ 30 s	≥ 95%
C4	Find new candidates delivered today	≤ 45 s	≥ 90%
C5	Compare two candidates side by side	≤ 90 s	≥ 85%
C6	Shortlist a candidate	≤ 30 s	≥ 95%
C7	Request an interview	≤ 90 s	≥ 90%
C8	Move a candidate through Kanban stages	≤ 45 s	≥ 95%
C9	Submit feedback (reject with note)	≤ 60 s	≥ 90%
C10	Send a message to the recruiter	≤ 45 s	≥ 95%

Candidate (unassisted)

ID	Task	Target time	Target pass
K1	Find a job on the public board	≤ 45 s	≥ 95%
K2	Apply for a job	≤ 180 s	≥ 90%
K3	Upload a CV	≤ 60 s	≥ 95%
K4	Understand the confirmation page	—	≥ 90%
K5	Track application after signing in	≤ 45 s	≥ 90%
K6	Update profile	≤ 60 s	≥ 90%

ID	Task	Target time	Target pass
K7	Replace CV	≤ 60 s	≥ 90%
K8	Understand current status label	—	≥ 90%
K9	Find and reply to a recruiter message	≤ 60 s	≥ 90%

5. Measurement instrument

Per task: completion (boolean), time (seconds), error count, confusion notes, unnecessary clicks, help requested (boolean).

Per session: satisfaction (1-5), confidence (1-5), terminology comprehension (1-5).

6. Finding taxonomy

Class	Meaning
BLOCKS_LAUNCH	Prevents a primary task or exposes data across tenants.
MUST_FIX_BEFORE_CUT OVER	Recurring confusion, wrong-audience terminology, undocumented help needed.
FIX_WITHIN_30_DAYS	Papercuts reducing satisfaction but not blocking primary tasks.
OPTIONAL_IMPROVEMENT	Cosmetic or convenience.

7. Current findings

ID	Class	Summary	Owner
UAT-000	BLOCKS_LAUNCH	UAT cannot be executed — pre-conditions (Phase 17 P1/P3, BG-02, BG-04, BG-SCALE-01) unresolved.	Engineering

8. Approvals

Approval	Given	Signatory	Date
Admin operational	No	—	—
Client representative	No	—	—
Candidate flow	No	—	—

9. Next action

Close Phase 17 P1 and P3, replace BG-02 and BG-04 stubs with the real processing pipeline, load the BG-SCALE-01 seed fixture (Growth tier), capture the missing screenshots for role guides, then rerun this exact plan. The plan is machine-readable in the JSON companion;

results and approvals will be filled in place.