

João Fellipe Uller

joao.f.uller@grad.ufsc.br

Universidade Federal de Santa Catarina (UFSC) – Brazil Departamento de Informática e Estatística (INE)

INE410129-41000025DO/ME (20201) - Computação Paralela Prof. Dr. Márcio Bastos Castro

November 10, 2020



Introduction

Context

Lightweight Manycores

Goal

LWMPI

Overview

Implementation

Evaluation

Methodology

Experimental Platfor

Results

Conclusions

Introduction

Context

Introduction

Context

ight Manycores

MPI

LVVIVIPI

Implementati

Evaluation

Methodology

Experimental Platform

Conclusions

■ Computational power vs energy consumption

■ Lightweight manycores emerged to address high performance and energy efficiency demands (FRANCESQUINI et al., 2015)

Characteristics

Introductio

Context

Lightweight Manycores

MPI

LWMP

Overview


Evaluation

Methodology

Experimental Platform Results

Conclusions

- Hundreds or thousands of low-power cores on a single chip
- Heterogeneous environment
- Distributed memory system with small local memories
- Communication through message passing on a rich Network-on-Chip (NoC)



MPPA-256 Architecture

Software Development Challenges

Introduction

Context

Lightweight Manycores

Cool

LVVIVII I

l---l-----

Evaluation

Methodology

Experimental Platform

Conclusions

- Data fetching
- Data tiling
- Asynchronous communications (HASCOËT et al., 2017)
- Hand-operated routing

Programming Environments

Introduction

Context

Lightweight Manycores

Goal

LWMP

Overview

Evaluation

Methodology

Experimental Platfor Results

Conclusions

Approaches to address programmability in lightweight manycores:

Operating Systems

- Pros: Bridges hardware intricacies and programmability gaps, providing portability
- Cons: Provided interface may be complex, retarding software development

Baremetal Runtime Systems

- Pros: Expose rich and performance-oriented interfaces narrowed to the underlying architecture
- Cons: Mostly vendor-specific, resulting in non-portable software

Duality: fast development process OR better software portability?

Message Passing Interface

■ A portable message passing standard

- Maintained and defined by the MPI-Forum¹
- Widespread between **industry** and **academia**
- Employed in supercomputers
- De facto standard for message passing in HPC!

Performance evaluation using LWMPI on Nanvix

¹MPI-Forum website: https://www.mpi-forum.org

Goal

Introduction

Context

Lightweight Manycore

Goal

LUUIVII

Overview

Evaluation

Methodology

Experimental Platforn

Conclusions

Provide a **light MPI-compliant library**, designed to cope with **architectural intricacies** of **lightweight manycores**, that is **portable** across multiple architectures and **easily extensible**.

Introduction

Context

Lightweight Manycores

Goal

LWMPI

Overview

Evaluation

Methodology

Experimental Platford

Conclusions

LWMPI

Overview

Introduction

Context Lightweight Manycores

LVVIVIEI

Implementatio

Evaluation

Experimental Platform

Conclusion

LWMPI: Lightweight Message Passing Interface

- Compatible with 3.1 MPI specification (2015)
- Designed from scratch to be light
- Copes with architectural intricacies of lightweight manycores
- Implemented on top of a **POSIX-compliant distributed OS** (Nanvix²) to enable **portability** across different lightweight manycore architectures (PENNA et al., 2019)

²http://www.github.com/nanvix

Actual Support

LWMPI currently supports the following MPI features:

- Runtime Management (MPI_Init / MPI_Finalize)
- Communicators
- Communication groups
- Frror handlers
- Standard datatypes for the C language
- Point-to-point communication (MPI Send and MPI Recv) in synchronous mode

Architecture

Introduction

Context Lightweight Manycores

ightweight Manycores MPI

LWMPI

Overview


Implementation

Evaluation

Methodology

Experimental Platforn Results

Conclusion



LWMPI Architecture

- LibMPI: top-level library that implements the MPI functions in a OS-independent way
- MPUtil: interface between LibMPI and the OS-level IPC system
 - Includes OS-dependent code

Nanvix Support to LWMPI

Introduction

Context Lightweight Manycore

ightweight Manycore

Goal

LVVIVIPI

Overview

Evaluation

Methodology Experimental Pl

Experimental Platform Results

Conclusions

■ IPC Abstractions (SOUTO et al., 2020)


- Mailbox
- Portal
- Sync

Runtime Services

- Name Server
- Name Client
- Named IPC

Communication protocol for synchronous communications

Implementation



Communication Protocol

Introduction

Context

Lightweight Manycores

Goal

LWMPI

Implementation

Evaluation

Methodology

Experimental Platfo

Conclusions

Evaluation

Evaluation Method

Introduction

Methodology

■ Applications: CAP Bench Suite³ (SOUZA et al., 2017)

Exercise different parallel patterns, task types, comm. intensities and task loads

Арр	Boundary	Parallel Pattern	Comm. Intensity
FN	CPU-bound	MapReduce	Light
GF	CPU/IO Bound	Stencil	Average
KM	IO-bound	Мар	Heavy

Performance evaluation


- Target architecture: Kalray MPPA-256 (DINECHIN et al., 2013)
- **Baseline**: vendor-specific runtime (Kalray Runtime)
- Performance metric: speedup

³Publicly available at: https://github.com/nanvix/benchmarks

Kalray MPPA-256

Experimental Platform

- 288 cores (256 GP cores + 32 firmware cores)
- 16 Compute Clusters (CCs)
- 4 I/O Clusters (IOs)
- 2 Network-on-Chips (C-NoC + D-NoC)



Experimental Scenarios

Experimental Platform

■ CAP Bench apps have a single leader that coordinates the execution, with worker processes varying from 1 to 15 (max.)

Problems sizes:

■ **FN**: numbers ranging from 1000001 to 1000129

GF: 512×512 image and 7×7 mask

■ KM: 30720 points and 64 centroids

Experimental design

- 30 trials for each configuration
- Maximum CV < 1%

Introduction

Context

ightweight Manycore

Goal

LVVIVIP

. .


Evaluation

Methodology

Experimental Platfor


Results

Conclusions



- Communication has little interference, since the kernel is CPU-bound
- LWMPI shows better scalability
- Load imbalance with more than 8 workers


Posulte



- Small problem sizes resulted in insufficient workloads for the Kalray runtime, deteriorating its performance
- This problem seems to be attenuated as the parallelism increases in LWMPI, proving better scalability in these situations
- Possibility of improvement: asynchronous communications

KM

Posulte



- LWMPI and Kalray Runtime achieved similar speedups
- LWMPI showed slightly worse scalability due to coarse grain data transfers
- Possibility of improvement: a mechanism that dynamically chooses which OS-level comm. abstraction fits better the data transfer granularity

Introduction

Linksoninks Manager

Lightweight Manycores

Goal

LWMPI

Overview

Implementation

Evaluation

Methodology

Experimental Platfor Results

Conclusions

Conclusions

Conclusions

Conclusions

Our solution provides better programmability for lightweight manycores, because:

- It is based on an industry-standard interface (MPI)
- It leverages a POSIX-compliant OS
- It is portable across different lightweight manycore architectures

Experimental results

■ LWMPI presents similar scalability for parallel and distributed problems, when compared to the vendor-specific runtime library (Kalray Runtime)

References L

Rosulte

Conclusions

DINECHIN. B. D. de et al. A Clustered Manycore Processor Architecture for Embedded and Accelerated Applications. In: IEEE High Performance Extreme Computing Conf. Waltham, USA: IEEE, 2013. p. 1-6. ISBN 978-1-4799-1365-7.

FRANCESQUINI. E. et al. On the Energy Efficiency and Performance of Irregular Application Executions on Multicore, NUMA and Manycore Platforms, Journal of Parallel and Distributed Computing (JPDC), Elsevier - Academic Press, Orlando, v. 76, n. C, 2015. ISSN 0743-7315.

HASCOËT, J. et al. Asynchronous One-Sided Communications and Synchronizations for a Clustered Manycore Processor. In: Symp. on Embedded Systems for Real-Time Multimedia. Seoul: ACM Press, 2017. p. 51-60. ISBN 9781450351171.

PENNA. P. et al. On the Performance and Isolation of Asymmetric Microkernel Design for Lightweight Manycores. In: Brazilian Symp. on Computing Systems Engineering. Natal, Brazil: [s.n.], 2019. p. 1-8. ISSN 2324-7894.

SOUTO. J. V. et al. Mecanismos de comunicação entre clusters para lightweight manycores no nanvix os. In: Escola Regional de Alto Desempenho da Região Sul. Porto Alegre, RS, Brasil: SBC, 2020. (ERAD/RS '20), p. 1-4. ISSN 2595-4164.

References II

Introduction

Context Lightunight Manusoro

ightweight Manycores

Goal

0----

Implementation

Evaluation

Methodology

Experimental Platforn

Conclusions

SOUZA, M. et al. Cap bench: A benchmark suite for performance and energy evaluation of low-power many-core processors. *Concurrency and Computation: Practice and Experience (CCPE)*, Wiley Online Library, v. 29, n. 4, p. 1–18, february 2017. ISSN 1532-0626.



João Fellipe Uller

joao.f.uller@grad.ufsc.br

Universidade Federal de Santa Catarina (UFSC) – Brazil Departamento de Informática e Estatística (INE)

INE410129-41000025DO/ME (20201) - Computação Paralela Prof. Dr. Márcio Bastos Castro

November 10, 2020



Nanvix

Introduction

Context Lightweight Manycores MPI

LVVIVIPI

Implementatio


Evaluation

Methodology

Experimental Platforr Results

Conclusions

- An Open-Source, POSIX compliant, ditributed OS that targets lightweight manycores (https://github.com/nanvix/)
- Designed in a distributed fashion *multikernel*
 - Multiple instances of an assymetric microkernel



Manycore Processor

