

Detalhes do envio

Nota: 1 / 1

HO07: SQL (DML)

João Madeira Carneiro Braga de Freitas enviada 1 abr em 19:15

1)

```
SELECT first_name, last_name  
FROM actors  
WHERE gender = 'F'
```

2)

```
SELECT name  
FROM movies  
WHERE year > 1999
```

3)

```
SELECT M.name, D.first_name, D.last_name  
FROM movies AS M  
JOIN movies_directors AS MD ON M.id = MD.movie_id  
JOIN directors AS D ON MD.director_id = D.id
```

4)

```
SELECT M.name, A.first_name, A.last_name, R.role  
FROM movies AS M  
JOIN roles AS R ON M.id = R.movie_id  
JOIN actors AS A ON A.id = R.actor_id  
WHERE M.rank > 6
```

5)

```
SELECT D.first_name, D.last_name, COUNT(MD.movie_id) AS  
numeroFilmes  
FROM directors AS D JOIN movies_directors AS MD ON D.id =  
MD.director_id  
GROUP BY D.id, D.first_name, D.last_name
```

6)

```
SELECT MG.genre, COUNT(MG.movie_id) AS numeroFilmes  
FROM movies_genres AS MG  
GROUP BY MG.genre
```

7)

```
SELECT MG.genre, AVG(M.rank) AS Media, MAX(M.rank) AS Maximo,  
MIN(M.rank) AS Minimo  
FROM movies_genres AS MG JOIN movies AS M ON MG.movie_id =  
M.id  
GROUP BY MG.genre
```



Adicionar um Comentário:

[Comentário de Mídia](#)

[Anexar Arquivo](#)

Salvar