



A VERY LONG AND IMPRESSIVE THESIS TITLE WITH A FORCED LINE BREAK

JOHN VERY LONGNAME DCE

Master in (name of previous degree)

(PHD PROGRAM NAME)

NOVA University Lisbon
(month), (year)



NOVA

NOVA SCHOOL OF
SCIENCE & TECHNOLOGY

DEPARTMENT OF
(NAME OF THE DEPARTMENT)

A VERY LONG AND IMPRESSIVE THESIS TITLE WITH A FORCED LINE BREAK

JOHN VERY LONGNAME DŒ

Master in (name of previous degree)

Adviser: Mary Doe Adviser Name, Full Professor, NOVA University Lisbon

Co-advisers: John Doe Co-Adviser Name, Associate Professor, NOVA University Lisbon
John Doe other Co-Adviser Name, Full Professor, NOVA University Lisbon

(PHD PROGRAM NAME)

NOVA University Lisbon
(month), (year)

A Very Long and Impressive Thesis Title with a Forced Line Break

Copyright © John Very Longname Doe, NOVA School of Science and Technology, NOVA University Lisbon.

The NOVA School of Science and Technology and the NOVA University Lisbon have the right, perpetual and without geographical boundaries, to file and publish this dissertation through printed copies reproduced on paper or on digital form, or by any other means known or that may be invented, and to disseminate through scientific repositories and admit its copying and distribution for non-commercial, educational or research purposes, as long as credit is given to the author and editor.

Dedicatory lorem ipsum.

ACKNOWLEDGEMENTS

Acknowledgments are personal text and should be a free expression of the author.

However, without any intention of conditioning the form or content of this text, I would like to add that it usually starts with academic thanks (instructors, etc.); then institutional thanks (Research Center, Department, Faculty, University, FCT / MEC scholarships, etc.) and, finally, the personal ones (friends, family, etc.).

But I insist that there are no fixed rules for this text, and it must, above all, express what the author feels.

“You cannot teach a man anything; you can only help him discover it in himself.” (Galileo)

ABSTRACT

Regardless of the language in which the dissertation is written, a summary is required in the same language as the main text and another summary in another language. It is assumed that the two languages in question are Portuguese and English.

The abstracts should appear first in the language of the main text and then in the other language. For example, if the dissertation is written in Portuguese the abstract in Portuguese will appear first, then the abstract in English, followed by the main text in Portuguese. If the dissertation is written in English, the abstract in English will appear first, then the abstract in Portuguese, followed by the main text in English.

In the L^AT_EX version, the NOVAtesis template will automatically order the two abstracts taking into account the language of the main text. You may change this behaviour by adding

```
\abstractorder(<MAIN_LANG>):={<LANG_1>, ..., <LANG_N>}
```

to the customization area in the document preamble, e.g.,

```
\abstractorder(de):={de,en,it}
```

The abstracts should not exceed one page and, in a generic way, should answer the following questions (it is essential to adapt to the usual practices of your scientific area):

1. What is the problem?
2. Why is this problem interesting/challenging?
3. What is the proposed approach/solution?
4. What results (implications/consequences) from the solution?

Keywords: Keyword 1, Keyword 2, Keyword 3, ...

RESUMO

Independentemente da língua em que a dissertação esteja redigida, é necessário um resumo na mesma língua do texto principal e outro resumo noutra língua. Pressupõe que as duas línguas em questão sejam o português e o inglês.

Os resumos devem aparecer primeiro na língua do texto principal e depois na outra língua. Por exemplo, se a dissertação for redigida em português, o resumo em português aparecerá primeiro, seguido do resumo em inglês (*abstract*), seguido do texto principal em português. Se a dissertação for redigida em inglês, o resumo em inglês (*abstract* aparecerá primeiro, seguido do resumo em português, seguido do texto principal em inglês).

Na versão L^AT_EX o template NOVAthesis irá ordenar automaticamente os dois resumos tendo em consideração a língua do texto principal. É possível alterar este comportamento adicionando

```
\abstractorder(<MAIN_LANG>):={<LANG_1>, ..., <LANG_N>}
```

à zona de customização no preâmbulo do documento, e.g.,

```
\abstractorder(de):={de,en,it}
```

Os resumos não devem ultrapassar uma página e, de forma genérica, devem responder às seguintes questões (é essencial adaptá-los às práticas habituais da sua área científica):

1. Qual é o problema?
2. Porque é que é um problema interessante/desafiante?
3. Qual é a proposta de abordagem/solução?
4. Quais são as consequências/resultados da solução proposta?

Palavra-have: Palavr-have 1, Palavr-have 2, Palavr-have 3, ...

CONTENTS

List of Figures	xix
List of Tables	xxi
Glossary	xxiii
Acronyms	xxv
Symbols	xxvii
1 Introduction	1
1.1 If You Use this Template...	1
1.2 The NOVAthesis template	1
1.3 Getting Started	3
1.3.1 Using Overleaf	3
1.3.2 Using a Local L ^A T _E X Installation	4
1.4 Getting Help	4
1.4.1 Google	4
1.4.2 Group Support	4
1.4.3 Reporting Problems	4
1.5 Donations	5
1.6 Disclaimer	5
2 NOVAthesis Template <i>User's Manual</i>	7
2.1 Introduction	7
2.2 Folder Structure	8
2.3 novathesis.cls Class Options	9
2.4 Additional considerations about the class options	11
2.4.1 The main language	11
2.4.2 Class of Text	11
2.4.3 Printing	12

CONTENTS

2.4.4	Font Size	12
2.4.5	Text Encoding	12
2.4.6	Examples	12
2.5	How to Write Using \LaTeX	13
2.6	Example glossary, acronyms, and symbols	13
3	A Short \LaTeX Tutorial with Examples	15
3.1	Document Structure	15
3.2	Dealing with Bibliography	15
3.3	Inserting Tables	15
3.4	Importing Images	15
3.5	FLOATS, FIGURES AND CAPTIONS	15
3.6	Text Formatting	17
3.7	Generating PDFs from \LaTeX	17
3.7.1	Generating PDFs with pdflatex	17
3.7.2	Dealing with Images	18
3.7.3	Creating Source Files Compatible with both latex and pdflatex .	18
3.8	Equações	20
	Bibliography	25
	Appendices	
A	NOVAtesis covers showcase	27
	Annexes	
I	Annex 1 Lorem Ipsum	29

LIST OF FIGURES

1.1	The <i>NOVAthesis</i> project web page in GitHub.	2
3.1	A figure with two sub-figures!	16
3.2	Imagen em formato <i>bitmap</i> (JPG)	21
3.3	Imagen em formato PDF vectorial	22
3.4	Exemplo de utilização de <i>subbottom</i>	23

LIST OF TABLES

3.1 Test results summary.	19
-----------------------------------	----

GLOSSARY

computer An electronic device which is capable of receiving information (data) in a particular form and of performing a sequence of operations in accordance with a predetermined but variable set of procedural instructions (program) to produce a result in the form of information or signals. This is a test that adds a citation [2] to the glossary! [13](#)

ACRONYMS

aaa	acronym aaa 13
aab	acronym aab 13
aba	acronym aba 13
abbrev	abbreviation of a longer text 13
 bbb	acronym bbb 13
 DI	Department of Computer Science and Informatics 1
 FCT	NOVA School of Science and Technology 1
 NOVA	NOVA University Lisbon 1
NOVAtesis	NOVAtesis LaTeX template 1, 3, 4, 5, 7, 8, 9
novathesis.cls	novathesis.cls class 7, 8, 9
 xpto	and extension of a xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto xpto 13

SYMBOLS

π the numerical value of pi [13](#)

r the radius of a circle [13](#)

INTRODUCTION

This work is licensed under the [LaTeX Project Public License v1.3c](#). To view a copy of this license, visit [LaTeXprojectpubliclicense](#).

This is the NOVAthesis L^AT_EX template version v6.1.1 from 2021-03-31.

1.1 If You Use this Template...

This Chapter presents an introduction to the template and how it is organized. In the next chapter you can find some specific instructions. Please read the next sections carefully.

Someone spent a few dozens of hours working on this template to make your life easier and to allow you to be more productive. Those working hours were not paid and were “stolen” from family. If you use this template, please go to the [project web page in GitHub](#) and:

1. Cite it [6] in your thesis/dissertation, any place you think it makes sense.
2. Give the project a star (marked with a red ellipse at the top-right in Figure 1.1); and
3. Make a small donation (marked with a red ellipse at the bottom-left in Figure 1.1).

1.2 The NOVAthesis template

The NOVAthesis L^AT_EX template (NOVAthesis) was initially directed to the PhD and MSc students thesis at Department of Computer Science and Informatics (DI) of the NOVA School of Science and Technology (FCT) of the NOVA University Lisbon (NOVA), Portugal, but currently (v5.2.1) it supports other degrees and Schools, namely:

- NOVA University Lisbon

CHAPTER 1. INTRODUCTION





Figure 1.1: The NOVAthesis project web page in GitHub.



- University of Lisbon



Instituto Superior Técnico ([IST-UL](#))

Faculdade de Ciências ([FC-UL](#))

- Instituto Politécnico de Lisboa



Instituto Superior de Engenharia de Lisboa ([ISEL-IPL](#))

- Instituto Politécnico de Setúbal



Escola Superior de Tecnologia de Setúbal ([ESTS-IPS](#))

- Escola Superior de Enfermagem do Porto ([ESEP](#))



Escola Superior de Enfermagem do Porto ([ESEP](#))

The [NOVAtesis](#) L^AT_EX template also supports the following degrees from Universities' Consortia:



Erasmus Mundus Masters Program in Geospatial Technologies

1.3 Getting Started

The template provides an *easy to use* setting for you to write your thesis/dissertation in L^AT_EX:

- Select your school;
- Fill your thesis metadata (title, research field, etc) in the file “`template.tex`”;
- Create your thesis/dissertation contents using the files in folder “`Chapters`”; and
- Process using you favorite L^AT_EX processor (`pdflatex`, `XeLaTeX` or `LuaLaTeX`).


1.3.1 Using Overleaf

CHAPTER 1. INTRODUCTION

If you do not have an account in Overleaf, you must [create one first](#).


Once you have an account, please access the NOVAthesis LaTeX template in Overleaf and select the green button *Open as Template*.

Please note that the version currently available in Overleaf (v4.1.3) is outdated. A new version will be submitted to Overleaf soon



1.3.2 Using a Local L^AT_EX Installation

Just access the NOVAthesis LaTeX template in GitHub, select the green button *Code* and then *download* (or *clone*) the template. You will always get the latest version of the template (currently v5.1.8).



1.4 Getting Help

Please do not send me emails! I will not answer them!

1.4.1 Google

Remember, when looking for hints or help, *Google is your best friend!* And if you prefix your Google query with "*LaTeX*", your fist link will most probably direct you to tex.stackexchange.com.

1.4.2 Group Support

To get directed help on the NOVAthesis LaTeX template please join:

- the NOVAthesis Facebook group, or
- the NOVAthesis Google group.

There were huge changes from version 4.x.y to version 5.a.b so, please, **always** state the version number you are using when asking for help.

1.4.3 Reporting Problems

If you just need some help, see above Subsection 1.4.1 and Subsection 1.4.2.

If you believe you found a bug or if you need some improvement in the template, please fill an issue in github at <https://github.com/joaomlourenco/novathesis/issues>.

1.5 Donations

This template is the result of hundreds (yes! *may hundreds!*) of hours of work from the [main developer](#). If you think this template really made your life easier while writing your thesis, please consider [making a donation](#). We will keep a list thanking to all the identified donors that identify themselves in the “*Add special instructions to the seller*” box.

Donors 2020

João Carvalho, David Romão, DisplayersereStream, and António Estêvão.

Donors 2019

Jorge Barreto and Raissa Almeida.

1.6 Disclaimer

Although this template is endorsed by the FCT-NOVA and even [linked from its web site](#), this is still not an official template. This template exists to make your life easier and we do our best to make the [NOVAtesis](#) template compliant to the supported Schools’ regulations, but in the end of the line you and only you are accountable for both the look and the contents of the document you submit as your thesis/dissertation.

NOVATHESIS TEMPLATE *USER’s MANUAL*

This manual is outdated and must be revised!

2.1 Introduction

This chapter describes how to use the NOVAthesis LaTeX template (NOVAthesis) and the novathesis.cls class (novathesis.cls) file.

Let's start with some simple suggestions: [7, 11].

1. No! You don't have to use this template to write your thesis. You don't even have to use L^AT_EX. However, writing a thesis is serious stuff, and which tool you shall use to write it is not a decision to make lighthearted.
2. L^AT_EX is hard enough by itself. This template aims at making your life easier, but not easy. If you choose to use this template to write your thesis, you are very welcome. However, don't expect me to provide you help with L^AT_EX. Look for help with your friends (you have some friends, don't you?), or search the web, or try even to read some book(s) on L^AT_EX. In the end you will certainly find the experience rewarding.
3. So, don't forget, when you come to the point of "*How do I do this with L^AT_EX?*" look for help! Google is your best friend.
4. If you believe the difficulty is related with the NOVAthesis template itself (and not with L^AT_EX), please **do not** send me an email asking for help. Please look for help in the NOVAthesis Google Group (URL) and the NOVAthesis Facebook group (URL). If you can't find help there from previous posts/messages, then post your own question. Hopefully someone will answer you.

Now, let's go to a major issue for Windows users. Characters have to be encoded in files as numbers, and that is how character encodings were born. ASCII and EBCDIC standards are long lost in the past. The world now uses UTF-8. Well, not all the world... Windows is still stick in its *codepages*, and "latin1" is what windows uses as the codepage

for Western Europe. This messes up with the template. Please be sure you use an editor with UTF-8 support. *Go to the preferences/options/... of your text editor and set up its default file encoding as UTF-8.*

2.2 Folder Structure

The **NOVAthesis** template is organized into files and folders. At the main level it includes the following files and folders:

<code>novathesis.cls</code>	<i>file</i>	The main class file. It will include additional files from <code>NOVAthesisFiles</code> folder.
<code>template.tex</code>	<i>file</i>	The main user file. Use this file as the main file for your thesis.
<code>bibliography.bib</code>	<i>file</i>	An example of a bibliography file. You may have has many as you want.
<code>template.pdf</code>	<i>file</i>	A possible result of applying <code>pdflATEX</code> to the <code>template.tex</code> file. The template supports multiple types of documents (e.g., MSc dissertation, PhD thesis, ...) and multiple Schools (e.g., FCT-NOVA, FCSH-NOVA, IST-UL, FC-UL, ...) and each will produce different results.
<code>Chapters</code>	<i>folder</i>	Examples of thesis chapters. Replace them with your own chapters.
<code>Examples</code>	<i>folder</i>	Some more examples of the use of the template for different document types and Schools.
<code>Scripts</code>	<i>folder</i>	Some (possibly useful) scripts for Unix-based systems (Linux, Mac OSx). If you are a windows user, ignore this folder (you may safely delete it if you want).
<code>NOVAthesisFiles</code>	<i>folder</i>	Additional files for the <code>novathesis.cls</code> file. Unless you know what you are doing, avoid messing up with the files and folders inside this folder (except for deleting the unused Schools, see below).

The `NOVAthesisFiles` folder contains additional files and folders that complement the main `novathesis.cls` file. These are:

README.txt	<i>file</i>	A file that should be read! :)
fix-babel.tex	<i>file</i>	Simple fixes to the <code>babel</code> package.
lang-text.1df	<i>file</i>	Translations of important strings used in the template. Currently fully supported are Portuguese and English, but French is on the way. If you add translations for your own language, please be so kind and send them to me. Thank you!
options.tex	<i>file</i>	Processing of <code>novathesis.cls</code> options. <i>Don't mess with this!</i>
packages.tex	<i>file</i>	Additional packages to be loaded into the NOVAthesis template. <i>You should not mess with this!</i>
spine.tex	<i>file</i>	This file is loaded only if the option <code>spine=true</code> , and includes the typesetting of the book spine.
ChapStyles	<i>folder</i>	Contains a lot of files, one for each chapter style. If you really know what you are doing, you may add your own chapter style here.
FontStyles	<i>folder</i>	Contains a few files, one for each set of fonts (main text font, chapter font, section font, subsection font, etc). If you really know what you are doing, you may add your own set here.
Schools	<i>folder</i>	Configuration files for each school. This folder is organized into subfolders, one for each university. <i>You may safely delete all the subfolders except the one for your University.</i> Then open the subfolder of your University and <i>you may safely delete all the subfolders except the one for your School/Faculty.</i>

As stated above, the Schools folder contains per-university folders and per-school (faculty) subfolders. Currently these are the available folders:

ul / ist	<i>folder</i>	The folder for the <i>Instituto Superior Técnico</i> of the <i>University of Lisbon</i> .
nova / fcsh	<i>folder</i>	The folder for the <i>Faculty of Human and Social Sciences</i> of the <i>NOVA University of Lisbon</i> .
nova / fct	<i>folder</i>	The folder for the <i>Faculty of Sciences and Technology</i> of the <i>NOVA University of Lisbon</i> .
nova / novaims	<i>folder</i>	The folder for the <i>Information and Management School</i> of the <i>NOVA University of Lisbon</i> .

2.3 novathesis.cls Class Options

The `novathesis.cls` can be customized with the options listed below.

docdegree=OPT phd(*), phdplan, phdprop, msc, mscplan, bsc

The type of the document: PhD Thesis (default), PhD Plan, PhD Proposal, MSc Dissertation, MSc Plan, BSc Report

school=OPT nova/fct(*), nova/fcsh, nova/ims, ul/ist, ul/fc

The name of the school. This option changes the typesetting of the cover and some School specific formating, like margins, fonts, paragraph spacing and indentation, etc...

lang=OPT en(*), pt

The main language for the document. Currently only Portuguese and English are supported. Other languages are expected to be support in forthcoming versions.

fontstyle=OPT bookman, charter, fourier, kpfonts(*), mathpazo1, mathpazo2, newcent

The font set to be used in the document. Please note that a font set include definitions for the main text, headings, maths, etc.

chapstyle=OPT bianchi, bluebox, brotherton, dash, default, elegant(*), ell, ger, hansen, ist, jenor, lyhne, madsen, pedersen, veelo, vz14, vz34, vz43

The chapter style, i.e., the look of the chapter beginning.

converlang=OPT en, pt(*)

The language to be used when typesetting the cover page.

otherlistsat=OPT front(*), back

Where to put the other lists besides the table of contents. The default is (front) before the main text. But some scientific areas prefer them at the end of the document (back), just before the Appendixes.

aftercover=OPT true, false(*)

Include or don't include the contents of the "aftercover" file. The default is for this file to be ignored (if it exists).

linkscolor=OPT darkblue(*), black

The color for all the hyperlinks in the PDF file. The "media=paper" option (see below) will override this option to "black"

spine=OPT true, false(*)

Generate the book spine and the last page in the PDF.

biblatex=OPT OPT={list of options for biblatex}

Customize biblatex, the bibliography management system used in this class. Probably you will want to change the value of the biblatex "style" option. For other customizations of biblatex check its manual.

memoir=OPT OPT={list of options for memoir}

*Customize the base class memoir. The memoir manual should be the first document to be consulted when looking for "**how can I do this?**" You may what to change the base font size from 11pt to a smaller (10pt) or larger (12pt) size. Also, remember to change the "draft" to final when your document is finished.*

media=OPT screen(*), paper

Behavior to be customized in the school options/configuration. Expected definitions for screen are: left and right margins are equal and use colored links. Expected definitions for paper are: left and right margins are different and use black links.

2.4 Additional considerations about the class options

In this section we will provide some additional considerations about some of the customizations available as class options.

2.4.1 The main language

The choice of the main language with the option “`lang=OPT`” affects:

- **The order of the summaries.** First is printed the abstract in the main language and then in the foreign language. This means that if your main language for the document in English, you will see first the “abstract” (in English) and then the “resumo” (in Portuguese). If you switch the main language for the document for Portuguese, it will also automatically switch the order of the summaries to “resumo” and then “abstract”.
- **The names for document sectioning.** E.g., “Chapter” vs. “Capítulo”, “Table of Contents” vs. “Índice”, “Figure” vs. “Figura”, etc.
- **The type of documents in the bibliography.** E.g., “Technical Report” vs. “Relatório Técnico”, “PhD Thesis” vs. “Tese de Doutoramento”, etc.

No matter which language you chose, you will always have the appropriate hyphenation rules according to the language at that point. You always get Portuguese hyphenation rules in the “Resumo”, English hyphenation rules in the “Abstract”, and then the main language hyphenation rules for the rest of the document.

2.4.2 Class of Text

You must choose the class of text for the document. The available options are:

1. **bsc** — BSc graduation report.
2. ***mscplan** — Preparation of MSc dissertation. This is a preliminary report graduate students at DI-FCT-NOVA must prepare to conclude the first semester of the two-semesters MSc work. The files specified by `\ntdedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
3. **msc** — MSc dissertation.

4. **phdprop** — Proposal for a PhD work. The files specified by `\ntdedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
5. **prepphd** — Preparation of a PhD thesis. This is a preliminary report PhD students at DI-FCT-NOVA must prepare before the end of the third semester of PhD work. The files specified by `\ntdedicatoryfile` and `\acknowledgmentsfile` are ignored, even if present, for this class of document.
6. **phd** — PhD dissertation.

2.4.3 Printing

You must choose how your document will be printed. The available options are:

1. **oneside** — Single side page printing.
2. ***twoside** — Double sided page printing.

2.4.4 Font Size

You must select the encoding for your text. The available options are:

1. **11pt** — Eleven (11) points font size.
2. ***12pt** — Twelve (12) points font size. You should really stick to 12pt...

2.4.5 Text Encoding

You must choose the font size for your document. The available options are:

1. **latin1** — Use Latin-1 ([ISO 8859-1](#)) encoding. Most probably you should use this option if you use Windows;
2. **utf8** — Use [UTF8](#) encoding. Most probably you should use this option if you are not using Windows.

2.4.6 Examples

Let's have a look at a couple of examples:

- Preparation of PhD thesis, in portuguese, with 11pt size and to be printed single sided (I wonder why one would do this!)
`\documentclass[prepphd,pt,11pt,oneside,latin1]{thesisdifct-nova}`
- MSc dissertation, in English, with 12pt size and to be printed double sided
`\documentclass[msc,en,12pt,twoside,utf8]{thesisdifct-nova}`

2.5 How to Write Using LATEX

Please have a look at Chapter 3, where you may find many examples of LATEX constructs, such as Sectioning, inserting Figures and Tables, writing Equations, Theorems and algorithms, exhibit code listings, etc.

2.6 Example glossary, acronyms, and symbols

This is the first occurrence of an abbreviation: [abbreviation of a longer text \(abbrev\)](#). And now the second occurrence of the same abbreviation: [abbrev](#). And a new acronym with capital letter: [And extension of a xpto \(xpto\)](#) and reused [xpto](#). Let's also use a few other acronyms such as [acronym aaa \(aaa\)](#), [acronym aab \(aab\)](#), [acronym aba \(aba\)](#), [acronym bbb \(bbb\)](#) and [xpto](#). In geometry, the area enclosed by a circle of radius [r](#) is πr^2 . Here the Greek letter [π](#) is equal to the ratio of the circumference of any circle to its diameter. Lets add “computer” to the glossary!

A SHORT L^AT_EX TUTORIAL WITH EXAMPLES

This Chapter aims at exemplifying how to do common stuff with L^AT_EX. We also show some stuff which is not that common! ;)

Please, use these examples as a starting point, but you should always consider using the *Big Oracle* (aka, [Google](#), your best friend) to search for additional information or alternative ways for achieving similar results.

3.1 Document Structure

3.2 Dealing with Bibliography

3.3 Inserting Tables

3.4 Importing Images

3.5 Floats, Figures and Captions

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi.

Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.




Figure 3.1: A figure with two sub-figures!

And this is a small text that references the Figure 3.1 and its Subfigures 3.1(a) and 3.1(b).

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet,

tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

3.6 Text Formatting

3.7 Generating PDFs from L^AT_EX

3.7.1 Generating PDFs with pdflatex

You may create PDF files either by using `latex` to generate a DVI file, and then use one of the many DVI-2-PDF converters, such as `dvipdfm`.

Alternatively, you may use `pdflatex`, which will immediately generate a PDF with no intermediate DVI or PS files. In some systems, such as Apple, PDF is already the default format for L^AT_EX. I strongly recommend you to use this approach, unless you have a very good argument to go for `latex + dvipdfm`.

A typical pass for a document with figures, cross-references and a bibliography would be:

```
$ pdflatex template  
$ bibtex template  
$ pdflatex template  
$ pdflatex template
```

You will notice that there is a new PDF file in the working directory called `template.pdf`. Simple :)

Please note that, to be sure all table of contents, cross-references and bibliographic citations are up-to-date, you must run `latex` once, then `bibtex`, and then `latex` twice.

3.7.2 Dealing with Images

You may process the same source files with both `latex` or `pdflatex`. But, if your text include images, you must be careful. `latex` and `pdflatex` accept images in different (exclusive) formats. For `latex` you may use EPS ou PS figures. For `pdflatex` you may use JPG, PNG or PDF figures. I strongly recommend you to use PDF figures in vectorial format (do not use bitmap images unless you have no other choice).

3.7.3 Creating Source Files Compatible with both `latex` and `pdflatex`

Do not include the extension of the file in the `\includegraphics` command. E.g., use

`\includegraphics{sonwman}`

and not

`\includegraphics{sonwman.eps}`.

If you use the first form, `latex` or `pdflatex` will add an appropriate file extension.

This means that, if you plan to use only `pdflatex`, you need only to keep (preferably) a PDF version of all the images. If you plan to use also `latex`, then you also need an EPS version of each image.

To be included in the sections above

Para fazer citações, deverá usar-se a chave da referência no ficheiro BibTeX. Se for uma única referência [2], usar um “~” para ligar o \cite{...} à palavra que o precede (...referência~\cite{Artho04}). Caso queira fazer múltiplas citações [8, 9, 7], deverá agrupá-las dentro de um único \cite{...}.

Note que o ficheiro de bibliografia pode ter tantas entradas quantas quiser. Apenas aquelas cuja chave seja referenciada no texto é que serão incluídas na listagem de bibliografia.

Footnotes¹ will be numbered and shown in the bottom of the page.

A Tabela 3.1 ilustra alguns conceitos importantes associados à contrução de tabelas:

- i) Não usar linhas verticais;
- ii) A legenda deve ficar por cima da tabela;
- iii) Usar as macros \toprule, \midrule e \bottomrule para fazer a linha horizontal superior, interiores e inferior, respectivamente.

Table 3.1: Test results summary.

Test	Anomalies	Warnings	Correct	Categories	Missed
[3] Connection	2	2	1	C	1
[1] Coordinates'03	1	4	1	2B, 1C	0
[1] Local Variable	1	2	1	A	0
[1] NASA	1	1	1	—	0
[2] Coordinates'04	1	4	1	3C	0
[2] Buffer	0	7	0	2A, 1B, 2C, 2D	0
[2] Double-Check	0	2	0	1A, 1B	0
[4] StringBuffer	1	0	0	—	1
[10] Account	1	1	1	—	0
[10] Jigsaw	1	2	1	C	0
[10] Over-reporting	0	2	0	1A, 1C	0
[10] Under-reporting	1	1	1	—	0
[5] Allocate Vector	1	2	1	C	0
Knight Moves	1	3	1	2B	0
Total	12	33	10	5A, 6B, 10C, 2D	2

As figuras a inserir no documento deverão ser de qualidade, preferencialmente em formato vectorial (PDF vectorial) e não em *bitmap* (PNG, JPG, etc). As imagens *bitmap* (Figura 3.2) não escalam bem e têm reflexos negativos na qualidade do seu documento. Pelo contrário, as imagens *vectoriais* Figura 3.3 escalam muito tanto quanto o necessário sem degradar a qualidade da imagem.

Só deve usar *screenshots* se não tive mesmo nenhuma alternativa. Em vez de gerar um *screenshot*, tente usar uma impressora virtual PDF e imprimir para um ficheiro PDF. Regra

¹This is a simple footnote.

geral obterá um PDF vetorial. Mesmo que o seu PDF contenha imagens, elas terão sempre qualidade maior ou igual à que obteria com um *screenshot*.

Para agregar várias figuras numa única... Poderá assim referenciar o conjunto como Figura 3.4 ou as sub-figuras separadamente como 3.4() e 3.4(a).

3.8 Equações

O LaTeX é uma ferramenta poderosa para escrever em estilo matemático. Permite inserir fórmulas no meio do texto como por exemplo esta: $ax^2 + bx + c = 0$. Também permite que as fórmulas sejam destacadas numa linha separada e centradas na página

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

ou numeradas

$$aaa \tag{3.1}$$

que depois pode ser referida no texto como sendo a equação 3.1

aa

$$a \tag{3.2}$$

$$b \tag{3.3}$$

$$c \tag{3.4}$$


$$(3.5)$$



Figure 3.2: Imagem em formato *bitmap* (JPG)



Figure 3.3: Imagem em formato PDF vectorial



(a) Novelo de lã

(b) Tempestade com neve

Figure 3.4: Exemplo de utilização de *subbottom*

BIBLIOGRAPHY

- [1] C. Artho, K. Havelund, and A. Biere. *High-Level Data Races*. 2003. URL: citeseer.ist.psu.edu/artho03highlevel.html (cit. on p. 19).
- [2] C. Artho, K. Havelund, and A. Biere. “Using Block-Local Atomicity to Detect Stale-Value Concurrency Errors”. In: ATVA. Ed. by F. Wang. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004, pp. 150–164. ISBN: 3-540-23610-4 (cit. on pp. xxiii, 19).
- [3] N. E. Beckman, K. Bierhoff, and J. Aldrich. “Verifying Correct Usage of Atomic Blocks and Typestate”. In: SIGPLAN Not. 43.10 (2008), pp. 227–244. ISSN: 0362-1340. doi: <http://doi.acm.org/10.1145/1449955.1449783> (cit. on p. 19).
- [4] C. Flanagan and S. N. Freund. “Atomizer: a dynamic atomicity checker for multi-threaded programs”. In: POPL ’04: Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages. Venice, Italy: ACM, 2004, pp. 256–267. ISBN: 1-58113-729-X. doi: <http://doi.acm.org/10.1145/964001.964023> (cit. on p. 19).
- [5] IBM’s Concurrency Testing Repository (cit. on p. 19).
- [6] J. M. Lourenço. *The NOVAtesis L^AT_EX Template User’s Manual*. NOVA University Lisbon. 2021. URL: <https://github.com/joaomlourenco/novathesis/raw/master/template.pdf> (cit. on p. 1).
- [7] J. E. B. Moss. *Nested transactions: an approach to reliable distributed computing*. Cambridge, MA, USA: Massachusetts Institute of Technology, 1985. ISBN: 0-262-13200-1 (cit. on pp. 7, 19).
- [8] N. Shavit and D. Touitou. “Software transactional memory”. In: PODC ’95: Proceedings of the fourteenth annual ACM symposium on Principles of distributed computing. Ottawa, Ontario, Canada: ACM, 1995, pp. 204–213. ISBN: 0-89791-710-3. doi: <http://doi.acm.org/10.1145/224964.224987> (cit. on p. 19).
- [9] A. Silberschatz, H. F. Korth, and S. Sudarshan. *Database System Concepts*. Fifth. McGraw-Hill, 2006. ISBN: 007-124476-X (cit. on p. 19).

BIBLIOGRAPHY

- [10] C. von Praun and T. R. Gross. "Static Detection of Atomicity Violations in Object-Oriented Programs". In: *Journal of Object Technology*. 2003, p. 2004 (cit. on p. 19).
- [11] F. Wang, ed. *Automated Technology for Verification and Analysis: Second International Conference, ATVA 2004, Taipei, Taiwan, ROC, October 31-November 3, 2004. Proceedings*. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004. ISBN: 3-540-23610-4 (cit. on p. 7).

A

NOVATHESIS COVERS SHOWCASE

 John Longname Doe
Master of Science

**A Very Long and Impressive Thesis Title
with a Forced Line Break**

Dissertação para obtenção do Grau de Doutor em
Informática

Orientadora: Mary Doe Adviser Name, Full Professor, NOVA University of Lisbon
Coorientadoras: John Doe Co-Adviser Name, Associate Professor, NOVA University of Lisbon
John Doe other Co-Adviser Name, Full Professor, NOVA University of Lisbon

Jur: Presidente: Name of the committee chairperson, Full Professor, FCT/NOVA
Arguentes: Name of a rapporteur, Position, University
Name of another rapporteur, Position, University
Vogais: Another member of the committee, Position,
University
Yet another member of the committee, Position,
University

FCL FACULDADE DE
CÉNIAS E TECNOLOGIA
UNIVERSIDADE NOVA DE LISBOA
<month>, <year>

 A Very Long and Impressive Thesis Title
with a Forced Line Break

John Longname Doe

**Tese de Doutoramento em
Informática**

<month>, <year>

 DOCTORATE
PROGRAM

Computer Science
Specialization in Distributed Systems

**A Very Long and Impressive Thesis Title
with a Forced Line Break**

John Longname Doe

A thesis submitted in partial fulfillment of the
requirements for the degree of Doctor in Computer
Science, under the supervision of Mary Doe Adviser
Name

<month>, <year>

Information Management School
NOVA University Lisbon

 A Very Long and Impressive Thesis Title
with a Forced Line Break

Programa de Doutoramento em Informática

John Longname Doe

<month>, <year>

UNIVERSIDADE DE LISBOA
FACULDADE DE CIÉNCIAS

 Ciências
ULisboa

**A Very Long and Impressive Thesis Title
with a Forced Line Break**

John Longname Doe

Tese orientada por:
Mary Doe Adviser Name

Jur: Presidente: Name of the committee chairperson, Full Professor, FCT/NOVA
Arguentes: Name of a rapporteur, Position, University
Name of another rapporteur, Position, University
Vogais: Another member of the committee, Position,
University
Yet another member of the committee, Position,
University

Documento especialmente elaborado para a obtenção do grau de Doutor

<year>

 UNIVERSIDADE DE LISBOA
INSTITUTO SUPERIOR TÉCNICO

**A Very Long and Impressive Thesis Title
with a Forced Line Break**

John Longname Doe

Dissertação para obtenção do Grau de Doutor em
Informática

Orientadora: Mary Doe Adviser Name, Full Professor, NOVA University
of Lisbon
Coorientadoras: John Doe Co-Adviser Name, Associate Professor, NOVA
University of Lisbon
John Doe other Co-Adviser Name, Full Professor, NOVA
University of Lisbon

Jur: Presidente: Name of the committee chairperson, Full
Professor, FCT/NOVA
Arguentes: Name of a rapporteur, Position, University
Name of another rapporteur, Position, University
Vogais: Another member of the committee, Position,
University
Yet another member of the committee, Position,
University

<month>, <year>

APPENDIX A. NOVATHESIS COVERS SHOWCASE



ANNEX 1 LOREM IPSUM

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum

ANNEX I. ANNEX 1 LOREM IPSUM

wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

