

Deployments

Metrics

Custom domains

Settings

...

Build

Git repository

joaoooooszuni/joaoooo...

Disconnect

Manage

Build configuration

Build command:

Build output: public

Root directory:

Build comments: Enabled

Build cache

Beta

Disabled

Enable

Branch control

Production branch: main

Automatic deployments: Enabled

Build watch paths

Include paths: *

Build system version

Version 3

Deploy Hooks

No deploy hooks defined

+

Variables and secrets

+ Add

Define the text, secret or build variables for your project

Type	Name	Value	
Text	GITHUB_CLIENT_ID	Ov23liox9Kyu2fNn8OI2	
Secret	GITHUB_CLIENT_SE	Value encrypted	

Type	Name	Value	
Text	GOOGLE_CLIENT_ID	1088358011801-95rj13vih4g7r	
Secret	GOOGLE_CLIENT_SE	Value encrypted	

Bindings

[+ Add](#)

Define the set of resources available to your [Pages Functions](#)

Type	Name	Value	
D1 database	DB	<u>oauth-sessions-db</u>	

Runtime

Define the runtime configuration for your [Pages Functions](#)

Placement ⓘ

Default

Compatibility date ⓘ

2026-09-17

Compatibility flags ⓘ

Compatibility flags

Fail open/closed

Fail open

General

Name	joaoooooszuni-github-io	Rename

Notifications	Subscribe to specific events by adding a notification to your project	Manage 
Preview access	Preview deployments are public by default. Restrict previews with <u>Cloudflare Access</u> so visitors must sign in before viewing them. You can customize who is allowed in Zero Trust. This protects preview deployment URLs only. Production pages.dev and custom domains are managed separately in Zero Trust.	Restrict previews
Permanently delete this Pages project including all deployments, assets, functions and configurations associated with it.		Delete