## **Arquivo Aluno.php**


```
aluno.php × action.php
ф
                             Tarefas > Exemplo CRUD > 🝩 aluno.php
                                                      .modal-mask{
                                                                                                     position: fixed;
z-index: 9998;
                                                                                                      z-index: 9998;
top: 0;
left: 0;
width: 100%;
height: 100%;
background-color: rgba(0, 0, 0, 0.5);
display: table;
transition: opacity 0.3s ease;
                                                                                         .modal-wrapper{
   display: table-cell;
   vertical-align: middle;

<pre
                                                                                       <br/>
container<br/>
<br/>
<br/
                                                                                                         dalign center /

king src="https://site.fatecfranca.edu.br/images/logo-fatec-franca-15-anos.png" width="50%"
height="50%" alt="logo fatec"><br/>>\strong>Cadastro de Alunos</strong>

<
                                                                                                        Deletar
                                                                                                                                                          cbutton type="button" name="delete" class="btn btn-danger btn-xs delete"
@click="deleteData(row.id)">
                                                                                                                                                                                            Deletar </br/>
//button>
                                                                                                      </div>
                                                                                       <div class="modal-header">
                                                                                                                                                                                                             <h4 class="modal-title">{{ dynamicTitle }}</h4>
ξ<sup>7</sup>2
                                                                                                                                                                                                                                                                                                                                                                 Ln 192, Col 15 Spaces: 4 UTF-8 CRLF PHP @ Go Live R Q

      O Pesquisar
      Image: squisar
      Image: squisar
      Image: squisar
      Image: squisar
      POR (squisar) (sq
```



```
File Edit Selection View Go Run
                                                                                                                                                                                        aluno.php - Banco de Dados Relacional - Marcio - Visual Studio Code
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          aluno.php × action.php
             Tarefas > Exemplo CRUD > 🝩 aluno.php

>> aluno.php

openModel: function(response){


openModel: first name = "",

openModel: first name 
                                                                                                                   application.first_name = "",
application.last_name = "",
application.actionButton = "Insert",
application.dynamicTitle = "Adicionar Aluno",
application.myModel = true;
                                                                                                   submitData: function(){
   if(application.first_name != "" && application.last_name != ""){
    if(application.actionButton == "Insert"){
                                                                                                                                                                       os
.post("action.php", {
    action: 'insert',
    firstName: application.first_name,
    lastName: application.last_name,
                                                                                                                                                                          then(function(response){
   application.myModel = false;
   application.fetchAllData();
   application.first_name = "";
   application.last_name = "";
   alert(response.data.message);
                                                                                                                                                                        os
.post("action.php", {
    action: "update",
    firstName: application.first_name,
    lastName: application.last_name,
    hiddenId: application.hiddenId,
                                                                                                                                                                          })
then(function(response){
   application.myModel = false;
   application.fetchAllData();
   application.first_name = "";
   application.last_name = "";
   application.hiddenId = "";
   alert(response.data.message);
}
                                                                                                                                      alert("Complete todos os dados!!");
                                                                                                   fetchData: function(id){
                                                                                                                                      .post("action.php", {
    action: "fetchSingle",
    id: id,
                                                                                                                                      })
.then(function (response){
   application.first_name = response.data.first_name;
   application.last_name = response.data.last_name;
   application.iniddenId = response.data.id;
   application.myModel = true;
   application.actionButton = "Update";
   application.dynamicTitle = "Edit Data";
                                                                                                  if(confirm("Você tem certeza que deseja deletar esse aluno?")){
                                                                                                                                                        .post("action.php", {
    action: "delete",
    id: id,
                                                                                                                                                          .then(function(response){
    application.fetchAllData();
    alert(response.data.message);
                                                                                                                                                                                                                                                                                                                                                                                   Ln 173, Col 22 Spaces: 4 UTF-8 CRLF PHP P Go Live
                                                                                                                                                                                                                                                                                                                                                                                                                                                                            へ / POR 日 (4)) 21:14 3 (3) 02/04/2023 (3)
                                                                                                                                                                                                 📜 🧿 😄 刘 🐸 👼 🖫 🔤 🦪 🌣
                                                                                                                                      O Pesquisar
```

## **Arquivo Action.php**

```
aluno.php action.php ×
c
            Tarefas > Exemplo CRUD > action.php
                       connet = new PDO("mysql:host=localhost;dbname=id20421000_bd_login", "id20421000_joaop", "senhaBanco123@"); ireceived_data = json_decode(file_get_contents("php://input"));
                              SELECT * FROM fatec_alunos
                             SELECT * FROM fatet_som
ORDER BY id DESC";
$statement = $connect->prepare($query);
$statement->execute();

ile/$equ_= $statement->fetch(PDO::FETCH_ASSOC)){
                        .f($received_data->action == 'insert'){
    $data = array(
        ':first_name' => $received_data->firstName,
        ':last_name' => $received_data->lastName
                             $query = "
SELECT * FROM fatec_alunos
WHERE id = ' " . $received_data->id . " '
                             foreach($result as $row){
    $data['id'] = $row['id'];
    $data['first_name'] = $row['first_name'];
    $data['last_name'] = $row['last_name'];
                        .f($received_data->action == 'update'){
    $data = array(
        ':first_name' => $received_data->firstName,
        ':last_name' => $received_data->lastName,
        ':id' => $received_data->hiddenId
                             $query = "
UPDATE fatec_alunos
SET first_name = :first_name,
last_name = :last_name
WHERE id = :id
                              $output = array(
    'message' => 'Aluno Atualizado'
                            $Tetel
$query = "
DELETE FROM fatec_alunos
UHERE id = ' " . $received_data->id . " '
ξ<sup>2</sup>2
```



## Tela





Editar